



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 22, 2020
Analysis Start: January 20, 2021
Report Date: February 12, 2021
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000594.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-33
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
AQ201	138	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN
HOMOG	138	Homogenize pulps by light pulverizing			VAN
SS150	138	Sieve to 150 mesh			VAN
FA430	138	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812445	Drill Core	3.38	0.5	12.6	101.4	205	0.4	7.9	6.7	499	1.75	5.4	2.0	2.4	11.2	37	6.1	0.8	0.2	11	1.01
1812446	Drill Core	3.05	0.3	8.9	5.2	52	0.2	4.5	4.8	484	1.34	1.1	1.3	1.4	9.4	49	0.6	0.4	<0.1	9	1.00
1812447	Drill Core	3.55	0.2	10.8	3.4	59	0.2	5.6	6.9	447	1.74	2.2	1.8	1.6	8.4	40	0.2	0.5	<0.1	22	0.82
1812448	Drill Core	3.36	0.2	8.9	3.1	51	0.1	5.0	5.7	292	1.64	2.2	2.0	1.6	9.9	21	0.1	0.4	<0.1	20	0.36
1812449	Drill Core	3.63	0.2	14.5	7.9	76	0.2	8.1	9.3	545	1.90	1.4	1.8	0.7	8.5	39	0.4	0.4	<0.1	26	1.01
1812450	Drill Core	3.34	0.4	12.5	3.9	62	0.2	8.0	9.5	520	2.08	1.4	1.2	0.9	8.4	42	0.2	0.5	<0.1	29	0.95
1812451	Drill Core	3.42	0.4	17.5	4.8	48	0.2	10.1	9.1	433	1.93	1.3	1.7	<0.5	8.3	32	0.3	0.4	<0.1	18	0.98
1812452	Drill Core	3.71	0.3	15.0	9.2	35	0.3	6.7	7.1	368	1.50	2.8	2.0	2.9	10.1	21	0.3	0.4	0.1	6	0.97
1812453	Drill Core	3.06	0.3	13.2	6.3	41	0.3	5.4	6.1	310	1.16	4.2	2.0	3.6	10.2	18	0.3	0.4	<0.1	6	0.62
1812454	Drill Core	3.41	1.5	43.0	66.2	68	0.7	10.0	7.8	414	1.86	2.1	0.9	2.5	8.3	21	0.9	0.5	0.1	9	0.79
1812455	Drill Core	3.65	1.4	52.6	38.0	92	0.7	13.8	10.7	615	2.49	2.9	0.7	1.8	6.4	20	0.6	0.4	<0.1	14	0.58
1812456	Drill Core	3.43	1.5	69.7	61.6	134	0.8	15.9	12.8	1452	3.08	2.2	1.3	2.3	5.2	40	1.1	0.5	0.1	19	1.61
1812457	Drill Core	3.24	3.4	55.6	81.8	134	0.8	13.4	9.0	547	2.22	2.2	0.8	2.8	8.8	13	0.8	0.4	0.1	12	0.37
1812458	Drill Core	3.49	0.7	32.2	3.9	75	0.5	10.4	9.0	546	2.11	5.8	1.1	3.9	8.2	12	0.3	0.4	<0.1	9	0.41
1812459	Drill Core	3.16	0.5	13.6	7.9	78	0.3	9.1	7.2	551	1.91	1.5	1.9	6.6	10.2	13	0.1	0.3	<0.1	9	0.25
1812460	Rock Pulp	0.13	7.1	120.6	87.0	151	0.7	12.5	5.3	614	2.62	43.2	0.4	592.4	2.1	34	0.6	2.7	0.1	30	0.84
1812461	Drill Core	3.63	0.7	50.8	15.0	107	0.9	12.8	10.9	783	2.58	6.1	1.0	5.0	6.9	38	0.6	0.5	<0.1	14	1.16
1812462	Drill Core	3.20	5.9	29.2	77.4	71	0.9	10.5	8.7	310	2.49	8.9	1.4	8.5	8.1	11	0.4	1.1	0.3	7	0.41
1812463	Drill Core	3.59	0.4	10.1	5.7	60	0.2	6.8	5.5	676	1.62	1.7	1.7	1.3	9.4	58	0.3	0.3	<0.1	8	1.37
1812464	Drill Core	3.29	0.3	12.0	14.7	43	0.2	5.5	5.0	500	1.31	3.1	1.3	1.5	9.6	60	0.3	0.3	0.1	7	1.30
1812465	Drill Core	3.48	0.2	12.1	4.7	35	0.2	8.4	6.7	395	1.36	1.1	1.9	1.5	9.8	37	0.3	0.4	<0.1	6	1.19
1812466	Drill Core	3.37	0.2	13.1	6.6	48	0.2	10.7	7.1	344	1.51	1.8	2.5	2.1	9.9	33	0.4	0.5	0.1	8	0.84
1812467	Drill Core	3.48	0.8	15.2	21.0	53	0.2	8.3	7.7	371	1.72	0.7	2.6	<0.5	11.3	50	0.4	0.5	<0.1	16	0.83
1812468	Drill Core	3.28	1.3	25.6	35.5	80	0.3	8.9	11.9	571	2.38	1.2	1.2	<0.5	7.5	53	0.2	0.6	0.1	47	0.97
1812469	Drill Core	3.36	0.9	24.6	15.4	76	0.3	10.6	13.8	489	2.62	1.1	1.4	0.5	7.0	40	0.1	0.5	<0.1	44	0.54
1812470	Drill Core	3.24	0.4	12.1	28.8	72	0.1	7.4	8.2	434	1.86	1.2	1.7	<0.5	6.7	75	0.6	0.7	<0.1	26	0.81
1812471	Drill Core	3.85	0.5	15.5	9.5	33	0.2	3.6	7.2	208	1.26	1.3	1.9	0.6	8.4	30	<0.1	0.5	<0.1	20	0.27
1812472	Drill Core	3.19	2.4	24.6	27.7	75	0.4	13.6	13.6	488	2.54	0.9	0.5	<0.5	4.3	12	<0.1	0.3	0.2	38	0.30
1812473	Drill Core	3.78	0.3	17.3	10.8	50	0.3	6.5	10.3	346	1.83	1.8	0.6	<0.5	4.2	30	0.1	0.4	<0.1	26	0.37
1812474	Drill Core	3.40	0.1	9.6	2.6	48	0.1	5.6	8.5	296	1.61	0.9	1.6	<0.5	8.4	43	0.3	0.4	<0.1	23	0.42



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812445	Drill Core	0.055	23	12	0.72	268	0.083	2	0.84	0.038	0.60	0.2	0.07	3.2	0.3	0.56	3	<0.5	<0.2	0.006			
1812446	Drill Core	0.048	21	11	0.56	665	0.072	2	0.74	0.038	0.55	0.3	<0.01	2.6	0.2	0.21	3	<0.5	<0.2	<0.005			
1812447	Drill Core	0.048	19	91	1.21	490	0.088	1	1.00	0.030	0.73	0.2	<0.01	3.4	0.4	0.31	4	<0.5	<0.2	<0.005			
1812448	Drill Core	0.055	20	43	1.13	300	0.087	1	0.96	0.044	0.70	0.2	<0.01	3.9	0.3	0.29	4	<0.5	<0.2	0.005			
1812449	Drill Core	0.054	19	132	1.40	448	0.099	1	1.13	0.028	0.80	0.2	<0.01	3.8	0.4	0.27	4	<0.5	<0.2	<0.005			
1812450	Drill Core	0.052	17	153	1.55	209	0.081	1	1.19	0.037	0.65	0.2	<0.01	3.9	0.3	0.52	4	<0.5	<0.2	<0.005			
1812451	Drill Core	0.053	20	83	0.81	149	0.075	1	0.81	0.046	0.43	0.2	<0.01	2.9	0.2	0.94	3	0.6	<0.2	<0.005			
1812452	Drill Core	0.052	21	8	0.35	175	0.057	<1	0.62	0.024	0.42	0.2	<0.01	1.4	0.1	0.88	2	0.5	<0.2	0.006			
1812453	Drill Core	0.051	22	8	0.40	265	0.063	<1	0.63	0.024	0.45	0.2	<0.01	1.3	0.2	0.37	2	<0.5	<0.2	0.007			
1812454	Drill Core	0.062	20	11	0.43	93	0.068	<1	0.68	0.029	0.51	0.2	<0.01	1.9	0.2	1.17	2	0.7	<0.2	0.005			
1812455	Drill Core	0.085	17	22	1.04	96	0.081	1	0.93	0.019	0.53	0.2	<0.01	2.3	0.2	1.65	3	0.7	<0.2	<0.005			
1812456	Drill Core	0.094	13	30	1.28	81	0.100	1	1.10	0.009	0.57	0.3	<0.01	3.1	0.2	1.96	3	0.9	<0.2	<0.005			
1812457	Drill Core	0.070	23	18	0.96	121	0.059	<1	0.93	0.030	0.46	0.2	<0.01	2.0	0.2	1.38	3	0.8	<0.2	0.006			
1812458	Drill Core	0.066	19	12	0.87	146	0.050	<1	0.95	0.019	0.46	0.2	<0.01	1.5	0.1	1.13	3	0.6	<0.2	0.007			
1812459	Drill Core	0.053	24	15	1.27	282	0.045	<1	1.18	0.031	0.33	0.2	<0.01	1.7	0.1	0.57	4	<0.5	<0.2	0.009			
1812460	Rock Pulp	0.038	6	26	0.53	87	0.075	7	1.19	0.116	0.12	4.6	0.16	2.7	0.2	0.10	4	<0.5	<0.2	0.574			
1812461	Drill Core	0.085	22	22	0.99	95	0.023	1	1.11	0.009	0.47	0.3	<0.01	2.4	0.2	1.46	3	0.7	<0.2	0.010			
1812462	Drill Core	0.064	20	13	0.74	74	0.003	<1	0.82	0.017	0.29	0.1	<0.01	1.1	<0.1	1.66	3	0.8	<0.2	0.012			
1812463	Drill Core	0.047	27	14	0.88	268	0.006	<1	0.90	0.023	0.28	0.1	<0.01	1.7	<0.1	0.45	3	<0.5	<0.2	<0.005			
1812464	Drill Core	0.047	28	11	0.52	555	0.004	<1	0.70	0.017	0.30	0.1	<0.01	1.4	0.1	0.26	3	<0.5	<0.2	<0.005			
1812465	Drill Core	0.047	28	10	0.34	188	0.021	<1	0.57	0.030	0.36	0.2	<0.01	1.5	0.1	0.58	2	0.7	<0.2	0.005			
1812466	Drill Core	0.047	28	12	0.45	196	0.034	<1	0.66	0.039	0.37	0.1	<0.01	2.0	0.1	0.64	3	1.0	<0.2	<0.005			
1812467	Drill Core	0.038	27	102	1.02	244	0.016	<1	0.92	0.036	0.30	0.1	<0.01	2.5	0.1	0.47	4	0.6	<0.2	<0.005			
1812468	Drill Core	0.052	15	376	2.37	246	0.061	1	1.64	0.023	0.57	0.2	<0.01	4.2	0.3	0.08	6	0.6	<0.2	<0.005			
1812469	Drill Core	0.062	14	360	2.54	311	0.058	<1	1.70	0.038	0.35	0.2	<0.01	3.2	0.2	0.33	6	0.8	<0.2	<0.005			
1812470	Drill Core	0.051	15	180	1.35	266	0.057	<1	1.01	0.025	0.34	0.2	<0.01	2.5	0.2	0.42	4	0.6	<0.2	<0.005			
1812471	Drill Core	0.046	16	152	0.92	256	0.068	<1	0.79	0.026	0.31	0.1	<0.01	0.9	0.1	0.14	3	<0.5	<0.2	<0.005			
1812472	Drill Core	0.066	10	512	2.62	67	0.083	<1	1.83	0.024	0.13	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2	<0.005			
1812473	Drill Core	0.058	11	260	1.51	405	0.061	<1	1.13	0.023	0.26	0.2	<0.01	0.7	0.1	0.18	4	<0.5	<0.2	<0.005			
1812474	Drill Core	0.054	18	180	1.26	314	0.062	<1	0.98	0.031	0.45	0.2	<0.01	1.4	0.2	0.25	4	<0.5	<0.2	<0.005			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812475	Drill Core	3.57	0.2	12.6	1.3	50	0.1	6.6	10.9	274	1.77	1.3	1.4	<0.5	7.5	18	<0.1	0.3	<0.1	26	0.30
1812476	Drill Core	3.41	0.3	9.7	5.6	67	0.1	7.3	9.5	379	1.91	1.4	1.4	<0.5	7.2	40	0.3	0.5	<0.1	31	0.67
1812477	Drill Core	3.43	0.3	11.0	4.0	72	0.2	7.0	8.5	375	1.87	1.7	0.7	<0.5	4.2	33	0.5	0.7	<0.1	31	0.59
1812478	Drill Core	3.37	0.4	3.0	16.9	70	0.1	6.2	6.7	377	1.63	1.7	1.7	1.0	10.9	41	0.4	1.0	0.1	28	0.67
1812479	Drill Core	3.44	1.4	2.5	37.6	9	0.2	0.4	0.3	59	0.56	1.0	3.5	0.8	16.6	27	<0.1	1.0	0.2	<1	0.09
1812480	Rock	0.23	0.4	1.1	0.9	2	<0.1	1.7	0.7	126	1.12	0.8	0.2	<0.5	1.0	1	<0.1	<0.1	<0.1	<1	<0.01
1812481	Drill Core	3.42	1.1	1.5	29.9	5	0.1	0.5	0.4	62	0.69	0.9	2.0	0.5	16.0	14	<0.1	0.5	<0.1	<1	0.11
1812482	Drill Core	3.45	0.9	5.1	46.6	29	0.4	0.6	0.2	117	0.57	2.3	5.3	1.6	18.5	29	0.4	1.5	0.4	<1	0.34
1812483	Drill Core	3.36	0.3	8.1	29.1	24	0.2	0.6	0.2	90	0.50	1.5	1.8	1.3	16.1	22	0.2	0.8	0.1	<1	0.16
1812484	Drill Core	3.24	0.6	13.8	44.2	17	0.3	0.4	0.2	68	0.41	<0.5	1.4	<0.5	16.2	4	<0.1	0.4	0.2	<1	0.06
1812485	Drill Core	3.54	0.6	10.3	21.3	9	0.2	0.4	0.2	54	0.42	1.0	2.6	<0.5	17.2	7	0.2	0.3	<0.1	<1	0.09
1812486	Drill Core	3.64	0.7	4.8	29.3	13	0.3	0.3	0.2	69	0.45	0.8	3.7	<0.5	17.5	20	0.3	0.4	0.4	<1	0.20
1812487	Drill Core	3.02	1.7	3.3	28.1	12	0.2	0.4	0.2	60	0.46	0.6	3.2	<0.5	17.1	20	0.3	0.3	0.2	<1	0.22
1812488	Drill Core	3.48	0.4	1.5	20.8	6	<0.1	0.4	0.1	49	0.39	<0.5	3.2	<0.5	17.1	15	<0.1	0.2	0.1	<1	0.18
1812489	Drill Core	3.58	0.7	2.6	26.5	8	0.2	0.4	0.2	73	0.50	0.8	2.9	<0.5	17.1	20	0.1	0.2	0.2	<1	0.35
1812490	Drill Core	3.61	0.2	1.2	18.6	8	<0.1	0.4	0.2	54	0.40	0.7	2.5	<0.5	16.0	14	<0.1	0.2	<0.1	<1	0.17
1812491	Drill Core	3.70	2.6	2.6	28.8	10	0.2	0.4	0.2	56	0.45	0.9	3.3	<0.5	17.4	12	0.2	0.5	<0.1	<1	0.18
1812492	Drill Core	3.39	0.7	2.6	27.4	8	0.1	0.4	0.2	62	0.46	0.7	3.4	<0.5	16.9	10	0.1	0.3	<0.1	<1	0.12
1812493	Drill Core	3.51	1.0	2.9	28.4	14	0.1	0.4	0.3	78	0.56	1.1	4.8	<0.5	16.3	11	0.2	0.4	<0.1	<1	0.14
1812494	Drill Core	3.86	0.4	1.8	15.8	9	0.1	0.4	0.4	70	0.46	1.5	3.2	<0.5	15.2	10	0.1	0.3	0.1	<1	0.19
1812495	Drill Core	3.29	0.8	2.0	26.9	13	0.1	0.4	0.3	69	0.56	0.5	5.4	<0.5	16.4	10	0.2	0.4	<0.1	<1	0.17
1812496	Drill Core	3.69	0.2	5.4	14.8	9	<0.1	0.4	0.2	49	0.38	1.3	2.1	1.8	16.4	3	<0.1	0.3	<0.1	<1	0.04
1812497	Drill Core	3.42	0.2	86.3	37.3	16	1.1	0.4	0.2	75	0.52	0.5	1.9	<0.5	16.6	6	0.1	0.5	<0.1	<1	0.06
1812498	Drill Core	3.71	1.3	114.4	57.9	13	10.6	0.3	0.2	59	0.44	1.8	1.4	4.5	15.8	2	0.1	2.4	12.0	<1	0.01
1812499	Drill Core	3.30	0.6	3.4	7.9	11	0.1	0.4	0.2	51	0.42	1.6	1.6	0.8	17.6	4	0.1	0.3	0.1	<1	<0.01
1812500	Rock Pulp	0.12	9.1	184.6	18.5	74	0.9	13.4	11.2	551	4.62	13.5	0.8	6587.9	2.5	66	0.2	4.8	0.5	109	0.89
1812501	Drill Core	3.77	0.8	7.5	6.4	8	0.1	0.5	0.3	51	0.45	1.9	0.8	2.4	9.8	1	<0.1	0.4	0.1	<1	<0.01
1812502	Drill Core	2.80	0.3	6.6	7.1	6	0.1	0.4	0.1	39	0.42	1.1	0.9	1.1	13.2	2	<0.1	0.3	<0.1	<1	<0.01
1812503	Drill Core	3.30	0.2	2.0	7.9	6	<0.1	0.4	0.1	39	0.37	1.2	1.1	2.3	16.7	2	<0.1	0.3	<0.1	<1	<0.01
1812504	Drill Core	3.12	0.7	1.6	16.5	7	0.2	0.4	0.2	48	0.43	2.5	1.7	2.0	18.1	3	0.1	0.4	0.3	<1	0.01



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812475	Drill Core	0.064	16	194	1.35	154	0.067	<1	1.05	0.037	0.41	0.1	<0.01	1.1	0.2	0.32	4	<0.5	<0.2	<0.005
1812476	Drill Core	0.053	11	264	2.05	159	0.055	<1	1.29	0.020	0.73	0.2	<0.01	2.3	0.4	0.16	4	<0.5	<0.2	<0.005
1812477	Drill Core	0.048	7	273	1.91	189	0.055	1	1.15	0.020	0.81	0.2	<0.01	2.5	0.4	0.08	4	<0.5	<0.2	<0.005
1812478	Drill Core	0.027	21	227	1.68	226	0.056	3	1.18	0.013	0.81	0.3	<0.01	3.3	0.4	<0.05	4	<0.5	<0.2	<0.005
1812479	Drill Core	0.002	29	2	0.18	640	0.002	2	0.35	0.011	0.27	0.1	<0.01	0.6	<0.1	0.19	<1	<0.5	<0.2	<0.005
1812480	Rock	0.001	2	5	<0.01	9	0.001	2	0.05	0.002	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812481	Drill Core	0.002	29	2	0.11	372	0.001	<1	0.31	0.019	0.24	<0.1	<0.01	0.3	<0.1	0.32	<1	<0.5	<0.2	<0.005
1812482	Drill Core	0.003	39	3	0.46	642	0.004	1	0.51	0.008	0.33	0.2	<0.01	0.9	<0.1	0.05	1	<0.5	<0.2	<0.005
1812483	Drill Core	0.002	38	2	0.35	569	0.002	1	0.43	0.005	0.26	0.1	<0.01	0.5	<0.1	<0.05	1	<0.5	<0.2	<0.005
1812484	Drill Core	0.001	37	2	0.09	105	<0.001	<1	0.28	0.010	0.25	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812485	Drill Core	0.001	37	2	0.05	132	<0.001	<1	0.28	0.014	0.29	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812486	Drill Core	0.002	37	2	0.13	353	0.002	<1	0.33	0.012	0.29	0.1	<0.01	1.1	<0.1	0.06	<1	<0.5	<0.2	<0.005
1812487	Drill Core	0.002	34	2	0.12	265	0.003	<1	0.35	0.018	0.29	0.1	<0.01	1.3	<0.1	0.05	<1	<0.5	<0.2	<0.005
1812488	Drill Core	0.001	28	2	0.08	180	0.002	<1	0.31	0.016	0.28	0.2	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812489	Drill Core	0.002	29	2	0.12	151	0.004	<1	0.35	0.020	0.30	0.2	<0.01	1.3	<0.1	0.07	<1	<0.5	<0.2	<0.005
1812490	Drill Core	0.002	25	2	0.11	122	0.005	<1	0.32	0.018	0.27	0.1	<0.01	1.3	<0.1	<0.05	1	<0.5	<0.2	<0.005
1812491	Drill Core	0.002	25	2	0.13	156	0.003	<1	0.38	0.019	0.30	0.1	<0.01	0.9	<0.1	0.08	1	<0.5	<0.2	<0.005
1812492	Drill Core	0.002	28	2	0.12	121	0.003	<1	0.34	0.018	0.28	0.1	<0.01	1.1	<0.1	0.06	<1	<0.5	<0.2	<0.005
1812493	Drill Core	0.002	28	2	0.17	138	0.003	<1	0.41	0.025	0.29	0.1	<0.01	1.2	<0.1	0.09	1	<0.5	<0.2	<0.005
1812494	Drill Core	0.001	27	2	0.08	114	<0.001	<1	0.30	0.023	0.24	<0.1	<0.01	0.4	<0.1	0.09	<1	<0.5	<0.2	0.017
1812495	Drill Core	0.002	30	2	0.11	157	<0.001	<1	0.34	0.024	0.27	<0.1	<0.01	0.6	<0.1	0.12	<1	<0.5	<0.2	<0.005
1812496	Drill Core	0.001	34	2	0.07	122	<0.001	<1	0.29	0.017	0.25	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812497	Drill Core	0.001	38	2	0.14	197	<0.001	<1	0.37	0.019	0.27	<0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812498	Drill Core	0.001	31	2	0.10	107	<0.001	<1	0.34	0.010	0.26	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	0.4	0.008
1812499	Drill Core	0.002	34	2	0.07	235	<0.001	<1	0.33	0.007	0.29	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812500	Rock Pulp	0.059	7	18	0.85	117	0.115	2	1.67	0.174	0.23	3.7	0.21	3.2	<0.1	<0.05	5	<0.5	<0.2	7.302
1812501	Drill Core	0.002	21	2	0.03	76	<0.001	1	0.21	0.002	0.20	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812502	Drill Core	0.002	27	3	0.03	101	<0.001	2	0.26	0.005	0.23	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812503	Drill Core	0.002	31	2	0.04	141	<0.001	1	0.28	0.012	0.25	<0.1	0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812504	Drill Core	0.003	36	2	0.06	172	<0.001	2	0.36	0.013	0.30	<0.1	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812505	Drill Core	3.52	0.5	2.3	7.6	7	0.1	0.4	0.1	38	0.37	2.6	1.4	2.3	15.7	3	<0.1	0.6	0.2	<1	<0.01
1812506	Drill Core	3.17	0.2	4.1	5.1	5	<0.1	0.4	0.1	57	0.39	0.9	1.0	0.9	16.1	2	0.1	0.2	<0.1	<1	<0.01
1812507	Drill Core	3.26	0.3	5.2	6.0	6	<0.1	0.4	0.2	50	0.41	1.2	1.0	1.2	16.5	2	0.1	0.3	<0.1	<1	0.01
1812508	Drill Core	3.24	0.5	3.0	26.1	33	0.2	0.4	0.2	79	0.44	<0.5	1.4	0.9	16.7	13	0.1	0.3	<0.1	<1	0.17
1812509	Drill Core	3.06	0.2	2.1	26.0	17	<0.1	0.4	0.2	79	0.42	0.8	1.5	0.8	16.4	13	0.2	0.4	<0.1	<1	0.14
1812510	Drill Core	3.37	0.2	1.7	16.1	9	0.1	0.4	0.1	40	0.37	2.4	1.9	1.2	16.3	4	0.1	0.6	<0.1	<1	<0.01
1812511	Drill Core	3.51	1.0	2.7	22.9	10	0.3	0.4	0.2	49	0.41	2.0	2.8	0.6	16.3	19	0.6	0.6	0.3	<1	0.13
1812512	Drill Core	3.42	3.7	3.4	31.4	12	0.3	0.4	0.2	58	0.41	2.2	2.9	0.9	17.0	24	0.5	0.6	0.4	<1	0.15
1812513	Drill Core	3.53	1.6	3.2	33.0	12	0.2	0.4	0.2	52	0.36	1.5	2.6	1.3	18.0	18	0.5	0.5	0.2	<1	0.16
1812514	Drill Core	3.52	1.3	5.0	37.1	21	0.2	0.4	0.2	65	0.39	0.6	2.9	1.0	18.1	18	0.6	0.3	0.2	<1	0.19
1812515	Drill Core	3.46	1.4	3.0	50.8	43	0.2	0.4	0.2	197	0.47	<0.5	3.6	0.7	18.1	39	0.4	0.4	0.2	<1	0.47
1812516	Drill Core	3.59	1.0	32.8	128.8	147	0.8	0.4	0.3	135	0.48	<0.5	3.0	0.6	15.9	16	1.9	0.5	0.9	<1	0.27
1812517	Drill Core	3.41	4.0	17.1	138.3	135	0.5	0.5	0.3	167	0.56	0.5	4.4	1.0	16.0	19	2.2	0.8	0.6	<1	0.33
1812518	Drill Core	3.27	0.5	59.2	239.9	191	0.8	0.4	0.4	144	0.53	<0.5	2.3	1.8	15.3	13	2.6	0.6	0.9	<1	0.20
1812519	Drill Core	3.30	0.6	44.1	123.5	149	1.1	0.4	0.4	155	0.47	<0.5	3.9	1.1	15.8	13	2.3	0.4	1.1	<1	0.22
1812520	Rock Pulp	0.12	6.5	111.3	80.9	139	0.7	11.8	5.0	561	2.48	40.7	0.4	539.6	2.0	32	0.6	2.7	<0.1	29	0.77
1812521	Drill Core	3.38	1.5	15.0	56.8	67	0.4	0.4	0.2	123	0.46	<0.5	4.3	<0.5	17.0	23	1.4	0.5	0.5	<1	0.37
1812522	Drill Core	3.30	1.0	2.4	29.2	14	0.2	0.3	0.1	111	0.39	<0.5	4.4	0.8	16.9	55	0.7	0.2	0.2	<1	0.95
1812523	Drill Core	3.49	0.9	1.9	27.2	10	0.2	0.3	0.1	85	0.33	0.5	3.7	0.8	17.3	40	0.7	0.3	0.3	<1	0.65
1812524	Drill Core	3.46	0.7	2.5	27.4	9	0.2	0.3	0.2	70	0.34	<0.5	4.1	<0.5	17.2	29	0.8	0.4	0.3	<1	0.48
1812525	Drill Core	3.62	1.1	13.5	35.1	21	0.3	0.4	0.2	72	0.42	<0.5	2.7	<0.5	17.3	19	0.5	0.2	0.3	<1	0.29
1812526	Drill Core	3.54	0.7	25.7	112.6	97	0.6	0.4	0.2	121	0.50	0.8	1.7	1.0	17.4	14	1.1	0.2	0.6	<1	0.25
1812527	Drill Core	3.54	0.6	3.5	34.6	22	0.2	0.3	0.2	83	0.36	<0.5	3.3	1.2	17.0	25	0.9	0.2	0.2	<1	0.43
1812528	Drill Core	3.68	0.6	5.7	18.7	24	0.2	0.4	0.2	61	0.49	<0.5	2.1	<0.5	17.0	31	0.5	0.2	0.1	<1	0.21
1812529	Drill Core	3.30	0.2	13.2	17.5	16	0.2	0.4	0.2	61	0.46	0.8	2.5	1.0	17.3	17	0.3	0.6	0.1	<1	0.14
1812530	Drill Core	3.06	0.7	2.5	20.5	14	0.2	0.4	0.3	53	0.44	<0.5	2.2	0.5	16.9	20	0.2	0.2	<0.1	<1	0.23
1812531	Drill Core	3.33	0.5	1.3	18.7	8	0.2	0.5	0.2	63	0.47	<0.5	3.0	<0.5	16.2	25	<0.1	0.2	0.1	<1	0.25
1812532	Drill Core	3.90	0.2	2.4	22.2	9	0.2	0.4	0.2	61	0.42	<0.5	3.3	0.8	15.8	24	0.1	0.3	0.2	<1	0.29
1812533	Drill Core	3.70	1.6	1.6	26.9	16	0.2	0.4	0.4	43	0.50	0.7	2.4	1.2	15.5	22	0.3	0.3	0.1	<1	0.04
1812534	Drill Core	3.44	0.9	2.9	27.5	10	0.2	0.3	0.2	57	0.42	<0.5	3.9	0.8	16.6	55	0.7	0.2	0.1	<1	0.30



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812505	Drill Core	0.004	37	2	0.03	132	<0.001	1	0.27	0.006	0.24	<0.1	0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812506	Drill Core	0.003	34	2	0.04	114	<0.001	1	0.29	0.003	0.27	<0.1	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812507	Drill Core	0.002	38	2	0.04	116	<0.001	1	0.28	0.004	0.26	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812508	Drill Core	0.002	41	2	0.11	310	<0.001	<1	0.34	0.010	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812509	Drill Core	0.002	42	2	0.10	360	<0.001	<1	0.32	0.007	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812510	Drill Core	0.001	42	2	0.05	260	<0.001	<1	0.28	0.010	0.26	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812511	Drill Core	0.002	38	2	0.07	708	<0.001	<1	0.30	0.015	0.27	<0.1	<0.01	0.5	<0.1	0.08	<1	<0.5	<0.2	<0.005
1812512	Drill Core	0.002	39	2	0.06	825	<0.001	<1	0.30	0.024	0.26	<0.1	<0.01	0.5	<0.1	0.07	<1	<0.5	<0.2	<0.005
1812513	Drill Core	0.002	38	3	0.07	481	<0.001	2	0.32	0.012	0.29	<0.1	<0.01	0.6	<0.1	0.06	<1	<0.5	<0.2	<0.005
1812514	Drill Core	0.001	39	4	0.05	192	<0.001	1	0.25	0.013	0.24	<0.1	<0.01	0.5	<0.1	0.06	<1	<0.5	<0.2	<0.005
1812515	Drill Core	0.001	38	4	0.20	636	0.001	2	0.34	0.007	0.26	0.2	<0.01	0.6	<0.1	0.05	<1	<0.5	<0.2	<0.005
1812516	Drill Core	0.002	37	4	0.15	141	0.001	1	0.32	0.007	0.24	0.1	<0.01	0.4	<0.1	0.07	<1	0.5	<0.2	<0.005
1812517	Drill Core	0.002	39	3	0.21	151	0.001	1	0.40	0.007	0.28	0.2	<0.01	0.7	<0.1	0.08	1	0.6	<0.2	<0.005
1812518	Drill Core	0.002	35	5	0.10	178	<0.001	1	0.30	0.006	0.25	0.2	<0.01	0.3	<0.1	0.07	<1	1.5	<0.2	0.005
1812519	Drill Core	0.001	36	4	0.09	163	<0.001	1	0.30	0.006	0.25	0.2	<0.01	0.3	<0.1	0.06	<1	0.6	<0.2	0.006
1812520	Rock Pulp	0.036	5	24	0.51	79	0.069	8	1.12	0.105	0.12	4.3	0.15	2.5	0.2	0.10	4	<0.5	<0.2	0.590
1812521	Drill Core	0.001	39	4	0.11	186	<0.001	1	0.31	0.009	0.26	0.2	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812522	Drill Core	0.002	38	3	0.09	111	<0.001	<1	0.28	0.006	0.25	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812523	Drill Core	0.002	41	4	0.07	130	<0.001	<1	0.24	0.012	0.23	<0.1	<0.01	0.4	<0.1	0.05	<1	<0.5	<0.2	<0.005
1812524	Drill Core	0.002	41	3	0.05	132	<0.001	<1	0.23	0.008	0.25	<0.1	<0.01	0.5	<0.1	0.07	<1	<0.5	<0.2	<0.005
1812525	Drill Core	0.002	41	4	0.07	188	<0.001	<1	0.29	0.010	0.27	<0.1	<0.01	0.5	<0.1	0.06	<1	<0.5	<0.2	<0.005
1812526	Drill Core	0.002	41	4	0.09	176	<0.001	<1	0.32	0.011	0.28	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812527	Drill Core	0.002	39	3	0.08	260	<0.001	<1	0.29	0.012	0.26	<0.1	<0.01	0.5	<0.1	0.07	<1	<0.5	<0.2	<0.005
1812528	Drill Core	0.002	42	4	0.10	903	<0.001	<1	0.32	0.018	0.27	<0.1	<0.01	0.6	<0.1	0.11	<1	<0.5	<0.2	<0.005
1812529	Drill Core	0.002	44	3	0.09	469	<0.001	<1	0.28	0.010	0.25	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812530	Drill Core	0.002	38	3	0.08	409	<0.001	<1	0.28	0.012	0.25	<0.1	<0.01	0.4	<0.1	0.14	<1	<0.5	<0.2	<0.005
1812531	Drill Core	0.002	39	3	0.07	468	<0.001	<1	0.28	0.014	0.26	<0.1	<0.01	0.5	<0.1	0.06	<1	<0.5	<0.2	<0.005
1812532	Drill Core	0.002	40	3	0.09	427	<0.001	<1	0.29	0.012	0.26	<0.1	<0.01	0.5	<0.1	0.06	<1	<0.5	<0.2	<0.005
1812533	Drill Core	0.001	29	3	0.05	781	<0.001	<1	0.24	0.014	0.22	<0.1	<0.01	0.3	<0.1	0.16	<1	<0.5	<0.2	<0.005
1812534	Drill Core	0.001	39	3	0.07	1067	<0.001	<1	0.28	0.015	0.25	<0.1	<0.01	0.5	<0.1	0.14	<1	<0.5	<0.2	<0.005



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 5 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812535	Drill Core	3.33	0.7	3.5	23.3	25	0.2	0.3	0.1	70	0.41	<0.5	2.0	0.6	16.8	22	0.2	0.1	0.2	<1	0.35
1812536	Drill Core	3.75	0.6	5.4	28.3	15	0.2	0.3	0.9	79	0.43	<0.5	4.3	<0.5	17.7	92	0.5	0.3	0.3	<1	0.88
1812537	Drill Core	3.47	1.4	1.8	18.4	14	0.2	0.5	0.5	51	0.41	<0.5	1.5	<0.5	10.7	47	0.4	0.2	0.2	<1	0.11
1812538	Drill Core	3.71	1.3	1.8	83.6	122	0.2	0.4	0.5	70	0.52	<0.5	2.1	0.9	15.0	51	3.6	0.1	0.1	<1	0.17
1812539	Drill Core	3.52	1.4	8.5	31.6	23	0.2	0.6	0.6	71	0.60	1.7	0.9	1.6	10.8	52	0.1	0.3	0.2	<1	0.01
1812540	Rock Pulp	0.12	3.9	21.2	0.8	32	<0.1	7.3	4.3	553	2.38	1.3	0.3	<0.5	1.9	29	<0.1	0.2	<0.1	22	0.74
1812541	Drill Core	3.57	2.1	2.1	33.9	19	0.2	0.5	0.3	84	0.49	<0.5	3.0	0.7	16.1	46	0.2	0.2	0.2	<1	0.24
1812542	Drill Core	3.59	2.1	3.7	83.1	27	0.2	0.5	0.3	125	0.44	<0.5	2.8	<0.5	15.0	53	0.3	0.2	0.3	<1	0.30
1812543	Drill Core	3.51	1.3	3.3	23.1	13	0.1	0.5	0.4	81	0.51	0.5	1.9	0.7	14.4	33	0.7	0.2	<0.1	<1	0.18
1812544	Drill Core	3.09	1.3	4.4	17.7	17	0.2	0.5	0.4	59	0.46	1.3	1.1	0.9	13.5	19	<0.1	0.5	0.2	<1	0.03
1812545	Drill Core	3.72	1.0	6.7	37.3	20	0.3	0.4	0.3	40	0.42	2.0	1.6	1.4	16.8	27	0.3	1.0	0.2	<1	0.02
1812546	Drill Core	3.80	1.6	2.6	31.4	7	0.2	0.3	0.2	61	0.47	0.6	2.6	0.6	16.8	39	0.7	0.2	0.2	<1	0.22
1812547	Drill Core	3.54	2.1	2.3	27.7	9	0.2	0.4	0.2	58	0.43	<0.5	2.0	<0.5	16.5	50	0.2	0.2	0.3	<1	0.15
1812548	Drill Core	3.79	1.7	2.7	29.0	13	0.2	0.7	0.5	66	0.57	1.3	1.4	0.8	16.0	39	0.1	0.3	0.2	<1	0.11
1812549	Drill Core	3.61	1.7	3.0	50.4	15	0.3	0.4	0.3	64	0.54	1.1	1.5	0.8	15.8	48	0.1	0.5	0.3	<1	0.19
1812550	Drill Core	3.33	0.8	4.6	39.9	20	0.2	0.5	0.3	61	0.54	1.6	1.2	0.7	17.4	45	<0.1	0.4	0.2	<1	0.17
1812551	Drill Core	4.08	0.5	5.5	54.7	26	0.2	0.4	0.3	71	0.51	1.2	1.1	0.7	16.0	33	0.2	0.5	0.2	<1	0.21
1812552	Drill Core	3.08	0.6	9.8	44.9	33	0.2	0.4	0.3	172	0.55	0.9	1.0	<0.5	15.2	30	0.2	0.4	0.2	<1	0.49
1812553	Drill Core	3.62	1.5	10.1	40.6	47	0.5	1.2	1.1	130	0.78	1.0	1.2	<0.5	15.2	11	0.1	0.6	0.6	2	0.10
1812554	Drill Core	3.71	0.1	17.8	31.7	96	0.3	10.3	12.4	513	2.23	1.7	2.3	<0.5	7.6	72	1.1	0.5	0.3	35	1.46
1812555	Drill Core	3.46	0.2	14.6	14.6	61	0.3	8.6	10.9	418	2.05	8.4	1.2	1.7	7.8	60	0.3	0.6	0.1	33	1.25
1812556	Drill Core	3.54	1.9	4.4	21.2	28	0.2	2.9	3.0	160	0.92	2.2	1.2	<0.5	12.4	21	0.2	0.4	0.1	5	0.34
1812557	Drill Core	3.80	4.3	6.1	39.3	28	0.3	0.4	0.3	83	0.51	1.8	1.1	0.6	15.5	9	0.1	0.8	0.3	<1	0.07
1812558	Drill Core	3.30	0.4	4.7	13.7	22	0.2	0.5	0.4	96	0.49	1.2	0.9	0.5	13.0	6	0.2	0.4	0.1	<1	0.01
1812559	Drill Core	3.37	0.4	9.4	74.4	134	1.2	5.4	7.0	556	1.74	0.7	1.5	1.4	6.2	67	1.0	0.3	1.8	18	1.33
1812560	Core DUP		0.3	9.3	79.4	134	1.3	5.4	6.9	559	1.76	0.6	1.5	0.8	5.9	66	0.9	0.3	1.9	18	1.32
1812561	Drill Core	3.56	1.3	7.3	45.0	26	0.2	0.4	0.3	98	0.48	0.8	1.3	<0.5	15.2	54	0.2	0.6	0.2	<1	0.22
1812562	Drill Core	3.58	2.2	36.3	120.0	31	0.8	0.4	0.3	115	0.53	0.7	1.2	<0.5	16.1	20	0.2	0.7	0.8	<1	0.21
1812563	Drill Core	3.42	0.6	9.6	28.2	15	0.2	0.4	0.3	71	0.40	0.8	1.0	0.5	16.4	11	<0.1	0.4	0.2	<1	0.09
1812564	Drill Core	3.34	1.6	6.5	44.6	28	0.2	0.4	0.2	94	0.46	1.2	1.2	<0.5	16.4	11	0.1	0.6	0.3	<1	0.09



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	
1812535	Drill Core	0.002	44	3	0.08	250	<0.001	<1	0.29	0.010	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812536	Drill Core	0.001	45	3	0.08	200	<0.001	<1	0.28	0.009	0.27	0.2	<0.01	0.4	<0.1	0.06	<1	<0.5	<0.2	<0.005			
1812537	Drill Core	0.001	21	5	0.06	1844	<0.001	<1	0.25	0.012	0.22	0.1	<0.01	0.2	<0.1	0.07	<1	<0.5	<0.2	<0.005			
1812538	Drill Core	0.001	33	3	0.09	955	<0.001	<1	0.31	0.009	0.27	0.1	0.03	0.3	<0.1	0.14	<1	<0.5	<0.2	<0.005			
1812539	Drill Core	0.001	22	5	0.06	2355	<0.001	<1	0.26	0.011	0.21	0.2	<0.01	0.2	<0.1	0.06	<1	<0.5	<0.2	<0.005			
1812540	Rock Pulp	0.037	5	15	0.49	49	0.070	3	1.01	0.076	0.09	0.2	<0.01	2.3	<0.1	<0.05	4	<0.5	<0.2	<0.005			
1812541	Drill Core	0.001	37	4	0.10	1597	<0.001	<1	0.35	0.010	0.29	0.1	<0.01	0.4	<0.1	0.06	<1	<0.5	<0.2	<0.005			
1812542	Drill Core	0.001	34	4	0.11	1848	<0.001	<1	0.31	0.009	0.25	0.1	<0.01	0.3	<0.1	0.06	<1	<0.5	<0.2	<0.005			
1812543	Drill Core	0.001	29	4	0.07	1177	<0.001	<1	0.28	0.023	0.23	0.1	<0.01	0.3	<0.1	0.10	<1	<0.5	<0.2	<0.005			
1812544	Drill Core	0.002	30	4	0.07	1352	<0.001	<1	0.28	0.007	0.24	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812545	Drill Core	0.001	40	3	0.05	1260	<0.001	<1	0.28	0.024	0.24	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812546	Drill Core	0.001	39	2	0.06	964	<0.001	<1	0.26	0.024	0.24	0.1	<0.01	0.4	<0.1	0.15	<1	<0.5	<0.2	<0.005			
1812547	Drill Core	0.002	42	3	0.08	1598	<0.001	<1	0.30	0.012	0.26	<0.1	<0.01	0.3	<0.1	0.10	<1	<0.5	<0.2	<0.005			
1812548	Drill Core	0.003	37	2	0.07	1745	<0.001	<1	0.29	0.008	0.26	<0.1	<0.01	0.3	<0.1	0.07	<1	<0.5	<0.2	0.014			
1812549	Drill Core	0.001	39	2	0.07	1447	<0.001	<1	0.28	0.021	0.24	<0.1	0.01	0.3	<0.1	0.11	<1	<0.5	<0.2	0.006			
1812550	Drill Core	0.001	41	2	0.08	1454	<0.001	<1	0.29	0.021	0.25	<0.1	<0.01	0.3	<0.1	0.09	<1	<0.5	<0.2	<0.005			
1812551	Drill Core	0.001	40	2	0.06	1417	<0.001	<1	0.26	0.022	0.23	<0.1	<0.01	0.3	<0.1	0.10	<1	<0.5	<0.2	<0.005			
1812552	Drill Core	0.002	40	2	0.11	799	<0.001	<1	0.32	0.012	0.28	<0.1	<0.01	0.4	<0.1	0.06	<1	<0.5	<0.2	<0.005			
1812553	Drill Core	0.006	35	18	0.22	385	<0.001	<1	0.43	0.021	0.24	<0.1	<0.01	0.6	<0.1	0.07	1	<0.5	<0.2	<0.005			
1812554	Drill Core	0.042	19	235	1.98	318	0.035	<1	1.36	0.006	0.61	<0.1	<0.01	6.7	0.2	0.43	4	0.6	<0.2	<0.005			
1812555	Drill Core	0.042	19	220	1.80	300	0.032	<1	1.23	0.009	0.54	<0.1	<0.01	6.1	0.2	0.43	4	<0.5	<0.2	0.005			
1812556	Drill Core	0.017	27	57	0.39	426	0.001	<1	0.53	0.012	0.26	<0.1	<0.01	1.0	<0.1	0.16	1	<0.5	<0.2	0.005			
1812557	Drill Core	0.003	34	2	0.11	463	<0.001	<1	0.31	0.026	0.24	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	0.006			
1812558	Drill Core	0.002	25	3	0.10	418	<0.001	<1	0.29	0.018	0.24	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812559	Drill Core	0.030	12	179	1.27	295	0.012	<1	1.19	0.006	0.35	<0.1	<0.01	2.9	0.2	0.07	3	1.0	<0.2	0.039			
1812560	Core DUP	0.030	11	182	1.27	281	0.011	<1	1.17	0.006	0.35	<0.1	<0.01	2.9	0.2	0.07	3	1.1	<0.2	<0.005			
1812561	Drill Core	0.002	31	3	0.09	1681	<0.001	<1	0.30	0.026	0.24	<0.1	<0.01	0.4	<0.1	0.09	<1	<0.5	<0.2	0.005			
1812562	Drill Core	0.001	39	3	0.10	619	<0.001	<1	0.34	0.019	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812563	Drill Core	0.001	39	2	0.05	453	<0.001	<1	0.26	0.019	0.25	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	0.005			
1812564	Drill Core	0.001	37	2	0.08	476	<0.001	<1	0.31	0.027	0.25	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	0.008			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812565	Drill Core	4.01	0.2	3.6	24.3	21	0.1	0.4	0.2	62	0.41	<0.5	1.0	<0.5	16.4	4	<0.1	0.2	<0.1	<1	0.02
1812566	Drill Core	3.68	0.7	9.2	39.6	25	0.3	0.4	0.4	59	0.43	1.1	1.3	<0.5	16.0	28	0.1	0.5	0.3	<1	0.04
1812567	Drill Core	3.67	1.4	5.3	82.3	16	0.3	0.5	0.4	87	0.47	0.6	2.2	1.3	11.7	29	0.2	0.5	0.3	<1	0.18
1812568	Drill Core	3.42	1.1	3.7	34.2	29	0.2	0.7	0.8	94	0.59	1.4	4.4	0.9	15.2	18	0.4	0.5	0.1	2	0.18
1812569	Drill Core	3.39	1.8	2.2	17.9	18	0.2	0.5	0.5	92	0.51	0.8	1.6	<0.5	15.6	18	0.1	0.3	0.2	<1	0.08
1812570	Drill Core	3.35	1.2	4.8	23.9	44	0.2	2.7	1.9	213	0.99	<0.5	1.7	<0.5	12.3	44	0.3	0.2	0.3	3	0.27
1812571	Drill Core	3.51	1.6	7.0	42.5	21	0.3	0.6	0.4	95	0.59	0.8	1.0	<0.5	13.1	19	0.1	0.6	0.3	<1	0.11
1812572	Drill Core	2.08	1.2	3.5	25.4	13	0.2	0.5	0.3	93	0.52	0.7	1.9	<0.5	14.5	18	<0.1	0.2	0.3	<1	0.12
1812573	Drill Core	3.50	0.6	4.3	30.7	29	0.2	0.3	0.3	77	0.48	0.8	2.3	<0.5	17.0	9	0.3	0.3	0.2	<1	0.07
1812574	Drill Core	3.13	0.6	3.4	14.4	15	0.2	0.4	0.3	70	0.47	0.6	1.2	<0.5	15.4	11	0.1	0.2	0.1	<1	0.07
1812575	Drill Core	3.50	1.1	1.9	27.7	11	0.1	0.4	0.2	52	0.43	1.0	1.2	0.8	16.2	37	0.1	0.3	0.1	<1	0.14
1812576	Drill Core	2.60	0.9	3.0	28.1	17	0.2	0.4	0.2	74	0.46	1.8	1.2	1.6	14.8	46	0.1	0.4	0.2	<1	0.10
1812577	Drill Core	3.50	1.4	8.9	42.7	31	0.3	0.4	0.2	88	0.52	2.5	1.2	0.7	17.3	39	0.3	0.4	0.5	<1	0.23
1812578	Drill Core	3.03	0.7	3.9	20.7	18	0.2	0.4	0.3	81	0.50	2.3	1.0	<0.5	16.1	23	0.1	0.3	0.3	<1	0.24
1812579	Drill Core	2.82	1.0	4.2	20.4	12	0.5	0.4	0.2	107	0.48	1.5	2.4	0.6	15.5	44	0.2	0.4	0.8	<1	0.62
1812580	Rock	0.22	0.8	2.0	1.1	2	<0.1	2.7	0.9	250	2.27	0.9	0.2	<0.5	1.2	3	<0.1	<0.1	<0.1	2	0.05
1812581	Drill Core	3.58	1.4	3.4	23.1	9	0.3	0.4	0.2	103	0.46	7.1	3.1	1.1	14.8	59	0.2	0.4	0.5	<1	0.64
1812582	Drill Core	3.38	3.0	3.6	35.6	7	0.2	0.4	0.3	58	0.42	1.2	3.6	<0.5	16.5	42	0.2	0.4	0.2	<1	0.26



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000594.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812565	Drill Core	0.001	38	3	0.06	244	0.001	<1	0.28	0.018	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812566	Drill Core	0.001	33	3	0.07	1167	<0.001	<1	0.26	0.034	0.21	<0.1	<0.01	0.3	<0.1	0.08	<1	<0.5	<0.2	<0.005			
1812567	Drill Core	0.002	22	7	0.09	821	<0.001	<1	0.26	0.024	0.21	<0.1	<0.01	0.3	<0.1	0.06	<1	<0.5	<0.2	<0.005			
1812568	Drill Core	0.003	25	11	0.16	589	<0.001	<1	0.34	0.028	0.23	0.2	<0.01	0.5	<0.1	0.08	<1	<0.5	<0.2	<0.005			
1812569	Drill Core	0.002	32	5	0.16	951	<0.001	<1	0.37	0.017	0.26	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812570	Drill Core	0.007	26	67	0.37	1256	0.001	<1	0.56	0.020	0.21	<0.1	<0.01	0.8	<0.1	0.06	2	<0.5	<0.2	<0.005			
1812571	Drill Core	0.002	31	5	0.13	784	<0.001	<1	0.36	0.014	0.28	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812572	Drill Core	0.001	36	3	0.13	963	<0.001	<1	0.37	0.005	0.29	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	0.006			
1812573	Drill Core	0.002	41	3	0.13	371	<0.001	<1	0.33	0.020	0.23	<0.1	<0.01	0.4	<0.1	0.07	<1	<0.5	<0.2	0.005			
1812574	Drill Core	0.001	36	3	0.08	409	<0.001	<1	0.28	0.012	0.23	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812575	Drill Core	0.001	36	3	0.06	1168	<0.001	<1	0.29	0.025	0.26	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812576	Drill Core	0.001	33	3	0.08	1764	<0.001	<1	0.30	0.021	0.24	0.1	<0.01	0.4	<0.1	0.06	<1	<0.5	<0.2	0.005			
1812577	Drill Core	0.001	40	3	0.11	1178	<0.001	<1	0.33	0.020	0.26	<0.1	<0.01	0.4	<0.1	0.08	<1	<0.5	<0.2	0.007			
1812578	Drill Core	0.001	34	3	0.08	774	<0.001	<1	0.29	0.026	0.25	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812579	Drill Core	0.002	42	3	0.12	643	<0.001	<1	0.33	0.007	0.28	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	0.013			
1812580	Rock	0.002	2	10	0.01	16	0.002	1	0.08	0.007	0.03	1.5	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812581	Drill Core	0.002	38	3	0.10	1065	<0.001	<1	0.31	0.012	0.27	<0.1	<0.01	0.4	<0.1	0.11	<1	<0.5	<0.2	0.006			
1812582	Drill Core	0.001	38	3	0.06	1153	<0.001	<1	0.29	0.032	0.25	<0.1	<0.01	0.4	<0.1	0.12	<1	<0.5	<0.2	<0.005			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

1 of 3

Part:

1 of 2

QUALITY CONTROL REPORT

WHI20000594.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
REP 1812462	QC																				
1812467	Drill Core	3.48	0.8	15.2	21.0	53	0.2	8.3	7.7	371	1.72	0.7	2.6	<0.5	11.3	50	0.4	0.5	<0.1	16	0.83
REP 1812467	QC		0.7	14.8	20.0	51	0.2	7.9	7.6	364	1.69	0.6	2.6	<0.5	11.1	49	0.4	0.6	<0.1	16	0.81
1812501	Drill Core	3.77	0.8	7.5	6.4	8	0.1	0.5	0.3	51	0.45	1.9	0.8	2.4	9.8	1	<0.1	0.4	0.1	<1	<0.01
REP 1812501	QC		0.8	7.5	6.4	8	0.1	0.5	0.3	51	0.46	2.0	0.8	1.8	9.7	1	<0.1	0.3	0.1	<1	<0.01
1812509	Drill Core	3.06	0.2	2.1	26.0	17	<0.1	0.4	0.2	79	0.42	0.8	1.5	0.8	16.4	13	0.2	0.4	<0.1	<1	0.14
REP 1812509	QC																				
REP 1812530	QC																				
1812532	Drill Core	3.90	0.2	2.4	22.2	9	0.2	0.4	0.2	61	0.42	<0.5	3.3	0.8	15.8	24	0.1	0.3	0.2	<1	0.29
REP 1812532	QC																				
1812533	Drill Core	3.70	1.6	1.6	26.9	16	0.2	0.4	0.4	43	0.50	0.7	2.4	1.2	15.5	22	0.3	0.3	0.1	<1	0.04
REP 1812533	QC																				
1812536	Drill Core	3.75	0.6	5.4	28.3	15	0.2	0.3	0.9	79	0.43	<0.5	4.3	<0.5	17.7	92	0.5	0.3	0.3	<1	0.88
REP 1812536	QC		0.6	5.4	27.9	15	0.2	0.3	0.8	76	0.42	<0.5	4.2	0.8	17.6	90	0.5	0.2	0.3	<1	0.87
1812565	Drill Core	4.01	0.2	3.6	24.3	21	0.1	0.4	0.2	62	0.41	<0.5	1.0	<0.5	16.4	4	<0.1	0.2	<0.1	<1	0.02
REP 1812565	QC		0.2	3.6	24.5	21	0.1	0.4	0.2	62	0.41	<0.5	1.0	<0.5	16.4	4	<0.1	0.2	<0.1	<1	0.02
1812577	Drill Core	3.50	1.4	8.9	42.7	31	0.3	0.4	0.2	88	0.52	2.5	1.2	0.7	17.3	39	0.3	0.4	0.5	<1	0.23
REP 1812577	QC																				
Core Reject Duplicates																					
1812462	Drill Core	3.20	5.9	29.2	77.4	71	0.9	10.5	8.7	310	2.49	8.9	1.4	8.5	8.1	11	0.4	1.1	0.3	7	0.41
DUP 1812462	QC		6.1	30.0	80.0	67	0.9	10.3	8.7	288	2.41	9.0	1.4	8.4	7.5	11	0.4	1.1	0.3	6	0.40
1812496	Drill Core	3.69	0.2	5.4	14.8	9	<0.1	0.4	0.2	49	0.38	1.3	2.1	1.8	16.4	3	<0.1	0.3	<0.1	<1	0.04
DUP 1812496	QC		0.3	5.7	15.0	9	<0.1	0.4	0.2	53	0.42	1.5	2.2	1.5	16.8	4	0.1	0.3	<0.1	<1	0.04
1812530	Drill Core	3.06	0.7	2.5	20.5	14	0.2	0.4	0.3	53	0.44	<0.5	2.2	0.5	16.9	20	0.2	0.2	<0.1	<1	0.23
DUP 1812530	QC		0.7	2.5	19.3	15	0.2	0.3	0.3	52	0.42	<0.5	2.2	<0.5	16.1	21	0.2	0.2	<0.1	<1	0.23
1812564	Drill Core	3.34	1.6	6.5	44.6	28	0.2	0.4	0.2	94	0.46	1.2	1.2	<0.5	16.4	11	0.1	0.6	0.3	<1	0.09
DUP 1812564	QC		1.7	6.4	45.1	27	0.2	0.5	0.2	88	0.44	1.1	1.2	<0.5	16.6	11	0.1	0.6	0.3	<1	0.09
Reference Materials																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

1 of 3

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000594.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
Pulp Duplicates																					
REP 1812462	QC																				0.012
1812467	Drill Core	0.038	27	102	1.02	244	0.016	<1	0.92	0.036	0.30	0.1	<0.01	2.5	0.1	0.47	4	0.6	<0.2	<0.005	
REP 1812467	QC	0.037	26	100	1.01	240	0.016	<1	0.90	0.035	0.29	0.1	<0.01	2.5	0.1	0.46	4	0.6	<0.2		
1812501	Drill Core	0.002	21	2	0.03	76	<0.001	1	0.21	0.002	0.20	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	<0.005	
REP 1812501	QC	0.002	21	2	0.03	76	<0.001	1	0.22	0.002	0.20	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2		
1812509	Drill Core	0.002	42	2	0.10	360	<0.001	<1	0.32	0.007	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005	
REP 1812509	QC																				<0.005
REP 1812530	QC																				<0.005
1812532	Drill Core	0.002	40	3	0.09	427	<0.001	<1	0.29	0.012	0.26	<0.1	<0.01	0.5	<0.1	0.06	<1	<0.5	<0.2	<0.005	
REP 1812532	QC																				<0.005
1812533	Drill Core	0.001	29	3	0.05	781	<0.001	<1	0.24	0.014	0.22	<0.1	<0.01	0.3	<0.1	0.16	<1	<0.5	<0.2	<0.005	
REP 1812533	QC																				<0.005
1812536	Drill Core	0.001	45	3	0.08	200	<0.001	<1	0.28	0.009	0.27	0.2	<0.01	0.4	<0.1	0.06	<1	<0.5	<0.2	<0.005	
REP 1812536	QC	0.001	44	3	0.08	194	<0.001	<1	0.28	0.009	0.26	0.1	<0.01	0.4	<0.1	0.06	<1	<0.5	<0.2		
1812565	Drill Core	0.001	38	3	0.06	244	0.001	<1	0.28	0.018	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	<0.005	
REP 1812565	QC	0.001	38	3	0.06	243	<0.001	<1	0.27	0.017	0.27	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2		
1812577	Drill Core	0.001	40	3	0.11	1178	<0.001	<1	0.33	0.020	0.26	<0.1	<0.01	0.4	<0.1	0.08	<1	<0.5	<0.2	0.007	
REP 1812577	QC																				0.005
Core Reject Duplicates																					
1812462	Drill Core	0.064	20	13	0.74	74	0.003	<1	0.82	0.017	0.29	0.1	<0.01	1.1	<0.1	1.66	3	0.8	<0.2	0.012	
DUP 1812462	QC	0.063	19	11	0.66	76	0.002	<1	0.70	0.015	0.24	0.2	<0.01	1.0	<0.1	1.65	2	0.8	<0.2	0.011	
1812496	Drill Core	0.001	34	2	0.07	122	<0.001	<1	0.29	0.017	0.25	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005	
DUP 1812496	QC	0.001	35	2	0.08	123	<0.001	<1	0.31	0.018	0.26	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005	
1812530	Drill Core	0.002	38	3	0.08	409	<0.001	<1	0.28	0.012	0.25	<0.1	<0.01	0.4	<0.1	0.14	<1	<0.5	<0.2	<0.005	
DUP 1812530	QC	0.002	37	3	0.09	409	<0.001	<1	0.28	0.012	0.24	<0.1	<0.01	0.4	<0.1	0.14	<1	<0.5	<0.2	<0.005	
1812564	Drill Core	0.001	37	2	0.08	476	<0.001	<1	0.31	0.027	0.25	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	0.008	
DUP 1812564	QC	0.001	38	2	0.07	460	<0.001	<1	0.30	0.028	0.25	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	0.006	
Reference Materials																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

2 of 3

Part:

1 of 2

QUALITY CONTROL REPORT

WHI20000594.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD BVGE001	Standard		10.7	4388.0	183.2	1736	2.6	153.8	24.7	696	3.59	112.4	3.6	200.1	13.8	50	6.3	3.3	23.4	72	1.30
STD BVGE001	Standard		10.8	4372.5	175.6	1722	2.6	154.8	24.3	689	3.64	111.2	3.5	197.6	12.9	54	6.5	3.2	22.8	73	1.29
STD DS11	Standard		14.3	147.1	129.2	326	1.7	80.1	13.9	996	3.07	42.5	2.3	127.2	6.8	63	2.3	7.8	10.5	48	1.03
STD DS11	Standard		14.4	150.2	132.9	338	1.8	80.7	14.0	1035	3.16	42.9	2.4	79.1	7.4	66	2.5	8.1	11.0	49	1.05
STD OREAS262	Standard		0.6	116.0	55.2	149	0.5	64.2	27.9	533	3.35	35.6	1.1	58.9	8.8	35	0.7	4.9	0.9	22	2.86
STD OREAS262	Standard		0.7	117.8	56.4	153	0.5	65.1	28.2	547	3.32	35.8	1.2	54.4	9.0	35	0.6	4.9	1.0	21	2.92
STD OREAS262	Standard		0.7	112.3	53.5	148	0.5	63.1	27.2	509	3.26	34.9	1.1	54.1	8.6	33	0.7	4.9	0.9	21	2.81
STD OREAS262	Standard		0.7	113.0	53.9	146	0.5	64.0	27.1	522	3.25	35.3	1.2	54.0	8.9	34	0.6	4.6	1.0	22	2.88
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD DS11 Expected			14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD BVGE001 Expected			11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

2 of 3

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000594.1

		AQ201 P %	AQ201 La ppm	AQ201 Cr ppm	AQ201 Mg %	AQ201 Ba ppm	AQ201 Ti %	AQ201 B ppm	AQ201 Al %	AQ201 Na %	AQ201 K %	AQ201 W ppm	AQ201 Hg ppm	AQ201 Sc ppm	AQ201 Tl ppm	AQ201 S %	AQ201 Ga ppm	AQ201 Se ppm	AQ201 Te ppm	FA430 Au ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
STD BVGE001	Standard	0.069	24	175	1.25	253	0.223	4	2.22	0.185	0.89	5.0	0.10	5.7	0.6	0.63	7	4.8	1.0	
STD BVGE001	Standard	0.070	24	176	1.24	256	0.226	2	2.23	0.192	0.89	4.7	0.09	6.0	0.6	0.63	7	4.5	0.9	
STD DS11	Standard	0.067	16	59	0.84	320	0.084	7	1.12	0.070	0.39	2.8	0.26	3.1	4.8	0.26	5	2.3	4.6	
STD DS11	Standard	0.069	17	60	0.85	360	0.088	7	1.15	0.074	0.39	2.9	0.26	3.2	4.9	0.29	5	2.4	4.8	
STD OREAS262	Standard	0.039	15	43	1.17	230	0.002	4	1.27	0.068	0.30	0.2	0.16	3.1	0.5	0.26	4	0.5	0.2	
STD OREAS262	Standard	0.039	15	44	1.21	241	0.002	3	1.26	0.068	0.30	0.2	0.17	3.2	0.5	0.27	4	0.6	0.2	
STD OREAS262	Standard	0.039	14	41	1.16	225	0.002	3	1.25	0.068	0.29	0.2	0.14	3.1	0.4	0.28	4	0.5	<0.2	
STD OREAS262	Standard	0.039	15	42	1.15	234	0.002	2	1.28	0.069	0.31	0.2	0.15	3.2	0.5	0.24	4	0.6	<0.2	
STD OXB130	Standard																			0.125
STD OXB130	Standard																			0.128
STD OXB130	Standard																			0.124
STD OXG141	Standard																			0.916
STD OXG141	Standard																			0.913
STD OXG141	Standard																			0.935
STD OXN155	Standard																			7.735
STD OXN155	Standard																			7.687
STD OXN155	Standard																			7.866
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD BVGE001 Expected		0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																				0.93
STD OXN155 Expected																				7.762
STD OXB130 Expected																				0.125
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<0.005
BLK	Blank																			<0.005



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000594.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.8	5.2	1.0	36	<0.1	2.0	4.8	600	2.14	0.9	0.3	0.7	1.8	21	<0.1	<0.1	<0.1	29	0.75
ROCK-WHI	Prep Blank		0.9	5.8	1.1	33	<0.1	1.8	4.2	558	2.00	0.9	0.4	13.8	1.8	20	<0.1	<0.1	<0.1	26	0.66



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000594.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
Prep Wash																				
ROCK-WHI	Prep Blank	0.043	5	4	0.58	49	0.071	3	1.05	0.107	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2	0.011
ROCK-WHI	Prep Blank	0.041	5	4	0.54	52	0.064	3	0.98	0.108	0.10	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2	0.005