



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 22, 2020
Analysis Start: January 20, 2021
Report Date: February 08, 2021
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000595.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-33
P.O. Number
Number of Samples: 20

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	19	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			VAN
SLBHP	1	Sort, label and box pulps			WHI
AQ201	20	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	20	Per sample shipping charges for branch shipments			VAN
HOMOG	20	Homogenize pulps by light pulverizing			VAN
SS150	20	Sieve to 150 mesh			VAN
FA430	20	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 08, 2021

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000595.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812583	Drill Core	3.82	2.3	3.7	35.7	14	0.2	0.5	0.3	68	0.46	0.6	4.3	<0.5	17.3	63	0.4	0.5	0.2	<1	0.33
1812584	Drill Core	3.70	1.4	2.8	30.6	10	0.2	0.4	0.3	50	0.46	0.7	4.5	<0.5	20.0	52	0.2	0.5	0.2	<1	0.14
1812585	Drill Core	3.25	1.4	2.8	50.0	16	0.3	0.5	0.3	314	0.55	6.1	2.5	4.7	16.6	68	0.4	0.4	0.3	<1	2.26
1812586	Drill Core	3.96	0.6	1.4	23.9	11	<0.1	0.4	0.2	125	0.45	1.1	3.4	0.9	17.0	46	0.2	0.2	<0.1	<1	0.80
1812587	Drill Core	3.47	0.3	1.1	19.2	10	<0.1	0.3	0.2	161	0.42	<0.5	2.9	<0.5	17.2	76	0.2	0.1	<0.1	<1	1.28
1812588	Drill Core	3.59	0.3	1.3	19.0	9	<0.1	0.3	0.2	125	0.39	<0.5	3.0	<0.5	16.7	51	0.1	0.1	<0.1	<1	0.92
1812589	Drill Core	3.30	0.2	2.6	31.5	11	0.2	0.5	0.2	111	0.47	0.9	4.2	0.9	18.8	40	0.2	0.2	<0.1	<1	0.65
1812590	Drill Core	3.36	0.8	3.9	44.3	16	0.3	0.3	0.2	69	0.46	0.8	3.9	<0.5	20.5	38	0.3	0.3	0.2	<1	0.30
1812591	Drill Core	3.25	2.0	2.3	31.6	9	0.2	0.6	0.3	83	0.58	0.9	4.4	1.2	19.6	55	0.2	0.2	0.2	<1	0.46
1812592	Drill Core	3.40	1.5	2.0	27.4	8	0.2	0.4	0.3	75	0.54	0.9	4.3	1.1	20.3	53	0.3	0.2	0.2	<1	0.45
1812593	Drill Core	3.42	0.8	18.0	315.8	24	1.0	0.4	0.2	65	0.55	2.2	3.0	16.4	19.6	45	0.4	4.6	1.0	<1	0.22
1812594	Drill Core	3.52	1.2	4.0	20.4	9	0.2	0.5	0.2	113	0.51	0.6	4.2	<0.5	19.7	156	0.2	0.3	0.2	<1	1.20
1812595	Drill Core	3.90	1.1	7.9	28.3	8	0.3	0.5	0.2	119	0.53	1.0	2.7	<0.5	18.2	206	0.2	0.5	0.2	<1	1.52
1812596	Drill Core	3.20	0.6	3.0	21.5	7	0.2	0.5	0.2	118	0.57	0.8	2.5	1.0	15.9	227	0.1	0.3	0.1	<1	1.30
1812597	Drill Core	3.58	1.2	1.9	29.2	8	0.2	0.6	0.2	107	0.53	0.5	2.9	<0.5	15.7	91	0.2	<0.1	0.2	<1	0.62
1812598	Drill Core	3.92	1.7	6.4	23.6	8	0.2	0.4	0.2	97	0.45	0.6	3.2	<0.5	18.7	57	0.2	<0.1	0.3	<1	0.76
1812599	Drill Core	3.20	2.5	4.8	23.1	9	0.2	0.5	0.2	115	0.51	1.1	3.0	<0.5	18.3	77	0.2	0.1	0.2	<1	0.78
1812600	Rock Pulp	0.13	9.7	183.4	20.0	76	0.9	14.2	11.3	584	4.81	14.4	0.9	7378.3	6.0	79	0.2	4.3	0.6	112	0.93
1812601	Drill Core	3.80	1.5	8.2	25.2	12	0.2	0.4	0.2	92	0.41	<0.5	3.1	1.4	16.7	90	0.1	0.1	0.2	<1	0.55
1812602	Drill Core	3.86	1.2	8.1	28.3	16	0.3	0.4	0.2	125	0.46	<0.5	4.0	<0.5	21.3	83	0.3	0.2	0.4	<1	0.69



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 08, 2021

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000595.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812583	Drill Core	0.002	42	2	0.09	1341	<0.001	1	0.32	0.030	0.29	<0.1	<0.01	0.8	<0.1	0.13	1	<0.5	<0.2	<0.005
1812584	Drill Core	0.002	44	1	0.07	1173	<0.001	<1	0.32	0.036	0.29	<0.1	<0.01	0.8	<0.1	0.15	1	<0.5	<0.2	<0.005
1812585	Drill Core	0.002	33	1	0.10	939	<0.001	<1	0.33	0.027	0.26	<0.1	<0.01	0.6	<0.1	0.18	1	<0.5	<0.2	<0.005
1812586	Drill Core	0.003	49	2	0.13	329	0.001	<1	0.38	0.021	0.35	<0.1	<0.01	0.9	<0.1	0.06	1	<0.5	<0.2	<0.005
1812587	Drill Core	0.003	46	1	0.14	227	<0.001	<1	0.37	0.011	0.34	<0.1	<0.01	0.9	<0.1	<0.05	1	<0.5	<0.2	<0.005
1812588	Drill Core	0.003	46	1	0.11	270	<0.001	<1	0.37	0.013	0.35	<0.1	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2	<0.005
1812589	Drill Core	0.003	45	2	0.12	553	0.001	<1	0.39	0.018	0.35	<0.1	<0.01	1.0	<0.1	0.06	1	<0.5	<0.2	<0.005
1812590	Drill Core	0.002	42	1	0.10	735	<0.001	<1	0.36	0.023	0.33	<0.1	<0.01	0.9	<0.1	0.11	1	<0.5	<0.2	<0.005
1812591	Drill Core	0.002	31	2	0.10	1112	<0.001	<1	0.37	0.034	0.31	<0.1	<0.01	0.7	<0.1	0.15	1	<0.5	<0.2	<0.005
1812592	Drill Core	0.002	34	2	0.09	1088	0.001	<1	0.40	0.037	0.33	<0.1	<0.01	0.7	<0.1	0.16	1	<0.5	<0.2	<0.005
1812593	Drill Core	0.001	39	2	0.11	1156	<0.001	<1	0.35	0.034	0.30	<0.1	<0.01	0.9	<0.1	0.15	1	<0.5	<0.2	0.014
1812594	Drill Core	0.001	38	2	0.11	1235	<0.001	<1	0.36	0.035	0.31	<0.1	<0.01	0.8	<0.1	0.10	1	<0.5	<0.2	<0.005
1812595	Drill Core	0.002	42	2	0.10	1232	0.001	<1	0.35	0.024	0.32	<0.1	<0.01	0.8	<0.1	0.12	1	<0.5	<0.2	<0.005
1812596	Drill Core	0.001	39	2	0.08	1348	<0.001	<1	0.30	0.018	0.29	<0.1	<0.01	0.6	<0.1	0.07	1	<0.5	<0.2	<0.005
1812597	Drill Core	0.002	43	2	0.08	1260	0.001	<1	0.36	0.027	0.34	<0.1	<0.01	1.0	<0.1	0.07	1	<0.5	<0.2	<0.005
1812598	Drill Core	0.002	51	2	0.11	300	0.001	<1	0.37	0.009	0.36	<0.1	<0.01	1.0	<0.1	0.06	1	<0.5	<0.2	<0.005
1812599	Drill Core	0.002	46	3	0.12	818	<0.001	<1	0.41	0.021	0.36	<0.1	<0.01	0.7	<0.1	0.07	1	<0.5	<0.2	<0.005
1812600	Rock Pulp	0.064	8	19	0.86	138	0.123	<1	1.75	0.180	0.23	3.8	0.22	4.1	<0.1	<0.05	5	<0.5	<0.2	7.010
1812601	Drill Core	0.002	51	4	0.11	1450	0.001	<1	0.38	0.028	0.34	<0.1	<0.01	0.7	<0.1	0.09	1	<0.5	<0.2	<0.005
1812602	Drill Core	0.002	51	4	0.11	1003	0.001	<1	0.39	0.026	0.35	<0.1	<0.01	0.9	<0.1	0.09	1	<0.5	<0.2	<0.005



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 08, 2021

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000595.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1812601	Drill Core	3.80	1.5	8.2	25.2	12	0.2	0.4	0.2	92	0.41	<0.5	3.1	1.4	16.7	90	0.1	0.1	0.2	<1	0.55
REP 1812601	QC		1.4	8.2	25.3	12	0.2	0.4	0.2	87	0.43	<0.5	3.0	<0.5	17.9	91	0.2	0.1	0.3	<1	0.55
Core Reject Duplicates																					
1812602	Drill Core	3.86	1.2	8.1	28.3	16	0.3	0.4	0.2	125	0.46	<0.5	4.0	<0.5	21.3	83	0.3	0.2	0.4	<1	0.69
DUP 1812602	QC		1.0	8.8	30.7	17	0.3	0.4	0.2	131	0.48	0.6	4.2	<0.5	21.9	87	0.5	0.2	0.4	<1	0.72
Reference Materials																					
STD DS11	Standard		15.9	141.6	139.9	351	1.9	82.2	13.9	1043	3.17	45.2	2.8	67.2	7.1	72	2.7	8.7	12.7	50	1.08
STD OREAS262	Standard		0.7	113.1	56.0	146	0.5	63.4	26.9	521	3.26	36.5	1.3	61.4	7.8	36	0.7	4.6	1.0	22	2.88
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD DS11 Expected			14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.4	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.9	3.2	1.0	34	<0.1	1.4	4.0	571	1.98	0.9	0.4	3.2	2.4	23	<0.1	<0.1	<0.1	24	0.67
ROCK-WHI	Prep Blank		1.3	3.3	1.0	33	<0.1	1.2	4.1	557	1.97	0.8	0.4	0.8	2.5	21	<0.1	<0.1	<0.1	24	0.67



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 08, 2021

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000595.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
Pulp Duplicates																			
1812601 Drill Core	0.002	51	4	0.11	1450	0.001	<1	0.38	0.028	0.34	<0.1	<0.01	0.7	<0.1	0.09	1	<0.5	<0.2	<0.005
REP 1812601 QC	0.002	50	4	0.11	1418	0.001	<1	0.38	0.025	0.34	<0.1	<0.01	0.9	<0.1	0.09	1	<0.5	<0.2	
Core Reject Duplicates																			
1812602 Drill Core	0.002	51	4	0.11	1003	0.001	<1	0.39	0.026	0.35	<0.1	<0.01	0.9	<0.1	0.09	1	<0.5	<0.2	<0.005
DUP 1812602 QC	0.002	51	4	0.11	1056	0.001	<1	0.38	0.028	0.34	<0.1	<0.01	0.8	<0.1	0.09	1	<0.5	<0.2	<0.005
Reference Materials																			
STD DS11 Standard	0.069	20	62	0.85	395	0.100	5	1.20	0.078	0.41	2.9	0.27	3.6	4.9	0.29	5	2.5	4.9	
STD OREAS262 Standard	0.039	17	43	1.17	260	0.002	3	1.33	0.068	0.31	0.2	0.14	3.3	0.5	0.26	4	0.6	0.2	
STD OXB130 Standard																			0.125
STD OXG141 Standard																			0.916
STD OXN155 Standard																			7.735
STD DS11 Expected	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD OREAS262 Expected	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																			0.93
STD OXN155 Expected																			7.762
STD OXB130 Expected																			0.125
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK Blank																			<0.005
BLK Blank																			<0.005
Prep Wash																			
ROCK-WHI Prep Blank	0.042	6	3	0.55	62	0.078	2	0.94	0.110	0.10	<0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2	<0.005
ROCK-WHI Prep Blank	0.040	6	3	0.53	61	0.078	2	0.93	0.107	0.10	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2	<0.005