



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 23, 2020
Analysis Start: January 22, 2021
Report Date: February 13, 2021
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000597.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-34
P.O. Number
Number of Samples: 105

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	100	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
AQ201	105	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	105	Per sample shipping charges for branch shipments			VAN
HOMOG	105	Homogenize pulps by light pulverizing			VAN
SS150	105	Sieve to 150 mesh			VAN
FA430	105	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 2 of 5 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812748	Drill Core	2.92	1.4	28.5	78.2	86	1.0	6.5	3.0	251	1.76	4.3	2.2	12.5	11.6	21	0.1	0.7	0.3	5	0.07
1812749	Drill Core	3.55	1.4	35.3	29.5	107	0.7	10.2	5.0	267	2.14	3.5	2.9	2.6	11.9	19	<0.1	0.4	0.1	7	0.05
1812750	Drill Core	3.42	0.7	26.3	18.2	87	0.5	11.1	4.9	233	1.86	2.0	2.0	3.8	11.5	18	<0.1	0.3	<0.1	5	0.06
1812751	Drill Core	3.12	1.3	36.4	35.9	104	0.8	8.2	1.6	240	2.39	1.5	2.4	5.3	10.5	20	<0.1	0.2	0.2	8	0.04
1812752	Drill Core	2.89	0.7	44.6	9.4	70	0.8	6.5	1.3	154	2.22	1.3	1.6	4.7	10.0	21	<0.1	0.2	<0.1	5	0.03
1812753	Drill Core	2.89	0.5	45.9	8.1	79	0.6	8.6	2.7	168	2.21	1.5	3.0	2.7	11.4	42	<0.1	0.3	<0.1	6	0.04
1812754	Drill Core	2.94	0.7	44.0	13.3	102	0.6	14.8	10.7	880	2.12	1.0	1.2	2.7	10.8	25	1.0	0.2	<0.1	5	0.09
1812755	Drill Core	3.78	1.4	14.1	34.9	26	0.5	6.0	4.7	207	2.19	0.9	0.5	1.0	8.4	29	0.1	0.3	<0.1	3	0.04
1812756	Drill Core	2.42	2.7	11.3	68.0	13	0.9	1.5	0.3	60	2.24	1.2	0.8	2.5	7.3	31	0.2	0.5	0.1	3	0.01
1812757	Drill Core	2.51	3.2	11.6	55.0	97	0.8	9.3	1.3	190	2.73	1.8	0.8	2.7	8.8	41	0.2	0.3	0.2	7	0.05
1812758	Drill Core	3.01	2.7	12.0	52.8	46	0.5	3.9	1.0	98	2.65	1.4	0.7	2.4	9.0	32	<0.1	0.5	0.1	5	0.03
1812759	Drill Core	3.19	2.3	13.2	115.9	66	1.0	3.9	0.7	145	2.92	1.0	1.0	5.6	9.6	30	0.1	0.8	0.2	7	0.03
1812760	Core DUP		2.5	12.6	122.2	68	1.1	4.0	0.8	137	2.84	1.2	1.1	3.5	10.3	28	<0.1	0.8	0.2	7	0.03
1812761	Drill Core	3.21	3.5	13.3	39.2	20	0.6	1.3	0.4	72	2.00	1.1	0.3	0.7	8.3	21	<0.1	0.7	<0.1	5	<0.01
1812762	Drill Core	3.27	3.5	0.9	54.2	3	0.6	0.8	0.2	59	1.54	0.6	0.2	<0.5	4.7	28	<0.1	0.5	<0.1	3	<0.01
1812763	Drill Core	3.38	2.0	0.7	39.3	3	0.7	0.7	0.1	51	1.06	<0.5	0.1	0.7	2.7	29	<0.1	0.4	<0.1	2	<0.01
1812764	Drill Core	3.19	4.6	3.9	56.3	3	1.1	0.7	0.2	51	2.21	0.8	0.3	1.0	10.6	30	<0.1	1.1	0.1	2	<0.01
1812765	Drill Core	3.38	3.3	11.4	37.4	6	0.6	0.8	0.2	45	3.39	1.6	0.4	1.5	13.0	27	<0.1	2.1	0.1	8	<0.01
1812766	Drill Core	3.32	4.5	3.3	34.8	3	0.8	0.8	0.2	49	1.20	1.0	0.2	1.9	6.2	42	<0.1	0.8	<0.1	2	<0.01
1812767	Drill Core	3.44	3.3	2.7	55.8	3	0.7	0.9	0.3	48	2.09	0.7	0.3	2.8	8.4	17	<0.1	0.3	0.1	2	<0.01
1812768	Drill Core	2.90	2.5	6.0	70.1	4	1.1	0.7	0.3	43	2.64	0.8	0.4	13.0	8.8	19	<0.1	0.6	0.3	3	<0.01
1812769	Drill Core	3.39	5.6	10.7	76.9	8	0.9	1.0	0.7	42	2.65	1.3	0.4	2.9	10.0	18	<0.1	1.3	0.3	3	<0.01
1812770	Drill Core	3.59	3.5	12.7	50.0	19	0.5	1.6	0.3	86	2.24	1.1	0.5	120.1	8.7	26	<0.1	0.7	0.2	6	<0.01
1812771	Drill Core	2.55	0.5	36.9	7.5	75	0.4	5.2	0.7	273	4.32	2.9	2.2	5.5	9.5	55	0.1	1.5	<0.1	23	0.01
1812772	Drill Core	3.15	0.4	23.4	26.0	53	0.4	2.7	0.4	155	2.46	2.0	1.2	18.6	8.0	19	<0.1	1.6	<0.1	10	<0.01
1812773	Drill Core	3.51	0.1	18.4	23.7	19	1.2	0.8	0.3	56	1.99	1.0	1.5	435.7	9.8	19	<0.1	1.8	<0.1	6	<0.01
1812774	Drill Core	3.38	0.2	18.5	5.3	32	0.4	1.4	0.3	96	2.19	1.0	1.4	60.8	9.3	20	<0.1	1.4	<0.1	7	<0.01
1812775	Drill Core	2.94	0.6	17.6	5.6	32	0.4	1.4	0.4	92	2.21	1.3	1.7	186.9	9.5	22	<0.1	1.5	<0.1	7	<0.01
1812776	Drill Core	2.63	6.0	10.4	208.7	8	1.4	0.6	0.2	48	2.28	0.7	0.6	100.5	8.3	19	<0.1	1.5	0.8	4	<0.01
1812777	Drill Core	2.70	4.1	17.5	41.6	25	0.6	1.3	0.4	78	2.36	1.5	1.0	13.5	6.5	30	<0.1	4.5	<0.1	9	<0.01



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 2 of 5 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
1812748	Drill Core	0.037	27	11	0.47	253	0.013	<1	0.89	0.023	0.19	1.0	<0.01	1.3	<0.1	0.07	3	<0.5	<0.2	0.015
1812749	Drill Core	0.052	21	13	0.79	272	0.015	<1	1.06	0.025	0.23	0.2	0.02	1.6	<0.1	0.09	3	<0.5	<0.2	0.009
1812750	Drill Core	0.056	24	10	0.59	244	0.028	<1	0.95	0.028	0.25	0.2	<0.01	1.6	<0.1	<0.05	3	<0.5	<0.2	0.009
1812751	Drill Core	0.064	33	13	0.80	380	0.025	<1	1.05	0.037	0.26	0.1	<0.01	1.8	<0.1	0.13	3	<0.5	<0.2	0.010
1812752	Drill Core	0.058	35	9	0.43	342	0.009	<1	0.71	0.037	0.25	0.5	<0.01	1.6	<0.1	0.17	2	<0.5	<0.2	0.009
1812753	Drill Core	0.059	38	10	0.51	334	0.020	<1	0.83	0.043	0.29	0.1	<0.01	1.5	<0.1	0.22	2	0.6	<0.2	0.010
1812754	Drill Core	0.057	18	10	0.53	427	0.009	<1	0.80	0.030	0.28	<0.1	<0.01	1.1	<0.1	0.16	2	<0.5	<0.2	0.010
1812755	Drill Core	0.037	13	6	0.09	358	0.003	<1	0.31	0.102	0.26	0.1	0.02	0.9	<0.1	0.39	1	<0.5	<0.2	0.007
1812756	Drill Core	0.045	11	11	0.08	405	0.002	<1	0.27	0.093	0.22	0.2	0.01	0.8	<0.1	0.34	1	<0.5	<0.2	0.008
1812757	Drill Core	0.046	8	76	0.95	305	0.003	<1	0.86	0.127	0.24	0.2	<0.01	1.4	<0.1	0.55	3	<0.5	<0.2	0.008
1812758	Drill Core	0.037	8	40	0.43	359	0.002	<1	0.56	0.062	0.28	0.1	0.01	0.9	<0.1	0.47	2	<0.5	<0.2	0.008
1812759	Drill Core	0.053	6	41	0.72	279	0.003	<1	0.76	0.093	0.31	<0.1	0.01	1.4	<0.1	0.61	3	1.0	<0.2	0.010
1812760	Core DUP	0.054	6	43	0.74	265	0.002	<1	0.76	0.091	0.29	<0.1	<0.01	1.3	<0.1	0.60	3	<0.5	<0.2	0.009
1812761	Drill Core	0.018	7	15	0.20	346	0.003	<1	0.39	0.045	0.25	<0.1	0.01	1.0	<0.1	0.30	2	0.5	<0.2	0.007
1812762	Drill Core	0.010	11	6	0.06	390	0.005	<1	0.28	0.058	0.35	0.1	0.01	0.7	<0.1	0.39	1	<0.5	<0.2	0.006
1812763	Drill Core	0.005	10	7	0.05	601	0.003	<1	0.25	0.045	0.28	0.1	<0.01	0.7	<0.1	0.25	<1	<0.5	<0.2	0.006
1812764	Drill Core	0.039	10	11	0.04	173	0.004	<1	0.20	0.126	0.33	<0.1	0.02	1.0	<0.1	0.69	1	<0.5	<0.2	0.006
1812765	Drill Core	0.117	12	25	0.04	314	0.002	<1	0.27	0.087	0.25	<0.1	<0.01	1.8	<0.1	0.41	2	0.7	<0.2	0.008
1812766	Drill Core	0.026	11	8	0.04	430	0.003	<1	0.24	0.065	0.27	<0.1	0.02	0.9	<0.1	0.31	1	<0.5	<0.2	0.007
1812767	Drill Core	0.019	11	10	0.04	184	0.003	<1	0.22	0.131	0.30	<0.1	0.02	0.5	<0.1	0.69	1	<0.5	<0.2	0.009
1812768	Drill Core	0.035	11	11	0.03	228	0.003	<1	0.20	0.183	0.26	0.2	0.04	0.8	<0.1	0.73	1	<0.5	<0.2	0.031
1812769	Drill Core	0.041	11	16	0.03	213	0.002	<1	0.22	0.144	0.30	<0.1	0.01	0.8	<0.1	0.70	2	<0.5	<0.2	0.008
1812770	Drill Core	0.043	10	45	0.29	266	0.002	<1	0.49	0.067	0.34	<0.1	<0.01	1.1	<0.1	0.61	2	0.5	<0.2	0.118
1812771	Drill Core	0.120	13	190	1.25	295	0.002	<1	1.51	0.042	0.45	0.1	<0.01	2.8	0.2	0.75	5	0.8	<0.2	0.011
1812772	Drill Core	0.054	11	76	0.80	406	0.002	<1	1.05	0.027	0.25	<0.1	0.01	1.5	<0.1	0.30	4	<0.5	<0.2	0.105
1812773	Drill Core	0.044	13	16	0.20	444	0.004	<1	0.63	0.029	0.27	<0.1	0.01	1.3	0.1	0.30	2	<0.5	0.5	0.390
1812774	Drill Core	0.052	14	33	0.49	286	0.002	<1	0.85	0.029	0.31	<0.1	0.01	1.4	0.1	0.35	3	<0.5	<0.2	0.090
1812775	Drill Core	0.055	16	24	0.47	348	0.002	<1	0.78	0.028	0.27	<0.1	0.01	1.3	<0.1	0.30	3	<0.5	<0.2	0.849
1812776	Drill Core	0.045	13	11	0.05	372	0.002	<1	0.27	0.043	0.38	0.1	0.01	0.9	<0.1	0.52	1	1.1	0.3	0.070
1812777	Drill Core	0.054	15	35	0.26	404	0.009	<1	0.44	0.035	0.28	0.1	0.03	1.2	<0.1	0.35	2	0.6	<0.2	0.041



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 3 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1812778	Drill Core	2.92	0.8	22.1	9.3	62	0.6	5.3	0.4	155	3.32	2.1	2.3	7.8	5.8	39	<0.1	3.4	<0.1	19	0.02
1812779	Drill Core	3.47	0.6	21.8	5.3	93	0.5	8.6	0.6	188	3.32	2.7	2.9	6.3	7.2	39	<0.1	4.0	<0.1	26	0.02
1812780	Rock Pulp	0.12	3.5	20.4	1.0	32	<0.1	6.9	4.0	562	2.34	1.5	0.4	<0.5	2.4	29	<0.1	0.2	<0.1	20	0.73
1812781	Drill Core	3.16	1.6	22.0	4.5	68	0.5	7.5	0.7	144	2.99	2.8	1.9	27.9	6.2	47	<0.1	3.6	<0.1	23	0.01
1812782	Drill Core	2.98	0.6	29.0	4.2	80	0.5	10.5	2.1	210	3.98	2.8	2.7	10.5	7.4	45	<0.1	4.7	<0.1	28	0.02
1812783	Drill Core	3.31	1.6	21.1	6.6	53	0.4	7.1	2.3	141	2.95	1.7	1.7	39.4	6.7	30	<0.1	2.8	<0.1	17	<0.01
1812784	Drill Core	3.01	3.2	7.8	11.7	6	0.3	0.9	0.4	41	1.99	1.0	0.6	1.7	7.2	24	<0.1	1.2	0.1	4	<0.01
1812785	Drill Core	3.04	0.9	15.9	3.9	37	0.3	3.7	0.4	70	2.37	1.4	1.4	3.2	7.5	30	<0.1	2.4	<0.1	11	<0.01
1812786	Drill Core	3.74	1.6	20.2	5.0	35	0.4	3.9	0.7	71	2.73	1.8	1.9	117.5	7.9	34	<0.1	3.5	<0.1	15	<0.01
1812787	Drill Core	3.16	0.4	21.1	5.7	66	0.6	10.3	3.2	181	3.18	2.5	3.5	43.5	7.0	62	0.1	6.0	<0.1	23	0.03
1812788	Drill Core	3.07	0.4	23.0	4.9	104	0.4	11.1	1.3	248	3.86	0.9	2.0	16.8	5.9	46	0.2	2.8	<0.1	26	0.03
1812789	Drill Core	3.11	0.3	26.1	5.8	76	1.0	5.0	0.9	141	3.50	1.0	1.5	98.2	7.4	37	<0.1	2.1	<0.1	17	0.02
1812790	Drill Core	3.56	2.8	17.7	11.2	58	0.5	6.5	1.5	120	3.08	1.1	1.2	10.6	7.1	34	<0.1	1.2	0.1	12	0.02
1812791	Drill Core	2.60	0.4	30.4	4.3	106	0.4	15.7	9.3	224	3.37	1.7	1.5	10.9	6.7	38	<0.1	1.7	<0.1	13	0.02
1812792	Drill Core	3.32	5.8	8.9	26.1	24	0.5	2.4	1.9	66	2.10	0.9	0.6	45.6	7.9	26	<0.1	1.9	0.1	4	<0.01
1812793	Drill Core	3.47	4.9	6.1	87.1	12	3.0	0.9	1.0	42	2.33	0.7	0.5	587.6	9.0	29	<0.1	2.2	0.1	2	<0.01
1812794	Drill Core	3.52	2.5	11.4	37.5	13	1.0	1.2	0.6	46	3.12	0.8	0.9	22.1	8.6	34	<0.1	3.5	0.1	4	0.02
1812795	Drill Core	3.14	3.2	17.7	156.8	62	1.0	4.4	1.8	125	2.37	0.9	1.3	17.1	7.4	31	<0.1	4.6	0.3	7	0.08
1812796	Drill Core	3.44	2.8	40.4	64.1	117	0.9	10.2	5.8	238	3.18	1.2	1.5	67.1	8.0	23	0.1	5.1	0.2	8	0.29
1812797	Drill Core	3.21	0.5	25.5	17.3	103	0.5	15.1	11.7	1015	2.68	1.0	0.9	19.4	7.9	29	1.2	3.2	<0.1	7	0.86
1812798	Drill Core	3.58	0.5	16.0	11.2	51	0.4	4.7	1.5	132	2.20	1.0	0.9	6.7	6.6	17	<0.1	2.4	<0.1	5	0.09
1812799	Drill Core	3.28	6.8	17.3	101.6	30	0.8	2.9	1.1	74	2.53	1.4	1.1	49.3	7.4	21	<0.1	3.1	0.1	5	0.06
1812800	Rock Pulp	0.12	9.1	180.5	20.1	74	0.9	12.8	10.5	572	4.43	13.9	0.9	6894.9	3.3	68	0.1	5.1	0.6	108	0.88
1812801	Drill Core	3.22	4.3	28.5	48.7	24	0.7	4.7	2.3	69	2.80	0.9	0.8	29.6	7.5	19	<0.1	3.0	0.1	5	0.02
1812802	Drill Core	3.25	3.0	19.7	13.6	46	0.4	5.6	2.5	95	2.45	1.0	0.9	53.3	7.5	18	<0.1	1.5	<0.1	8	0.03
1812803	Drill Core	3.14	3.1	26.5	22.2	74	1.4	9.4	5.3	131	3.01	1.1	1.8	212.9	8.8	30	0.1	2.3	<0.1	11	0.01
1812804	Drill Core	3.40	1.9	26.3	3.6	45	0.4	6.1	2.4	88	2.20	1.0	1.3	52.0	8.0	45	<0.1	0.8	<0.1	8	0.01
1812805	Drill Core	2.91	2.4	17.9	15.8	46	1.0	4.3	2.2	77	2.49	1.1	1.7	100.4	9.0	24	<0.1	3.1	0.1	8	0.01
1812806	Drill Core	3.36	1.8	20.6	8.4	76	0.5	7.2	3.2	100	2.73	1.1	1.8	123.2	8.0	29	<0.1	3.2	<0.1	11	0.01
1812807	Drill Core	3.34	2.0	25.0	14.3	69	0.5	6.1	3.0	84	2.92	1.1	1.7	34.9	8.7	22	<0.1	2.9	<0.1	11	<0.01



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 3 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
1812778	Drill Core	0.080	12	114	0.89	353	0.030	<1	1.08	0.040	0.31	0.8	0.03	2.5	<0.1	0.51	4	0.7	<0.2	0.023
1812779	Drill Core	0.065	10	180	1.35	389	0.037	<1	1.53	0.027	0.24	0.3	0.02	3.3	<0.1	0.34	5	0.7	<0.2	0.047
1812780	Rock Pulp	0.039	5	14	0.48	55	0.064	<1	0.98	0.074	0.08	0.3	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2	0.005
1812781	Drill Core	0.058	12	129	0.98	498	0.031	<1	1.39	0.018	0.24	0.2	0.02	3.0	<0.1	0.25	5	<0.5	<0.2	0.047
1812782	Drill Core	0.083	12	150	1.09	387	0.037	<1	1.58	0.021	0.28	0.5	0.01	3.4	<0.1	0.34	4	0.5	<0.2	0.016
1812783	Drill Core	0.049	11	86	0.67	405	0.022	<1	0.99	0.035	0.29	0.3	0.01	2.3	<0.1	0.34	3	0.5	<0.2	0.083
1812784	Drill Core	0.027	17	11	0.07	294	0.007	<1	0.31	0.080	0.35	0.2	0.02	1.0	<0.1	0.53	1	<0.5	<0.2	0.009
1812785	Drill Core	0.038	14	66	0.47	280	0.020	<1	0.83	0.027	0.26	0.2	0.02	1.9	<0.1	0.31	3	<0.5	<0.2	0.007
1812786	Drill Core	0.056	15	68	0.38	368	0.030	<1	0.91	0.036	0.29	0.2	<0.01	2.1	<0.1	0.35	3	<0.5	<0.2	0.144
1812787	Drill Core	0.096	15	140	0.99	333	0.053	<1	1.87	0.021	0.32	0.3	0.01	4.0	<0.1	0.66	5	1.0	<0.2	0.074
1812788	Drill Core	0.096	14	165	1.65	295	0.009	<1	1.76	0.035	0.39	<0.1	0.02	3.6	0.1	0.56	5	<0.5	<0.2	0.026
1812789	Drill Core	0.086	14	123	0.92	299	0.004	<1	1.11	0.047	0.38	<0.1	0.02	2.6	<0.1	0.54	4	0.8	0.3	0.068
1812790	Drill Core	0.066	13	79	0.78	270	0.002	<1	0.99	0.061	0.38	<0.1	0.01	1.9	0.1	0.63	3	<0.5	<0.2	0.016
1812791	Drill Core	0.066	11	97	1.16	392	0.003	<1	1.19	0.026	0.31	<0.1	0.02	2.2	<0.1	0.39	4	0.6	<0.2	0.014
1812792	Drill Core	0.031	14	23	0.20	329	0.002	<1	0.43	0.081	0.32	<0.1	0.02	1.1	0.1	0.49	2	<0.5	<0.2	0.062
1812793	Drill Core	0.032	15	6	0.05	201	0.002	<1	0.28	0.136	0.34	<0.1	0.01	0.9	<0.1	0.68	1	<0.5	1.3	0.397
1812794	Drill Core	0.049	17	7	0.13	243	0.003	<1	0.41	0.137	0.39	<0.1	0.01	1.1	<0.1	0.90	2	<0.5	<0.2	0.027
1812795	Drill Core	0.042	12	22	0.73	276	0.003	<1	0.93	0.032	0.28	<0.1	0.03	1.5	<0.1	0.58	3	<0.5	<0.2	0.021
1812796	Drill Core	0.058	10	17	1.08	144	0.003	<1	1.22	0.028	0.23	0.1	0.01	2.1	<0.1	0.86	3	<0.5	<0.2	0.066
1812797	Drill Core	0.057	12	13	0.82	127	0.003	<1	0.79	0.068	0.25	<0.1	0.02	2.6	<0.1	1.42	2	<0.5	<0.2	0.021
1812798	Drill Core	0.049	14	9	0.66	282	0.002	<1	0.75	0.015	0.33	<0.1	0.03	1.2	<0.1	0.46	2	<0.5	<0.2	0.012
1812799	Drill Core	0.065	13	7	0.37	237	0.002	<1	0.57	0.035	0.32	<0.1	0.02	1.1	<0.1	0.58	2	0.6	<0.2	0.056
1812800	Rock Pulp	0.060	8	17	0.83	126	0.113	2	1.64	0.169	0.22	3.7	0.19	3.7	<0.1	<0.05	5	<0.5	0.2	7.250
1812801	Drill Core	0.054	11	28	0.26	96	0.002	<1	0.46	0.102	0.31	<0.1	0.03	1.2	<0.1	1.15	2	0.5	<0.2	0.040
1812802	Drill Core	0.052	12	42	0.55	219	0.003	<1	0.71	0.048	0.31	<0.1	0.03	1.6	<0.1	0.77	2	<0.5	<0.2	0.052
1812803	Drill Core	0.068	16	63	0.72	407	0.003	<1	0.91	0.058	0.34	<0.1	0.02	2.5	<0.1	0.49	3	<0.5	0.7	0.194
1812804	Drill Core	0.046	14	41	0.55	295	0.004	<1	0.73	0.047	0.32	<0.1	0.02	1.6	<0.1	0.53	2	<0.5	<0.2	0.116
1812805	Drill Core	0.045	15	42	0.41	354	0.011	<1	0.59	0.077	0.32	0.1	0.03	1.8	<0.1	0.59	3	<0.5	<0.2	0.113
1812806	Drill Core	0.057	13	60	0.70	281	0.009	<1	0.81	0.062	0.28	0.1	0.02	2.1	<0.1	0.64	3	0.8	<0.2	0.272
1812807	Drill Core	0.042	14	55	0.58	186	0.011	<1	0.67	0.076	0.24	0.1	0.02	2.2	<0.1	0.81	3	0.6	<0.2	0.051



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 4 of 5 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1812808	Drill Core	3.58	0.6	14.7	5.6	94	0.3	9.5	3.2	122	2.47	0.9	2.3	9.1	6.4	22	<0.1	1.6	<0.1	12	<0.01
1812809	Drill Core	3.63	5.3	11.5	67.3	30	1.0	3.7	1.7	61	2.14	0.6	0.9	75.2	7.5	21	<0.1	2.8	0.2	6	<0.01
1812810	Drill Core	3.15	2.5	11.6	57.5	14	0.8	1.8	1.2	60	1.93	0.8	0.8	7.0	6.9	54	<0.1	2.7	0.2	4	<0.01
1812811	Drill Core	3.11	2.6	20.3	23.9	54	0.6	5.0	3.5	78	2.80	1.2	1.6	15.6	9.8	41	<0.1	2.0	0.2	8	0.01
1812812	Drill Core	3.05	0.7	24.4	4.1	31	0.5	4.2	2.1	59	2.69	1.2	1.6	521.7	9.5	49	<0.1	1.3	<0.1	7	0.01
1812813	Drill Core	2.90	2.5	6.3	28.9	9	0.5	0.9	0.3	50	1.59	0.9	0.4	9.4	5.4	28	<0.1	1.1	0.2	4	<0.01
1812814	Drill Core	3.35	6.5	2.4	44.3	4	0.8	0.7	0.2	48	1.08	1.0	0.2	16.0	4.4	14	<0.1	1.1	0.4	2	<0.01
1812815	Drill Core	3.25	4.7	4.4	43.1	4	0.8	0.5	0.1	40	4.82	3.5	0.5	9.3	12.2	73	<0.1	2.2	0.3	3	<0.01
1812816	Drill Core	3.52	1.3	2.8	28.2	4	0.5	0.8	0.2	55	1.07	1.2	0.3	6.3	6.2	16	<0.1	0.9	<0.1	2	<0.01
1812817	Drill Core	3.05	1.4	3.9	34.8	4	0.5	1.4	0.5	58	0.93	0.6	0.5	4.7	6.7	25	0.2	0.9	<0.1	3	<0.01
1812818	Drill Core	3.38	0.9	17.4	17.2	4	0.3	1.9	0.9	50	1.02	<0.5	0.5	4.5	5.7	17	0.2	1.0	<0.1	3	<0.01
1812819	Drill Core	3.35	1.9	20.4	48.5	18	0.8	5.6	3.4	63	2.07	1.4	1.6	8.3	14.0	29	<0.1	5.7	<0.1	3	0.01
1812820	Rock Pulp	0.13	6.2	112.3	88.0	139	0.6	11.2	5.0	580	2.52	41.9	0.4	503.8	3.0	33	0.6	3.2	<0.1	28	0.80
1812821	Drill Core	3.59	2.6	42.5	52.8	39	1.0	7.2	4.0	127	2.06	1.4	1.8	8.4	10.4	12	0.2	8.3	<0.1	5	0.04
1812822	Drill Core	3.24	0.6	39.4	10.6	48	0.6	10.6	6.4	109	2.19	1.3	2.3	4.0	10.4	10	0.2	4.5	<0.1	5	0.08
1812823	Drill Core	3.34	1.4	23.3	19.8	42	0.5	10.8	7.1	91	2.57	1.3	1.9	3.1	8.8	19	<0.1	3.5	<0.1	4	0.05
1812824	Drill Core	3.44	5.0	14.4	54.6	18	0.4	6.3	4.1	59	1.78	1.4	1.5	1.6	9.6	27	<0.1	3.0	0.2	3	0.01
1812825	Drill Core	3.10	4.9	26.3	32.5	37	1.0	4.7	2.5	96	2.80	3.4	6.2	101.3	13.6	63	0.1	5.3	0.1	7	0.04
1812826	Drill Core	3.33	1.0	36.5	9.9	96	0.4	20.5	11.6	149	2.86	3.7	13.1	36.2	11.1	76	0.1	5.4	<0.1	9	0.06
1812827	Drill Core	3.43	0.7	32.4	4.3	114	0.2	20.1	12.2	204	3.05	1.8	8.1	28.7	9.2	39	<0.1	4.6	<0.1	9	0.13
1812828	Drill Core	3.16	0.9	43.1	5.0	105	0.2	24.2	12.7	200	2.99	1.9	8.8	48.7	9.8	44	0.1	4.6	<0.1	9	0.14
1812829	Drill Core	3.04	2.9	36.7	37.7	111	0.5	23.6	10.0	236	2.55	1.6	5.3	9.9	10.6	35	0.1	4.0	<0.1	8	0.08
1812830	Drill Core	3.13	5.6	43.3	100.3	166	0.8	25.6	11.5	293	2.72	1.3	4.2	9.6	9.6	12	0.2	8.3	0.1	9	0.07
1812831	Drill Core	3.42	1.9	41.0	12.6	118	0.4	15.7	7.0	263	2.86	1.1	2.3	7.1	11.8	34	0.2	3.7	<0.1	9	0.04
1812832	Drill Core	3.58	0.5	28.4	4.4	82	0.4	13.6	7.2	147	2.44	0.8	2.0	9.3	10.3	10	<0.1	3.3	<0.1	7	0.07
1812833	Drill Core	3.30	0.5	33.3	6.1	105	0.3	9.8	4.0	172	2.20	0.6	2.0	12.9	9.9	27	0.3	2.3	<0.1	8	0.05
1812834	Drill Core	3.22	0.8	50.6	6.7	100	0.4	9.4	5.1	135	2.51	1.0	2.6	37.2	9.5	36	0.1	2.7	<0.1	7	0.04
1812835	Drill Core	3.46	0.7	49.5	6.9	104	0.5	16.2	8.9	208	2.76	1.0	2.0	8.5	10.4	14	0.2	1.9	<0.1	8	0.14
1812836	Drill Core	3.34	0.4	42.9	15.8	113	0.5	15.4	8.2	220	2.23	1.1	1.4	7.2	9.0	7	0.6	2.2	<0.1	8	0.15
1812837	Drill Core	3.73	0.2	64.5	13.3	224	0.8	37.1	23.6	734	3.51	7.4	0.7	41.6	5.9	23	2.7	2.3	<0.1	16	1.29



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812808	Drill Core	0.038	12	82	1.06	245	0.009	<1	1.06	0.047	0.28	<0.1	0.04	2.3	<0.1	0.95	4	<0.5	<0.2	0.012
1812809	Drill Core	0.037	16	23	0.30	149	0.003	<1	0.49	0.080	0.25	<0.1	0.03	1.3	<0.1	0.92	2	<0.5	0.2	0.084
1812810	Drill Core	0.043	16	11	0.08	660	0.003	<1	0.29	0.078	0.23	<0.1	0.04	1.0	<0.1	0.32	1	<0.5	<0.2	0.010
1812811	Drill Core	0.070	17	32	0.33	612	0.004	<1	0.56	0.069	0.29	<0.1	0.03	1.7	<0.1	0.32	2	<0.5	<0.2	0.016
1812812	Drill Core	0.078	18	31	0.21	445	0.004	<1	0.48	0.065	0.30	<0.1	0.01	1.6	<0.1	0.39	2	<0.5	<0.2	0.120
1812813	Drill Core	0.025	12	16	0.11	525	0.003	<1	0.31	0.059	0.28	<0.1	0.01	0.9	<0.1	0.36	1	<0.5	<0.2	0.019
1812814	Drill Core	0.039	16	5	0.06	563	0.003	<1	0.32	0.042	0.33	<0.1	0.02	1.3	<0.1	0.24	1	<0.5	<0.2	0.024
1812815	Drill Core	0.185	9	8	0.04	67	0.005	<1	0.29	0.211	0.81	0.1	0.02	1.8	0.2	1.63	2	0.9	<0.2	0.012
1812816	Drill Core	0.058	14	5	0.06	511	0.003	2	0.28	0.024	0.31	<0.1	0.02	1.4	<0.1	0.27	1	<0.5	<0.2	0.009
1812817	Drill Core	0.014	16	5	0.06	638	0.003	2	0.32	0.018	0.31	<0.1	0.02	1.0	<0.1	0.32	1	<0.5	<0.2	0.008
1812818	Drill Core	0.009	11	5	0.04	254	0.002	2	0.27	0.045	0.23	<0.1	<0.01	0.9	<0.1	0.53	1	<0.5	<0.2	0.011
1812819	Drill Core	0.028	12	8	0.17	104	0.005	2	0.38	0.043	0.25	0.1	0.03	0.9	<0.1	1.48	1	<0.5	<0.2	0.021
1812820	Rock Pulp	0.037	6	24	0.51	88	0.077	10	1.14	0.111	0.12	4.3	0.14	3.6	0.2	0.10	4	<0.5	<0.2	0.557
1812821	Drill Core	0.032	11	13	0.69	119	0.007	2	0.73	0.040	0.19	<0.1	0.04	1.2	<0.1	1.50	2	<0.5	<0.2	0.027
1812822	Drill Core	0.049	9	11	0.63	95	0.009	<1	0.70	0.027	0.20	0.1	0.04	1.0	<0.1	1.77	2	<0.5	<0.2	0.009
1812823	Drill Core	0.040	7	26	0.47	86	0.005	1	0.58	0.014	0.23	<0.1	0.02	1.0	<0.1	2.24	1	<0.5	<0.2	0.008
1812824	Drill Core	0.030	10	8	0.16	142	0.004	<1	0.44	0.026	0.25	0.1	0.01	1.0	<0.1	1.32	1	<0.5	<0.2	0.007
1812825	Drill Core	0.117	14	19	0.28	162	0.018	<1	0.57	0.048	0.35	0.3	0.02	1.9	<0.1	1.01	2	0.6	0.3	0.113
1812826	Drill Core	0.111	14	11	0.42	156	0.043	1	1.05	0.011	0.31	0.4	0.02	2.2	<0.1	1.50	2	1.2	<0.2	0.039
1812827	Drill Core	0.113	10	13	0.67	130	0.029	2	1.23	0.010	0.32	0.3	0.02	2.1	<0.1	1.60	2	1.0	<0.2	0.028
1812828	Drill Core	0.131	10	11	0.57	146	0.036	1	1.24	0.010	0.27	0.4	<0.01	2.3	<0.1	1.25	2	0.6	<0.2	0.023
1812829	Drill Core	0.077	11	12	1.15	199	0.027	<1	1.43	0.012	0.19	0.2	0.01	2.3	<0.1	0.99	3	1.1	<0.2	0.012
1812830	Drill Core	0.077	10	11	1.26	146	0.008	<1	1.34	0.010	0.19	0.2	0.03	2.1	<0.1	0.91	3	0.6	<0.2	0.014
1812831	Drill Core	0.047	14	16	1.28	112	0.003	1	1.44	0.020	0.27	0.1	0.02	2.1	<0.1	1.72	4	0.7	<0.2	0.010
1812832	Drill Core	0.063	12	10	0.64	136	0.003	<1	0.96	0.020	0.29	<0.1	0.02	1.6	<0.1	1.23	2	<0.5	<0.2	0.010
1812833	Drill Core	0.064	16	15	0.98	329	0.003	<1	1.11	0.032	0.26	<0.1	0.03	1.7	<0.1	0.64	3	<0.5	<0.2	0.019
1812834	Drill Core	0.073	14	14	0.66	330	0.002	<1	0.92	0.042	0.27	<0.1	0.02	1.8	<0.1	0.70	2	0.7	<0.2	0.042
1812835	Drill Core	0.073	12	18	1.01	135	0.011	<1	1.16	0.038	0.22	0.1	0.01	2.1	<0.1	1.64	3	0.8	<0.2	0.013
1812836	Drill Core	0.065	11	13	0.90	169	0.021	<1	1.03	0.024	0.23	0.2	0.01	2.0	<0.1	1.32	3	<0.5	<0.2	0.028
1812837	Drill Core	0.075	4	21	1.54	58	0.031	<1	1.40	0.007	0.29	0.3	0.02	2.5	<0.1	2.56	3	1.0	<0.2	0.031



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 5 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812838	Drill Core	3.34	6.3	34.3	110.2	120	0.8	24.7	15.3	607	3.14	4.0	0.6	31.2	9.2	30	1.6	1.7	0.5	9	1.76
1812839	Drill Core	3.66	0.5	30.8	8.2	148	0.2	28.6	16.4	520	3.00	2.5	2.7	4.8	8.6	13	1.2	1.5	<0.1	11	0.40
1812840	Rock Pulp	0.13	3.9	19.4	1.0	29	<0.1	7.0	4.0	539	2.29	1.1	0.4	8.7	2.4	30	<0.1	0.2	<0.1	20	0.73
1812841	Drill Core	3.22	0.7	21.7	16.5	75	0.2	16.9	8.7	228	2.70	3.2	3.4	1.8	10.3	12	0.2	2.4	<0.1	13	0.24
1812842	Drill Core	3.32	1.2	26.5	29.3	191	0.3	23.3	9.5	431	3.31	5.2	4.9	4.3	9.1	17	0.3	4.1	<0.1	33	0.34
1812843	Drill Core	3.37	5.1	17.3	56.2	122	0.4	20.6	12.1	491	2.61	2.5	1.5	3.7	9.7	14	1.0	2.4	<0.1	14	0.60
1812844	Drill Core	3.75	1.3	24.0	7.8	173	0.3	27.5	18.4	609	3.20	2.2	1.1	3.3	8.6	20	1.0	1.9	<0.1	17	1.00
1812845	Drill Core	3.44	0.3	18.8	9.7	103	0.3	18.5	14.0	715	3.11	1.8	1.3	5.0	7.6	36	0.6	1.5	<0.1	16	1.97
1812846	Drill Core	2.92	1.3	32.2	13.5	110	0.5	18.6	13.0	765	3.16	4.7	3.0	238.3	7.0	51	0.9	1.7	<0.1	17	1.41
1812847	Drill Core	1.73	1.0	25.4	8.5	138	0.3	33.5	21.8	826	3.88	3.8	1.5	15.8	8.4	27	1.1	1.6	<0.1	23	1.31
1812848	Drill Core	2.91	2.1	17.2	13.1	96	0.2	19.3	12.0	592	2.80	1.2	0.9	12.1	9.5	27	0.6	1.2	<0.1	12	1.56
1812849	Drill Core	3.47	0.8	20.9	26.8	75	0.5	14.5	9.5	425	3.01	1.1	1.7	59.5	9.3	28	0.8	1.3	<0.1	9	1.20
1812850	Drill Core	1.92	1.7	14.7	15.3	78	0.2	12.5	8.2	458	3.02	1.1	1.5	8.9	10.9	22	0.3	1.2	<0.1	9	1.14
1812851	Drill Core	1.78	3.7	20.7	47.5	107	0.3	13.4	8.2	647	2.71	1.6	1.3	21.5	8.7	37	0.8	1.5	0.1	11	1.91
1812852	Drill Core	2.45	7.9	15.0	45.8	73	0.5	15.0	7.8	567	2.15	1.2	1.0	68.5	8.4	41	0.7	1.6	0.1	7	1.89



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000597.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812838	Drill Core	0.064	6	14	0.83	72	0.017	<1	0.92	0.012	0.32	0.3	0.02	2.0	0.1	2.48	2	1.2	<0.2	0.019
1812839	Drill Core	0.075	9	58	1.26	114	0.027	<1	1.55	0.009	0.26	0.4	0.01	2.4	<0.1	1.68	3	0.7	<0.2	0.011
1812840	Rock Pulp	0.039	5	14	0.47	60	0.067	3	0.97	0.075	0.08	0.2	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2	0.007
1812841	Drill Core	0.079	9	19	0.94	136	0.037	2	1.28	0.007	0.23	0.3	<0.01	2.4	<0.1	1.18	3	0.6	<0.2	0.009
1812842	Drill Core	0.096	9	185	2.16	144	0.090	1	2.28	0.011	0.22	0.5	0.01	4.9	<0.1	0.66	6	0.7	<0.2	0.009
1812843	Drill Core	0.059	11	55	1.41	130	0.043	1	1.37	0.022	0.21	0.4	<0.01	3.0	<0.1	1.43	4	0.7	<0.2	0.007
1812844	Drill Core	0.069	8	125	1.97	131	0.038	<1	1.75	0.008	0.20	0.5	0.02	3.3	<0.1	1.53	4	0.6	<0.2	0.008
1812845	Drill Core	0.069	5	75	1.59	130	0.037	<1	1.45	0.009	0.23	0.3	0.01	2.6	<0.1	1.79	3	0.7	<0.2	0.011
1812846	Drill Core	0.076	8	89	1.43	116	0.068	<1	1.27	0.009	0.25	0.9	0.01	3.2	<0.1	1.05	3	<0.5	<0.2	0.229
1812847	Drill Core	0.079	7	73	1.88	125	0.080	<1	1.71	0.008	0.26	0.5	<0.01	3.4	<0.1	2.49	4	0.8	<0.2	0.020
1812848	Drill Core	0.071	8	14	1.25	126	0.053	<1	1.09	0.013	0.25	0.4	0.01	2.0	<0.1	1.97	3	0.6	<0.2	0.015
1812849	Drill Core	0.071	8	11	0.78	135	0.046	<1	0.81	0.019	0.26	0.5	<0.01	1.8	<0.1	2.19	2	0.6	<0.2	0.057
1812850	Drill Core	0.063	8	12	1.20	113	0.050	<1	1.05	0.011	0.26	0.4	<0.01	2.1	<0.1	2.16	3	<0.5	<0.2	0.012
1812851	Drill Core	0.065	13	14	1.56	104	0.057	2	1.41	0.026	0.28	0.3	0.02	2.2	<0.1	1.95	3	<0.5	<0.2	0.024
1812852	Drill Core	0.050	8	10	1.15	134	0.046	1	1.03	0.026	0.25	0.3	0.02	1.5	<0.1	1.49	2	0.6	<0.2	0.074



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000597.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1812748	Drill Core	2.92	1.4	28.5	78.2	86	1.0	6.5	3.0	251	1.76	4.3	2.2	12.5	11.6	21	0.1	0.7	0.3	5	0.07
REP 1812748	QC		1.3	27.2	77.0	81	1.0	6.3	3.0	250	1.73	4.1	2.1	8.2	12.2	20	<0.1	0.7	0.3	5	0.07
1812782	Drill Core	2.98	0.6	29.0	4.2	80	0.5	10.5	2.1	210	3.98	2.8	2.7	10.5	7.4	45	<0.1	4.7	<0.1	28	0.02
REP 1812782	QC		0.6	27.4	4.3	83	0.5	10.6	2.0	209	3.93	3.0	2.7	20.1	7.6	46	<0.1	4.5	<0.1	28	0.02
1812814	Drill Core	3.35	6.5	2.4	44.3	4	0.8	0.7	0.2	48	1.08	1.0	0.2	16.0	4.4	14	<0.1	1.1	0.4	2	<0.01
REP 1812814	QC																				
1812817	Drill Core	3.05	1.4	3.9	34.8	4	0.5	1.4	0.5	58	0.93	0.6	0.5	4.7	6.7	25	0.2	0.9	<0.1	3	<0.01
REP 1812817	QC		1.5	4.0	34.5	4	0.5	1.4	0.5	60	0.93	0.5	0.5	5.8	6.5	23	0.2	0.9	<0.1	2	<0.01
1812851	Drill Core	1.78	3.7	20.7	47.5	107	0.3	13.4	8.2	647	2.71	1.6	1.3	21.5	8.7	37	0.8	1.5	0.1	11	1.91
REP 1812851	QC		3.4	19.8	46.8	108	0.4	13.6	8.4	653	2.70	1.4	1.3	18.3	8.7	38	0.7	1.5	<0.1	11	1.92
Core Reject Duplicates																					
1812751	Drill Core	3.12	1.3	36.4	35.9	104	0.8	8.2	1.6	240	2.39	1.5	2.4	5.3	10.5	20	<0.1	0.2	0.2	8	0.04
DUP 1812751	QC		1.3	35.5	38.2	106	0.8	8.6	1.8	240	2.41	1.7	2.2	4.4	10.6	21	<0.1	0.3	0.1	8	0.04
1812785	Drill Core	3.04	0.9	15.9	3.9	37	0.3	3.7	0.4	70	2.37	1.4	1.4	3.2	7.5	30	<0.1	2.4	<0.1	11	<0.01
DUP 1812785	QC		0.9	15.4	4.0	39	0.3	3.8	0.4	77	2.34	1.3	1.5	3.0	8.3	34	<0.1	2.5	<0.1	11	<0.01
1812819	Drill Core	3.35	1.9	20.4	48.5	18	0.8	5.6	3.4	63	2.07	1.4	1.6	8.3	14.0	29	<0.1	5.7	<0.1	3	0.01
DUP 1812819	QC		1.7	18.3	41.7	15	0.7	5.3	3.1	66	2.03	1.3	1.4	17.2	12.0	26	<0.1	5.0	<0.1	3	0.01
Reference Materials																					
STD BVGEO01	Standard		10.8	4374.0	186.9	1754	2.6	155.4	24.6	737	3.47	120.6	3.7	211.0	14.2	53	6.8	3.8	25.6	70	1.30
STD BVGEO01	Standard		11.2	4273.2	196.7	1751	2.6	155.2	24.6	733	3.69	124.9	3.7	232.0	16.1	58	6.3	4.5	26.5	71	1.31
STD DS11	Standard		13.9	139.9	137.2	341	1.8	78.5	12.6	1017	3.02	44.8	2.7	102.6	8.9	63	2.4	9.4	12.0	46	1.03
STD DS11	Standard		14.5	140.0	142.3	347	1.7	76.8	13.3	987	3.09	43.0	2.9	60.4	9.0	68	2.4	10.0	12.1	48	1.04
STD OREAS262	Standard		0.7	114.1	56.7	156	0.5	61.7	27.1	551	3.07	36.9	1.1	64.5	8.9	37	0.6	5.5	1.0	20	2.97
STD OREAS262	Standard		0.7	116.3	57.4	154	0.5	64.8	27.3	554	3.19	38.7	1.2	61.5	10.7	37	0.6	6.4	1.1	20	2.98
STD OREAS262	Standard		0.7	113.6	59.1	153	0.5	62.1	26.5	515	3.25	36.8	1.3	73.4	10.5	37	0.6	7.0	1.1	21	2.79
STD OREAS262	Standard		0.6	109.3	55.6	144	0.5	62.1	26.5	535	3.14	35.8	1.2	68.3	9.8	35	0.6	6.5	1.0	20	2.92
STD OXB130	Standard																				
STD OXB130	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000597.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430	
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
Pulp Duplicates																					
1812748	Drill Core	0.037	27	11	0.47	253	0.013	<1	0.89	0.023	0.19	1.0	<0.01	1.3	<0.1	0.07	3	<0.5	<0.2	0.015	
REP 1812748	QC	0.035	25	10	0.47	236	0.012	<1	0.88	0.023	0.19	1.0	<0.01	1.2	<0.1	0.07	3	<0.5	<0.2		
1812782	Drill Core	0.083	12	150	1.09	387	0.037	<1	1.58	0.021	0.28	0.5	0.01	3.4	<0.1	0.34	4	0.5	<0.2	0.016	
REP 1812782	QC	0.082	12	150	1.09	401	0.038	<1	1.56	0.021	0.28	0.3	0.02	3.4	<0.1	0.34	4	<0.5	<0.2		
1812814	Drill Core	0.039	16	5	0.06	563	0.003	<1	0.32	0.042	0.33	<0.1	0.02	1.3	<0.1	0.24	1	<0.5	<0.2	0.024	
REP 1812814	QC																				0.013
1812817	Drill Core	0.014	16	5	0.06	638	0.003	2	0.32	0.018	0.31	<0.1	0.02	1.0	<0.1	0.32	1	<0.5	<0.2	0.008	
REP 1812817	QC	0.012	15	5	0.06	517	0.003	2	0.31	0.017	0.30	<0.1	0.01	1.0	<0.1	0.31	1	<0.5	<0.2		
1812851	Drill Core	0.065	13	14	1.56	104	0.057	2	1.41	0.026	0.28	0.3	0.02	2.2	<0.1	1.95	3	<0.5	<0.2	0.024	
REP 1812851	QC	0.068	13	15	1.59	83	0.060	2	1.41	0.026	0.29	0.5	<0.01	2.1	<0.1	1.97	4	0.6	<0.2		
Core Reject Duplicates																					
1812751	Drill Core	0.064	33	13	0.80	380	0.025	<1	1.05	0.037	0.26	0.1	<0.01	1.8	<0.1	0.13	3	<0.5	<0.2	0.010	
DUP 1812751	QC	0.062	31	13	0.82	360	0.026	<1	1.05	0.036	0.25	0.2	0.01	2.1	<0.1	0.13	3	<0.5	<0.2	0.012	
1812785	Drill Core	0.038	14	66	0.47	280	0.020	<1	0.83	0.027	0.26	0.2	0.02	1.9	<0.1	0.31	3	<0.5	<0.2	0.007	
DUP 1812785	QC	0.039	16	68	0.47	312	0.022	1	0.85	0.030	0.26	0.1	0.02	1.9	<0.1	0.30	3	<0.5	<0.2	0.008	
1812819	Drill Core	0.028	12	8	0.17	104	0.005	2	0.38	0.043	0.25	0.1	0.03	0.9	<0.1	1.48	1	<0.5	<0.2	0.021	
DUP 1812819	QC	0.026	11	7	0.16	115	0.005	1	0.35	0.042	0.24	0.1	0.01	0.8	<0.1	1.44	1	<0.5	<0.2	0.013	
Reference Materials																					
STD BVGEO01	Standard	0.073	26	182	1.31	286	0.222	4	2.28	0.185	0.88	5.7	0.11	5.4	0.6	0.64	8	5.2	1.0		
STD BVGEO01	Standard	0.074	29	190	1.32	334	0.235	3	2.29	0.191	0.88	5.8	0.09	6.5	0.6	0.64	7	4.5	1.0		
STD DS11	Standard	0.073	18	58	0.83	362	0.090	7	1.12	0.070	0.39	2.9	0.26	3.2	5.0	0.26	5	2.2	4.7		
STD DS11	Standard	0.073	18	57	0.83	386	0.092	7	1.14	0.070	0.40	3.2	0.26	3.3	4.7	0.25	5	2.2	4.9		
STD OREAS262	Standard	0.038	14	42	1.20	255	0.003	3	1.28	0.066	0.29	0.3	0.16	3.0	0.5	0.25	4	<0.5	0.3		
STD OREAS262	Standard	0.039	16	43	1.18	262	0.003	3	1.32	0.067	0.30	0.3	0.16	3.3	0.5	0.25	4	<0.5	0.2		
STD OREAS262	Standard	0.040	17	42	1.15	266	0.002	4	1.22	0.067	0.30	0.3	0.17	3.3	0.5	0.27	4	<0.5	0.2		
STD OREAS262	Standard	0.039	17	42	1.16	251	0.002	3	1.33	0.065	0.29	0.2	0.16	3.2	0.5	0.25	4	<0.5	0.2		
STD OXB130	Standard																				0.124
STD OXB130	Standard																				0.130



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000597.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063	
STD BVGEO01 Expected		11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219	
STD OREAS262 Expected		0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98	
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 13, 2021

Page:

2 of 3

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000597.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
STD OXB130	Standard																			0.128
STD OXB130	Standard																			0.123
STD OXG141	Standard																			0.912
STD OXG141	Standard																			0.968
STD OXG141	Standard																			0.899
STD OXG141	Standard																			0.939
STD OXN155	Standard																			7.537
STD OXN155	Standard																			7.679
STD OXN155	Standard																			7.552
STD OXN155	Standard																			7.849
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD BVGEO01 Expected		0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																				0.93
STD OXN155 Expected																				7.762
STD OXB130 Expected																				0.125
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			0.005
BLK	Blank																			<0.005
BLK	Blank																			0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			0.007
Prep Wash																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000597.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
ROCK-WHI	Prep Blank		0.8	2.2	1.3	31	<0.1	1.6	3.5	466	1.85	1.3	0.5	<0.5	2.6	28	<0.1	<0.1	<0.1	22	0.62
ROCK-WHI	Prep Blank		0.7	1.8	1.2	29	<0.1	1.2	3.5	467	1.95	1.1	0.5	<0.5	2.8	26	<0.1	<0.1	<0.1	23	0.59



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 13, 2021

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000597.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
ROCK-WHI	Prep Blank	0.039	7	4	0.44	77	0.081	2	0.92	0.100	0.10	0.1	<0.01	3.4	<0.1	<0.05	4	<0.5	<0.2	<0.005
ROCK-WHI	Prep Blank	0.037	6	3	0.44	59	0.075	2	0.87	0.092	0.08	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2	<0.005