



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 23, 2020
Analysis Start: January 25, 2021
Report Date: February 12, 2021
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000598.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-34
P.O. Number
Number of Samples: 122

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	117	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
AQ201	122	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	122	Per sample shipping charges for branch shipments			VAN
HOMOG	30	Homogenize pulps by light pulverizing			VAN
SS150	28	Sieve to 150 mesh			VAN
FA430	30	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 6 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1885123	Drill Core	2.48	8.0	50.3	48.0	92	2.8	8.3	3.1	271	2.75	26.4	1.5	1024.4	7.0	16	<0.1	0.7	0.1	10	0.06
1885124	Drill Core	2.14	1.2	59.2	38.0	119	1.3	11.4	3.0	165	2.62	18.4	1.8	363.5	7.2	8	<0.1	0.4	0.1	10	0.03
1885125	Drill Core	1.84	0.3	27.2	11.5	94	1.3	5.9	2.8	127	2.24	12.0	1.4	694.5	8.8	11	<0.1	0.5	<0.1	5	<0.01
1885126	Drill Core	2.47	0.5	20.7	12.7	44	0.5	4.6	0.8	251	2.01	45.1	1.8	44.1	8.4	4	<0.1	1.1	0.1	7	0.01
1885127	Drill Core	2.98	0.8	40.4	56.6	96	0.8	6.6	1.8	500	2.64	45.5	1.4	177.2	6.9	5	<0.1	1.5	0.2	14	0.01
1885128	Drill Core	2.94	0.8	27.9	25.3	55	0.6	3.2	1.1	289	2.01	35.0	1.1	110.3	6.8	10	<0.1	0.8	<0.1	7	0.01
1885129	Drill Core	2.84	0.8	92.1	179.5	142	2.0	9.3	3.0	690	2.69	26.4	2.0	1855.8	7.5	30	0.1	6.9	<0.1	11	0.04
1885130	Drill Core	3.04	3.5	74.4	113.0	111	1.4	7.9	3.1	489	2.28	8.2	1.6	164.7	5.8	42	0.1	1.1	0.1	8	0.06
1885131	Drill Core	2.65	11.3	37.8	128.5	73	1.1	5.3	1.3	291	2.12	12.0	1.5	159.4	6.9	31	<0.1	1.3	0.2	8	0.02
1885132	Drill Core	2.73	3.2	42.4	7.6	75	1.3	7.1	1.6	185	2.13	8.1	2.1	398.1	8.2	140	0.1	0.6	<0.1	6	0.04
1885133	Drill Core	2.72	0.4	39.9	5.3	52	1.3	3.4	0.7	106	2.05	5.4	1.9	133.1	8.5	132	<0.1	0.6	<0.1	6	0.02
1885134	Drill Core	2.76	0.8	61.6	286.5	75	2.4	3.8	1.1	113	1.87	11.0	2.0	989.7	5.9	120	<0.1	1.1	0.5	6	0.02
1885135	Drill Core	3.20	0.5	119.3	17.3	225	1.4	24.9	23.8	1463	2.53	5.4	1.4	889.3	5.8	23	3.2	0.5	<0.1	7	0.18
1885136	Drill Core	2.98	1.1	21.2	21.7	65	4.5	7.6	4.9	355	2.01	6.2	0.5	11472.9	6.5	40	0.4	0.3	<0.1	6	0.42
1885137	Drill Core	2.95	1.0	6.8	5.4	10	0.5	5.0	3.0	46	1.71	1.9	0.6	27.5	6.2	15	<0.1	0.2	<0.1	4	<0.01
1885138	Drill Core	3.19	1.3	37.4	13.6	27	0.3	8.2	5.0	104	1.95	1.4	1.1	7.1	6.2	27	0.3	0.3	<0.1	4	0.10
1885139	Drill Core	3.25	0.6	36.9	12.2	36	0.3	10.1	8.1	328	1.74	2.0	1.1	38.1	6.8	28	1.6	0.2	<0.1	4	0.41
1885140	Rock Pulp	0.13	3.9	21.1	0.9	31	<0.1	7.4	4.3	568	2.42	1.1	0.3	9.6	1.8	30	<0.1	0.1	<0.1	22	0.77
1885141	Drill Core	3.13	1.5	23.0	29.8	26	0.7	11.6	9.4	403	2.22	1.1	0.9	89.5	5.7	43	0.7	0.2	<0.1	4	0.78
1885142	Drill Core	3.24	3.4	33.7	10.9	27	0.3	8.5	8.9	348	1.35	2.1	1.1	13.3	6.7	32	1.1	0.3	<0.1	4	0.76
1885143	Drill Core	3.28	2.5	26.7	11.1	53	0.2	11.9	13.0	881	1.62	2.3	1.3	78.0	6.6	57	1.6	0.2	<0.1	4	1.63
1885144	Drill Core	3.18	0.6	19.1	11.9	31	0.6	8.0	6.1	218	1.54	0.9	1.3	559.7	6.3	17	0.7	0.3	<0.1	5	0.32
1885145	Drill Core	3.10	1.0	20.6	12.0	47	0.4	14.4	11.8	560	2.41	1.5	1.9	196.8	6.4	30	0.7	0.5	<0.1	6	0.82
1885146	Drill Core	3.37	1.3	21.3	8.5	72	0.3	12.2	8.6	592	1.88	0.8	1.3	106.5	7.2	80	0.5	1.0	<0.1	10	1.34
1885147	Drill Core	3.33	1.0	19.4	7.1	62	0.4	10.5	8.3	731	1.73	0.5	0.8	255.2	6.8	102	0.2	0.8	<0.1	8	1.97
1885148	Drill Core	3.19	0.7	16.3	8.2	53	0.2	9.0	7.6	490	1.50	1.2	1.2	22.9	8.5	57	0.3	0.5	<0.1	6	1.28
1885149	Drill Core	3.60	1.6	14.9	16.4	42	0.2	10.3	8.5	501	1.83	1.0	1.6	5.5	8.2	49	0.3	0.4	0.1	6	1.50
1885150	Drill Core	2.96	0.9	21.1	9.0	82	0.4	12.7	9.2	672	2.51	1.9	0.9	7.2	8.3	59	0.2	0.5	<0.1	11	1.53
1885151	Drill Core	3.02	0.8	28.9	10.8	146	0.4	13.9	11.2	886	2.79	0.9	1.1	22.0	6.9	71	1.1	0.5	<0.1	13	1.79
1885152	Drill Core	3.28	0.9	21.4	15.7	71	0.4	11.1	8.6	725	2.07	0.7	1.1	4.2	7.4	68	0.3	0.7	<0.1	10	1.95



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 6 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1885123	Drill Core	0.052	16	48	0.87	253	0.002	1	1.20	0.016	0.20	6.4	0.01	1.5	<0.1	<0.05	4	0.7	0.3
1885124	Drill Core	0.039	15	47	0.90	273	0.001	1	1.30	0.019	0.18	0.3	0.03	1.6	<0.1	<0.05	4	0.8	0.3
1885125	Drill Core	0.025	17	11	0.38	462	0.001	<1	0.67	0.023	0.20	0.2	0.04	1.1	<0.1	<0.05	3	0.6	0.6
1885126	Drill Core	0.043	18	26	0.69	137	0.001	<1	0.94	0.018	0.17	0.1	0.03	0.9	<0.1	<0.05	3	0.7	<0.2
1885127	Drill Core	0.038	14	77	1.41	117	0.001	<1	1.59	0.010	0.16	0.1	0.01	1.5	<0.1	<0.05	5	0.6	<0.2
1885128	Drill Core	0.040	14	29	0.77	293	0.001	<1	0.95	0.012	0.21	0.2	0.01	1.0	<0.1	0.07	3	<0.5	<0.2
1885129	Drill Core	0.051	25	19	1.09	427	0.001	<1	1.37	0.008	0.24	0.2	0.02	1.6	<0.1	0.06	4	0.6	0.4
1885130	Drill Core	0.049	17	13	0.97	208	0.001	<1	1.24	0.009	0.24	0.2	<0.01	1.3	<0.1	0.08	3	<0.5	<0.2
1885131	Drill Core	0.048	17	13	0.64	197	0.002	<1	0.92	0.020	0.27	0.2	0.01	1.2	<0.1	0.10	3	<0.5	0.2
1885132	Drill Core	0.066	24	12	0.57	210	0.002	<1	0.91	0.023	0.29	0.1	0.01	1.5	0.1	0.15	3	0.6	<0.2
1885133	Drill Core	0.051	19	9	0.32	248	0.002	<1	0.75	0.024	0.36	0.1	0.02	1.1	<0.1	0.29	3	0.6	<0.2
1885134	Drill Core	0.039	17	9	0.26	216	0.001	<1	0.76	0.017	0.30	0.2	0.03	1.2	0.1	0.23	2	0.8	0.5
1885135	Drill Core	0.063	13	9	0.77	246	0.001	<1	1.10	0.013	0.27	0.2	0.02	1.5	<0.1	0.45	3	0.5	<0.2
1885136	Drill Core	0.055	12	9	0.27	261	0.002	<1	0.53	0.035	0.31	0.2	0.01	1.2	<0.1	0.53	2	0.6	0.8
1885137	Drill Core	0.032	10	5	0.02	142	0.001	<1	0.29	0.035	0.26	0.2	<0.01	0.9	<0.1	1.06	1	0.5	<0.2
1885138	Drill Core	0.057	9	6	0.06	86	0.002	<1	0.39	0.041	0.28	0.1	<0.01	0.9	<0.1	1.21	2	0.6	<0.2
1885139	Drill Core	0.057	11	6	0.07	179	0.002	<1	0.46	0.039	0.32	0.1	<0.01	1.1	<0.1	1.23	2	0.6	<0.2
1885140	Rock Pulp	0.037	5	15	0.50	53	0.073	2	1.03	0.078	0.09	0.2	<0.01	2.4	<0.1	0.05	4	<0.5	<0.2
1885141	Drill Core	0.067	7	5	0.06	43	0.002	<1	0.37	0.039	0.26	<0.1	<0.01	1.0	<0.1	1.75	1	0.7	<0.2
1885142	Drill Core	0.061	9	5	0.05	175	0.002	<1	0.45	0.028	0.33	0.1	<0.01	1.0	<0.1	0.95	1	<0.5	<0.2
1885143	Drill Core	0.060	8	6	0.11	131	0.001	<1	0.46	0.027	0.31	0.1	<0.01	1.2	<0.1	1.23	1	0.6	<0.2
1885144	Drill Core	0.061	10	7	0.07	174	0.002	<1	0.40	0.037	0.27	0.1	<0.01	1.2	<0.1	0.89	2	<0.5	<0.2
1885145	Drill Core	0.058	8	7	0.12	49	0.003	<1	0.40	0.045	0.22	0.1	<0.01	1.5	<0.1	1.98	2	0.6	<0.2
1885146	Drill Core	0.056	13	14	0.67	290	0.005	<1	0.88	0.027	0.24	0.2	<0.01	1.7	<0.1	0.60	3	<0.5	<0.2
1885147	Drill Core	0.061	10	14	0.85	289	0.009	<1	0.96	0.021	0.28	0.2	<0.01	1.5	<0.1	0.40	3	<0.5	<0.2
1885148	Drill Core	0.057	11	8	0.46	251	0.011	<1	0.71	0.027	0.30	0.2	<0.01	1.2	<0.1	0.54	2	<0.5	<0.2
1885149	Drill Core	0.055	9	8	0.26	144	0.006	<1	0.63	0.026	0.35	0.1	<0.01	1.4	<0.1	1.06	2	0.5	<0.2
1885150	Drill Core	0.065	9	15	0.80	197	0.010	<1	1.14	0.023	0.31	0.2	<0.01	1.9	<0.1	0.93	4	0.6	<0.2
1885151	Drill Core	0.069	8	17	0.91	134	0.007	<1	1.23	0.022	0.31	0.2	<0.01	2.3	<0.1	1.15	4	0.6	<0.2
1885152	Drill Core	0.054	8	12	0.60	231	0.004	<1	0.98	0.021	0.34	0.1	<0.01	1.7	<0.1	0.80	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1885153	Drill Core	3.84	2.2	18.2	18.3	72	0.3	9.7	7.4	620	1.70	1.3	1.1	8.5	8.8	61	0.9	0.6	<0.1	6	1.67
1885154	Drill Core	3.64	1.3	82.9	64.4	87	1.5	10.8	8.0	629	1.91	1.5	0.8	6.0	8.3	50	0.9	0.8	0.1	8	1.12
1885155	Drill Core	3.76	2.3	20.9	18.2	117	0.4	12.3	9.1	661	1.83	4.6	1.3	12.2	7.2	40	1.2	0.4	<0.1	8	0.79
1885156	Drill Core	3.21	0.5	37.5	33.4	77	0.7	10.3	7.4	421	1.66	13.7	1.5	16.8	7.7	22	0.9	0.9	0.1	9	0.33
1885157	Drill Core	3.72	1.0	56.3	59.4	104	0.9	9.4	8.4	499	1.50	10.8	1.3	37.0	7.8	45	1.1	1.4	0.1	8	0.68
1885158	Drill Core	3.69	0.6	48.6	30.2	80	0.8	7.5	6.7	425	1.73	19.6	1.1	37.1	7.8	24	1.2	2.2	0.1	6	0.55
1885159	Drill Core	3.14	0.8	24.6	110.5	163	0.9	7.9	5.1	440	1.87	21.2	1.0	199.9	8.1	9	1.1	2.2	0.2	9	0.14
1885160	Core DUP		0.8	24.8	106.0	161	0.9	7.8	5.1	438	1.90	21.5	1.0	196.5	8.0	9	1.1	2.2	0.2	9	0.14
1885161	Drill Core	3.26	0.2	22.7	7.3	49	1.0	7.8	6.0	233	1.46	22.9	0.8	1361.3	7.4	15	0.3	0.9	0.1	6	0.25
1885162	Drill Core	3.35	0.6	15.9	5.8	55	1.6	9.4	7.4	422	1.70	4.3	0.8	2431.5	7.6	28	0.7	0.7	<0.1	7	0.46
1885163	Drill Core	3.36	0.5	13.5	6.1	41	0.3	6.7	6.4	333	1.29	7.5	0.9	84.3	8.2	36	0.3	0.7	<0.1	6	0.65
1885164	Drill Core	3.51	0.3	13.9	5.3	60	0.2	8.1	7.8	362	1.36	4.8	0.8	4.7	7.6	38	0.6	0.4	<0.1	7	0.47
1885165	Drill Core	3.25	0.4	25.6	7.5	36	1.6	4.1	2.6	160	1.55	12.3	1.4	5441.3	7.8	22	0.2	0.7	0.1	6	0.15
1885166	Drill Core	2.28	0.3	22.5	4.6	42	0.3	2.5	1.1	147	1.24	7.5	1.8	47.1	9.5	55	0.1	1.0	<0.1	5	0.13
1885167	Drill Core	2.26	0.3	20.1	31.5	41	3.4	3.6	1.4	204	1.22	21.9	1.1	14095.3	4.0	22	<0.1	1.6	<0.1	3	0.11
1885168	Drill Core	1.71	0.2	13.9	13.2	17	0.6	2.3	0.5	116	0.90	4.9	0.6	902.5	1.6	8	<0.1	2.2	<0.1	1	0.04
1885169	Drill Core	1.28	0.1	26.3	19.7	14	0.6	5.4	5.4	76	1.22	2.8	2.1	325.8	8.7	22	0.4	0.6	<0.1	3	0.11
1885170	Drill Core	2.42	0.5	14.4	10.7	29	0.2	8.7	8.9	183	1.39	4.4	1.3	12.4	8.4	19	0.4	0.4	0.2	5	0.42
1885171	Drill Core	5.45	11.4	14.7	20.0	27	0.2	7.8	7.4	281	1.43	2.9	1.7	7.0	8.1	38	0.5	0.4	<0.1	5	0.87
1885172	Drill Core	3.24	0.7	11.3	12.7	29	0.2	6.7	6.8	321	1.44	1.5	1.5	3.1	8.0	43	0.3	0.3	<0.1	5	0.80
1885173	Drill Core	1.35	0.3	15.7	9.9	59	0.3	8.1	8.3	477	1.87	1.5	1.0	16.8	6.6	57	0.4	0.4	0.1	11	1.17
1885174	Drill Core	3.11	0.9	18.3	7.7	69	0.4	10.7	8.5	527	2.03	2.1	0.5	31.1	6.3	57	0.3	0.5	<0.1	15	1.29
1885175	Drill Core	3.33	0.4	15.5	9.5	42	0.4	8.2	7.1	433	1.42	4.4	1.2	220.1	7.4	55	0.3	0.5	<0.1	7	1.02
1885176	Drill Core	3.50	0.4	18.5	4.6	55	1.7	14.0	9.7	459	2.26	5.0	1.7	4181.3	6.7	41	0.7	0.6	<0.1	10	0.96
1885177	Drill Core	3.27	0.5	17.0	4.5	52	0.6	10.4	8.0	562	2.31	7.2	2.8	428.4	6.6	60	0.4	0.7	<0.1	9	1.56
1885178	Drill Core	3.08	1.9	11.8	7.1	74	0.3	9.9	8.2	581	2.52	4.0	1.2	16.7	7.3	61	0.4	0.6	<0.1	14	1.71
1885179	Drill Core	3.52	0.4	13.6	8.2	89	0.3	10.5	9.3	626	2.72	1.6	1.1	19.4	6.5	51	0.4	0.6	<0.1	17	1.83
1885180	Rock	0.23	0.8	1.0	1.2	2	<0.1	1.6	0.5	132	1.17	<0.5	0.1	<0.5	0.9	2	<0.1	<0.1	<0.1	<1	0.02
1885181	Drill Core	2.85	1.5	18.4	9.1	81	0.2	10.2	7.5	635	2.26	1.2	0.9	<0.5	7.9	61	0.6	0.7	<0.1	9	2.14
1885182	Drill Core	3.35	2.8	18.1	8.4	90	0.2	11.1	6.9	387	2.39	1.8	0.8	103.5	8.4	39	0.4	0.7	<0.1	9	1.12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1885153	Drill Core	0.050	10	9	0.29	169	0.002	<1	0.64	0.030	0.32	0.1	<0.01	1.4	<0.1	0.91	2	<0.5	<0.2
1885154	Drill Core	0.055	12	11	0.32	96	0.003	<1	0.60	0.038	0.28	0.1	<0.01	1.5	<0.1	1.28	3	0.5	<0.2
1885155	Drill Core	0.057	13	10	0.43	111	0.005	<1	0.74	0.038	0.32	0.1	<0.01	1.5	<0.1	1.16	3	0.6	<0.2
1885156	Drill Core	0.058	14	13	0.49	193	0.008	2	0.82	0.027	0.32	0.2	0.01	1.4	0.1	0.68	3	0.6	<0.2
1885157	Drill Core	0.061	17	9	0.37	193	0.004	2	0.68	0.031	0.34	0.2	0.01	1.2	0.1	0.89	3	0.7	<0.2
1885158	Drill Core	0.049	11	9	0.20	108	0.002	1	0.56	0.040	0.31	0.1	0.02	1.2	0.1	1.04	2	0.6	<0.2
1885159	Drill Core	0.046	13	11	0.24	332	0.002	1	0.62	0.038	0.28	0.3	0.03	1.3	0.1	0.53	3	0.5	<0.2
1885160	Core DUP	0.046	13	11	0.25	308	0.002	1	0.64	0.039	0.29	0.3	0.02	1.3	0.1	0.50	3	0.5	<0.2
1885161	Drill Core	0.051	12	11	0.27	201	0.002	1	0.55	0.058	0.24	0.2	<0.01	1.4	<0.1	0.82	2	0.6	<0.2
1885162	Drill Core	0.056	11	13	0.41	149	0.002	1	0.64	0.065	0.21	0.1	<0.01	1.7	<0.1	1.03	3	0.7	0.4
1885163	Drill Core	0.047	12	11	0.26	276	0.003	1	0.56	0.056	0.27	0.1	<0.01	1.3	<0.1	0.74	2	<0.5	<0.2
1885164	Drill Core	0.045	11	10	0.30	245	0.008	1	0.61	0.056	0.28	0.3	<0.01	1.4	<0.1	0.65	2	<0.5	<0.2
1885165	Drill Core	0.043	14	9	0.22	269	0.004	<1	0.57	0.047	0.28	0.2	0.01	1.4	<0.1	0.48	2	<0.5	<0.2
1885166	Drill Core	0.046	21	7	0.20	245	0.001	1	0.57	0.035	0.34	0.2	<0.01	1.0	0.1	0.19	2	<0.5	<0.2
1885167	Drill Core	0.037	10	7	0.22	69	<0.001	<1	0.41	0.030	0.10	<0.1	0.03	0.5	<0.1	0.08	1	<0.5	<0.2
1885168	Drill Core	0.013	4	4	0.10	49	<0.001	<1	0.21	0.014	0.07	<0.1	0.04	0.3	<0.1	0.05	<1	<0.5	<0.2
1885169	Drill Core	0.040	16	5	0.09	134	<0.001	1	0.41	0.032	0.27	0.1	0.01	0.8	<0.1	0.70	2	<0.5	<0.2
1885170	Drill Core	0.045	16	6	0.11	152	0.004	1	0.50	0.046	0.34	0.2	0.01	1.1	<0.1	1.12	2	<0.5	<0.2
1885171	Drill Core	0.045	14	7	0.14	122	0.006	<1	0.47	0.043	0.29	0.2	<0.01	1.3	<0.1	1.03	2	<0.5	<0.2
1885172	Drill Core	0.045	12	7	0.20	141	0.005	<1	0.54	0.049	0.32	0.2	<0.01	1.2	<0.1	0.99	2	<0.5	<0.2
1885173	Drill Core	0.062	11	12	0.40	181	0.027	<1	0.72	0.050	0.28	0.6	<0.01	2.3	<0.1	0.91	3	<0.5	<0.2
1885174	Drill Core	0.065	10	16	0.54	161	0.039	<1	0.85	0.041	0.26	0.8	<0.01	2.3	<0.1	0.71	3	<0.5	<0.2
1885175	Drill Core	0.046	12	10	0.42	244	0.014	<1	0.67	0.041	0.27	0.3	0.02	1.4	<0.1	0.70	3	<0.5	<0.2
1885176	Drill Core	0.060	10	20	0.50	118	0.017	<1	0.76	0.038	0.25	0.5	0.01	2.0	<0.1	1.56	3	0.6	<0.2
1885177	Drill Core	0.057	8	10	0.58	115	0.022	<1	0.78	0.028	0.27	0.6	0.03	1.9	<0.1	1.47	2	0.5	<0.2
1885178	Drill Core	0.063	11	18	0.80	136	0.026	1	1.05	0.027	0.25	0.6	0.03	2.7	<0.1	1.22	3	0.5	<0.2
1885179	Drill Core	0.062	10	31	0.97	140	0.021	1	1.28	0.031	0.21	0.4	0.02	3.3	<0.1	0.89	4	<0.5	<0.2
1885180	Rock	0.001	2	6	0.01	9	0.002	1	0.06	0.003	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1885181	Drill Core	0.048	7	13	1.03	127	0.020	1	1.17	0.021	0.19	0.3	0.03	2.4	<0.1	0.78	3	<0.5	<0.2
1885182	Drill Core	0.050	10	13	1.03	121	0.021	1	1.18	0.022	0.20	0.3	0.04	1.9	<0.1	0.94	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1885183	Drill Core	2.63	2.4	19.1	9.7	98	0.2	17.7	11.2	510	2.46	1.9	1.4	3.3	7.7	55	0.9	0.6	<0.1	8	1.85
1885184	Drill Core	3.17	2.1	24.0	13.3	117	0.2	19.5	10.5	370	2.62	0.9	1.5	7.8	7.6	34	0.8	0.5	0.1	8	1.07
1885185	Drill Core	3.01	0.2	20.3	5.5	109	0.1	17.7	9.7	463	2.18	1.1	1.5	3.2	7.9	51	1.1	0.5	<0.1	8	1.55
1885186	Drill Core	1.61	0.2	18.9	10.7	209	0.1	39.1	15.1	292	3.12	2.7	3.6	1.3	7.2	18	1.0	0.7	<0.1	19	0.33
1885187	Drill Core	1.87	0.3	11.4	6.9	204	0.4	14.7	6.4	152	1.91	3.3	2.8	360.8	6.4	37	1.5	0.6	<0.1	12	0.15
1885188	Drill Core	1.85	2.7	32.8	33.8	256	0.4	17.6	10.1	359	2.39	1.5	1.5	1.5	5.6	42	2.3	2.2	<0.1	10	0.60
1885189	Drill Core	3.57	2.0	32.9	112.0	321	0.3	26.4	15.7	660	3.07	2.1	1.3	<0.5	5.7	33	5.4	0.6	<0.1	15	1.21
1885190	Drill Core	3.32	1.7	15.5	4.9	114	0.3	15.8	9.0	457	2.72	1.0	1.0	<0.5	8.1	41	0.7	0.8	<0.1	12	1.27
1885191	Drill Core	3.16	1.0	20.2	10.7	124	0.3	15.3	8.4	418	2.68	1.1	1.3	3.1	9.1	23	1.5	0.8	<0.1	9	0.45
1885192	Drill Core	3.22	3.9	22.0	11.2	127	0.2	19.3	10.4	476	2.45	1.5	1.8	2.4	8.9	19	1.8	0.5	<0.1	6	0.52
1885193	Drill Core	2.86	1.8	21.5	11.4	191	0.7	14.7	9.1	430	2.33	19.4	1.7	1822.8	8.2	19	4.6	0.8	<0.1	9	0.22
1885194	Drill Core	2.94	1.3	21.2	7.9	109	0.3	17.7	8.5	349	2.41	2.5	2.1	4.7	8.6	20	0.7	0.7	<0.1	9	0.43
1885195	Drill Core	3.50	4.2	17.8	6.6	64	0.2	14.4	9.9	502	2.45	1.5	0.8	2.8	7.2	38	0.3	0.8	<0.1	9	1.62
1885196	Drill Core	3.39	2.9	20.7	6.2	84	0.2	17.6	12.0	723	2.93	2.5	0.7	5.6	7.4	63	0.5	0.5	<0.1	14	2.41
1885197	Drill Core	2.26	2.0	17.7	9.7	103	0.2	18.0	10.4	454	2.69	3.8	0.7	3.0	7.8	38	0.3	1.1	<0.1	10	1.29
1885198	Drill Core	3.26	0.7	18.4	5.4	82	0.2	17.6	14.7	886	3.12	2.0	1.0	2.6	6.0	78	0.4	0.5	<0.1	20	3.32
1885199	Drill Core	3.42	2.4	19.6	7.0	102	0.2	18.2	13.2	626	3.20	1.9	2.2	3.5	7.3	54	0.7	0.4	<0.1	16	2.00
1885200	Core DUP		2.5	19.6	7.0	101	0.2	18.2	13.3	630	3.17	2.1	2.2	2.7	7.3	53	0.8	0.4	<0.1	16	1.99
1885201	Drill Core	3.10	1.6	20.7	5.5	79	0.4	16.1	11.0	681	2.61	1.6	2.3	563.7	7.8	75	0.6	0.3	<0.1	10	2.34
1885202	Drill Core	3.84	3.1	20.4	48.2	90	0.4	16.5	10.4	606	2.61	1.4	1.9	12.6	8.4	78	0.7	0.4	0.2	9	2.15
1885203	Drill Core	3.17	1.6	22.2	6.8	93	0.3	16.0	9.0	487	2.37	0.9	2.7	129.3	9.3	51	0.8	0.2	<0.1	8	1.55
1885204	Drill Core	3.35	1.5	22.2	12.5	149	0.3	15.5	7.0	298	2.29	8.7	1.3	55.8	9.1	24	0.7	0.5	<0.1	6	0.69
1885205	Drill Core	3.07	2.0	27.1	27.0	146	0.3	21.2	10.6	315	2.58	6.6	1.2	8.7	7.9	26	1.0	0.4	<0.1	10	0.75
1885206	Drill Core	3.18	0.7	23.5	12.1	103	0.7	10.8	7.2	440	1.98	2.4	2.1	1386.5	7.2	51	1.4	0.2	<0.1	7	1.35
1885207	Drill Core	3.02	0.9	19.7	29.4	131	0.2	13.3	7.3	331	2.07	1.6	1.7	2.3	9.1	27	1.1	0.2	<0.1	9	0.72
1885208	Drill Core	3.26	1.0	18.5	18.9	127	0.2	12.6	7.8	514	2.35	2.4	2.5	1.6	8.6	45	1.4	0.2	<0.1	9	1.49
1885209	Drill Core	3.35	1.1	22.1	29.6	138	0.4	11.6	7.3	447	2.21	16.4	1.2	45.4	8.6	42	1.7	0.6	<0.1	9	1.16
1885210	Drill Core	3.04	1.4	61.9	38.3	197	0.7	17.0	10.8	538	2.52	1.9	1.5	237.9	7.8	65	1.9	0.5	<0.1	11	1.47
1885211	Drill Core	3.08	2.4	88.4	342.0	277	0.9	11.8	6.4	591	2.01	7.1	1.9	5.7	8.5	45	2.1	0.8	0.1	6	0.99
1885212	Drill Core	3.12	10.1	48.2	425.9	60	1.8	0.4	0.3	83	0.53	3.7	1.4	15.4	15.1	2	0.2	2.3	0.1	<1	0.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 6 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1885183	Drill Core	0.052	11	27	0.95	125	0.012	1	1.05	0.016	0.26	0.2	0.02	2.1	<0.1	1.34	3	0.6	<0.2
1885184	Drill Core	0.052	9	23	0.96	113	0.004	1	1.02	0.015	0.24	0.1	0.01	1.9	<0.1	1.47	3	0.6	<0.2
1885185	Drill Core	0.047	14	11	1.03	162	0.001	<1	1.10	0.014	0.25	0.1	<0.01	1.9	<0.1	0.99	3	0.6	<0.2
1885186	Drill Core	0.058	17	145	1.27	132	0.001	1	1.50	0.021	0.20	0.2	0.01	3.8	<0.1	1.16	4	0.8	<0.2
1885187	Drill Core	0.056	21	33	0.61	131	<0.001	<1	0.91	0.033	0.18	0.2	0.01	2.6	<0.1	0.46	3	0.9	<0.2
1885188	Drill Core	0.051	15	25	0.62	134	<0.001	<1	0.81	0.016	0.25	0.3	0.01	2.2	<0.1	1.45	2	0.8	<0.2
1885189	Drill Core	0.056	14	69	1.11	110	0.002	<1	1.14	0.011	0.23	0.3	0.01	2.6	<0.1	1.60	3	0.7	<0.2
1885190	Drill Core	0.053	19	20	1.03	122	0.002	<1	1.17	0.022	0.19	<0.1	0.02	2.4	<0.1	1.24	4	0.5	<0.2
1885191	Drill Core	0.058	19	14	0.65	109	0.002	2	0.92	0.024	0.25	0.1	0.05	1.9	0.1	1.53	3	0.7	<0.2
1885192	Drill Core	0.050	23	8	0.57	105	0.005	2	0.79	0.027	0.22	0.2	0.02	1.5	<0.1	1.74	3	0.8	<0.2
1885193	Drill Core	0.048	22	26	0.74	129	0.002	2	0.88	0.023	0.22	0.2	0.02	2.0	0.1	1.04	3	0.9	<0.2
1885194	Drill Core	0.052	19	12	0.90	132	0.010	2	1.11	0.023	0.21	0.3	0.03	2.0	<0.1	1.19	3	0.8	<0.2
1885195	Drill Core	0.049	14	32	0.76	112	0.004	2	0.88	0.023	0.21	0.1	0.03	2.0	<0.1	1.52	3	0.6	<0.2
1885196	Drill Core	0.058	16	56	1.20	102	0.001	2	1.22	0.022	0.20	0.1	0.03	2.9	<0.1	1.52	3	0.6	<0.2
1885197	Drill Core	0.053	15	37	0.97	112	<0.001	2	1.10	0.021	0.20	0.2	0.02	1.9	<0.1	1.56	3	0.7	<0.2
1885198	Drill Core	0.056	10	136	1.50	118	0.002	2	1.57	0.009	0.21	<0.1	0.02	2.7	<0.1	1.50	4	0.5	<0.2
1885199	Drill Core	0.056	13	108	1.34	104	0.002	2	1.45	0.018	0.22	0.1	0.02	2.4	<0.1	1.70	4	0.5	<0.2
1885200	Core DUP	0.057	13	107	1.31	88	0.002	1	1.46	0.019	0.22	<0.1	0.02	2.3	<0.1	1.58	4	0.5	<0.2
1885201	Drill Core	0.056	12	35	0.90	140	0.002	1	1.00	0.021	0.25	0.1	0.01	2.2	<0.1	1.55	3	0.6	<0.2
1885202	Drill Core	0.052	16	27	0.93	122	0.002	1	1.08	0.020	0.24	0.2	<0.01	2.0	<0.1	1.39	3	0.8	<0.2
1885203	Drill Core	0.052	19	13	0.96	143	0.002	1	1.15	0.025	0.22	0.1	<0.01	2.1	<0.1	0.90	4	0.6	<0.2
1885204	Drill Core	0.051	20	10	0.66	158	<0.001	1	1.09	0.017	0.22	0.1	0.01	1.7	<0.1	0.46	3	0.8	<0.2
1885205	Drill Core	0.061	16	15	0.66	137	<0.001	<1	1.01	0.021	0.24	0.2	<0.01	1.9	<0.1	1.09	3	1.2	<0.2
1885206	Drill Core	0.049	14	8	0.54	148	0.002	<1	0.76	0.028	0.23	0.1	<0.01	1.8	<0.1	0.87	2	0.6	<0.2
1885207	Drill Core	0.057	21	13	0.60	209	0.002	<1	1.03	0.032	0.28	0.1	<0.01	1.8	<0.1	0.56	4	<0.5	<0.2
1885208	Drill Core	0.052	18	13	0.62	130	0.002	<1	0.95	0.030	0.24	<0.1	0.01	1.9	<0.1	1.04	4	0.5	<0.2
1885209	Drill Core	0.053	19	13	0.58	174	0.002	<1	0.98	0.031	0.27	<0.1	0.02	2.0	0.1	0.81	4	<0.5	<0.2
1885210	Drill Core	0.059	18	28	0.91	131	0.002	<1	1.13	0.025	0.27	0.1	0.01	2.2	<0.1	1.11	4	0.6	<0.2
1885211	Drill Core	0.039	15	9	0.72	150	0.001	<1	0.92	0.015	0.29	0.1	0.01	1.0	0.1	1.00	3	0.7	<0.2
1885212	Drill Core	0.005	24	2	0.10	82	<0.001	<1	0.34	0.025	0.25	0.2	0.03	0.1	<0.1	<0.05	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 5 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

Method Analyte Unit MDL		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1885213	Drill Core	3.89	1.6	12.8	121.2	36	0.2	1.1	0.7	72	0.50	1.6	1.8	2.7	13.8	11	<0.1	0.3	<0.1	<1	0.04
1885214	Drill Core	2.97	0.9	22.1	52.7	122	0.3	8.3	6.2	349	1.70	28.6	2.3	15.8	9.6	19	1.9	0.6	0.1	6	0.21
1885215	Drill Core	3.29	0.7	111.1	989.1	183	2.9	6.9	4.2	453	2.17	49.6	2.6	35.4	8.5	51	0.6	2.0	0.1	8	0.10
1885216	Drill Core	3.01	0.5	22.1	31.2	131	0.3	8.1	5.6	291	1.72	32.3	2.7	5.4	8.9	10	0.4	0.7	<0.1	7	0.13
1885217	Drill Core	3.01	0.4	16.4	110.9	100	0.4	7.4	5.5	189	1.44	20.2	1.4	29.9	8.6	18	1.2	1.3	<0.1	4	0.19
1885218	Drill Core	3.73	1.9	51.7	114.6	102	3.1	8.5	6.5	136	2.13	4.3	1.5	4.5	8.3	20	1.5	12.1	<0.1	3	0.54
1885219	Drill Core	3.41	1.5	14.4	49.2	33	0.3	8.5	6.4	210	1.71	1.4	2.3	1.7	7.7	24	0.4	0.4	0.1	3	0.53
1885220	Rock Pulp	0.12	6.4	115.0	81.2	141	0.7	11.3	5.0	590	2.55	40.7	0.4	534.3	2.0	35	0.5	2.8	<0.1	29	0.84
1885221	Drill Core	3.52	1.8	14.7	48.8	39	0.4	7.7	6.2	153	1.75	1.5	2.5	5.5	8.1	19	0.6	0.3	0.3	3	0.36
1885222	Drill Core	1.73	0.4	9.0	18.5	54	0.2	2.7	2.9	193	0.91	1.7	2.6	44.6	9.4	20	1.5	0.2	0.1	<1	0.44
1885223	Drill Core	1.63	0.2	8.8	14.1	23	0.3	1.4	1.3	57	0.76	0.8	1.4	21.3	9.4	50	0.4	0.5	<0.1	<1	0.03
1885224	Drill Core	2.77	0.2	4.1	18.9	15	0.2	0.9	0.9	46	0.62	1.0	1.9	0.6	11.3	28	0.1	0.3	<0.1	<1	0.01
1885225	Drill Core	3.07	1.8	1.8	36.2	25	0.2	0.4	0.3	41	0.56	0.5	2.4	0.5	12.6	28	0.3	0.2	0.1	<1	<0.01
1885226	Drill Core	3.52	1.0	15.0	95.3	40	1.1	0.8	0.3	60	0.67	2.3	2.0	4.4	11.0	3	0.1	0.8	0.2	<1	0.01
1885227	Drill Core	3.09	1.7	12.3	188.2	87	0.8	0.9	0.3	54	0.64	3.8	2.9	4.1	18.4	8	<0.1	0.5	0.2	<1	0.02
1885228	Drill Core	2.71	1.6	15.6	419.2	206	0.5	0.7	0.3	43	0.69	7.0	3.6	12.5	17.8	6	3.2	0.4	0.2	<1	0.02
1885229	Drill Core	3.35	1.1	53.3	485.1	336	0.7	0.8	0.5	64	0.66	3.9	5.6	3.5	19.5	21	8.7	0.5	0.2	<1	0.17
1885230	Drill Core	3.44	1.4	9.1	314.6	51	0.2	0.7	0.2	49	0.47	1.7	4.3	3.0	19.0	11	1.8	0.2	0.1	<1	0.08
1885231	Drill Core	3.27	0.8	9.4	124.9	50	0.3	0.6	0.2	41	0.49	2.4	2.8	2.2	17.8	14	<0.1	0.3	0.1	<1	0.02
1885232	Drill Core	3.44	1.1	7.1	94.5	59	0.2	0.5	0.2	46	0.50	1.6	3.1	5.5	17.6	8	0.4	0.3	<0.1	<1	0.01
1885233	Drill Core	2.86	2.8	5.7	214.1	46	0.6	0.6	0.2	40	0.49	2.2	3.0	13.6	17.6	24	1.1	0.9	0.3	<1	0.01
1885234	Drill Core	3.54	1.7	8.6	100.0	117	0.3	0.5	0.2	66	0.46	1.7	3.4	6.5	16.7	32	2.2	1.1	0.2	<1	0.05
1885235	Drill Core	2.80	1.8	8.6	155.2	35	0.4	0.4	0.3	134	0.44	2.3	2.8	21.1	17.8	27	<0.1	0.8	0.1	<1	0.01
1885236	Drill Core	3.26	1.1	9.2	98.6	37	0.3	0.6	0.2	59	0.46	3.0	2.6	4.8	18.3	15	<0.1	0.4	0.2	<1	0.01
1885237	Drill Core	2.56	0.7	9.9	109.1	38	0.3	0.6	0.2	57	0.42	2.6	2.8	3.1	19.9	2	<0.1	0.3	<0.1	<1	0.01
1885238	Drill Core	2.98	0.6	16.4	206.9	53	0.7	0.6	0.2	87	0.56	6.8	4.1	12.6	24.0	2	0.2	0.7	0.1	<1	0.01
1885239	Drill Core	3.27	0.5	10.4	86.7	41	0.3	0.5	0.1	43	0.42	5.9	2.6	13.4	21.6	2	<0.1	0.5	<0.1	<1	<0.01
1885240	Rock Pulp	0.12	3.7	20.6	1.0	31	<0.1	7.1	4.4	562	2.41	1.3	0.4	0.9	5.5	33	<0.1	0.2	<0.1	23	0.77
1885241	Drill Core	2.51	1.0	6.5	59.8	37	0.2	0.5	0.1	40	0.38	3.5	2.5	2.9	20.5	2	<0.1	0.3	<0.1	<1	0.01
1885242	Drill Core	3.42	1.0	10.4	70.7	47	0.3	0.5	0.2	43	0.43	4.4	2.3	2.2	19.7	3	<0.1	0.4	0.1	<1	0.01



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1885213	Drill Core	0.012	25	3	0.09	398	<0.001	<1	0.36	0.025	0.29	0.1	0.01	0.3	<0.1	<0.05	2	<0.5	<0.2
1885214	Drill Core	0.045	31	10	0.47	196	0.002	<1	0.72	0.031	0.31	0.1	0.01	1.4	<0.1	0.86	3	<0.5	<0.2
1885215	Drill Core	0.044	34	12	0.79	136	0.002	<1	1.00	0.027	0.24	0.2	0.03	1.5	<0.1	0.64	4	0.7	<0.2
1885216	Drill Core	0.046	22	10	0.63	128	0.002	<1	0.88	0.027	0.26	0.2	0.01	1.6	0.1	0.50	3	<0.5	<0.2
1885217	Drill Core	0.042	17	7	0.27	148	0.001	<1	0.50	0.027	0.28	0.2	0.01	0.9	<0.1	0.83	2	<0.5	<0.2
1885218	Drill Core	0.040	8	4	0.05	47	0.002	<1	0.35	0.026	0.27	<0.1	0.03	0.5	<0.1	2.08	1	<0.5	<0.2
1885219	Drill Core	0.041	9	5	0.09	71	0.002	<1	0.37	0.036	0.27	<0.1	<0.01	0.6	<0.1	1.51	1	<0.5	<0.2
1885220	Rock Pulp	0.034	6	24	0.52	81	0.078	8	1.16	0.103	0.11	4.4	0.14	2.6	0.2	0.08	4	<0.5	<0.2
1885221	Drill Core	0.040	9	5	0.15	95	0.001	<1	0.41	0.029	0.27	0.1	<0.01	0.5	<0.1	1.48	1	<0.5	<0.2
1885222	Drill Core	0.018	10	3	0.13	323	<0.001	<1	0.35	0.003	0.27	<0.1	<0.01	0.5	<0.1	0.32	1	<0.5	<0.2
1885223	Drill Core	0.008	15	2	0.05	652	<0.001	<1	0.30	0.012	0.25	<0.1	<0.01	0.3	<0.1	0.22	1	<0.5	<0.2
1885224	Drill Core	0.006	20	2	0.05	1041	<0.001	<1	0.32	0.010	0.28	<0.1	<0.01	0.3	<0.1	0.18	1	<0.5	<0.2
1885225	Drill Core	0.002	16	2	0.05	1153	<0.001	<1	0.29	0.018	0.25	0.1	<0.01	0.2	<0.1	0.17	1	<0.5	<0.2
1885226	Drill Core	0.002	12	2	0.05	543	<0.001	3	0.25	0.006	0.21	0.1	0.02	0.5	0.1	0.08	<1	<0.5	<0.2
1885227	Drill Core	0.004	23	2	0.06	1362	<0.001	1	0.34	0.008	0.25	0.1	0.02	0.4	0.1	<0.05	<1	<0.5	<0.2
1885228	Drill Core	0.004	30	2	0.05	990	<0.001	2	0.32	0.012	0.24	0.1	0.02	0.5	0.1	0.15	<1	<0.5	<0.2
1885229	Drill Core	0.002	53	2	0.06	523	<0.001	<1	0.33	0.018	0.27	0.1	<0.01	0.8	0.1	0.28	1	<0.5	<0.2
1885230	Drill Core	0.002	49	2	0.07	448	<0.001	2	0.32	0.009	0.28	0.2	<0.01	0.7	<0.1	0.05	1	<0.5	<0.2
1885231	Drill Core	0.003	38	2	0.07	817	<0.001	1	0.33	0.009	0.28	0.2	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1885232	Drill Core	0.005	34	2	0.06	760	<0.001	1	0.33	0.018	0.28	<0.1	0.01	0.7	<0.1	0.08	1	<0.5	<0.2
1885233	Drill Core	0.003	31	2	0.06	1118	<0.001	1	0.33	0.022	0.28	0.1	<0.01	0.8	<0.1	0.15	1	<0.5	<0.2
1885234	Drill Core	0.003	33	1	0.09	948	<0.001	1	0.31	0.025	0.27	0.1	<0.01	0.8	<0.1	0.12	1	<0.5	<0.2
1885235	Drill Core	0.003	30	2	0.07	1570	<0.001	<1	0.33	0.012	0.27	0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1885236	Drill Core	0.003	33	2	0.07	1358	<0.001	1	0.30	0.018	0.26	0.2	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1885237	Drill Core	0.003	35	1	0.09	164	<0.001	<1	0.33	0.013	0.27	0.2	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2
1885238	Drill Core	0.004	47	2	0.10	170	<0.001	1	0.38	0.016	0.32	0.2	<0.01	0.9	<0.1	<0.05	1	<0.5	<0.2
1885239	Drill Core	0.001	31	2	0.07	194	<0.001	<1	0.30	0.012	0.27	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1885240	Rock Pulp	0.038	6	15	0.49	63	0.083	2	1.06	0.084	0.09	0.2	<0.01	3.9	<0.1	<0.05	4	<0.5	<0.2
1885241	Drill Core	0.001	28	1	0.07	200	<0.001	<1	0.31	0.013	0.27	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1885242	Drill Core	0.002	21	1	0.08	301	<0.001	<1	0.32	0.013	0.26	<0.1	<0.01	0.6	<0.1	<0.05	1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1885243	Drill Core	2.75	0.6	19.5	84.7	35	0.6	0.5	0.2	36	0.43	5.2	2.2	5.5	19.9	3	<0.1	0.6	0.1	<1	0.01
1885244	Drill Core	3.16	1.2	20.4	45.5	71	0.9	7.4	5.8	194	2.13	1.4	1.7	4.9	12.3	20	1.3	1.6	<0.1	3	0.62



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000598.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1885243	Drill Core	0.002	19	1	0.06	224	<0.001	1	0.31	0.011	0.26	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2	0.007
1885244	Drill Core	0.042	10	4	0.06	39	0.002	<1	0.36	0.027	0.26	<0.1	0.02	1.2	<0.1	1.93	<1	<0.5	<0.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI20000598.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1885139	Drill Core	3.25	0.6	36.9	12.2	36	0.3	10.1	8.1	328	1.74	2.0	1.1	38.1	6.8	28	1.6	0.2	<0.1	4	0.41
REP 1885139	QC		0.6	36.1	11.9	36	0.3	10.0	7.9	322	1.71	2.3	1.0	26.7	6.7	26	1.5	0.2	<0.1	4	0.41
1885173	Drill Core	1.35	0.3	15.7	9.9	59	0.3	8.1	8.3	477	1.87	1.5	1.0	16.8	6.6	57	0.4	0.4	0.1	11	1.17
REP 1885173	QC		0.3	15.5	9.8	58	0.3	8.1	8.2	476	1.87	1.7	1.0	3.4	6.5	57	0.4	0.4	0.1	11	1.15
1885208	Drill Core	3.26	1.0	18.5	18.9	127	0.2	12.6	7.8	514	2.35	2.4	2.5	1.6	8.6	45	1.4	0.2	<0.1	9	1.49
REP 1885208	QC		0.9	19.1	19.3	131	0.2	12.8	8.0	524	2.37	2.4	2.5	3.4	8.7	46	1.4	0.3	<0.1	9	1.51
1885235	Drill Core	2.80	1.8	8.6	155.2	35	0.4	0.4	0.3	134	0.44	2.3	2.8	21.1	17.8	27	<0.1	0.8	0.1	<1	0.01
REP 1885235	QC		2.0	8.7	159.2	38	0.4	0.5	0.4	133	0.43	2.5	2.8	19.8	17.7	27	<0.1	0.9	0.2	<1	0.01
Core Reject Duplicates																					
1885148	Drill Core	3.19	0.7	16.3	8.2	53	0.2	9.0	7.6	490	1.50	1.2	1.2	22.9	8.5	57	0.3	0.5	<0.1	6	1.28
DUP 1885148	QC		0.7	16.0	8.4	51	0.2	8.9	7.6	476	1.45	1.3	1.2	25.2	8.3	54	0.3	0.5	<0.1	5	1.26
1885182	Drill Core	3.35	2.8	18.1	8.4	90	0.2	11.1	6.9	387	2.39	1.8	0.8	103.5	8.4	39	0.4	0.7	<0.1	9	1.12
DUP 1885182	QC		3.8	18.8	8.4	93	0.2	11.6	7.2	419	2.49	1.6	0.8	109.9	8.9	44	0.4	0.8	<0.1	10	1.26
1885216	Drill Core	3.01	0.5	22.1	31.2	131	0.3	8.1	5.6	291	1.72	32.3	2.7	5.4	8.9	10	0.4	0.7	<0.1	7	0.13
DUP 1885216	QC		0.5	22.4	32.3	132	0.3	8.1	5.8	301	1.78	32.2	2.8	5.5	9.0	11	0.5	0.7	<0.1	7	0.13
Reference Materials																					
STD BVGEO01	Standard		10.6	4336.9	177.2	1710	2.6	153.8	24.4	685	3.67	113.5	3.4	209.5	13.0	56	5.9	3.5	22.7	72	1.30
STD BVGEO01	Standard		10.7	4270.8	181.2	1693	2.5	153.8	24.0	678	3.60	118.3	3.9	218.2	16.3	56	6.5	3.3	24.2	71	1.27
STD DS11	Standard		14.6	146.4	129.0	337	1.7	79.6	13.9	1019	3.15	42.6	2.3	62.3	7.0	67	2.3	8.6	10.7	49	1.06
STD DS11	Standard		13.7	142.7	125.4	328	1.7	77.0	13.4	993	3.07	40.5	2.3	68.9	6.9	64	2.2	8.6	10.5	49	1.04
STD OREAS262	Standard		0.7	115.5	54.2	150	0.5	65.2	28.0	539	3.40	35.5	1.1	75.6	8.7	36	0.6	6.3	1.0	23	2.91
STD OREAS262	Standard		0.7	113.3	54.1	148	0.5	64.2	27.2	528	3.30	35.1	1.1	76.2	8.6	35	0.6	6.1	0.9	22	2.89
STD OREAS262	Standard		0.7	116.8	55.3	152	0.5	65.2	27.8	539	3.40	35.7	1.1	73.1	8.9	36	0.6	6.3	1.0	22	2.99
STD OREAS262	Standard		0.7	111.2	58.4	145	0.5	63.0	26.9	526	3.32	36.7	1.3	59.2	9.1	35	0.6	4.8	1.0	23	2.83
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000598.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
Pulp Duplicates																				
1885139	Drill Core	0.057	11	6	0.07	179	0.002	<1	0.46	0.039	0.32	0.1	<0.01	1.1	<0.1	1.23	2	0.6	<0.2	
REP 1885139	QC	0.056	10	6	0.07	139	0.002	<1	0.44	0.036	0.30	0.1	<0.01	1.1	<0.1	1.17	1	<0.5	<0.2	
1885173	Drill Core	0.062	11	12	0.40	181	0.027	<1	0.72	0.050	0.28	0.6	<0.01	2.3	<0.1	0.91	3	<0.5	<0.2	
REP 1885173	QC	0.061	11	12	0.40	176	0.026	<1	0.71	0.047	0.28	0.6	<0.01	2.3	<0.1	0.98	3	<0.5	<0.2	
1885208	Drill Core	0.052	18	13	0.62	130	0.002	<1	0.95	0.030	0.24	<0.1	0.01	1.9	<0.1	1.04	4	0.5	<0.2	
REP 1885208	QC	0.054	19	13	0.63	155	0.002	<1	0.97	0.031	0.25	<0.1	<0.01	1.9	<0.1	1.06	4	<0.5	<0.2	
1885235	Drill Core	0.003	30	2	0.07	1570	<0.001	<1	0.33	0.012	0.27	0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.020
REP 1885235	QC	0.003	29	2	0.07	1497	<0.001	2	0.31	0.011	0.26	0.1	0.01	0.6	<0.1	<0.05	1	<0.5	<0.2	
Core Reject Duplicates																				
1885148	Drill Core	0.057	11	8	0.46	251	0.011	<1	0.71	0.027	0.30	0.2	<0.01	1.2	<0.1	0.54	2	<0.5	<0.2	
DUP 1885148	QC	0.056	11	8	0.43	244	0.010	<1	0.65	0.026	0.29	0.2	<0.01	1.2	<0.1	0.57	2	<0.5	<0.2	
1885182	Drill Core	0.050	10	13	1.03	121	0.021	1	1.18	0.022	0.20	0.3	0.04	1.9	<0.1	0.94	4	<0.5	<0.2	
DUP 1885182	QC	0.052	12	14	1.12	139	0.026	1	1.28	0.021	0.21	0.3	0.03	2.1	<0.1	1.00	4	<0.5	<0.2	
1885216	Drill Core	0.046	22	10	0.63	128	0.002	<1	0.88	0.027	0.26	0.2	0.01	1.6	0.1	0.50	3	<0.5	<0.2	0.009
DUP 1885216	QC	0.046	22	10	0.64	137	0.002	1	0.90	0.027	0.26	0.2	<0.01	1.7	0.1	0.55	3	<0.5	<0.2	0.008
Reference Materials																				
STD BVGEO01	Standard	0.068	24	181	1.27	285	0.222	4	2.23	0.197	0.91	5.2	0.08	5.8	0.6	0.61	8	4.6	1.0	
STD BVGEO01	Standard	0.072	27	198	1.23	264	0.227	5	2.20	0.192	0.87	4.3	0.09	6.6	0.6	0.65	7	4.6	1.2	
STD DS11	Standard	0.067	17	60	0.85	353	0.088	7	1.16	0.073	0.41	2.8	0.24	3.1	4.8	0.28	5	2.2	4.7	
STD DS11	Standard	0.066	16	59	0.83	344	0.085	7	1.12	0.068	0.41	2.9	0.23	3.0	4.8	0.26	5	2.1	4.5	
STD OREAS262	Standard	0.039	16	44	1.21	239	0.002	4	1.33	0.070	0.33	0.2	0.15	3.2	0.5	0.27	4	0.5	0.2	
STD OREAS262	Standard	0.038	16	44	1.19	236	0.002	4	1.35	0.068	0.33	0.3	0.16	3.1	0.5	0.25	4	0.6	0.3	
STD OREAS262	Standard	0.039	16	45	1.22	238	0.002	5	1.32	0.069	0.32	0.3	0.16	3.2	0.5	0.25	4	0.6	0.3	
STD OREAS262	Standard	0.038	19	45	1.19	261	0.003	4	1.38	0.068	0.33	0.2	0.15	3.4	0.4	0.26	4	<0.5	0.2	
STD OXB130	Standard																			0.125
STD OXB130	Standard																			0.123
STD OXG141	Standard																			0.916
STD OXG141	Standard																			0.943



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000598.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN155	Standard																				
STD OXN155	Standard																				
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063	
STD BVGEO01 Expected		11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219	
STD OREAS262 Expected		0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98	
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.3	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	1.0	2.7	0.9	31	<0.1	1.8	3.8	544	1.96	1.2	0.4	2.7	1.9	20	<0.1	<0.1	<0.1	23	0.62	
ROCK-WHI	Prep Blank	0.8	1.4	0.9	24	<0.1	1.0	3.4	412	1.85	1.2	0.4	2.3	2.2	19	<0.1	<0.1	<0.1	21	0.54	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000598.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
STD OXN155	Standard																			7.735
STD OXN155	Standard																			7.679
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD BVGE001 Expected		0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																				0.93
STD OXN155 Expected																				7.762
STD OXB130 Expected																				0.125
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
Prep Wash																				
ROCK-WHI	Prep Blank	0.038	6	4	0.51	53	0.070	2	0.90	0.100	0.10	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	<0.005
ROCK-WHI	Prep Blank	0.035	6	3	0.40	53	0.067	2	0.82	0.094	0.09	<0.1	<0.01	2.2	<0.1	<0.05	4	<0.5	<0.2	<0.005