



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 26, 2020
Analysis Start: February 05, 2021
Report Date: February 12, 2021
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000604.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-38
P.O. Number
Number of Samples: 128

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	123	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
AQ201	128	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	128	Per sample shipping charges for branch shipments			VAN
FA430	128	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	1	0.01
1812603	Drill Core	1.60	0.5	14.5	32.3	45	0.6	5.1	1.8	211	1.45	6.0	3.6	65.3	12.8	13	<0.1	0.3	0.2	3	0.06
1812604	Drill Core	3.01	3.1	12.5	50.4	57	0.5	4.3	0.6	190	1.71	7.3	3.9	6.3	13.1	15	<0.1	0.3	0.2	4	0.05
1812605	Drill Core	2.96	1.5	14.7	90.2	48	0.6	3.5	0.6	166	1.47	8.6	3.6	6.4	11.9	15	<0.1	0.4	0.2	4	0.04
1812606	Drill Core	2.72	1.9	24.3	59.3	73	0.5	4.9	1.4	198	1.95	7.7	2.5	52.4	12.0	18	<0.1	0.5	0.2	5	0.05
1812607	Drill Core	3.12	0.8	33.2	89.3	101	0.4	6.3	2.1	268	2.13	6.0	4.1	62.7	13.4	23	<0.1	0.7	0.4	7	0.06
1812608	Drill Core	3.20	2.2	19.4	39.4	51	0.5	4.1	0.9	163	1.73	4.7	2.8	4.6	10.2	19	<0.1	0.4	0.1	4	0.03
1812609	Drill Core	2.97	0.7	19.5	25.9	75	0.3	9.1	2.7	267	1.64	1.7	3.7	2.0	9.8	13	<0.1	0.3	<0.1	6	0.07
1812610	Drill Core	2.77	0.8	32.9	15.3	142	0.4	14.1	3.7	398	2.74	1.0	1.3	4.3	8.2	17	<0.1	0.3	<0.1	12	0.09
1812611	Drill Core	3.02	0.5	43.4	16.3	146	0.8	13.1	6.5	380	2.84	1.3	2.2	228.4	7.4	20	0.1	0.4	<0.1	10	0.06
1812612	Drill Core	2.92	0.3	26.3	4.2	110	0.3	29.5	38.7	1838	2.21	0.8	0.6	3.1	9.9	8	1.0	0.2	<0.1	6	0.08
1812613	Drill Core	3.38	2.7	9.0	19.9	10	0.3	2.7	1.8	98	2.33	0.9	0.8	3.3	7.2	22	<0.1	0.3	0.1	4	<0.01
1812614	Drill Core	2.65	3.0	11.1	25.0	16	0.4	4.2	2.1	77	2.37	1.0	0.6	2.3	7.9	31	<0.1	0.3	0.2	4	<0.01
1812615	Drill Core	2.79	1.0	8.8	9.8	10	0.3	1.8	0.6	60	3.01	0.9	0.7	2.8	8.3	38	<0.1	0.4	<0.1	4	<0.01
1812616	Drill Core	2.74	3.0	15.6	65.8	21	1.0	1.6	0.5	85	2.43	1.4	1.4	6.6	9.0	34	<0.1	1.4	0.1	4	<0.01
1812617	Drill Core	3.09	1.9	4.9	53.5	4	0.6	0.6	0.3	51	1.63	0.7	1.0	7.4	8.2	24	<0.1	0.7	0.1	1	<0.01
1812618	Drill Core	3.30	2.3	8.3	62.8	13	0.6	1.4	0.5	60	1.75	1.0	1.0	5.3	7.8	24	<0.1	1.1	0.2	3	<0.01
1812619	Drill Core	2.79	2.7	9.5	54.7	10	0.6	0.9	0.4	58	2.14	1.3	1.2	5.5	9.7	24	<0.1	1.0	0.1	3	<0.01
1812620	Rock Pulp	0.11	6.8	117.0	84.2	145	0.7	12.4	5.2	614	2.64	41.6	0.4	626.2	2.1	36	0.6	2.8	0.1	30	0.86
1812621	Drill Core	3.10	3.3	14.1	77.7	20	1.3	1.4	0.3	72	2.34	1.8	1.3	9.4	8.0	27	<0.1	1.5	0.1	4	<0.01
1812622	Drill Core	3.23	4.8	12.7	68.8	41	0.8	2.7	0.4	81	2.84	1.4	1.3	11.6	7.9	22	<0.1	1.3	0.1	5	<0.01
1812623	Drill Core	2.34	2.9	16.7	69.8	42	1.0	2.6	0.3	96	2.45	1.3	1.0	3.8	6.3	23	<0.1	1.9	0.2	5	<0.01
1812624	Drill Core	3.32	2.4	15.1	58.0	67	0.9	3.3	0.4	132	2.62	1.3	1.0	5.7	6.5	28	<0.1	1.1	<0.1	6	<0.01
1812625	Drill Core	2.71	3.5	29.2	97.5	63	1.0	3.7	0.7	141	4.82	1.8	1.7	6.4	9.5	40	0.1	1.4	0.2	9	0.01
1812626	Drill Core	2.65	2.4	31.0	51.9	26	0.5	1.5	0.4	70	5.23	2.1	1.7	8.9	11.6	33	<0.1	2.1	<0.1	5	<0.01
1812627	Drill Core	2.85	3.5	17.0	84.2	48	0.7	3.7	0.6	155	3.58	1.7	1.1	131.1	9.9	29	<0.1	1.9	<0.1	7	<0.01
1812628	Drill Core	2.72	3.1	14.1	78.7	50	0.9	3.5	0.4	113	2.21	1.0	0.5	5.6	7.9	25	<0.1	1.7	0.2	5	<0.01
1812629	Drill Core	2.90	12.4	20.1	99.5	35	1.0	5.5	0.4	128	3.87	1.7	0.8	30.5	10.8	54	<0.1	3.2	0.2	11	<0.01
1812630	Drill Core	3.54	2.5	11.5	50.7	8	0.9	0.9	0.3	63	2.29	0.9	0.6	15.2	6.7	24	<0.1	3.3	0.1	4	<0.01
1812631	Drill Core	3.07	1.9	15.5	38.6	11	0.6	1.0	0.5	45	2.62	1.1	0.4	5.3	6.9	18	<0.1	4.0	<0.1	5	<0.01
1812632	Drill Core	3.36	3.8	5.8	181.4	4	1.9	0.7	0.2	52	1.83	0.7	0.2	145.5	5.9	15	<0.1	2.6	0.2	2	<0.01



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812603	Drill Core	0.035	19	11	0.48	303	0.020	3	0.70	0.029	0.21	1.0	<0.01	0.9	<0.1	0.07	2	<0.5	<0.2	0.099
1812604	Drill Core	0.029	19	10	0.71	413	0.020	3	0.88	0.033	0.22	0.2	<0.01	0.9	<0.1	0.14	3	<0.5	<0.2	0.009
1812605	Drill Core	0.027	19	10	0.54	336	0.021	3	0.75	0.030	0.20	0.2	<0.01	0.8	<0.1	0.09	2	<0.5	<0.2	0.011
1812606	Drill Core	0.037	23	10	0.52	242	0.009	2	0.85	0.027	0.18	0.1	<0.01	1.0	<0.1	0.06	2	<0.5	<0.2	0.043
1812607	Drill Core	0.043	27	13	0.63	292	0.026	3	1.10	0.019	0.20	0.3	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2	0.092
1812608	Drill Core	0.039	22	10	0.41	285	0.021	2	0.77	0.038	0.21	0.2	<0.01	1.0	<0.1	0.11	2	<0.5	<0.2	0.009
1812609	Drill Core	0.056	17	12	0.53	211	0.058	2	0.98	0.028	0.19	0.3	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2	0.006
1812610	Drill Core	0.070	19	21	1.16	233	0.025	2	1.62	0.022	0.26	0.2	<0.01	2.1	<0.1	0.06	4	0.5	<0.2	0.008
1812611	Drill Core	0.063	17	17	0.91	266	0.036	2	1.35	0.016	0.28	0.5	<0.01	1.9	<0.1	0.05	3	<0.5	0.4	0.243
1812612	Drill Core	0.062	18	11	0.40	236	0.011	<1	0.88	0.016	0.31	0.1	<0.01	1.4	0.1	<0.05	2	<0.5	<0.2	0.007
1812613	Drill Core	0.041	17	8	0.04	356	0.014	1	0.28	0.129	0.22	0.1	<0.01	0.9	<0.1	0.44	1	0.5	<0.2	0.007
1812614	Drill Core	0.048	16	7	0.04	315	0.006	1	0.30	0.117	0.24	0.1	<0.01	1.1	<0.1	0.42	1	<0.5	<0.2	0.006
1812615	Drill Core	0.051	18	7	0.04	134	0.010	1	0.25	0.189	0.24	<0.1	<0.01	0.7	<0.1	0.75	1	<0.5	<0.2	0.005
1812616	Drill Core	0.046	15	16	0.14	187	0.020	<1	0.34	0.068	0.28	0.1	<0.01	0.9	<0.1	0.47	2	<0.5	<0.2	0.011
1812617	Drill Core	0.030	19	6	0.04	285	0.009	<1	0.23	0.083	0.26	0.1	<0.01	0.5	<0.1	0.42	<1	<0.5	<0.2	0.012
1812618	Drill Core	0.034	16	11	0.10	329	0.008	<1	0.33	0.069	0.27	0.1	<0.01	0.6	<0.1	0.40	1	<0.5	<0.2	0.008
1812619	Drill Core	0.048	17	10	0.05	326	0.013	<1	0.27	0.073	0.27	0.4	<0.01	0.7	<0.1	0.44	1	<0.5	<0.2	0.010
1812620	Rock Pulp	0.036	6	25	0.54	85	0.083	8	1.17	0.098	0.11	4.5	0.15	2.8	0.2	0.09	4	<0.5	<0.2	0.633
1812621	Drill Core	0.046	16	23	0.15	336	0.017	<1	0.33	0.063	0.27	2.9	<0.01	0.7	<0.1	0.44	1	<0.5	<0.2	0.013
1812622	Drill Core	0.047	12	27	0.35	288	0.016	<1	0.50	0.075	0.27	0.5	<0.01	0.9	<0.1	0.50	2	<0.5	<0.2	0.014
1812623	Drill Core	0.042	13	25	0.36	343	0.014	<1	0.52	0.044	0.27	0.9	<0.01	0.9	<0.1	0.39	2	<0.5	<0.2	0.008
1812624	Drill Core	0.039	13	29	0.59	346	0.009	<1	0.69	0.053	0.29	0.2	<0.01	1.0	<0.1	0.40	2	<0.5	<0.2	0.009
1812625	Drill Core	0.103	14	51	0.48	120	0.003	<1	0.70	0.117	0.35	0.5	<0.01	1.7	<0.1	0.80	2	0.6	<0.2	0.010
1812626	Drill Core	0.100	14	27	0.10	184	0.002	<1	0.37	0.122	0.31	0.5	<0.01	1.4	<0.1	0.69	1	0.6	<0.2	0.022
1812627	Drill Core	0.064	16	50	0.51	247	0.003	<1	0.68	0.092	0.31	0.6	<0.01	1.2	<0.1	0.52	2	<0.5	<0.2	0.037
1812628	Drill Core	0.033	11	48	0.56	280	0.002	<1	0.71	0.041	0.30	0.1	0.01	1.0	<0.1	0.41	2	<0.5	<0.2	0.009
1812629	Drill Core	0.071	20	36	0.39	248	0.002	1	0.96	0.069	0.61	0.6	<0.01	1.9	0.2	0.66	3	0.8	<0.2	0.039
1812630	Drill Core	0.033	11	18	0.07	274	0.008	<1	0.30	0.073	0.30	0.2	0.02	0.7	<0.1	0.51	1	<0.5	<0.2	0.022
1812631	Drill Core	0.029	10	29	0.05	186	0.007	<1	0.22	0.078	0.28	<0.1	<0.01	0.6	<0.1	0.52	2	<0.5	<0.2	0.010
1812632	Drill Core	0.025	12	11	0.03	282	0.002	<1	0.20	0.068	0.27	<0.1	0.03	0.5	<0.1	0.42	1	<0.5	0.6	0.164



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812633	Drill Core	3.17	3.5	8.6	34.9	4	0.8	0.7	0.2	50	3.03	0.9	0.4	11.4	9.0	23	<0.1	2.1	0.1	3	<0.01
1812634	Drill Core	3.03	1.4	16.8	11.5	48	0.7	2.7	0.5	90	3.26	1.2	1.3	23.2	7.7	47	0.2	4.0	<0.1	8	<0.01
1812635	Drill Core	3.21	2.3	10.0	19.8	20	0.6	1.8	0.3	68	2.23	0.9	0.7	7.3	6.7	27	<0.1	2.2	<0.1	5	<0.01
1812636	Drill Core	3.18	2.1	9.4	30.4	15	0.5	1.5	0.2	69	2.26	1.2	0.7	4.7	6.3	26	<0.1	2.7	<0.1	6	<0.01
1812637	Drill Core	3.07	3.7	9.5	73.8	7	0.9	1.1	0.5	63	2.37	1.2	0.9	16.0	7.3	29	0.1	3.3	0.1	4	<0.01
1812638	Drill Core	3.32	0.4	17.5	4.6	32	0.6	2.3	0.5	102	2.51	1.5	1.4	6.7	6.9	29	<0.1	4.2	<0.1	6	0.02
1812639	Drill Core	3.20	0.4	19.6	10.4	77	0.5	6.9	2.5	154	2.76	1.9	1.8	5.5	7.9	26	<0.1	3.8	<0.1	8	0.07
1812640	Rock Pulp	0.11	4.0	20.8	0.8	31	<0.1	6.9	4.2	554	2.40	1.3	0.3	<0.5	1.8	26	<0.1	0.2	<0.1	21	0.72
1812641	Drill Core	3.15	0.3	24.6	18.1	118	0.8	5.9	2.0	150	2.97	1.8	1.2	10.3	7.3	27	<0.1	5.1	<0.1	8	0.04
1812642	Drill Core	1.97	0.4	29.9	31.3	109	0.6	6.1	2.6	184	2.60	1.3	1.4	337.5	4.1	35	<0.1	3.8	<0.1	8	0.02
1812643	Drill Core	2.19	1.0	46.7	12.4	157	0.6	9.3	5.8	355	3.38	1.3	1.3	64.5	5.8	11	<0.1	3.8	<0.1	12	0.02
1812644	Drill Core	2.52	0.3	46.8	8.9	117	1.2	6.6	3.4	194	3.04	1.4	1.1	79.3	5.8	46	<0.1	5.4	<0.1	9	0.01
1812645	Drill Core	3.31	0.4	33.1	8.4	100	0.8	5.0	1.4	130	2.45	1.4	1.3	14.8	6.3	26	<0.1	6.8	<0.1	7	0.02
1812646	Drill Core	2.92	1.9	33.9	81.4	144	0.8	6.2	2.1	199	2.89	1.3	1.0	18.2	6.6	21	<0.1	6.2	0.2	10	0.01
1812647	Drill Core	3.02	0.5	26.0	20.2	69	0.9	3.9	1.6	100	2.66	1.2	1.0	45.9	6.8	41	<0.1	4.6	<0.1	6	0.01
1812648	Drill Core	3.29	1.8	22.4	29.4	74	0.8	3.6	1.3	110	2.67	1.1	0.9	13.9	7.4	26	<0.1	3.9	<0.1	7	0.01
1812649	Drill Core	3.21	3.7	8.3	83.1	20	0.6	1.8	1.0	70	1.92	0.8	0.4	5.1	5.6	21	<0.1	1.2	0.1	3	<0.01
1812650	Drill Core	3.05	0.7	30.7	56.0	44	1.0	3.9	2.5	83	2.79	1.3	0.5	9.7	4.8	29	<0.1	3.3	<0.1	5	<0.01
1812651	Drill Core	3.04	0.5	23.9	21.5	34	0.9	3.6	1.8	81	2.12	1.2	0.4	9.0	3.1	26	<0.1	3.2	<0.1	3	<0.01
1812652	Drill Core	3.15	2.0	19.6	25.1	91	0.5	4.6	1.1	135	3.12	0.8	0.8	8.7	8.1	43	<0.1	0.5	<0.1	8	0.02
1812653	Drill Core	2.97	0.9	23.3	20.1	53	0.4	2.6	0.7	80	3.45	1.5	1.0	5.5	6.9	46	<0.1	2.8	<0.1	6	0.01
1812654	Drill Core	3.17	1.4	19.6	45.1	55	0.6	2.8	0.6	87	2.62	2.0	0.8	8.4	6.0	29	<0.1	4.6	<0.1	6	0.01
1812655	Drill Core	3.25	2.3	26.0	47.4	81	0.6	4.2	0.8	135	3.43	2.1	1.1	4.4	8.1	33	<0.1	5.9	<0.1	7	0.01
1812656	Drill Core	3.08	4.2	6.4	99.2	8	0.7	0.8	0.3	49	3.23	1.3	0.4	6.2	9.8	43	<0.1	1.8	<0.1	2	<0.01
1812657	Drill Core	2.97	3.7	6.9	70.3	14	0.5	1.2	0.4	62	2.40	1.4	0.3	4.8	7.2	35	<0.1	1.4	<0.1	3	<0.01
1812658	Drill Core	3.27	1.9	31.3	33.4	149	0.8	8.5	1.3	213	3.63	2.2	1.1	5.3	6.7	31	<0.1	2.0	<0.1	14	0.02
1812659	Drill Core	2.43	3.1	13.2	57.5	48	0.7	3.6	1.2	100	2.29	0.9	0.5	4.6	6.0	18	<0.1	1.4	0.1	6	<0.01
1812660	Core DUP		3.2	13.3	58.3	48	0.7	3.6	1.2	91	2.24	0.9	0.5	4.3	6.3	18	<0.1	1.4	0.2	6	<0.01
1812661	Drill Core	3.35	4.9	24.1	96.3	73	0.8	3.8	0.8	117	3.93	1.9	0.9	10.3	8.6	44	<0.1	2.1	0.2	10	0.02
1812662	Drill Core	3.37	8.2	7.6	98.7	9	0.7	0.9	0.3	60	2.43	1.0	0.4	4.9	7.3	22	<0.1	0.9	0.1	3	<0.01



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812633	Drill Core	0.041	13	17	0.04	132	0.003	<1	0.24	0.120	0.37	<0.1	0.02	0.5	<0.1	0.81	2	<0.5	<0.2	0.011
1812634	Drill Core	0.057	14	53	0.37	163	0.016	<1	0.56	0.101	0.36	0.2	0.02	1.1	0.1	0.76	3	0.5	<0.2	0.047
1812635	Drill Core	0.036	11	34	0.19	202	0.008	<1	0.39	0.089	0.27	0.1	<0.01	0.7	<0.1	0.52	2	<0.5	<0.2	0.009
1812636	Drill Core	0.037	8	32	0.15	220	0.009	4	0.31	0.067	0.31	0.1	0.02	0.7	<0.1	0.61	2	<0.5	<0.2	0.008
1812637	Drill Core	0.043	10	11	0.04	221	0.013	3	0.20	0.098	0.30	0.2	0.01	0.6	<0.1	0.69	1	<0.5	<0.2	0.035
1812638	Drill Core	0.060	12	13	0.27	256	0.013	3	0.49	0.051	0.32	0.2	<0.01	1.0	<0.1	0.62	2	0.6	<0.2	0.012
1812639	Drill Core	0.057	14	21	0.66	188	0.020	3	0.78	0.044	0.28	0.2	<0.01	1.3	<0.1	0.95	3	0.6	<0.2	0.010
1812640	Rock Pulp	0.039	4	15	0.50	49	0.062	5	0.98	0.065	0.07	0.2	<0.01	2.0	<0.1	0.05	4	<0.5	<0.2	<0.005
1812641	Drill Core	0.059	12	17	0.75	232	0.017	2	0.82	0.057	0.29	0.2	0.01	1.2	<0.1	0.72	3	0.5	<0.2	0.016
1812642	Drill Core	0.065	8	20	0.67	607	0.016	2	0.73	0.036	0.23	0.2	0.02	1.2	<0.1	0.32	2	<0.5	<0.2	0.051
1812643	Drill Core	0.063	10	22	1.29	185	0.024	2	1.10	0.021	0.19	0.2	0.02	2.0	<0.1	0.11	4	<0.5	<0.2	0.084
1812644	Drill Core	0.059	12	16	0.86	170	0.017	2	0.81	0.031	0.24	0.1	0.02	1.5	<0.1	0.24	3	<0.5	<0.2	0.068
1812645	Drill Core	0.048	11	16	0.53	214	0.017	1	0.67	0.033	0.25	0.2	0.01	1.2	<0.1	0.39	2	<0.5	<0.2	0.033
1812646	Drill Core	0.052	12	27	1.08	229	0.018	1	1.03	0.040	0.24	0.2	<0.01	1.4	<0.1	0.36	3	0.5	<0.2	0.024
1812647	Drill Core	0.051	13	15	0.45	312	0.013	1	0.55	0.063	0.26	0.2	0.02	1.0	<0.1	0.46	2	<0.5	<0.2	0.042
1812648	Drill Core	0.046	13	17	0.57	309	0.005	1	0.66	0.055	0.27	<0.1	0.02	1.0	<0.1	0.52	3	<0.5	<0.2	0.019
1812649	Drill Core	0.023	9	15	0.14	345	0.002	<1	0.31	0.067	0.25	<0.1	<0.01	0.5	<0.1	0.41	1	<0.5	<0.2	0.009
1812650	Drill Core	0.045	6	18	0.23	542	0.001	<1	0.38	0.018	0.19	<0.1	0.03	0.6	<0.1	0.29	2	<0.5	<0.2	0.014
1812651	Drill Core	0.029	5	14	0.13	695	0.001	<1	0.29	0.010	0.15	<0.1	0.02	0.5	<0.1	0.22	1	<0.5	<0.2	0.022
1812652	Drill Core	0.049	13	31	0.80	269	0.002	<1	1.04	0.022	0.39	0.1	<0.01	1.2	0.1	0.61	3	<0.5	<0.2	0.013
1812653	Drill Core	0.071	15	28	0.27	215	0.002	<1	0.51	0.055	0.35	<0.1	<0.01	1.1	<0.1	0.59	2	0.7	<0.2	0.009
1812654	Drill Core	0.049	14	31	0.36	334	0.001	<1	0.56	0.035	0.25	<0.1	0.02	1.1	<0.1	0.31	2	0.6	<0.2	0.012
1812655	Drill Core	0.063	13	54	0.57	294	0.001	<1	0.74	0.046	0.28	<0.1	<0.01	1.5	<0.1	0.39	2	0.8	<0.2	0.008
1812656	Drill Core	0.043	10	7	0.03	159	0.001	<1	0.22	0.203	0.29	<0.1	<0.01	0.6	<0.1	0.94	1	0.5	<0.2	0.011
1812657	Drill Core	0.029	12	19	0.12	219	0.001	<1	0.32	0.134	0.28	<0.1	<0.01	0.5	<0.1	0.63	1	<0.5	<0.2	0.009
1812658	Drill Core	0.066	13	126	1.37	202	0.002	<1	1.39	0.028	0.29	<0.1	0.01	1.7	<0.1	0.41	4	0.8	<0.2	0.010
1812659	Drill Core	0.035	12	32	0.39	347	0.002	<1	0.56	0.039	0.30	<0.1	<0.01	1.0	<0.1	0.47	2	<0.5	<0.2	0.008
1812660	Core DUP	0.035	13	32	0.38	382	0.002	<1	0.55	0.038	0.30	<0.1	<0.01	0.9	<0.1	0.46	2	<0.5	<0.2	0.008
1812661	Drill Core	0.073	12	75	0.61	224	0.002	<1	0.75	0.050	0.38	0.1	0.01	1.1	0.1	0.73	3	0.8	<0.2	0.014
1812662	Drill Core	0.040	10	12	0.04	262	0.001	<1	0.24	0.099	0.26	<0.1	<0.01	0.4	<0.1	0.54	1	0.5	<0.2	0.009



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812663	Drill Core	3.35	4.1	8.9	96.4	23	0.8	2.3	1.0	76	2.18	1.3	0.4	5.0	5.8	19	<0.1	1.2	0.1	3	<0.01
1812664	Drill Core	3.25	0.6	34.2	14.5	96	0.7	6.9	2.7	164	2.91	1.3	1.1	9.4	7.0	24	<0.1	0.5	<0.1	9	0.03
1812665	Drill Core	3.13	1.9	30.2	60.7	101	0.8	5.3	1.9	162	2.51	0.8	0.7	3.4	6.0	18	0.1	0.4	0.1	7	0.03
1812666	Drill Core	3.33	1.8	14.1	42.2	84	0.7	4.9	1.2	145	2.51	1.4	1.0	4.1	8.8	49	<0.1	0.7	<0.1	8	0.02
1812667	Drill Core	3.50	3.9	16.6	119.0	25	0.7	4.8	2.6	72	2.28	0.8	0.9	5.9	9.4	26	0.2	0.7	<0.1	3	0.02
1812668	Drill Core	3.35	1.1	20.4	8.1	49	0.6	4.9	2.3	119	1.97	0.9	1.3	3.2	9.1	39	0.3	0.6	<0.1	4	0.04
1812669	Drill Core	3.23	1.4	23.1	47.5	38	0.9	3.2	1.0	97	3.09	1.4	1.5	4.1	9.8	39	0.6	4.1	<0.1	6	0.03
1812670	Drill Core	2.72	1.7	48.4	63.1	171	0.4	13.1	4.6	294	6.01	0.6	2.0	4.5	8.3	82	0.2	3.5	<0.1	20	0.10
1812671	Drill Core	2.63	1.0	36.3	47.8	228	0.6	12.7	2.2	347	3.09	1.0	1.3	3.7	6.5	54	0.2	1.9	<0.1	20	0.08
1812672	Drill Core	3.05	0.3	40.3	17.8	158	0.3	7.1	2.0	261	3.30	0.5	1.5	2.3	8.8	67	0.2	1.3	<0.1	18	0.09
1812673	Drill Core	3.27	2.5	14.9	99.9	20	0.4	1.5	0.5	76	2.59	0.5	0.8	2.6	10.2	76	<0.1	1.9	<0.1	5	0.02
1812674	Drill Core	3.53	3.2	9.3	132.2	4	1.5	0.8	0.3	61	2.33	<0.5	0.2	11.8	7.8	57	<0.1	1.4	<0.1	2	0.01
1812675	Drill Core	3.14	3.2	14.4	62.7	16	0.8	1.3	0.6	76	2.96	0.7	0.6	6.7	8.5	71	<0.1	2.5	<0.1	3	0.02
1812676	Drill Core	2.98	2.5	11.4	68.1	12	1.0	1.6	0.7	54	2.12	0.6	0.5	9.1	7.3	48	<0.1	1.3	<0.1	3	0.02
1812677	Drill Core	3.19	1.4	26.7	44.4	91	0.7	4.2	1.3	148	3.46	0.6	1.3	3.3	7.9	37	0.1	1.0	<0.1	8	0.05
1812678	Drill Core	3.03	2.9	54.8	95.3	120	0.8	8.1	2.4	203	5.18	1.3	2.3	6.4	8.9	34	0.2	2.9	<0.1	10	0.07
1812679	Drill Core	3.04	1.5	50.6	116.5	195	1.1	9.2	2.0	287	3.48	0.9	1.6	6.5	7.1	43	0.1	1.8	<0.1	15	0.08
1812680	Rock	0.23	0.5	1.7	1.3	7	<0.1	2.2	0.7	159	1.40	<0.5	0.2	<0.5	1.1	2	<0.1	<0.1	<0.1	1	0.03
1812681	Drill Core	3.10	1.9	36.1	67.0	137	1.0	12.9	3.2	291	3.06	2.1	0.8	5.6	7.4	15	0.1	1.5	<0.1	10	0.11
1812682	Drill Core	3.60	0.6	27.5	32.7	143	0.6	15.3	4.7	377	2.98	<0.5	0.5	2.9	6.5	12	0.3	0.2	<0.1	16	0.12
1812683	Drill Core	2.89	1.4	25.7	29.8	134	0.6	9.6	3.6	302	3.03	1.1	0.7	3.0	7.9	16	0.1	1.9	<0.1	11	0.10
1812684	Drill Core	3.64	2.1	32.4	75.1	132	1.2	15.3	6.6	300	2.78	0.7	0.7	6.7	7.0	10	0.1	0.4	<0.1	12	0.07
1812685	Drill Core	2.99	2.9	54.0	201.1	256	2.2	21.0	6.4	354	3.27	1.6	1.0	16.3	7.9	32	0.1	4.1	0.1	14	0.09
1812686	Drill Core	2.95	2.7	39.8	136.2	184	1.8	13.5	6.4	254	2.62	1.3	0.7	61.0	7.4	21	0.1	4.2	0.1	8	0.10
1812687	Drill Core	3.14	4.4	88.2	328.1	207	2.8	17.7	8.9	277	2.98	1.7	0.8	12.1	6.7	30	0.2	2.0	0.1	12	0.08
1812688	Drill Core	3.55	3.6	77.7	115.3	201	1.7	17.5	7.1	301	2.88	1.4	0.7	6.8	7.2	19	0.1	2.1	<0.1	13	0.13
1812689	Drill Core	2.66	4.3	21.4	110.1	74	0.8	12.0	4.8	183	2.48	1.1	0.5	19.2	7.3	15	0.2	0.4	<0.1	6	0.12
1812690	Drill Core	3.43	3.2	24.1	39.9	72	0.6	12.4	4.5	172	2.23	1.3	0.9	8.0	7.1	41	0.2	2.7	<0.1	5	0.13
1812691	Drill Core	3.13	0.7	26.0	4.7	88	0.4	18.9	10.2	372	2.34	1.0	0.8	18.2	8.6	12	0.5	0.7	<0.1	7	0.29
1812692	Drill Core	3.57	1.7	31.1	5.2	110	0.3	19.5	10.5	356	2.50	0.9	0.7	1.9	9.3	7	0.5	0.5	<0.1	8	0.27



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 6 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812663	Drill Core	0.027	10	10	0.16	264	<0.001	<1	0.34	0.048	0.24	<0.1	0.02	0.4	<0.1	0.45	1	<0.5	<0.2	0.009
1812664	Drill Core	0.058	12	16	0.80	300	0.002	<1	0.95	0.035	0.34	0.1	<0.01	1.0	0.1	0.59	3	<0.5	<0.2	0.013
1812665	Drill Core	0.053	8	14	0.75	264	0.002	<1	0.83	0.052	0.29	<0.1	<0.01	0.9	<0.1	0.56	3	<0.5	<0.2	0.007
1812666	Drill Core	0.065	11	70	0.78	293	0.002	<1	0.82	0.063	0.28	0.1	<0.01	0.9	<0.1	0.60	2	<0.5	<0.2	0.006
1812667	Drill Core	0.048	11	10	0.15	113	0.002	<1	0.39	0.044	0.27	0.1	<0.01	0.6	<0.1	1.17	1	<0.5	<0.2	0.007
1812668	Drill Core	0.068	10	10	0.44	162	0.002	<1	0.66	0.019	0.25	0.1	<0.01	0.8	<0.1	0.80	2	<0.5	<0.2	0.005
1812669	Drill Core	0.108	15	13	0.28	284	0.002	<1	0.66	0.050	0.30	0.1	<0.01	1.2	0.1	0.56	2	0.6	<0.2	0.007
1812670	Drill Core	0.139	28	67	1.16	237	0.001	<1	2.00	0.054	0.49	<0.1	<0.01	3.3	0.1	0.67	5	4.4	<0.2	0.007
1812671	Drill Core	0.051	18	112	2.26	238	0.007	4	2.13	0.036	0.29	0.1	0.02	2.7	<0.1	0.32	6	0.9	<0.2	0.006
1812672	Drill Core	0.076	18	29	1.87	320	0.003	4	1.94	0.044	0.37	0.1	0.01	2.8	<0.1	0.40	6	0.9	<0.2	0.006
1812673	Drill Core	0.057	19	10	0.13	330	0.002	3	0.36	0.089	0.32	<0.1	<0.01	1.0	<0.1	0.54	2	0.6	<0.2	<0.005
1812674	Drill Core	0.032	14	6	0.03	229	0.002	3	0.23	0.102	0.30	<0.1	<0.01	0.5	<0.1	0.57	1	0.8	<0.2	0.014
1812675	Drill Core	0.048	14	9	0.10	171	0.002	2	0.29	0.125	0.31	<0.1	<0.01	0.5	0.1	0.76	2	<0.5	<0.2	0.009
1812676	Drill Core	0.033	15	8	0.07	211	0.002	2	0.36	0.080	0.35	0.2	<0.01	0.7	<0.1	0.61	1	<0.5	<0.2	0.014
1812677	Drill Core	0.068	11	19	0.68	299	0.001	2	0.82	0.036	0.26	0.1	<0.01	1.1	<0.1	0.33	3	1.1	<0.2	0.006
1812678	Drill Core	0.106	16	23	0.76	127	0.001	2	1.13	0.018	0.30	0.2	0.02	1.3	<0.1	0.29	3	2.2	<0.2	0.009
1812679	Drill Core	0.073	18	54	1.77	362	0.001	2	1.73	0.020	0.33	0.2	0.02	1.9	<0.1	0.44	5	1.3	<0.2	0.010
1812680	Rock	0.002	2	7	0.02	10	0.002	3	0.08	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812681	Drill Core	0.052	12	52	1.60	261	0.001	2	1.49	0.046	0.28	0.1	0.01	1.3	<0.1	0.50	4	0.8	<0.2	0.010
1812682	Drill Core	0.055	11	106	2.22	187	0.002	2	1.91	0.035	0.26	0.2	<0.01	1.9	<0.1	0.78	5	<0.5	<0.2	0.007
1812683	Drill Core	0.063	15	18	1.86	125	0.001	1	1.63	0.032	0.21	0.1	0.01	1.4	<0.1	0.76	5	0.5	<0.2	0.006
1812684	Drill Core	0.054	9	78	1.73	131	0.002	2	1.46	0.018	0.20	0.2	0.03	1.6	<0.1	1.01	4	0.6	<0.2	0.011
1812685	Drill Core	0.067	13	133	2.31	197	0.002	2	1.94	0.028	0.22	0.6	0.03	1.9	<0.1	0.76	5	0.9	<0.2	0.022
1812686	Drill Core	0.048	13	26	1.61	119	0.002	1	1.45	0.013	0.20	0.2	0.02	1.2	<0.1	0.97	3	0.8	<0.2	0.057
1812687	Drill Core	0.049	10	95	1.87	100	0.001	1	1.63	0.014	0.20	0.3	0.05	1.5	<0.1	1.15	4	1.1	<0.2	0.017
1812688	Drill Core	0.050	10	94	1.98	132	0.001	1	1.73	0.019	0.23	0.4	0.02	1.6	<0.1	0.90	4	0.7	<0.2	0.012
1812689	Drill Core	0.046	12	12	1.24	135	0.001	1	1.17	0.017	0.24	0.5	<0.01	0.9	<0.1	0.90	3	0.7	<0.2	0.019
1812690	Drill Core	0.046	12	10	1.17	110	<0.001	1	1.21	0.013	0.24	0.3	0.01	0.9	<0.1	0.83	3	1.0	<0.2	0.015
1812691	Drill Core	0.048	10	12	1.43	103	0.002	1	1.36	0.013	0.24	0.2	<0.01	1.1	<0.1	1.27	3	0.7	<0.2	0.021
1812692	Drill Core	0.053	12	13	1.70	86	0.002	1	1.51	0.012	0.23	0.1	<0.01	1.1	<0.1	1.52	4	<0.5	<0.2	0.006



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 5 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812693	Drill Core	3.23	3.7	35.8	57.6	133	0.7	18.1	11.1	774	3.09	1.0	1.1	4.1	7.8	17	0.5	0.3	0.1	10	0.94
1812694	Drill Core	3.03	2.1	30.0	48.4	118	0.6	19.5	9.6	339	2.54	1.1	0.6	3.2	8.1	5	0.5	0.5	<0.1	8	0.21
1812695	Drill Core	3.49	2.8	25.5	46.8	86	0.5	20.3	10.3	397	2.39	0.6	0.9	4.2	8.2	7	1.3	0.3	<0.1	6	0.35
1812696	Drill Core	3.01	2.6	28.1	21.3	92	0.4	19.5	9.0	270	2.61	0.5	0.7	5.0	7.7	5	0.1	0.3	<0.1	8	0.13
1812697	Drill Core	3.32	2.4	60.7	42.2	189	0.8	28.2	16.3	562	3.02	1.7	0.6	12.7	6.8	7	0.9	1.1	<0.1	15	0.26
1812698	Drill Core	3.35	2.7	120.6	265.6	312	2.6	45.3	21.5	664	3.43	1.7	0.6	32.2	4.1	17	0.4	0.8	<0.1	49	0.15
1812699	Drill Core	3.78	2.7	360.3	121.9	309	3.4	52.1	33.2	1180	3.91	1.2	0.4	34.7	4.0	25	0.7	0.6	<0.1	63	1.23
1812700	Rock Pulp	0.12	9.1	191.4	18.6	77	0.9	13.5	11.1	582	4.71	14.0	0.8	6965.2	2.6	67	0.2	5.3	0.5	110	0.94
1812701	Drill Core	3.11	2.6	65.0	65.7	179	1.0	24.0	13.1	518	3.14	1.5	0.6	7.4	7.0	12	0.3	3.4	<0.1	17	0.35
1812702	Drill Core	3.13	2.5	201.1	158.2	281	3.2	39.8	23.1	738	3.72	1.3	0.6	15.2	5.5	15	0.4	0.9	<0.1	35	0.58
1812703	Drill Core	3.38	3.8	280.9	146.2	359	3.7	47.1	29.6	841	4.14	1.5	0.4	12.4	5.5	8	0.5	0.6	<0.1	41	0.51
1812704	Drill Core	3.04	3.9	164.9	188.9	408	2.8	57.6	29.7	869	3.90	2.1	0.5	16.4	4.1	8	0.4	0.3	0.1	44	0.37
1812705	Drill Core	3.34	2.4	113.9	58.2	249	1.5	32.0	18.8	574	3.47	2.0	0.6	6.6	6.4	6	0.6	0.5	<0.1	19	0.29
1812706	Drill Core	3.24	2.7	26.5	19.9	91	0.4	18.5	11.3	835	2.28	1.8	0.5	2.8	8.2	34	0.9	1.5	<0.1	6	2.04
1812707	Drill Core	3.34	0.6	21.6	3.6	52	0.3	15.3	7.7	613	2.15	0.6	1.7	1.8	9.0	32	0.4	0.2	<0.1	5	2.20
1812708	Drill Core	3.76	0.3	30.7	2.8	44	0.4	15.0	7.7	594	2.19	0.9	2.4	9.2	10.1	38	0.2	0.2	<0.1	5	2.16
1812709	Drill Core	2.78	0.2	33.0	4.7	56	1.0	16.0	9.5	618	2.09	1.6	1.3	344.3	8.8	36	0.4	0.5	<0.1	5	2.18
1812710	Drill Core	3.83	6.4	79.3	7.8	49	0.8	13.9	8.8	680	1.90	2.0	1.6	26.3	8.5	32	0.5	1.3	<0.1	5	2.02
1812711	Drill Core	3.50	2.0	26.2	4.0	48	0.3	13.9	7.9	833	1.95	1.3	1.5	4.4	8.5	47	0.3	0.5	<0.1	4	3.08
1812712	Drill Core	3.14	3.6	17.5	16.9	63	0.5	15.0	8.5	737	2.19	2.0	0.8	5.5	8.3	44	0.4	1.3	0.1	5	2.35
1812713	Drill Core	2.81	3.1	27.2	72.9	105	0.7	21.1	14.1	1196	2.32	2.5	0.5	6.9	7.6	42	1.3	2.6	0.1	5	2.73
1812714	Drill Core	3.40	2.8	33.7	41.7	70	0.5	17.2	9.5	599	2.22	2.6	0.6	4.8	8.8	30	0.5	2.4	<0.1	4	1.95
1812715	Drill Core	3.30	2.4	25.8	18.5	61	0.5	15.8	8.2	635	2.34	3.5	0.8	2.7	9.4	38	0.1	3.6	0.1	4	2.21
1812716	Drill Core	3.56	5.7	20.0	14.8	65	0.3	15.0	8.4	985	2.18	3.3	0.6	10.6	8.4	56	0.5	1.2	<0.1	6	2.98
1812717	Drill Core	3.33	0.4	32.2	15.7	87	0.6	18.4	11.1	878	1.96	4.9	1.7	85.4	9.3	33	0.8	0.7	<0.1	5	1.97
1812718	Drill Core	3.65	<0.1	19.2	6.3	61	0.2	14.2	6.6	948	1.89	1.5	2.1	5.5	9.2	98	0.4	0.2	<0.1	6	3.75
1812719	Drill Core	2.79	0.2	19.4	3.2	67	0.2	15.3	7.2	662	1.98	1.5	1.8	1.6	10.0	51	0.3	0.1	<0.1	6	2.33
1812720	Rock Pulp	0.12	6.2	109.3	84.4	138	0.6	11.8	4.7	594	2.51	40.6	0.4	557.9	2.6	32	0.5	3.0	0.1	28	0.81
1812721	Drill Core	3.54	0.3	30.3	5.3	83	0.3	20.7	10.8	628	2.13	1.2	1.0	60.4	9.4	26	0.6	0.3	<0.1	5	1.37
1812722	Drill Core	3.51	0.2	21.4	4.2	57	0.2	14.8	7.9	715	1.91	0.8	1.6	5.9	9.1	66	0.4	0.1	<0.1	5	3.42



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812693	Drill Core	0.062	11	21	2.30	50	0.002	<1	1.84	0.007	0.22	0.1	<0.01	1.5	<0.1	1.92	4	0.5	<0.2	0.007
1812694	Drill Core	0.055	11	18	1.94	102	0.002	<1	1.75	0.012	0.24	0.2	<0.01	1.2	<0.1	1.41	4	<0.5	<0.2	0.006
1812695	Drill Core	0.052	9	9	1.00	64	0.002	<1	1.08	0.014	0.24	0.2	0.01	1.1	<0.1	1.78	2	0.6	<0.2	0.007
1812696	Drill Core	0.054	9	13	1.74	106	0.002	<1	1.62	0.013	0.24	0.2	<0.01	1.2	<0.1	1.45	4	0.7	<0.2	0.010
1812697	Drill Core	0.059	10	138	2.63	90	0.001	<1	2.19	0.011	0.20	0.2	0.01	1.8	<0.1	1.77	5	0.5	<0.2	0.011
1812698	Drill Core	0.057	9	577	4.26	66	0.002	<1	3.25	0.004	0.10	0.2	0.04	5.3	<0.1	1.20	8	1.1	<0.2	0.028
1812699	Drill Core	0.058	7	745	4.98	76	0.003	<1	3.63	0.003	0.10	0.1	0.04	7.8	<0.1	2.13	10	<0.5	<0.2	0.052
1812700	Rock Pulp	0.064	7	18	0.87	119	0.119	2	1.74	0.175	0.23	4.3	0.22	3.1	<0.1	<0.05	5	<0.5	<0.2	7.354
1812701	Drill Core	0.058	10	75	2.68	43	0.001	<1	2.36	0.012	0.21	0.2	0.02	2.0	<0.1	1.52	6	0.5	<0.2	0.010
1812702	Drill Core	0.062	7	356	3.56	23	0.002	<1	2.86	0.006	0.16	0.2	0.03	4.6	<0.1	2.10	7	0.7	<0.2	0.019
1812703	Drill Core	0.065	7	530	4.68	49	0.002	<1	3.61	0.005	0.14	0.2	0.05	4.7	<0.1	2.17	9	0.5	<0.2	0.016
1812704	Drill Core	0.066	7	711	5.10	35	0.002	<1	3.98	0.002	0.10	0.2	0.02	5.1	<0.1	1.49	10	0.9	<0.2	0.020
1812705	Drill Core	0.065	10	214	2.92	40	0.002	<1	2.58	0.007	0.22	0.4	0.02	2.4	<0.1	1.78	6	0.6	<0.2	0.011
1812706	Drill Core	0.049	10	41	1.18	66	0.001	2	1.15	0.009	0.20	0.2	0.01	1.8	<0.1	1.54	2	0.7	<0.2	0.006
1812707	Drill Core	0.052	12	9	0.87	66	0.002	2	0.90	0.010	0.22	0.2	<0.01	1.6	<0.1	1.59	2	<0.5	<0.2	<0.005
1812708	Drill Core	0.050	14	9	0.82	55	0.002	2	0.84	0.012	0.25	0.2	<0.01	1.7	<0.1	1.63	2	0.7	<0.2	0.011
1812709	Drill Core	0.061	10	8	0.64	105	0.001	1	0.63	0.013	0.24	0.2	0.02	1.6	<0.1	1.60	1	0.7	0.4	0.323
1812710	Drill Core	0.053	12	8	0.74	108	<0.001	2	0.75	0.009	0.27	0.2	0.02	1.3	<0.1	1.25	2	0.6	<0.2	0.041
1812711	Drill Core	0.045	14	9	0.87	76	0.001	2	0.82	0.010	0.22	0.2	0.02	1.7	<0.1	1.38	2	0.7	<0.2	0.006
1812712	Drill Core	0.051	13	8	1.07	53	0.001	1	0.85	0.008	0.23	0.2	0.02	1.6	<0.1	1.69	2	0.6	<0.2	0.008
1812713	Drill Core	0.049	11	10	0.82	82	<0.001	2	0.91	0.008	0.21	0.5	0.02	1.5	<0.1	1.62	2	0.9	<0.2	0.012
1812714	Drill Core	0.052	8	7	0.71	89	0.001	2	0.86	0.009	0.22	0.2	0.02	1.2	<0.1	1.72	2	0.6	<0.2	0.014
1812715	Drill Core	0.052	7	9	1.04	100	<0.001	2	0.92	0.010	0.21	0.2	0.01	1.2	<0.1	1.82	2	0.6	<0.2	0.007
1812716	Drill Core	0.045	8	10	1.17	108	<0.001	<1	0.91	0.010	0.21	0.2	<0.01	1.6	<0.1	1.49	2	0.9	<0.2	0.012
1812717	Drill Core	0.051	20	8	0.74	85	<0.001	1	0.88	0.007	0.26	0.3	0.02	1.3	0.1	0.92	2	0.8	<0.2	0.125
1812718	Drill Core	0.050	22	12	1.10	154	0.001	<1	1.22	0.009	0.25	0.2	<0.01	2.0	<0.1	0.73	3	<0.5	<0.2	0.009
1812719	Drill Core	0.051	21	13	1.09	242	0.002	<1	1.33	0.011	0.24	0.2	<0.01	1.8	<0.1	0.72	3	<0.5	<0.2	0.013
1812720	Rock Pulp	0.035	5	23	0.51	84	0.072	7	1.11	0.093	0.10	4.6	0.14	2.9	0.2	0.09	4	<0.5	<0.2	0.546
1812721	Drill Core	0.052	15	9	0.86	126	0.001	<1	1.11	0.013	0.22	0.3	0.01	1.4	<0.1	1.11	2	0.6	<0.2	0.063
1812722	Drill Core	0.045	11	11	0.95	112	0.001	1	1.14	0.010	0.20	0.2	<0.01	1.5	<0.1	0.97	3	0.5	<0.2	0.011



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812723	Drill Core	3.46	0.6	25.1	9.1	73	0.2	14.3	7.6	967	2.09	1.3	1.5	3.5	8.7	132	0.4	0.2	<0.1	6	5.07
1812724	Drill Core	3.36	1.5	26.0	5.7	76	0.3	15.4	8.1	606	2.10	1.1	1.2	4.0	9.3	43	0.3	0.3	<0.1	6	2.43
1812725	Drill Core	3.30	2.0	24.9	47.1	67	0.6	16.5	8.0	454	2.31	1.4	1.3	9.3	9.5	26	0.3	0.2	0.1	7	1.39
1812726	Drill Core	3.89	2.2	21.4	57.3	68	0.6	15.0	7.1	627	2.35	1.7	0.9	9.5	8.6	44	0.4	0.8	<0.1	5	2.52
1812727	Drill Core	3.58	4.8	15.2	24.8	57	0.3	14.9	7.2	678	2.23	1.4	0.8	4.8	8.5	51	0.2	0.5	<0.1	5	2.70
1812728	Drill Core	3.72	3.4	17.5	7.7	63	0.2	15.7	7.4	638	2.33	1.1	1.3	5.5	9.0	39	0.3	0.1	<0.1	7	2.05
1812729	Drill Core	3.73	1.7	17.9	7.1	80	0.3	14.5	8.3	522	3.00	1.4	1.1	4.6	8.3	35	0.2	0.2	<0.1	8	1.97
1812730	Drill Core	3.00	0.6	11.7	7.8	58	0.2	10.6	6.1	730	2.18	1.6	0.8	3.8	7.9	56	0.5	0.2	<0.1	5	3.36



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000604.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812723	Drill Core	0.049	8	12	1.12	120	0.001	<1	1.37	0.009	0.19	0.2	<0.01	1.7	<0.1	0.81	3	0.6	<0.2	0.007
1812724	Drill Core	0.051	10	10	1.08	159	0.001	<1	1.24	0.010	0.20	1.1	0.01	1.5	<0.1	1.14	3	0.8	<0.2	0.007
1812725	Drill Core	0.051	17	10	1.17	81	0.001	1	1.22	0.017	0.21	<0.1	0.02	1.6	<0.1	1.63	3	0.7	<0.2	0.011
1812726	Drill Core	0.050	8	8	0.87	108	<0.001	<1	0.92	0.012	0.20	0.1	<0.01	1.4	<0.1	1.90	2	0.6	<0.2	0.012
1812727	Drill Core	0.045	6	8	0.93	104	<0.001	<1	0.93	0.010	0.20	0.1	<0.01	1.3	<0.1	1.69	2	0.6	<0.2	0.010
1812728	Drill Core	0.048	7	13	1.09	98	0.001	<1	1.18	0.022	0.17	0.1	0.01	1.9	<0.1	1.65	3	<0.5	<0.2	0.010
1812729	Drill Core	0.065	4	16	1.27	75	0.001	<1	1.43	0.037	0.16	<0.1	0.02	1.9	<0.1	2.32	3	0.7	<0.2	0.008
1812730	Drill Core	0.052	4	8	0.96	111	<0.001	<1	1.10	0.027	0.15	0.1	<0.01	1.7	<0.1	1.56	2	0.5	<0.2	0.007



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI20000604.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1812619	Drill Core	2.79	2.7	9.5	54.7	10	0.6	0.9	0.4	58	2.14	1.3	1.2	5.5	9.7	24	<0.1	1.0	0.1	3	<0.01
REP 1812619	QC																				
1812621	Drill Core	3.10	3.3	14.1	77.7	20	1.3	1.4	0.3	72	2.34	1.8	1.3	9.4	8.0	27	<0.1	1.5	0.1	4	<0.01
REP 1812621	QC		3.4	14.4	77.4	21	1.4	1.4	0.3	73	2.35	1.7	1.2	9.6	8.2	26	<0.1	1.5	0.1	4	<0.01
1812650	Drill Core	3.05	0.7	30.7	56.0	44	1.0	3.9	2.5	83	2.79	1.3	0.5	9.7	4.8	29	<0.1	3.3	<0.1	5	<0.01
REP 1812650	QC																				
1812655	Drill Core	3.25	2.3	26.0	47.4	81	0.6	4.2	0.8	135	3.43	2.1	1.1	4.4	8.1	33	<0.1	5.9	<0.1	7	0.01
REP 1812655	QC		2.3	26.9	46.2	82	0.6	4.2	0.8	139	3.46	2.2	1.1	5.1	7.9	34	<0.1	5.9	<0.1	7	0.01
1812690	Drill Core	3.43	3.2	24.1	39.9	72	0.6	12.4	4.5	172	2.23	1.3	0.9	8.0	7.1	41	0.2	2.7	<0.1	5	0.13
REP 1812690	QC		3.3	24.3	41.2	73	0.6	12.7	4.7	175	2.28	1.5	0.9	6.8	7.5	41	0.2	2.7	<0.1	6	0.14
1812692	Drill Core	3.57	1.7	31.1	5.2	110	0.3	19.5	10.5	356	2.50	0.9	0.7	1.9	9.3	7	0.5	0.5	<0.1	8	0.27
REP 1812692	QC																				
1812719	Drill Core	2.79	0.2	19.4	3.2	67	0.2	15.3	7.2	662	1.98	1.5	1.8	1.6	10.0	51	0.3	0.1	<0.1	6	2.33
REP 1812719	QC		0.2	19.3	3.0	68	0.2	15.3	7.6	665	2.01	1.1	1.7	<0.5	9.6	50	0.3	<0.1	<0.1	7	2.33
1812723	Drill Core	3.46	0.6	25.1	9.1	73	0.2	14.3	7.6	967	2.09	1.3	1.5	3.5	8.7	132	0.4	0.2	<0.1	6	5.07
REP 1812723	QC																				
Core Reject Duplicates																					
1812635	Drill Core	3.21	2.3	10.0	19.8	20	0.6	1.8	0.3	68	2.23	0.9	0.7	7.3	6.7	27	<0.1	2.2	<0.1	5	<0.01
DUP 1812635	QC		2.6	9.4	19.8	20	0.6	1.9	0.3	76	2.40	0.9	0.7	5.4	7.0	30	<0.1	2.0	<0.1	5	<0.01
1812669	Drill Core	3.23	1.4	23.1	47.5	38	0.9	3.2	1.0	97	3.09	1.4	1.5	4.1	9.8	39	0.6	4.1	<0.1	6	0.03
DUP 1812669	QC		1.4	23.5	46.2	39	0.9	3.2	1.0	99	3.28	1.4	1.4	4.1	9.2	43	0.5	4.4	<0.1	6	0.03
1812703	Drill Core	3.38	3.8	280.9	146.2	359	3.7	47.1	29.6	841	4.14	1.5	0.4	12.4	5.5	8	0.5	0.6	<0.1	41	0.51
DUP 1812703	QC		3.7	286.1	147.8	362	3.7	46.1	29.1	836	4.10	1.5	0.4	12.0	5.3	8	0.5	0.5	<0.1	39	0.52
Reference Materials																					
STD BVGEO01	Standard		10.7	4326.5	193.8	1574	2.5	161.7	23.2	730	3.63	113.1	3.9	212.7	15.3	53	6.5	3.7	25.3	74	1.30
STD BVGEO01	Standard		10.5	4352.7	172.6	1748	2.5	160.1	24.5	700	3.82	114.8	3.3	200.5	13.5	51	5.9	3.4	23.3	75	1.30
STD DS11	Standard		16.4	160.6	148.2	369	1.8	88.8	15.5	1117	3.36	45.2	2.9	77.9	8.2	71	2.5	8.9	12.0	55	1.16
STD DS11	Standard		13.7	152.3	144.1	343	1.7	80.7	13.7	1027	3.15	41.7	2.5	69.4	7.4	63	2.3	8.6	10.9	50	1.06



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000604.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
Pulp Duplicates																			
1812619 Drill Core	0.048	17	10	0.05	326	0.013	<1	0.27	0.073	0.27	0.4	<0.01	0.7	<0.1	0.44	1	<0.5	<0.2	0.010
REP 1812619 QC																			0.010
1812621 Drill Core	0.046	16	23	0.15	336	0.017	<1	0.33	0.063	0.27	2.9	<0.01	0.7	<0.1	0.44	1	<0.5	<0.2	0.013
REP 1812621 QC	0.047	16	25	0.15	324	0.018	1	0.35	0.063	0.27	2.9	<0.01	0.7	<0.1	0.44	2	<0.5	<0.2	
1812650 Drill Core	0.045	6	18	0.23	542	0.001	<1	0.38	0.018	0.19	<0.1	0.03	0.6	<0.1	0.29	2	<0.5	<0.2	0.014
REP 1812650 QC																			0.015
1812655 Drill Core	0.063	13	54	0.57	294	0.001	<1	0.74	0.046	0.28	<0.1	<0.01	1.5	<0.1	0.39	2	0.8	<0.2	0.008
REP 1812655 QC	0.065	14	56	0.59	315	0.002	<1	0.77	0.047	0.29	<0.1	<0.01	1.5	<0.1	0.40	3	0.7	<0.2	
1812690 Drill Core	0.046	12	10	1.17	110	<0.001	1	1.21	0.013	0.24	0.3	0.01	0.9	<0.1	0.83	3	1.0	<0.2	0.015
REP 1812690 QC	0.048	12	11	1.17	128	0.001	1	1.22	0.013	0.25	0.4	0.01	0.9	<0.1	0.80	3	1.1	<0.2	
1812692 Drill Core	0.053	12	13	1.70	86	0.002	1	1.51	0.012	0.23	0.1	<0.01	1.1	<0.1	1.52	4	<0.5	<0.2	0.006
REP 1812692 QC																			<0.005
1812719 Drill Core	0.051	21	13	1.09	242	0.002	<1	1.33	0.011	0.24	0.2	<0.01	1.8	<0.1	0.72	3	<0.5	<0.2	0.013
REP 1812719 QC	0.056	20	13	1.11	234	0.002	1	1.34	0.011	0.24	0.1	<0.01	1.6	<0.1	0.71	3	0.5	<0.2	
1812723 Drill Core	0.049	8	12	1.12	120	0.001	<1	1.37	0.009	0.19	0.2	<0.01	1.7	<0.1	0.81	3	0.6	<0.2	0.007
REP 1812723 QC																			0.007
Core Reject Duplicates																			
1812635 Drill Core	0.036	11	34	0.19	202	0.008	<1	0.39	0.089	0.27	0.1	<0.01	0.7	<0.1	0.52	2	<0.5	<0.2	0.009
DUP 1812635 QC	0.037	12	33	0.20	177	0.007	<1	0.42	0.096	0.30	0.1	<0.01	0.8	<0.1	0.55	2	<0.5	<0.2	0.009
1812669 Drill Core	0.108	15	13	0.28	284	0.002	<1	0.66	0.050	0.30	0.1	<0.01	1.2	0.1	0.56	2	0.6	<0.2	0.007
DUP 1812669 QC	0.113	15	14	0.28	291	0.002	<1	0.65	0.052	0.30	0.1	<0.01	1.2	<0.1	0.54	2	0.6	<0.2	0.006
1812703 Drill Core	0.065	7	530	4.68	49	0.002	<1	3.61	0.005	0.14	0.2	0.05	4.7	<0.1	2.17	9	0.5	<0.2	0.016
DUP 1812703 QC	0.065	7	536	4.66	49	0.002	<1	3.58	0.005	0.13	0.2	0.05	4.6	<0.1	2.26	9	0.5	<0.2	0.016
Reference Materials																			
STD BVGEO01 Standard	0.069	25	174	1.29	262	0.227	4	2.31	0.182	0.86	5.2	0.09	6.1	0.6	0.67	7	4.5	0.9	
STD BVGEO01 Standard	0.068	24	168	1.26	293	0.225	3	2.23	0.190	0.90	5.2	0.07	5.5	0.6	0.68	7	4.8	1.0	
STD DS11 Standard	0.074	20	67	0.94	361	0.101	7	1.30	0.081	0.45	3.2	0.26	3.5	5.5	0.30	5	2.5	5.3	
STD DS11 Standard	0.068	17	59	0.85	358	0.085	10	1.14	0.072	0.39	3.3	0.28	3.0	5.1	0.27	5	2.3	4.7	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000604.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS262	Standard		0.7	116.8	59.0	152	0.5	69.7	26.9	547	3.18	38.7	1.2	74.6	10.0	38	0.7	6.7	1.0	21	2.96
STD OREAS262	Standard		0.7	118.2	53.5	152	0.5	65.2	28.1	535	3.48	34.6	1.1	66.3	8.5	34	0.6	5.7	0.9	22	3.01
STD OREAS262	Standard		0.7	116.3	53.5	148	0.4	65.5	28.2	554	3.33	34.5	1.1	58.3	8.6	34	0.6	4.6	0.9	23	2.97
STD OREAS262	Standard		0.7	116.1	56.9	146	0.5	63.6	27.0	531	3.27	35.0	1.1	63.8	8.5	35	0.6	6.0	0.9	22	2.93
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD BVGE001 Expected			11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219
STD DS11 Expected			14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.6	1.4	1.0	22	<0.1	0.9	3.2	418	1.77	1.1	0.4	1.3	2.3	21	<0.1	<0.1	<0.1	20	0.63
ROCK-WHI	Prep Blank		0.8	1.8	0.9	23	<0.1	1.0	3.4	408	1.78	1.1	0.4	<0.5	2.2	22	<0.1	<0.1	<0.1	22	0.58



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000604.1

		AQ201 P %	AQ201 La ppm	AQ201 Cr ppm	AQ201 Mg %	AQ201 Ba ppm	AQ201 Ti %	AQ201 B ppm	AQ201 Al %	AQ201 Na %	AQ201 K %	AQ201 W ppm	AQ201 Hg ppm	AQ201 Sc ppm	AQ201 Ti ppm	AQ201 S %	AQ201 Ga ppm	AQ201 Se ppm	AQ201 Te ppm	FA430 Au ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
STD OREAS262	Standard	0.040	15	45	1.17	255	0.003	4	1.32	0.067	0.29	0.2	0.18	3.4	0.5	0.26	4	<0.5	0.2	
STD OREAS262	Standard	0.040	14	44	1.17	239	0.003	3	1.24	0.070	0.30	0.2	0.14	3.0	0.4	0.25	4	<0.5	0.3	
STD OREAS262	Standard	0.040	16	45	1.20	233	0.003	4	1.35	0.069	0.32	0.2	0.16	3.2	0.5	0.26	4	<0.5	<0.2	
STD OREAS262	Standard	0.039	14	41	1.21	243	0.002	4	1.29	0.071	0.31	0.2	0.18	3.0	0.5	0.27	4	<0.5	0.3	
STD OXB130	Standard																			0.125
STD OXB130	Standard																			0.126
STD OXG141	Standard																			0.959
STD OXG141	Standard																			0.969
STD OXN155	Standard																			7.770
STD OXN155	Standard																			8.047
STD BVGE001 Expected		0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																				0.93
STD OXN155 Expected																				7.762
STD OXB130 Expected																				0.125
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
Prep Wash																				
ROCK-WHI	Prep Blank	0.034	7	3	0.40	58	0.074	5	0.80	0.075	0.08	0.1	<0.01	2.3	<0.1	<0.05	3	<0.5	<0.2	<0.005
ROCK-WHI	Prep Blank	0.035	7	3	0.41	65	0.069	6	0.81	0.079	0.07	<0.1	<0.01	2.3	<0.1	<0.05	3	<0.5	<0.2	<0.005