



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 26, 2020
Analysis Start: February 05, 2021
Report Date: February 12, 2021
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000605.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-38
P.O. Number
Number of Samples: 17

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	16	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			VAN
SLBHP	1	Sort, label and box pulps			WHI
AQ201	17	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	17	Per sample shipping charges for branch shipments			VAN
FA430	17	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000605.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812731	Drill Core	3.59	2.3	13.3	16.0	69	0.4	15.3	9.0	799	2.84	1.3	0.5	14.2	7.7	38	0.5	0.6	0.2	6	2.43
1812732	Drill Core	3.22	1.6	13.8	11.7	84	0.2	16.4	9.7	625	2.71	2.3	0.5	7.8	8.6	21	0.7	1.9	<0.1	6	1.49
1812733	Drill Core	3.96	2.3	12.7	6.9	84	0.2	16.5	9.3	590	2.73	7.3	1.1	89.3	7.9	29	0.7	1.4	<0.1	7	1.93
1812734	Drill Core	3.41	0.4	16.0	5.5	96	0.2	19.2	10.2	482	2.45	8.9	1.5	41.4	9.0	25	0.6	1.5	<0.1	6	1.46
1812735	Drill Core	2.82	0.3	18.3	3.0	99	0.2	17.9	10.9	584	2.34	22.6	1.5	100.2	9.2	20	0.7	1.5	<0.1	7	1.32
1812736	Drill Core	3.55	1.0	14.4	8.1	65	0.2	12.0	6.4	500	2.51	2.3	1.3	13.1	8.8	24	0.3	1.3	0.1	6	1.92
1812737	Drill Core	3.71	1.0	13.1	5.4	61	0.2	10.5	6.1	502	2.33	8.6	1.3	40.4	8.3	24	0.3	1.0	0.1	6	2.08
1812738	Drill Core	3.48	1.4	16.1	8.3	71	0.2	15.4	9.4	543	2.73	1.9	1.5	7.7	9.8	31	0.3	1.5	<0.1	8	2.02
1812739	Drill Core	3.43	1.3	14.0	18.1	74	0.3	14.6	8.2	638	2.55	1.4	1.1	3.2	7.9	36	0.4	0.8	0.1	8	2.66
1812740	Rock Pulp	0.12	3.7	21.6	0.9	32	<0.1	7.3	4.0	582	2.41	1.3	0.4	1.2	2.3	28	<0.1	0.2	<0.1	21	0.73
1812741	Drill Core	3.40	1.5	21.9	6.7	77	0.2	14.5	8.4	443	2.65	6.8	1.0	11.3	9.5	26	0.4	0.6	<0.1	8	1.54
1812742	Drill Core	3.44	2.0	27.1	10.0	67	0.3	15.6	7.9	519	2.36	1.0	1.3	3.2	8.9	35	0.4	0.3	0.1	8	2.08
1812743	Drill Core	3.54	0.5	14.4	7.0	62	0.2	14.4	7.8	602	2.20	1.0	2.3	15.2	10.0	58	0.3	0.3	<0.1	9	2.51
1812744	Drill Core	3.54	0.6	21.5	7.4	69	0.2	18.9	9.5	714	2.34	0.7	1.4	1.5	9.6	60	0.4	0.6	<0.1	15	2.88
1812745	Drill Core	3.60	2.1	19.4	9.1	60	0.2	24.7	12.1	513	2.96	1.0	1.9	1.4	10.9	37	0.3	0.6	0.1	17	1.72
1812746	Drill Core	3.70	0.8	27.2	6.4	80	0.2	24.2	12.0	710	2.76	0.7	1.7	10.8	10.7	53	0.3	0.7	<0.1	21	2.73
1812747	Drill Core	2.41	2.5	17.9	11.9	53	0.2	17.0	9.3	591	2.32	0.9	2.0	1.6	11.4	48	0.3	0.4	0.2	10	2.56



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000605.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812731	Drill Core	0.064	9	11	0.99	66	0.001	<1	1.06	0.018	0.19	0.2	0.02	1.7	<0.1	2.33	3	0.7	<0.2	0.025
1812732	Drill Core	0.056	6	11	0.99	61	0.001	1	1.10	0.018	0.16	0.2	0.02	1.4	<0.1	1.87	2	0.6	<0.2	0.013
1812733	Drill Core	0.060	7	12	1.12	49	0.004	1	1.12	0.014	0.17	0.3	0.02	1.4	<0.1	2.23	2	<0.5	<0.2	0.112
1812734	Drill Core	0.056	10	10	1.15	101	0.002	2	1.18	0.013	0.17	0.4	0.01	1.9	<0.1	1.34	2	0.5	<0.2	0.048
1812735	Drill Core	0.060	11	11	1.16	113	0.003	2	1.23	0.013	0.19	0.3	<0.01	2.0	<0.1	1.27	3	0.6	<0.2	0.114
1812736	Drill Core	0.057	6	10	1.07	104	0.003	2	1.17	0.024	0.15	0.1	0.02	1.5	<0.1	1.74	3	0.6	<0.2	0.014
1812737	Drill Core	0.048	6	10	1.05	63	0.001	1	1.12	0.023	0.16	<0.1	0.02	1.5	<0.1	1.64	3	<0.5	<0.2	0.044
1812738	Drill Core	0.057	6	49	1.20	82	0.004	<1	1.26	0.030	0.14	<0.1	0.02	2.0	<0.1	2.11	3	0.5	<0.2	0.011
1812739	Drill Core	0.057	5	38	1.19	74	0.015	1	1.24	0.019	0.15	0.3	0.01	1.8	<0.1	1.88	3	0.9	<0.2	0.010
1812740	Rock Pulp	0.039	5	15	0.50	58	0.065	2	0.99	0.067	0.07	0.2	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	<0.005
1812741	Drill Core	0.066	12	17	1.09	63	0.006	<1	1.21	0.014	0.19	0.3	0.05	1.6	<0.1	1.95	3	<0.5	<0.2	0.013
1812742	Drill Core	0.053	10	18	1.00	115	0.003	1	1.17	0.017	0.17	0.3	0.03	1.6	<0.1	1.49	3	0.5	<0.2	0.005
1812743	Drill Core	0.051	10	21	1.03	149	0.002	<1	1.28	0.017	0.20	0.1	0.01	1.6	<0.1	0.93	4	<0.5	<0.2	0.008
1812744	Drill Core	0.060	16	33	1.26	143	0.002	<1	1.50	0.019	0.19	<0.1	<0.01	2.7	<0.1	0.90	4	0.6	<0.2	<0.005
1812745	Drill Core	0.063	19	40	1.16	49	0.002	<1	1.28	0.030	0.16	0.2	0.02	2.7	<0.1	2.11	4	<0.5	<0.2	<0.005
1812746	Drill Core	0.065	18	43	1.58	78	0.003	<1	1.67	0.027	0.16	<0.1	0.02	3.5	<0.1	1.48	5	<0.5	<0.2	0.016
1812747	Drill Core	0.056	13	20	0.90	57	0.002	<1	1.06	0.024	0.17	0.1	<0.01	2.0	<0.1	1.62	3	<0.5	<0.2	<0.005



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000605.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1812742	Drill Core	3.44	2.0	27.1	10.0	67	0.3	15.6	7.9	519	2.36	1.0	1.3	3.2	8.9	35	0.4	0.3	0.1	8	2.08
REP 1812742	QC		2.1	28.4	9.7	69	0.2	15.9	7.6	521	2.33	0.8	1.3	2.8	9.1	34	0.4	0.3	0.1	8	2.09
Core Reject Duplicates																					
1812743	Drill Core	3.54	0.5	14.4	7.0	62	0.2	14.4	7.8	602	2.20	1.0	2.3	15.2	10.0	58	0.3	0.3	<0.1	9	2.51
DUP 1812743	QC		0.4	13.5	7.1	64	0.2	14.0	7.6	608	2.21	0.8	2.4	3.6	10.3	58	0.3	0.2	<0.1	9	2.60
Reference Materials																					
STD DS11	Standard		13.3	149.1	137.1	348	1.8	81.5	13.0	1025	3.07	43.7	2.6	83.8	8.3	66	2.4	9.4	11.5	47	1.03
STD OREAS262	Standard		0.6	115.5	55.2	145	0.4	63.0	26.0	542	3.17	35.5	1.2	69.2	9.0	36	0.6	6.1	1.0	20	2.95
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD DS11 Expected			14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	1.5	1.2	22	<0.1	1.0	3.1	394	1.71	0.8	0.4	6.5	2.2	22	<0.1	<0.1	<0.1	19	0.54
ROCK-WHI	Prep Blank		0.7	2.1	1.1	25	<0.1	1.1	3.1	397	1.75	1.0	0.4	1.0	2.4	22	<0.1	<0.1	<0.1	20	0.56



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000605.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
Pulp Duplicates																			
1812742 Drill Core	0.053	10	18	1.00	115	0.003	1	1.17	0.017	0.17	0.3	0.03	1.6	<0.1	1.49	3	0.5	<0.2	0.005
REP 1812742 QC	0.055	9	18	0.98	101	0.003	<1	1.14	0.016	0.16	0.3	0.02	1.6	<0.1	1.47	3	<0.5	<0.2	
Core Reject Duplicates																			
1812743 Drill Core	0.051	10	21	1.03	149	0.002	<1	1.28	0.017	0.20	0.1	0.01	1.6	<0.1	0.93	4	<0.5	<0.2	0.008
DUP 1812743 QC	0.059	10	21	1.04	129	0.002	<1	1.32	0.017	0.20	0.1	<0.01	1.9	<0.1	0.95	3	<0.5	<0.2	0.009
Reference Materials																			
STD DS11 Standard	0.072	17	60	0.83	365	0.087	5	1.09	0.068	0.39	3.1	0.27	3.0	4.7	0.28	5	2.2	4.9	
STD OREAS262 Standard	0.041	14	39	1.16	241	0.002	3	1.25	0.066	0.28	0.3	0.16	3.0	0.4	0.26	4	<0.5	0.2	
STD OXB130 Standard																			0.126
STD OXG141 Standard																			0.969
STD OXN155 Standard																			8.047
STD DS11 Expected	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD OREAS262 Expected	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																			0.93
STD OXN155 Expected																			7.762
STD OXB130 Expected																			0.125
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK Blank																			<0.005
BLK Blank																			<0.005
Prep Wash																			
ROCK-WHI Prep Blank	0.040	6	5	0.38	58	0.069	2	0.79	0.074	0.08	<0.1	<0.01	2.3	<0.1	<0.05	3	<0.5	<0.2	<0.005
ROCK-WHI Prep Blank	0.037	6	5	0.40	61	0.068	2	0.81	0.075	0.07	0.1	<0.01	2.2	<0.1	<0.05	4	<0.5	<0.2	<0.005