



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 26, 2020
Analysis Start: February 06, 2021
Report Date: February 12, 2021
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000606.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-36
P.O. Number
Number of Samples: 90

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Erika Cayer

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	83	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
AQ201	88	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	88	Per sample shipping charges for branch shipments			VAN
FA430	88	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: February 12, 2021

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000606.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812853	Drill Core	1.62	3.6	14.4	35.7	32	0.6	5.5	1.7	106	2.21	3.0	1.1	35.1	3.6	19	<0.1	1.4	0.1	13	0.06
1812854	Drill Core	4.35	1.0	9.6	17.4	39	0.3	5.0	2.6	168	1.62	2.4	0.9	33.4	9.4	19	0.1	0.6	0.1	9	0.09
1812855	Drill Core	2.76	0.4	8.9	8.6	49	<0.1	8.0	5.7	284	1.54	1.1	1.0	2.6	11.3	20	0.4	0.3	<0.1	8	0.21
1812856	Drill Core	2.40	0.4	10.6	9.1	57	<0.1	7.6	4.8	229	1.35	1.6	2.5	1.8	10.2	10	0.5	0.3	0.1	4	0.15
1812857	Drill Core	2.94	1.1	14.6	11.8	86	0.1	14.1	11.9	455	1.36	2.3	2.5	1.9	10.8	10	0.8	0.3	<0.1	5	0.14
1812858	Drill Core	2.64	0.2	12.8	8.8	55	0.1	8.8	6.3	330	1.92	1.3	1.1	2.8	10.3	26	0.2	0.3	<0.1	12	0.31
1812859	Drill Core	3.36	0.2	11.0	13.6	62	0.1	15.5	9.2	355	2.05	1.7	1.2	1.1	8.9	24	0.3	0.3	0.1	15	0.29
1812860	Core DUP		0.2	11.1	14.3	64	0.1	15.9	9.4	363	2.09	1.8	1.3	0.9	9.5	26	0.3	0.3	0.1	15	0.31
1812861	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1812862	Drill Core	2.99	0.5	5.6	10.4	69	0.1	11.3	6.4	339	1.82	1.5	2.6	1.7	10.9	24	0.5	0.4	<0.1	10	0.24
1812863	Drill Core	2.40	0.2	5.1	19.9	55	<0.1	10.3	4.9	293	1.67	1.0	1.1	4.0	9.9	24	0.3	0.4	<0.1	8	0.27
1812864	Drill Core	3.32	0.2	16.4	9.7	39	0.1	5.2	3.2	181	1.12	0.5	1.1	53.5	12.5	14	0.2	0.2	<0.1	5	0.16
1812865	Drill Core	3.08	0.2	16.3	32.2	45	0.3	5.6	4.4	212	1.57	0.6	1.1	12.5	12.4	16	0.2	0.2	0.1	7	0.17
1812866	Drill Core	2.51	0.3	9.7	4.4	60	<0.1	10.4	5.9	306	1.60	0.9	1.3	4.0	11.1	20	0.5	0.3	<0.1	8	0.23
1812867	Drill Core	2.84	0.3	5.8	4.0	35	<0.1	6.1	3.8	186	1.24	0.9	1.0	5.4	8.2	14	0.3	0.2	<0.1	5	0.16
1812868	Drill Core	3.41	0.3	11.7	8.5	42	<0.1	6.5	4.5	210	1.37	1.3	1.3	2.5	11.3	20	0.2	0.2	<0.1	7	0.23
1812869	Drill Core	3.63	0.4	6.4	16.2	77	<0.1	9.2	4.3	291	1.27	0.9	1.5	1.1	13.4	7	0.6	0.3	<0.1	4	0.11
1812870	Drill Core	2.68	0.2	1.9	17.3	56	0.1	3.5	1.2	200	0.98	<0.5	0.8	<0.5	14.5	4	0.3	0.3	<0.1	1	0.05
1812871	Drill Core	2.59	0.3	2.1	18.2	38	0.1	1.6	0.9	167	0.81	<0.5	0.6	<0.5	16.0	4	0.2	0.3	<0.1	1	0.03
1812872	Drill Core	2.96	0.2	1.7	26.3	59	<0.1	4.6	2.1	235	1.19	<0.5	0.7	<0.5	14.7	9	0.3	0.3	0.1	3	0.11
1812873	Drill Core	3.29	0.2	7.3	23.5	46	0.2	4.1	3.1	204	1.25	0.7	0.8	1.4	11.5	24	0.3	0.5	0.1	3	0.30
1812874	Drill Core	2.75	0.2	8.4	7.2	54	0.1	6.4	4.2	267	1.80	0.7	0.9	0.7	11.8	22	0.3	0.3	<0.1	5	0.27
1812875	Drill Core	3.37	0.4	6.9	21.3	65	0.1	8.6	4.7	403	1.34	2.4	2.4	2.4	11.0	9	0.7	0.7	<0.1	4	0.13
1812876	Drill Core	3.35	0.7	5.4	18.5	62	0.2	11.2	4.6	476	1.14	2.7	2.0	1.4	9.8	11	0.6	0.8	<0.1	4	0.13
1812877	Drill Core	2.58	0.3	7.6	6.6	56	<0.1	7.6	3.7	204	1.34	1.5	1.9	1.5	10.8	12	0.4	0.4	<0.1	5	0.14
1812878	Drill Core	2.91	0.2	6.1	13.1	57	<0.1	8.1	3.8	291	1.40	1.0	1.5	1.1	10.4	13	0.5	0.2	<0.1	6	0.15
1812879	Drill Core	3.16	0.3	3.7	13.2	23	0.1	4.0	3.6	251	0.80	<0.5	0.7	0.7	9.2	12	0.3	0.1	0.2	3	0.12
1812880	Rock Pulp	0.12	4.0	21.3	0.9	32	<0.1	7.2	4.2	587	2.40	1.3	0.4	2.0	2.0	32	<0.1	0.2	<0.1	23	0.83
1812881	Drill Core	2.67	0.3	10.0	13.7	88	0.2	14.7	10.3	601	1.46	4.7	1.7	2.1	10.8	13	0.6	0.2	<0.1	7	0.13
1812882	Drill Core	2.83	0.9	17.3	33.2	113	0.1	13.1	16.9	558	1.83	26.5	5.4	10.1	12.3	11	0.6	1.1	0.2	9	0.10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000606.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812853	Drill Core	0.047	14	27	0.32	353	0.017	3	0.74	0.033	0.14	0.2	<0.01	1.3	<0.1	0.17	2	<0.5	<0.2	0.021			
1812854	Drill Core	0.025	23	13	0.37	456	0.011	2	0.66	0.022	0.20	0.3	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2	0.015			
1812855	Drill Core	0.048	30	9	0.56	248	0.009	2	0.91	0.023	0.29	<0.1	<0.01	2.5	<0.1	<0.05	3	<0.5	<0.2	0.005			
1812856	Drill Core	0.041	28	6	0.39	213	0.002	2	0.75	0.016	0.31	0.1	<0.01	1.7	<0.1	<0.05	2	<0.5	<0.2	<0.005			
1812857	Drill Core	0.038	31	6	0.44	238	0.002	2	0.91	0.013	0.31	0.1	<0.01	1.6	0.1	<0.05	3	<0.5	<0.2	0.006			
1812858	Drill Core	0.061	28	14	1.05	203	0.024	2	1.23	0.017	0.37	<0.1	<0.01	3.5	0.1	<0.05	4	<0.5	<0.2	0.015			
1812859	Drill Core	0.060	21	22	1.25	183	0.012	1	1.27	0.009	0.25	<0.1	<0.01	3.7	0.1	<0.05	4	<0.5	<0.2	<0.005			
1812860	Core DUP	0.063	23	23	1.28	193	0.013	1	1.34	0.011	0.26	<0.1	<0.01	3.9	0.1	<0.05	5	<0.5	<0.2	<0.005			
1812861	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.			
1812862	Drill Core	0.047	33	12	0.78	239	0.006	1	1.18	0.021	0.39	0.1	<0.01	2.8	0.1	<0.05	4	<0.5	<0.2	<0.005			
1812863	Drill Core	0.042	24	14	0.73	188	0.023	1	1.03	0.023	0.33	0.2	<0.01	3.0	0.1	<0.05	4	<0.5	<0.2	0.008			
1812864	Drill Core	0.046	31	5	0.35	199	0.008	1	0.66	0.027	0.32	0.1	<0.01	2.1	<0.1	<0.05	2	<0.5	<0.2	0.046			
1812865	Drill Core	0.048	33	7	0.68	195	0.009	1	0.93	0.034	0.30	<0.1	<0.01	2.9	<0.1	<0.05	3	<0.5	<0.2	0.020			
1812866	Drill Core	0.049	35	12	0.55	234	0.014	<1	0.96	0.026	0.31	0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	0.008			
1812867	Drill Core	0.037	20	7	0.31	181	0.013	<1	0.60	0.024	0.27	0.1	<0.01	1.8	<0.1	<0.05	2	<0.5	<0.2	0.008			
1812868	Drill Core	0.056	35	6	0.39	224	0.022	<1	0.74	0.028	0.31	0.2	<0.01	2.3	<0.1	<0.05	3	<0.5	<0.2	0.005			
1812869	Drill Core	0.021	36	12	0.68	224	0.001	1	0.96	0.021	0.28	<0.1	<0.01	1.4	<0.1	<0.05	3	<0.5	<0.2	<0.005			
1812870	Drill Core	0.006	38	7	0.64	200	<0.001	<1	0.79	0.022	0.23	<0.1	<0.01	0.8	<0.1	<0.05	2	<0.5	<0.2	<0.005			
1812871	Drill Core	0.004	43	4	0.53	199	<0.001	<1	0.65	0.019	0.26	<0.1	<0.01	0.8	<0.1	<0.05	2	<0.5	<0.2	<0.005			
1812872	Drill Core	0.006	40	17	1.07	196	0.001	<1	0.99	0.022	0.26	<0.1	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2	<0.005			
1812873	Drill Core	0.030	31	9	0.72	236	0.002	<1	0.87	0.017	0.31	<0.1	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2	<0.005			
1812874	Drill Core	0.045	30	7	1.03	314	0.003	<1	1.21	0.019	0.39	<0.1	<0.01	2.2	0.1	<0.05	4	<0.5	<0.2	<0.005			
1812875	Drill Core	0.035	43	7	0.50	241	<0.001	<1	1.00	0.009	0.35	0.2	<0.01	1.5	0.1	<0.05	3	<0.5	<0.2	<0.005			
1812876	Drill Core	0.040	31	7	0.35	205	0.001	<1	0.78	0.012	0.33	0.2	<0.01	1.2	0.1	<0.05	2	<0.5	<0.2	<0.005			
1812877	Drill Core	0.044	30	6	0.48	182	0.001	<1	0.87	0.021	0.30	0.3	<0.01	1.7	<0.1	<0.05	3	<0.5	<0.2	<0.005			
1812878	Drill Core	0.050	28	10	0.52	189	0.002	<1	0.89	0.018	0.30	0.2	<0.01	1.9	<0.1	<0.05	3	<0.5	<0.2	<0.005			
1812879	Drill Core	0.049	25	5	0.18	366	0.002	<1	0.53	0.017	0.32	<0.1	<0.01	1.0	<0.1	<0.05	1	<0.5	<0.2	<0.005			
1812880	Rock Pulp	0.038	6	15	0.49	54	0.080	2	1.06	0.076	0.08	0.2	<0.01	2.7	<0.1	0.05	4	<0.5	<0.2	<0.005			
1812881	Drill Core	0.045	29	19	0.51	627	0.002	<1	0.98	0.025	0.32	<0.1	<0.01	2.2	<0.1	<0.05	3	<0.5	<0.2	<0.005			
1812882	Drill Core	0.036	40	12	0.50	550	0.001	<1	1.13	0.023	0.26	<0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2	0.027			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000606.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812883	Drill Core	2.50	0.9	13.7	22.8	107	0.2	12.9	13.8	594	1.69	16.1	3.6	184.3	11.4	8	0.5	0.9	<0.1	6	0.10
1812884	Drill Core	2.33	0.4	14.8	10.4	93	0.3	8.2	7.5	394	1.49	6.0	3.0	894.4	11.1	8	0.4	0.4	<0.1	5	0.11
1812885	Drill Core	2.80	0.3	6.6	19.7	82	0.2	9.5	6.6	402	1.22	1.9	1.4	13.8	13.6	6	0.3	0.3	0.1	3	0.07
1812886	Drill Core	3.17	0.3	6.4	13.9	72	0.1	7.7	5.3	396	0.94	0.6	1.2	18.2	15.0	5	0.4	0.2	<0.1	2	0.04
1812887	Drill Core	2.75	0.2	2.7	17.3	24	0.1	1.9	2.7	195	0.67	<0.5	1.1	11.6	16.9	14	0.2	0.2	0.1	<1	0.01
1812888	Drill Core	3.01	0.2	3.3	19.7	21	0.1	2.4	3.6	232	0.54	0.7	0.9	4.5	15.7	3	0.2	0.3	0.1	<1	0.01
1812889	Drill Core	3.42	0.2	2.8	14.2	18	0.1	1.3	1.0	103	0.53	<0.5	1.4	<0.5	16.9	3	<0.1	0.1	0.1	<1	0.01
1812890	Drill Core	2.63	0.2	2.3	15.2	14	<0.1	1.4	2.6	141	0.54	0.5	1.2	<0.5	15.9	3	<0.1	0.1	<0.1	<1	<0.01
1812891	Drill Core	2.87	0.3	3.5	31.1	16	<0.1	1.8	1.9	160	0.64	0.8	1.0	<0.5	15.9	4	<0.1	0.2	<0.1	<1	0.01
1812892	Drill Core	3.26	0.3	4.1	23.1	13	<0.1	1.3	1.1	118	0.57	1.0	0.8	1.1	15.5	4	<0.1	0.2	0.1	<1	<0.01
1812893	Drill Core	2.76	0.2	2.4	8.9	13	<0.1	1.1	1.1	103	0.52	0.6	0.6	<0.5	12.2	4	<0.1	0.1	<0.1	<1	<0.01
1812894	Drill Core	3.18	0.2	4.8	22.8	29	<0.1	3.4	3.5	229	0.69	1.3	0.8	1.7	13.6	15	0.1	0.3	0.1	<1	0.02
1812895	Drill Core	2.17	0.2	4.3	39.8	36	0.1	2.0	3.1	212	0.64	0.6	0.9	14.1	17.0	5	<0.1	0.2	0.3	<1	0.03
1812896	Drill Core	3.04	0.8	22.8	104.1	105	0.3	3.9	4.3	234	1.47	7.8	2.8	10.1	12.4	8	0.1	0.9	0.2	3	0.04
1812897	Drill Core	3.31	0.9	17.3	43.4	62	0.2	4.5	3.2	176	1.34	12.5	2.9	55.3	15.6	8	0.1	0.4	0.2	3	0.04
1812898	Drill Core	3.37	0.6	18.7	25.7	33	0.2	3.6	2.8	137	1.05	6.1	2.9	11.4	17.8	11	<0.1	0.5	0.2	2	0.03
1812899	Drill Core	2.89	0.3	11.9	9.0	27	0.3	2.6	2.4	109	1.02	2.0	2.5	2.6	12.0	5	<0.1	0.5	<0.1	2	0.02
1812900	Rock Pulp	0.13	9.4	190.8	18.1	75	0.9	13.4	10.9	576	4.94	13.8	0.8	6883.1	2.5	78	0.2	5.0	0.5	112	1.01
1812901	Drill Core	3.21	0.6	14.9	17.2	37	0.1	2.4	2.1	118	1.45	1.6	1.9	2.9	15.0	16	<0.1	0.7	0.1	1	0.04
1812902	Drill Core	3.08	0.5	6.0	7.2	20	<0.1	1.2	0.7	57	0.80	0.7	0.7	6.9	13.4	14	<0.1	0.5	0.2	<1	0.01
1812903	Drill Core	3.14	0.8	7.8	19.2	26	0.2	1.7	0.9	89	1.00	0.9	0.8	4.9	11.7	3	<0.1	1.0	0.2	<1	0.01
1812904	Drill Core	3.09	0.3	5.3	9.5	20	0.2	1.4	0.8	84	0.74	<0.5	1.0	4.3	11.3	3	<0.1	0.4	<0.1	<1	0.01
1812905	Drill Core	3.00	0.5	5.8	13.2	22	0.4	1.2	0.9	191	0.94	<0.5	0.8	4.6	11.0	3	0.1	0.3	<0.1	<1	0.01
1812906	Drill Core	3.11	0.6	8.4	22.9	32	1.4	1.5	0.6	78	1.21	<0.5	0.8	230.8	11.3	17	<0.1	0.7	0.2	<1	<0.01
1812907	Drill Core	2.88	0.5	8.5	24.2	24	0.4	1.0	0.5	56	1.32	<0.5	0.8	34.6	11.5	5	<0.1	0.3	0.2	<1	0.01
1812908	Drill Core	2.64	0.3	16.4	30.9	58	0.6	3.4	1.4	105	1.48	0.6	1.6	4.4	15.2	15	<0.1	0.3	0.2	1	0.04
1812909	Drill Core	3.24	0.2	12.0	26.3	60	0.5	3.7	1.3	121	1.12	<0.5	1.9	22.2	14.1	25	<0.1	0.4	0.1	2	0.04
1812910	Drill Core	3.36	0.1	12.1	16.4	90	0.2	5.3	1.8	174	1.27	0.6	1.9	8.1	16.5	32	<0.1	0.5	0.1	2	0.06
1812911	Drill Core	3.02	0.1	6.3	6.7	63	0.1	3.7	2.0	140	0.99	<0.5	2.2	0.6	17.7	12	<0.1	0.4	<0.1	2	0.05
1812912	Drill Core	3.00	0.2	6.8	20.7	26	0.3	1.5	0.8	76	0.88	1.4	1.3	7.1	13.5	18	<0.1	0.7	0.2	1	0.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 3 of 4 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000606.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812883	Drill Core	0.030	36	9	0.52	285	0.001	<1	1.11	0.023	0.28	0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2	0.060
1812884	Drill Core	0.035	36	6	0.48	343	0.002	<1	1.00	0.018	0.32	0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2	0.648
1812885	Drill Core	0.018	38	18	0.72	304	0.001	<1	0.98	0.019	0.30	0.1	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2	0.019
1812886	Drill Core	0.007	45	9	0.65	295	0.001	<1	0.85	0.019	0.25	<0.1	<0.01	1.1	<0.1	<0.05	2	<0.5	<0.2	0.013
1812887	Drill Core	0.004	40	4	0.15	795	<0.001	4	0.51	0.008	0.34	0.3	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.009
1812888	Drill Core	0.003	28	3	0.11	211	<0.001	3	0.38	0.011	0.24	0.3	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	0.014
1812889	Drill Core	0.002	38	3	0.11	271	<0.001	3	0.39	0.021	0.27	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812890	Drill Core	0.003	30	3	0.08	236	<0.001	3	0.38	0.014	0.26	0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812891	Drill Core	0.004	25	4	0.09	326	<0.001	2	0.44	0.012	0.25	0.1	<0.01	0.6	<0.1	<0.05	1	<0.5	<0.2	<0.005
1812892	Drill Core	0.003	19	3	0.07	439	<0.001	2	0.40	0.019	0.26	0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812893	Drill Core	0.002	10	3	0.06	454	<0.001	2	0.34	0.020	0.20	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	<0.005
1812894	Drill Core	0.005	24	3	0.20	1605	<0.001	2	0.54	0.012	0.21	0.2	<0.01	0.4	<0.1	<0.05	1	<0.5	<0.2	<0.005
1812895	Drill Core	0.005	26	3	0.31	404	<0.001	2	0.64	0.014	0.21	0.4	<0.01	0.3	<0.1	<0.05	2	<0.5	<0.2	0.007
1812896	Drill Core	0.027	32	6	0.36	275	0.001	2	0.85	0.013	0.26	<0.1	<0.01	0.7	<0.1	<0.05	2	<0.5	<0.2	0.017
1812897	Drill Core	0.025	35	6	0.31	368	0.001	2	0.88	0.007	0.24	<0.1	<0.01	0.8	<0.1	<0.05	2	<0.5	<0.2	0.065
1812898	Drill Core	0.025	32	7	0.18	440	<0.001	1	0.66	0.016	0.21	0.2	<0.01	0.9	<0.1	<0.05	1	<0.5	<0.2	0.019
1812899	Drill Core	0.021	23	4	0.09	306	<0.001	1	0.43	0.012	0.23	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.008
1812900	Rock Pulp	0.062	8	19	0.84	111	0.126	4	1.82	0.185	0.22	3.7	0.21	3.6	<0.1	<0.05	5	<0.5	<0.2	7.236
1812901	Drill Core	0.015	22	4	0.13	1521	<0.001	1	0.55	0.010	0.20	0.1	<0.01	0.5	<0.1	<0.05	1	<0.5	<0.2	0.008
1812902	Drill Core	0.006	23	3	0.04	1456	<0.001	1	0.33	0.016	0.21	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	0.008
1812903	Drill Core	0.007	23	4	0.05	309	<0.001	1	0.37	0.016	0.23	0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	0.011
1812904	Drill Core	0.005	24	2	0.09	127	<0.001	1	0.46	0.024	0.24	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.008
1812905	Drill Core	0.005	28	2	0.07	152	<0.001	1	0.48	0.032	0.26	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.022
1812906	Drill Core	0.006	26	2	0.05	693	<0.001	1	0.40	0.027	0.23	<0.1	0.05	0.7	<0.1	<0.05	1	<0.5	1.3	0.248
1812907	Drill Core	0.006	22	2	0.07	260	0.001	<1	0.37	0.035	0.21	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.066
1812908	Drill Core	0.010	28	3	0.33	440	0.002	<1	0.73	0.038	0.20	<0.1	<0.01	1.3	<0.1	0.05	2	<0.5	<0.2	0.012
1812909	Drill Core	0.013	26	3	0.40	867	0.002	<1	0.73	0.023	0.27	0.1	<0.01	1.4	<0.1	<0.05	2	<0.5	<0.2	0.023
1812910	Drill Core	0.014	27	4	0.82	903	0.003	<1	1.12	0.028	0.27	0.1	<0.01	2.1	<0.1	0.06	3	<0.5	<0.2	0.013
1812911	Drill Core	0.010	24	2	0.56	300	0.003	<1	0.89	0.026	0.27	<0.1	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2	<0.005
1812912	Drill Core	0.007	20	2	0.21	440	0.005	<1	0.55	0.026	0.24	<0.1	<0.01	0.8	<0.1	0.07	2	<0.5	<0.2	0.012



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000606.1

	Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812913	Drill Core	2.88	0.2	5.3	25.8	10	0.3	0.6	0.3	49	0.99	0.9	0.7	3.4	11.0	8	<0.1	0.7	0.2	<1	<0.01
1812914	Drill Core	3.14	0.2	5.9	8.1	13	0.1	0.6	0.3	48	1.33	1.3	0.8	1.1	13.4	8	<0.1	0.5	<0.1	<1	<0.01
1812915	Drill Core	2.92	0.3	4.4	9.8	11	0.2	0.7	0.3	69	1.20	1.2	0.8	0.7	10.9	7	<0.1	0.6	<0.1	1	<0.01
1812916	Drill Core	2.88	0.6	7.3	16.6	10	0.1	0.6	0.4	42	0.96	0.9	0.4	4.4	10.2	6	<0.1	0.6	0.1	1	<0.01
1812917	Drill Core	3.02	0.5	19.8	60.5	85	0.6	4.5	1.4	157	1.78	1.5	1.6	1.8	6.0	28	<0.1	1.6	0.2	12	0.05
1812918	Drill Core	3.11	4.2	38.5	151.7	212	0.7	14.2	4.7	364	3.49	2.0	2.2	7.6	5.5	39	0.1	0.9	0.6	29	0.09
1812919	Drill Core	2.85	0.3	14.9	10.7	46	0.4	3.5	3.2	107	1.79	2.1	2.3	30.9	8.5	30	<0.1	0.9	<0.1	10	0.06
1812920	Rock Pulp	0.12	6.8	117.2	83.2	144	0.7	11.8	4.9	617	2.59	40.0	0.4	544.1	2.1	37	0.5	2.9	0.1	29	0.86
1812921	Drill Core	3.02	0.2	27.2	3.6	145	0.4	15.0	6.6	325	2.50	2.5	4.2	6.5	8.9	59	0.1	1.1	<0.1	24	0.19
1812922	Drill Core	2.79	0.1	28.8	4.6	163	0.3	18.1	11.2	339	2.69	3.2	2.4	2.7	10.0	39	0.1	1.1	<0.1	26	0.28
1812923	Drill Core	2.73	0.4	45.0	92.5	92	0.6	6.7	2.3	240	2.98	4.1	5.3	7.3	11.5	69	0.1	1.6	<0.1	19	0.16
1812924	Drill Core	3.05	1.5	26.4	30.1	32	0.7	3.5	1.3	100	1.88	3.1	3.0	29.4	11.9	31	<0.1	1.1	0.2	10	0.09
1812925	Drill Core	2.91	2.0	19.0	48.1	19	1.0	1.3	0.5	54	1.74	2.7	1.9	46.6	13.3	37	<0.1	0.8	0.1	7	0.02
1812926	Drill Core	3.03	1.8	8.6	8.8	13	0.3	1.3	0.6	61	1.43	2.3	0.6	4.1	10.8	49	<0.1	0.8	0.1	4	0.02
1812927	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1812928	Drill Core	2.82	1.5	17.6	9.4	25	0.3	3.8	1.2	102	1.99	2.8	1.3	4.2	10.4	56	<0.1	0.6	0.1	8	0.08
1812929	Drill Core	3.12	1.6	31.6	39.7	27	0.4	7.4	4.5	106	1.51	3.0	3.2	2.5	12.2	14	0.1	0.7	<0.1	6	0.12
1812930	Drill Core	3.19	1.1	38.6	46.8	73	0.7	16.7	11.4	172	2.29	3.5	2.5	11.7	8.4	19	3.6	0.7	0.2	8	0.19
1812931	Drill Core	2.94	0.3	13.0	4.2	60	0.2	11.9	7.3	237	1.61	1.8	2.8	8.0	11.6	11	0.5	0.6	<0.1	7	0.18
1812932	Drill Core	2.99	1.4	59.7	9.7	101	0.7	21.1	16.4	628	2.34	7.7	1.8	4.4	7.0	23	1.0	1.0	<0.1	15	0.65
1812933	Drill Core	2.89	2.7	21.2	14.8	150	0.5	18.4	18.2	878	2.89	4.8	1.0	15.9	5.2	28	0.6	0.9	0.1	31	1.00
1812934	Drill Core	3.31	3.7	18.7	16.2	79	0.4	20.9	15.1	540	2.91	4.7	1.7	4.8	7.6	25	0.4	1.0	0.1	20	0.90
1812935	Drill Core	2.98	1.9	39.2	19.0	136	0.5	20.2	12.7	479	2.50	4.8	1.5	3.5	7.7	19	0.8	1.0	0.1	15	0.76
1812936	Drill Core	3.02	1.5	47.8	5.0	60	0.6	19.8	13.8	444	2.57	5.1	1.1	28.3	7.1	15	<0.1	1.2	<0.1	18	0.49
1812937	Drill Core	3.42	0.9	25.5	4.9	86	0.3	13.9	13.6	689	2.91	4.6	1.0	15.3	5.0	26	0.3	1.0	<0.1	31	1.03
1812938	Drill Core	2.99	1.8	20.2	54.2	158	0.8	18.5	14.4	925	2.59	7.1	0.7	4.9	6.3	27	1.0	1.0	0.2	24	1.31
1812939	Drill Core	3.14	1.0	28.6	13.9	90	0.4	22.4	15.4	478	2.80	23.3	1.2	12.0	9.5	20	0.7	1.4	<0.1	16	0.97
1812940	Rock Pulp	0.12	4.0	20.5	1.0	32	<0.1	6.9	4.1	579	2.35	1.4	0.4	<0.5	1.9	33	<0.1	0.2	<0.1	22	0.80
1812941	Drill Core	3.42	0.3	30.2	6.7	109	0.4	22.2	16.9	645	3.20	13.6	1.3	37.6	6.1	24	0.4	0.7	<0.1	22	1.22
1812942	Drill Core	3.46	0.3	16.6	7.7	87	0.2	15.8	10.7	596	2.76	2.2	1.1	3.8	6.5	32	0.4	0.7	<0.1	13	1.53



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000606.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005
1812913	Drill Core	0.005	18	2	0.07	205	0.003	<1	0.30	0.034	0.25	<0.1	<0.01	0.6	<0.1	0.14	1	<0.5	<0.2	0.009
1812914	Drill Core	0.006	22	2	0.07	332	0.004	<1	0.34	0.042	0.30	0.1	<0.01	0.7	<0.1	0.19	2	<0.5	<0.2	0.014
1812915	Drill Core	0.005	17	3	0.10	336	0.005	<1	0.37	0.039	0.28	<0.1	<0.01	0.8	<0.1	0.15	2	<0.5	<0.2	0.006
1812916	Drill Core	0.005	14	2	0.06	249	0.005	<1	0.31	0.025	0.20	<0.1	<0.01	0.7	<0.1	0.08	1	<0.5	<0.2	0.009
1812917	Drill Core	0.021	14	79	0.76	499	0.021	<1	0.98	0.026	0.18	0.1	<0.01	2.3	<0.1	0.16	3	<0.5	<0.2	0.005
1812918	Drill Core	0.050	19	236	2.23	275	0.006	<1	2.26	0.017	0.25	0.2	<0.01	3.7	<0.1	0.22	7	0.7	<0.2	0.009
1812919	Drill Core	0.029	17	16	0.45	241	0.037	<1	0.69	0.049	0.26	0.3	<0.01	1.7	<0.1	0.26	3	<0.5	<0.2	0.209
1812920	Rock Pulp	0.036	6	25	0.51	83	0.087	8	1.18	0.096	0.11	4.2	0.14	2.9	0.2	0.09	5	<0.5	<0.2	0.563
1812921	Drill Core	0.057	17	109	1.57	190	0.061	1	1.88	0.023	0.31	0.2	<0.01	4.4	0.1	0.22	5	<0.5	<0.2	0.009
1812922	Drill Core	0.066	12	89	1.59	352	0.060	3	1.86	0.020	0.33	0.3	<0.01	4.5	0.1	0.19	6	<0.5	<0.2	0.009
1812923	Drill Core	0.077	24	61	1.08	331	0.046	2	1.64	0.035	0.46	0.4	0.01	3.1	0.2	0.40	5	<0.5	<0.2	0.063
1812924	Drill Core	0.041	21	18	0.39	337	0.023	2	0.98	0.028	0.46	0.3	<0.01	1.5	0.1	0.44	3	<0.5	<0.2	0.128
1812925	Drill Core	0.029	21	11	0.12	363	0.011	1	0.60	0.040	0.45	0.2	0.01	1.1	0.1	0.34	2	<0.5	0.3	0.056
1812926	Drill Core	0.024	24	9	0.12	291	0.002	<1	0.52	0.030	0.40	0.1	<0.01	0.8	0.1	0.28	2	<0.5	<0.2	0.007
1812927	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1812928	Drill Core	0.037	27	18	0.36	307	0.002	1	0.84	0.031	0.44	0.2	<0.01	1.2	0.1	0.38	2	<0.5	<0.2	0.009
1812929	Drill Core	0.036	20	11	0.37	196	0.014	1	0.96	0.014	0.40	0.2	<0.01	1.1	0.1	0.80	2	<0.5	<0.2	0.009
1812930	Drill Core	0.056	10	15	0.62	88	0.018	1	0.97	0.006	0.44	0.2	<0.01	1.2	0.1	1.63	2	0.5	<0.2	0.015
1812931	Drill Core	0.041	12	25	0.93	197	0.021	1	1.11	0.017	0.45	0.3	<0.01	1.0	0.2	0.48	3	<0.5	<0.2	0.008
1812932	Drill Core	0.061	8	29	1.19	145	0.035	1	1.15	0.012	0.44	0.4	<0.01	2.1	0.2	1.33	3	<0.5	<0.2	0.010
1812933	Drill Core	0.061	5	206	2.61	126	0.042	2	1.93	0.007	0.49	0.3	<0.01	4.0	0.2	1.36	4	<0.5	<0.2	0.012
1812934	Drill Core	0.067	7	100	1.41	82	0.043	2	1.35	0.008	0.49	0.4	<0.01	2.7	0.2	1.72	3	<0.5	<0.2	0.008
1812935	Drill Core	0.061	7	28	1.25	103	0.035	2	1.04	0.009	0.47	0.3	<0.01	1.9	0.2	1.63	3	<0.5	<0.2	0.009
1812936	Drill Core	0.052	6	30	1.46	99	0.046	2	1.26	0.019	0.32	0.4	<0.01	2.1	0.1	1.36	3	<0.5	<0.2	0.071
1812937	Drill Core	0.060	6	94	2.14	117	0.061	4	1.79	0.023	0.32	0.4	<0.01	3.9	<0.1	1.26	4	<0.5	<0.2	0.011
1812938	Drill Core	0.059	5	161	2.18	111	0.056	2	1.63	0.009	0.26	2.8	<0.01	3.2	0.1	1.35	4	<0.5	<0.2	0.009
1812939	Drill Core	0.062	8	30	1.09	90	0.046	2	1.13	0.012	0.38	0.4	<0.01	2.1	0.1	2.05	3	<0.5	<0.2	0.017
1812940	Rock Pulp	0.037	6	15	0.48	53	0.084	2	1.07	0.074	0.08	0.2	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2	0.005
1812941	Drill Core	0.065	6	30	1.70	84	0.044	1	1.71	0.010	0.34	0.3	<0.01	2.7	0.2	1.68	4	0.8	<0.2	0.036
1812942	Drill Core	0.067	6	22	1.48	89	0.038	1	1.43	0.011	0.35	0.2	<0.01	2.1	0.1	1.73	3	0.5	<0.2	0.008



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI20000606.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1812854	Drill Core	4.35	1.0	9.6	17.4	39	0.3	5.0	2.6	168	1.62	2.4	0.9	33.4	9.4	19	0.1	0.6	0.1	9	0.09
REP 1812854	QC																				
1812855	Drill Core	2.76	0.4	8.9	8.6	49	<0.1	8.0	5.7	284	1.54	1.1	1.0	2.6	11.3	20	0.4	0.3	<0.1	8	0.21
REP 1812855	QC																				
1812877	Drill Core	2.58	0.3	7.6	6.6	56	<0.1	7.6	3.7	204	1.34	1.5	1.9	1.5	10.8	12	0.4	0.4	<0.1	5	0.14
REP 1812877	QC		0.3	8.3	6.8	57	0.1	7.9	3.8	206	1.36	1.5	1.9	1.5	11.3	12	0.4	0.4	<0.1	5	0.14
1812907	Drill Core	2.88	0.5	8.5	24.2	24	0.4	1.0	0.5	56	1.32	<0.5	0.8	34.6	11.5	5	<0.1	0.3	0.2	<1	0.01
REP 1812907	QC																				
1812911	Drill Core	3.02	0.1	6.3	6.7	63	0.1	3.7	2.0	140	0.99	<0.5	2.2	0.6	17.7	12	<0.1	0.4	<0.1	2	0.05
REP 1812911	QC		0.1	6.6	6.9	66	0.1	3.9	2.2	143	1.02	<0.5	2.3	<0.5	18.2	13	<0.1	0.4	<0.1	2	0.05
1812925	Drill Core	2.91	2.0	19.0	48.1	19	1.0	1.3	0.5	54	1.74	2.7	1.9	46.6	13.3	37	<0.1	0.8	0.1	7	0.02
REP 1812925	QC																				
1812937	Drill Core	3.42	0.9	25.5	4.9	86	0.3	13.9	13.6	689	2.91	4.6	1.0	15.3	5.0	26	0.3	1.0	<0.1	31	1.03
REP 1812937	QC		0.9	25.2	4.9	87	0.3	13.8	13.5	681	2.86	4.5	1.0	17.7	5.0	25	0.3	1.0	<0.1	30	1.01
Core Reject Duplicates																					
1812853	Drill Core	1.62	3.6	14.4	35.7	32	0.6	5.5	1.7	106	2.21	3.0	1.1	35.1	3.6	19	<0.1	1.4	0.1	13	0.06
DUP 1812853	QC		3.7	14.9	36.5	33	0.6	5.7	1.8	106	2.20	3.1	1.1	22.2	3.7	19	<0.1	1.4	0.1	13	0.06
1812887	Drill Core	2.75	0.2	2.7	17.3	24	0.1	1.9	2.7	195	0.67	<0.5	1.1	11.6	16.9	14	0.2	0.2	0.1	<1	0.01
DUP 1812887	QC		0.2	2.6	16.7	23	0.1	1.9	2.6	195	0.67	<0.5	1.0	4.9	16.1	14	0.1	0.2	<0.1	<1	0.01
1812921	Drill Core	3.02	0.2	27.2	3.6	145	0.4	15.0	6.6	325	2.50	2.5	4.2	6.5	8.9	59	0.1	1.1	<0.1	24	0.19
DUP 1812921	QC		0.2	27.9	3.6	150	0.3	15.5	7.1	341	2.52	3.2	4.2	4.6	8.9	60	0.1	1.1	<0.1	26	0.19
Reference Materials																					
STD BVGEO01	Standard		10.8	4245.8	175.2	1702	2.5	162.1	24.9	706	3.75	114.3	3.4	205.4	13.2	56	6.0	3.5	22.6	70	1.33
STD DS11	Standard		15.0	147.6	129.1	339	1.7	80.0	13.7	1028	3.12	40.6	2.5	56.7	7.5	68	2.1	8.6	10.0	49	1.09
STD DS11	Standard		15.0	148.0	132.3	333	1.7	82.6	13.5	1021	3.06	40.7	2.4	70.4	7.2	66	2.2	8.5	10.7	49	1.07
STD OREAS262	Standard		0.7	115.5	52.8	152	0.4	64.9	26.8	532	3.19	33.4	1.1	61.9	8.7	35	0.6	5.6	0.9	22	2.94
STD OREAS262	Standard		0.7	116.7	52.8	149	0.5	63.3	27.1	522	3.16	33.7	1.1	64.3	8.2	34	0.6	5.6	0.9	22	2.87
STD OREAS262	Standard		0.7	118.9	53.6	153	0.5	64.7	28.0	540	3.38	35.4	1.1	68.7	8.4	36	0.6	6.0	0.9	23	3.12



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 12, 2021

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000606.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
Pulp Duplicates																				
1812854	Drill Core	0.025	23	13	0.37	456	0.011	2	0.66	0.022	0.20	0.3	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2	0.015
REP 1812854	QC																			0.012
1812855	Drill Core	0.048	30	9	0.56	248	0.009	2	0.91	0.023	0.29	<0.1	<0.01	2.5	<0.1	<0.05	3	<0.5	<0.2	0.005
REP 1812855	QC																			0.005
1812877	Drill Core	0.044	30	6	0.48	182	0.001	<1	0.87	0.021	0.30	0.3	<0.01	1.7	<0.1	<0.05	3	<0.5	<0.2	<0.005
REP 1812877	QC	0.046	32	7	0.48	185	0.002	<1	0.90	0.021	0.31	0.4	<0.01	1.8	<0.1	<0.05	3	<0.5	<0.2	
1812907	Drill Core	0.006	22	2	0.07	260	0.001	<1	0.37	0.035	0.21	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.066
REP 1812907	QC																			0.054
1812911	Drill Core	0.010	24	2	0.56	300	0.003	<1	0.89	0.026	0.27	<0.1	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2	<0.005
REP 1812911	QC	0.010	25	2	0.57	305	0.004	<1	0.90	0.026	0.28	<0.1	<0.01	1.3	<0.1	<0.05	3	<0.5	<0.2	
1812925	Drill Core	0.029	21	11	0.12	363	0.011	1	0.60	0.040	0.45	0.2	0.01	1.1	0.1	0.34	2	<0.5	0.3	0.056
REP 1812925	QC																			0.060
1812937	Drill Core	0.060	6	94	2.14	117	0.061	4	1.79	0.023	0.32	0.4	<0.01	3.9	<0.1	1.26	4	<0.5	<0.2	0.011
REP 1812937	QC	0.059	6	92	2.12	118	0.057	4	1.75	0.023	0.32	0.4	<0.01	3.8	0.1	1.24	4	<0.5	<0.2	
Core Reject Duplicates																				
1812853	Drill Core	0.047	14	27	0.32	353	0.017	3	0.74	0.033	0.14	0.2	<0.01	1.3	<0.1	0.17	2	<0.5	<0.2	0.021
DUP 1812853	QC	0.049	15	28	0.32	367	0.017	3	0.74	0.033	0.14	0.2	0.02	1.4	<0.1	0.17	2	<0.5	<0.2	0.039
1812887	Drill Core	0.004	40	4	0.15	795	<0.001	4	0.51	0.008	0.34	0.3	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.009
DUP 1812887	QC	0.004	39	4	0.15	793	<0.001	4	0.51	0.008	0.34	0.3	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2	0.027
1812921	Drill Core	0.057	17	109	1.57	190	0.061	1	1.88	0.023	0.31	0.2	<0.01	4.4	0.1	0.22	5	<0.5	<0.2	0.009
DUP 1812921	QC	0.058	17	112	1.62	195	0.062	3	2.03	0.021	0.35	0.3	<0.01	4.6	0.1	0.22	6	<0.5	<0.2	0.009
Reference Materials																				
STD BVGE001	Standard	0.071	24	199	1.31	257	0.229	5	2.32	0.191	0.88	4.8	0.07	5.9	0.6	0.65	7	4.6	1.0	
STD DS11	Standard	0.067	19	61	0.84	342	0.098	7	1.24	0.075	0.41	2.9	0.27	3.3	5.0	0.26	5	2.2	4.7	
STD DS11	Standard	0.068	18	61	0.85	351	0.092	7	1.21	0.076	0.41	2.8	0.25	3.3	4.9	0.28	5	2.2	4.7	
STD OREAS262	Standard	0.038	16	45	1.17	223	0.002	4	1.51	0.065	0.33	0.2	0.18	3.2	0.5	0.25	4	<0.5	0.2	
STD OREAS262	Standard	0.039	16	45	1.20	230	0.002	4	1.38	0.068	0.32	0.2	0.16	3.2	0.5	0.27	4	<0.5	0.2	
STD OREAS262	Standard	0.040	16	46	1.20	227	0.002	5	1.45	0.070	0.33	0.2	0.16	3.3	0.5	0.26	4	<0.5	0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000606.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD DS11 Expected			14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD BVGEO01 Expected			11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	1.7	1.4	24	<0.1	0.9	3.3	427	1.80	1.0	0.4	<0.5	2.2	23	<0.1	<0.1	<0.1	21	0.61
ROCK-WHI	Prep Blank		0.7	1.7	1.4	23	<0.1	0.9	3.2	426	1.80	1.0	0.4	<0.5	2.3	23	<0.1	<0.1	<0.1	21	0.61



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 12, 2021

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000606.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
STD OXB130	Standard																			0.132
STD OXB130	Standard																			0.123
STD OXG141	Standard																			0.961
STD OXG141	Standard																			0.943
STD OXN155	Standard																			8.145
STD OXN155	Standard																			7.679
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD BVGEO01 Expected		0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																				0.93
STD OXN155 Expected																				7.762
STD OXB130 Expected																				0.125
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			0.009
BLK	Blank																			<0.005
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<0.005
BLK	Blank																			<0.005
Prep Wash																				
ROCK-WHI	Prep Blank	0.035	7	4	0.39	55	0.080	4	0.86	0.089	0.09	<0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2	<0.005
ROCK-WHI	Prep Blank	0.035	6	4	0.39	56	0.077	4	0.87	0.091	0.09	0.1	<0.01	2.4	<0.1	<0.05	4	<0.5	<0.2	<0.005