



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 05, 2020
Analysis Start: June 15, 2020
Report Date: June 24, 2020
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000043.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-04
P.O. Number
Number of Samples: 24

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	24	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	24	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	24	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SLBHP	0	Sort, label and box pulps			WHI
SHP01	24	Per sample shipping charges for branch shipments			VAN
FA530	5	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000043.1

	Method	Analyte	Unit	MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
2055145	Rock				0.51	>10	1.7	30.4	72.3	9	16.2	24.7	6.4	53	1.95	54.1	2.6	28605.6	0.5	3	0.4	2.2	0.3	3
2055146	Rock				0.90	>10	1.6	28.0	1495.2	31	33.5	0.7	0.4	71	1.41	29.0	0.4	59479.5	0.7	47	0.1	6.2	23.0	2
2055147	Rock				1.01	0.260	<0.1	3.8	3.6	3	0.3	1.4	0.4	40	0.48	0.9	<0.1	256.4	0.4	<1	<0.1	0.6	<0.1	2
2055148	Rock				0.53	0.116	0.2	3.1	1.4	4	0.4	4.7	1.9	126	0.74	1.1	0.2	445.9	0.8	4	<0.1	0.6	<0.1	2
2055149	Rock				0.44	0.103	<0.1	1.5	4.9	<1	0.3	0.7	0.3	33	0.46	1.6	<0.1	97.7	0.2	<1	<0.1	0.6	<0.1	2
2055150	Rock				0.69	0.066	<0.1	0.7	2.3	2	0.1	0.7	0.5	41	0.44	0.7	<0.1	33.7	<0.1	1	<0.1	0.3	<0.1	1
1798551	Rock				0.41	>10	3.3	49.5	1689.2	103	>100	0.8	0.4	51	0.97	22.2	0.5	9997.9	<0.1	1	0.8	130.5	23.6	2
1798552	Rock				0.66	0.244	0.6	1.0	47.5	3	1.9	0.4	0.2	34	0.44	2.1	0.1	234.8	0.2	<1	<0.1	0.6	5.2	2
1798553	Rock				0.46	0.014	0.1	10.2	915.0	46	4.4	0.5	0.2	40	0.44	4.8	0.6	17.2	<0.1	6	0.5	1.1	5.7	2
1798554	Rock				0.49	0.072	0.2	1.1	86.6	2	1.8	0.6	0.1	46	0.47	3.5	0.2	45.2	<0.1	<1	<0.1	0.7	3.8	2
1798555	Rock				0.42	0.021	0.2	1.9	10.1	17	0.2	0.4	0.4	44	0.47	3.8	0.3	22.4	4.3	3	0.1	0.7	<0.1	2
1798556	Rock				0.56	0.014	0.3	6.6	34.1	7	0.2	0.6	0.2	44	0.56	9.1	0.2	14.1	2.4	<1	<0.1	0.4	<0.1	1
1798557	Rock				0.59	0.026	0.4	10.9	33.3	14	0.5	0.6	0.2	36	0.61	7.9	0.3	20.9	2.4	<1	0.1	0.6	<0.1	1
1798558	Rock				0.53	0.033	2.5	17.0	76.7	27	0.5	0.5	0.3	26	0.43	40.8	2.1	55.2	11.4	3	0.1	7.5	0.4	2
1798559	Rock				0.49	<0.005	<0.1	4.2	26.5	2	0.9	0.9	1.5	40	0.57	5.0	0.2	4.5	0.1	2	<0.1	0.9	<0.1	1
1798560	Rock				0.45	<0.005	0.7	14.8	6.6	4	0.9	3.3	11.6	99	2.20	27.3	1.3	2.3	<0.1	1	0.2	1.3	0.1	1
1798561	Rock				0.88	0.092	0.3	3.8	337.9	5	1.8	1.5	1.4	40	0.68	6.2	0.5	69.6	0.2	5	<0.1	0.6	4.3	2
1798562	Rock				0.54	3.497	0.4	10.8	3.5	9	0.9	9.9	2.2	467	1.28	5.1	0.3	5765.9	0.4	2	0.3	1.2	<0.1	2
1798563	Rock				0.42	0.720	0.1	11.2	284.3	6	3.7	0.7	0.3	40	0.42	<0.5	0.2	822.2	0.2	113	<0.1	0.1	2.3	1
1798564	Rock				0.44	>10	0.1	36.0	446.8	5	26.3	1.8	0.4	40	0.78	0.6	0.3	33603.1	0.3	11	<0.1	0.3	3.3	2
1798565	Rock				0.36	>10	<0.1	189.4	710.3	5	18.2	1.1	0.3	34	0.58	2.1	0.1	21273.4	0.4	37	0.2	14.8	6.6	1
1798566	Rock				0.43	0.025	0.8	89.9	655.7	119	2.3	2.2	0.8	289	1.10	11.0	2.9	25.8	0.2	3	0.4	2.0	<0.1	3
1798567	Rock				0.42	0.065	0.7	43.1	34.9	10	0.9	15.6	9.9	96	1.58	75.9	2.4	56.5	0.4	8	<0.1	1.1	0.4	2
1798568	Rock				0.43	1.733	73.3	6.4	156.2	19	9.1	0.4	0.4	23	2.10	3.6	2.5	1561.6	0.3	54	0.4	1.5	0.5	1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000043.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	20
2055145	Rock	0.02	0.007	3	7	0.02	44	<0.001	<1	0.03	0.003	0.02	0.1	0.02	0.3	<0.1	<0.05	<1	1.1	5.1	22
2055146	Rock	0.01	0.019	2	7	<0.01	24	0.001	<1	0.03	0.008	0.06	<0.1	0.07	0.2	<0.1	0.15	<1	4.5	5.9	46
2055147	Rock	0.01	<0.001	1	7	0.05	6	<0.001	<1	0.05	0.003	<0.01	<0.1	0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
2055148	Rock	0.02	0.006	2	10	0.06	14	<0.001	<1	0.08	0.018	0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
2055149	Rock	<0.01	0.001	1	8	<0.01	3	<0.001	<1	<0.01	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
2055150	Rock	<0.01	0.002	<1	7	<0.01	6	<0.001	<1	<0.01	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	0.05	<1	<0.5	<0.2	
1798551	Rock	<0.01	0.002	<1	8	<0.01	93	<0.001	<1	0.02	0.002	0.02	0.1	0.89	<0.1	<0.1	0.07	<1	6.9	4.9	621
1798552	Rock	<0.01	<0.001	<1	7	<0.01	14	<0.001	<1	0.02	<0.001	0.01	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1798553	Rock	<0.01	<0.001	<1	7	<0.01	111	<0.001	<1	0.01	<0.001	<0.01	<0.1	0.23	<0.1	<0.1	<0.05	<1	1.7	<0.2	
1798554	Rock	<0.01	0.001	<1	7	<0.01	7	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1798555	Rock	0.04	0.004	10	6	0.04	132	0.007	1	0.19	0.016	0.13	0.4	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2	
1798556	Rock	<0.01	0.002	10	8	<0.01	16	<0.001	1	0.09	0.001	0.06	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1798557	Rock	<0.01	0.002	6	6	<0.01	19	<0.001	2	0.09	0.002	0.07	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1798558	Rock	0.02	0.012	22	4	<0.01	89	<0.001	<1	0.16	0.003	0.18	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
1798559	Rock	<0.01	0.001	<1	6	<0.01	44	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.10	<1	<0.5	<0.2	
1798560	Rock	<0.01	0.009	<1	7	<0.01	97	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	0.6	<0.1	<0.05	<1	0.6	<0.2	
1798561	Rock	<0.01	0.007	<1	6	<0.01	208	<0.001	<1	0.02	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	0.10	<1	0.6	<0.2	
1798562	Rock	0.01	0.003	1	7	0.08	66	0.006	<1	0.05	0.002	0.01	0.3	0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2	
1798563	Rock	<0.01	0.006	<1	6	0.01	2328	<0.001	<1	0.02	0.002	<0.01	<0.1	<0.01	0.2	<0.1	0.08	<1	<0.5	1.9	
1798564	Rock	<0.01	0.010	<1	7	<0.01	361	<0.001	<1	0.02	0.003	<0.01	<0.1	0.03	0.1	<0.1	0.26	<1	0.7	11.3	26
1798565	Rock	<0.01	0.005	<1	7	<0.01	810	<0.001	<1	0.01	0.004	0.01	<0.1	0.05	0.1	<0.1	0.21	<1	1.4	5.0	<20
1798566	Rock	<0.01	0.011	1	9	0.33	303	<0.001	<1	0.27	0.001	0.01	<0.1	0.01	1.1	<0.1	<0.05	1	<0.5	<0.2	
1798567	Rock	0.02	0.019	3	7	0.04	44	<0.001	<1	0.10	0.001	0.04	0.2	0.01	0.4	<0.1	<0.05	<1	0.8	<0.2	
1798568	Rock	<0.01	0.004	1	5	<0.01	1638	<0.001	<1	0.03	0.002	0.01	<0.1	0.01	0.2	<0.1	0.11	<1	<0.5	6.4	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000043.1

	Method	FA530
Analyte	Au	
Unit	ppm	
MDL	0.9	
2055145	Rock	18.1
2055146	Rock	85.6
2055147	Rock	
2055148	Rock	
2055149	Rock	
2055150	Rock	
1798551	Rock	12.1
1798552	Rock	
1798553	Rock	
1798554	Rock	
1798555	Rock	
1798556	Rock	
1798557	Rock	
1798558	Rock	
1798559	Rock	
1798560	Rock	
1798561	Rock	
1798562	Rock	
1798563	Rock	
1798564	Rock	29.7
1798565	Rock	21.1
1798566	Rock	
1798567	Rock	
1798568	Rock	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000043.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
Pulp Duplicates																					
1798553	Rock	0.46	0.014	0.1	10.2	915.0	46	4.4	0.5	0.2	40	0.44	4.8	0.6	17.2	<0.1	6	0.5	1.1	5.7	2
REP 1798553	QC	0.017																			
REP 1798562	QC	0.3			10.8	3.4	9	0.9	9.9	2.1	470	1.29	5.0	0.3	2874.1	0.4	2	0.3	1.2	<0.1	2
Core Reject Duplicates																					
1798562	Rock	0.54	3.497	0.4	10.8	3.5	9	0.9	9.9	2.2	467	1.28	5.1	0.3	5765.9	0.4	2	0.3	1.2	<0.1	2
DUP 1798562	QC	1.242		0.4	10.6	3.3	9	0.6	9.8	2.1	462	1.27	4.7	0.3	1060.3	0.4	2	0.3	1.1	<0.1	2
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD DS11	Standard	15.0			148.3	135.8	355	1.7	81.6	13.8	1034	3.06	43.0	2.4	82.2	7.2	65	2.4	7.8	11.4	50
STD OREAS262	Standard	0.7			114.4	56.7	156	0.5	66.5	28.3	540	3.16	35.8	1.2	61.6	8.8	34	0.7	5.0	1.0	22
STD OXB130	Standard	0.117																			
STD OXB130	Standard	0.126																			
STD OXG141	Standard	0.898																			
STD OXN155	Standard	7.718																			
STD OXN155	Standard	7.685																			
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ132	Standard																				
STD OXQ132	Standard																				
STD OXQ132	Standard																				
STD DS11 Expected		14.6			149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50
STD OREAS262 Expected		0.68			118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5
STD OXG141 Expected		0.93																			
STD OXN155 Expected		7.762																			
STD OXB130 Expected		0.125																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000043.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5	0.2	20
Pulp Duplicates																						
1798553	Rock	<0.01	<0.001	<1	7	<0.01	111	<0.001	<1	0.01	<0.001	<0.01	<0.1	0.23	<0.1	<0.1	<0.05	<1	1.7	<0.2		
REP 1798553	QC																					
REP 1798562	QC	0.01	0.003	1	7	0.08	65	0.006	<1	0.05	0.002	0.01	0.3	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2		
Core Reject Duplicates																						
1798562	Rock	0.01	0.003	1	7	0.08	66	0.006	<1	0.05	0.002	0.01	0.3	0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2		
DUP 1798562	QC	0.01	0.003	1	7	0.08	65	0.006	<1	0.05	0.001	0.01	0.3	<0.01	0.9	0.1	<0.05	<1	<0.5	<0.2		
Reference Materials																						
STD AGPROOF	Standard																					93
STD AGPROOF	Standard																					98
STD AGPROOF	Standard																					95
STD DS11	Standard	1.07	0.072	17	60	0.86	368	0.091	7	1.18	0.080	0.41	2.9	0.27	3.2	4.9	0.29	5	2.3	4.4		
STD OREAS262	Standard	2.87	0.040	16	45	1.19	256	0.003	4	1.32	0.068	0.31	0.2	0.17	3.2	0.4	0.27	4	<0.5	0.2		
STD OXB130	Standard																					
STD OXB130	Standard																					
STD OXG141	Standard																					
STD OXN155	Standard																					
STD OXN155	Standard																					
STD OXQ114	Standard																					128
STD OXQ114	Standard																					113
STD OXQ114	Standard																					122
STD OXQ132	Standard																					126
STD OXQ132	Standard																					120
STD OXQ132	Standard																					122
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56		
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23		
STD OXG141 Expected																						
STD OXN155 Expected																						
STD OXB130 Expected																						



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000043.1

	Method	FA530
Analyte	Au	
Unit	ppm	
MDL	0.9	
Pulp Duplicates		
1798553	Rock	
REP 1798553	QC	
REP 1798562	QC	
Core Reject Duplicates		
1798562	Rock	
DUP 1798562	QC	
Reference Materials		
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD DS11	Standard	
STD OREAS262	Standard	
STD OXB130	Standard	
STD OXB130	Standard	
STD OXG141	Standard	
STD OXN155	Standard	
STD OXN155	Standard	
STD OXQ114	Standard	35.4
STD OXQ114	Standard	33.6
STD OXQ114	Standard	35.6
STD OXQ132	Standard	35.0
STD OXQ132	Standard	35.0
STD OXQ132	Standard	35.3
STD DS11 Expected		
STD OREAS262 Expected		
STD OXG141 Expected		
STD OXN155 Expected		
STD OXB130 Expected		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000043.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
STD AGPROOF Expected																				
STD OXQ114 Expected																				
STD OXQ132 Expected																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<1
BLK	Blank																			
BLK	Blank		<0.005																	
BLK	Blank																			
BLK	Blank		0.006																	
BLK	Blank		<0.005																	
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank		<0.005	0.9	4.7	5.2	35	<0.1	0.8	3.6	504	1.78	1.0	0.4	<0.5	2.0	23	<0.1	0.1	<0.1
ROCK-WHI	Prep Blank		<0.005	0.7	5.5	2.1	29	<0.1	1.0	4.0	484	1.82	1.1	0.4	<0.5	2.1	24	<0.1	<0.1	<0.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000043.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	20
STD AGPROOF Expected																					96
STD OXQ114 Expected																					127.1
STD OXQ132 Expected																					128.5
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				<20
BLK	Blank																				
BLK	Blank																				<20
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<20
Prep Wash																					
ROCK-WHI	Prep Blank	0.69	0.040	6	4	0.48	62	0.070	1	0.90	0.117	0.11	<0.1	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.62	0.041	6	5	0.46	67	0.074	2	0.93	0.123	0.12	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 24, 2020

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000043.1

		FA530 Au ppm 0.9
STD AGPROOF Expected		0
STD OXQ114 Expected		35.2
STD OXQ132 Expected		34.69
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
Prep Wash		
ROCK-WHI	Prep Blank	
ROCK-WHI	Prep Blank	