



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 15, 2020
Analysis Start: June 29, 2020
Report Date: July 08, 2020
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000052.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-06
P.O. Number
Number of Samples: 9

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	9	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	9	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	9	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	9	Per sample shipping charges for branch shipments			VAN
FA530	4	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 08, 2020

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000052.1

	Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1798569	Rock	0.60	>10	0.1	7.3	79.4	6	19.5	0.5	0.1	54	0.48	<0.5	<0.1	78890.4	<0.1	<1	<0.1	0.5	3.5	2
1798570	Rock	0.63	1.462	0.1	30.4	46.6	28	18.1	1.7	0.8	59	0.50	3.1	<0.1	4123.4	0.5	3	<0.1	3.8	1.4	4
1798571	Rock	0.44	>10	<0.1	6.0	47.4	8	14.7	0.7	0.3	63	0.52	0.9	<0.1	70641.5	0.1	<1	<0.1	0.3	1.6	3
1798572	Rock	0.79	>10	0.2	12.8	30.1	17	17.6	1.1	0.5	60	0.49	1.1	<0.1	75064.8	0.4	3	<0.1	1.0	1.0	3
1798573	Rock	0.73	>10	0.2	23.0	57.3	14	13.1	1.2	0.5	37	0.42	1.8	<0.1	16601.3	0.1	<1	<0.1	2.4	2.3	4
1798574	Rock	1.42	6.819	<0.1	27.0	3.2	6	4.8	0.5	0.1	52	0.47	1.0	<0.1	1526.1	<0.1	<1	<0.1	4.4	<0.1	2
1798575	Rock	0.94	0.307	0.4	12.7	9.3	13	1.5	17.6	5.6	143	1.72	32.6	0.4	291.2	0.2	9	0.2	0.5	0.2	2
1798576	Rock	0.72	0.068	0.3	6.8	6.9	12	1.4	9.7	3.2	107	1.09	23.2	0.3	66.6	0.2	9	0.2	0.4	0.1	2
1798577	Rock	1.22	0.027	0.3	5.2	4.1	9	0.3	3.9	1.2	119	1.00	10.5	0.3	25.5	0.2	16	0.2	0.3	<0.1	2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 08, 2020

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000052.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1798569	Rock	<0.01	<0.001	<1	8	<0.01	3	<0.001	2	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	0.4	77.8
1798570	Rock	0.02	0.009	1	9	0.03	30	0.002	<1	0.06	0.004	0.03	0.2	0.03	0.4	<0.1	<0.05	<1	<0.5	<0.2	
1798571	Rock	<0.01	<0.001	<1	10	0.02	8	<0.001	1	0.03	0.002	<0.01	<0.1	0.02	0.2	<0.1	<0.05	<1	<0.5	<0.2	58.9
1798572	Rock	0.03	0.008	<1	8	0.03	27	0.002	<1	0.06	0.003	0.03	0.1	0.04	0.3	<0.1	<0.05	<1	<0.5	<0.2	74.1
1798573	Rock	<0.01	0.001	<1	9	0.01	11	0.001	<1	0.02	<0.001	0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	0.3	22.2
1798574	Rock	<0.01	0.001	<1	9	0.01	2	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1798575	Rock	<0.01	0.007	1	8	<0.01	102	<0.001	<1	0.03	0.003	0.02	<0.1	0.01	0.1	<0.1	0.55	<1	2.8	0.3	
1798576	Rock	<0.01	0.007	2	9	<0.01	57	<0.001	<1	0.02	0.004	0.01	<0.1	0.03	0.1	<0.1	<0.05	<1	1.0	0.3	
1798577	Rock	<0.01	0.008	2	9	<0.01	50	<0.001	<1	0.03	0.007	0.02	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 08, 2020

Page:

1 of 1

Part:

1 of 2

QUALITY CONTROL REPORT

WHI20000052.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
Pulp Duplicates																					
1798575	Rock	0.94	0.307	0.4	12.7	9.3	13	1.5	17.6	5.6	143	1.72	32.6	0.4	291.2	0.2	9	0.2	0.5	0.2	2
REP 1798575	QC			0.4	13.2	9.8	13	1.6	18.2	5.7	144	1.74	34.3	0.4	238.9	0.2	10	0.2	0.6	0.2	2
Reference Materials																					
STD AGPROOF	Standard																				
STD DS11	Standard			16.2	149.2	146.1	346	1.7	78.5	13.6	1014	3.09	44.1	2.8	79.3	8.6	72	2.4	9.4	12.9	49
STD DS11	Standard			14.3	149.3	137.0	343	1.8	81.5	13.9	1037	3.17	42.8	2.6	94.9	7.8	66	2.2	8.6	11.1	51
STD OREAS262	Standard			0.7	111.9	60.8	151	0.5	61.3	27.4	538	3.30	35.6	1.3	82.2	10.0	37	0.6	5.4	1.1	22
STD OREAS262	Standard			0.7	115.2	56.6	149	0.5	65.7	28.1	526	3.33	34.6	1.2	65.7	9.4	35	0.6	5.2	1.0	23
STD OXB130	Standard		0.122																		
STD OXG141	Standard		0.939																		
STD OXN155	Standard		7.624																		
STD OXQ114	Standard																				
STD OXQ132	Standard																				
STD OXG141 Expected			0.93																		
STD OXN155 Expected			7.762																		
STD OXB130 Expected			0.125																		
STD AGPROOF Expected																					
STD OXQ114 Expected																					
STD OXQ132 Expected																					
STD DS11 Expected				14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<1	
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<1	
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.9	9.6	2.7	39	<0.1	1.1	4.0	529	1.89	1.3	0.5	1.0	2.2	22	<0.1	0.1	<0.1	25



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 08, 2020

Page:

1 of 1

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000052.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
Pulp Duplicates																					
1798575	Rock	<0.01	0.007	1	8	<0.01	102	<0.001	<1	0.03	0.003	0.02	<0.1	0.01	0.1	<0.1	0.55	<1	2.8	0.3	
REP 1798575	QC	<0.01	0.008	2	8	<0.01	116	<0.001	<1	0.03	0.004	0.02	<0.1	0.01	0.2	<0.1	0.56	<1	2.5	0.3	
Reference Materials																					
STD AGPROOF	Standard																				<0.9
STD DS11	Standard	1.04	0.070	20	60	0.83	347	0.097	8	1.14	0.074	0.39	3.2	0.27	3.2	4.8	0.28	5	2.7	4.8	
STD DS11	Standard	1.08	0.069	18	61	0.86	362	0.094	7	1.19	0.073	0.41	3.1	0.27	3.3	4.9	0.29	5	2.3	4.7	
STD OREAS262	Standard	2.90	0.038	19	43	1.18	241	0.003	4	1.32	0.069	0.31	0.2	0.15	3.4	0.4	0.27	4	1.1	0.2	
STD OREAS262	Standard	2.97	0.039	16	46	1.23	249	0.003	4	1.40	0.068	0.32	0.2	0.18	3.4	0.5	0.27	4	0.5	0.2	
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXQ114	Standard																				34.7
STD OXQ132	Standard																				35.1
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
STD AGPROOF Expected																					0
STD OXQ114 Expected																					35.2
STD OXQ132 Expected																					34.69
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				<0.9
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																					
ROCK-WHI	Prep Blank	0.68	0.041	7	6	0.47	61	0.078	2	1.01	0.141	0.14	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2	