



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 30, 2020
Analysis Start: July 22, 2020
Report Date: July 30, 2020
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000077.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-10
P.O. Number
Number of Samples: 20

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	20	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			VAN
SLBHP	0	Sort, label and box pulps			WHI
FS631	20	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	20	Analysis sample split/packet			VAN
Split -150	20	Analysis sample split/packet			VAN
EN002	20	Environmental disposal charge-Fire assay lead waste			VAN
FS631	20	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	20	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	20	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000077.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2054001	Rock	5.28	425	0.089	0.10	0.37	24.48	0.4	7.7	18.6	31	0.2	4.6	3.9	202	1.26	2.7	2.1	74.8	11.8	31
2054002	Rock	6.05	413	0.010	<0.01	<0.17	30.18	0.3	7.4	32.8	41	0.2	4.7	3.4	231	1.06	3.9	2.6	2.8	13.4	25
2054003	Rock	4.28	456	<0.005	<0.01	<0.17	32.60	0.5	7.1	18.9	23	<0.1	3.8	2.9	167	0.96	1.5	2.0	2.0	13.8	19
2054004	Rock	5.33	403	0.021	0.02	<0.17	30.11	0.4	13.7	21.8	44	0.2	5.3	4.6	246	1.37	1.8	2.2	13.8	14.0	22
2054005	Rock	6.72	483	0.055	0.05	<0.17	32.72	0.3	6.4	13.5	25	0.3	3.6	3.0	143	0.96	1.6	1.5	36.5	9.1	15
2054006	Rock	5.04	484	0.314	1.35	17.07	30.06	0.5	10.8	19.1	26	0.5	4.8	3.9	279	1.22	2.2	1.8	1284.6	10.0	13
2054007	Rock	5.86	433	0.224	0.30	1.28	30.49	0.4	9.5	21.1	12	0.3	3.3	2.3	145	0.96	1.4	1.3	61.0	8.5	12
2054008	Rock	4.44	506	0.027	0.03	<0.17	28.55	0.3	6.3	20.4	20	0.2	3.1	2.6	196	0.85	1.2	1.5	14.7	10.8	12
2054009	Rock	4.77	510	0.868	1.01	3.30	30.90	0.5	17.4	279.1	65	10.9	2.8	2.7	201	1.42	6.4	3.4	1338.2	10.3	48
2054010	Rock	5.37	434	0.056	0.10	0.59	32.45	0.4	14.0	124.7	54	1.1	1.9	1.7	136	0.78	8.6	2.9	55.8	14.2	20
2054011	Rock	4.53	359	1.180	1.49	4.96	29.24	0.3	41.6	406.5	76	5.2	2.4	2.4	116	0.96	9.9	4.2	1051.8	15.6	53
2054012	Rock	3.43	383	0.148	0.16	0.25	32.51	0.5	21.4	228.4	78	1.6	3.1	2.0	178	1.33	11.6	2.9	219.3	11.6	46
2054013	Rock	5.34	489	0.075	0.07	<0.17	29.14	0.4	19.5	191.7	45	0.8	2.4	2.2	91	1.02	10.6	3.9	100.1	14.6	18
2054014	Rock	4.81	502	0.644	0.71	1.63	36.22	0.2	18.3	107.2	52	2.6	1.8	1.2	80	1.17	7.3	3.2	514.6	13.4	34
2054015	Rock	4.29	489	0.897	1.00	2.31	37.16	0.3	14.6	30.6	40	2.6	2.2	1.9	114	1.16	2.5	2.8	622.6	13.6	41
2054016	Rock	4.96	376	0.363	0.37	0.43	32.62	0.3	13.9	83.9	64	2.0	2.4	1.8	158	1.06	2.6	3.3	351.7	11.8	22
2054017	Rock	4.43	538	0.591	0.65	1.61	29.85	0.7	19.8	132.6	140	2.3	4.3	3.6	270	1.24	2.8	3.3	370.9	10.9	19
2054018	Rock	4.43	460	1.024	1.31	5.36	29.87	0.4	26.8	195.4	62	4.3	2.8	2.1	134	1.05	2.7	3.0	1422.5	11.7	24
2054019	Rock	4.99	487	0.265	0.26	0.21	33.71	0.5	28.9	328.3	130	2.3	2.9	2.6	230	0.93	6.5	4.4	215.3	14.4	5
2054020	Rock	4.12	471	0.210	0.20	<0.17	28.63	0.2	40.4	307.0	139	1.4	2.5	1.9	187	1.11	12.2	3.4	198.8	14.6	12



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000077.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2054001	Rock	0.3	<0.1	<0.1	3	0.09	0.035	29	8	0.18	676	0.003	1	0.53	0.038	0.28	<0.1	<0.01	0.8	<0.1	<0.05
2054002	Rock	0.3	0.1	0.1	3	0.11	0.038	32	7	0.20	881	0.003	1	0.64	0.029	0.35	<0.1	<0.01	1.1	<0.1	<0.05
2054003	Rock	0.1	<0.1	<0.1	2	0.08	0.035	34	9	0.16	311	0.003	1	0.47	0.018	0.31	<0.1	<0.01	0.6	<0.1	<0.05
2054004	Rock	0.1	<0.1	<0.1	3	0.12	0.041	29	8	0.25	357	0.005	1	0.67	0.043	0.31	<0.1	<0.01	0.9	<0.1	<0.05
2054005	Rock	0.1	<0.1	<0.1	2	0.06	0.022	22	6	0.18	286	0.008	<1	0.44	0.026	0.27	<0.1	<0.01	0.8	0.1	<0.05
2054006	Rock	0.2	<0.1	<0.1	2	0.07	0.029	26	7	0.16	290	0.005	1	0.47	0.030	0.27	<0.1	<0.01	0.7	<0.1	<0.05
2054007	Rock	<0.1	0.1	<0.1	1	0.06	0.027	20	8	0.11	252	0.004	<1	0.32	0.018	0.24	<0.1	<0.01	0.6	<0.1	<0.05
2054008	Rock	0.2	0.1	<0.1	2	0.06	0.028	28	7	0.17	333	0.005	2	0.46	0.023	0.33	<0.1	<0.01	0.9	<0.1	<0.05
2054009	Rock	0.7	0.5	4.4	2	0.13	0.048	22	8	0.13	1854	0.006	<1	0.44	0.028	0.21	0.2	0.03	1.3	<0.1	0.06
2054010	Rock	0.2	0.3	0.2	2	0.05	0.029	30	8	0.09	517	0.002	1	0.38	0.032	0.28	<0.1	0.01	0.8	0.1	<0.05
2054011	Rock	0.4	1.0	2.8	2	0.06	0.045	31	9	0.09	1312	0.003	<1	0.46	0.038	0.30	0.1	0.05	1.2	0.1	<0.05
2054012	Rock	0.5	0.3	0.2	3	0.04	0.025	24	9	0.12	2005	0.003	<1	0.49	0.037	0.26	<0.1	0.02	1.3	<0.1	<0.05
2054013	Rock	0.4	0.3	0.3	2	0.04	0.028	32	7	0.08	440	0.002	1	0.42	0.031	0.27	<0.1	0.01	0.7	<0.1	<0.05
2054014	Rock	0.5	0.4	0.2	2	0.02	0.029	26	7	0.08	1463	0.003	<1	0.43	0.047	0.27	<0.1	<0.01	1.1	<0.1	<0.05
2054015	Rock	0.5	0.2	<0.1	2	0.06	0.025	25	8	0.10	1848	0.006	1	0.46	0.046	0.25	0.2	<0.01	1.1	<0.1	<0.05
2054016	Rock	0.6	0.3	0.2	2	0.09	0.027	25	8	0.13	882	0.004	1	0.47	0.037	0.28	<0.1	<0.01	0.9	<0.1	<0.05
2054017	Rock	1.6	0.4	<0.1	6	0.19	0.038	24	11	0.33	773	0.011	1	0.74	0.031	0.36	0.2	<0.01	1.9	<0.1	<0.05
2054018	Rock	0.4	0.2	0.6	3	0.09	0.036	26	9	0.14	760	0.003	1	0.50	0.037	0.28	<0.1	<0.01	1.2	<0.1	<0.05
2054019	Rock	0.4	0.5	0.6	2	0.06	0.031	35	11	0.15	184	0.002	1	0.45	0.029	0.26	<0.1	0.02	1.1	<0.1	<0.05
2054020	Rock	0.4	0.3	0.3	3	0.05	0.031	30	8	0.14	1165	0.003	<1	0.57	0.042	0.34	<0.1	0.02	1.1	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000077.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2054001	Rock	2	<0.5	<0.2
2054002	Rock	2	<0.5	<0.2
2054003	Rock	2	<0.5	<0.2
2054004	Rock	2	<0.5	<0.2
2054005	Rock	2	<0.5	<0.2
2054006	Rock	1	<0.5	<0.2
2054007	Rock	1	<0.5	<0.2
2054008	Rock	2	<0.5	<0.2
2054009	Rock	2	<0.5	5.6
2054010	Rock	1	<0.5	0.4
2054011	Rock	2	<0.5	4.5
2054012	Rock	2	<0.5	0.6
2054013	Rock	1	<0.5	0.6
2054014	Rock	2	<0.5	1.4
2054015	Rock	2	<0.5	0.7
2054016	Rock	2	<0.5	1.2
2054017	Rock	3	<0.5	1.5
2054018	Rock	2	<0.5	3.2
2054019	Rock	2	<0.5	1.7
2054020	Rock	2	<0.5	0.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000077.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																						
2054009	Rock	4.77	510	0.868	1.01	3.30	30.90	0.5	17.4	279.1	65	10.9	2.8	2.7	201	1.42	6.4	3.4	1338.2	10.3	48	
REP 2054009	QC	0.990																				
Reference Materials																						
STD BVGEO01	Standard							10.9	4399.1	195.2	1703	2.6	163.5	26.0	734	3.68	127.1	4.1	227.2	15.8	62	
STD OREAS262	Standard							0.7	111.9	59.6	148	0.4	64.5	27.3	547	3.24	37.3	1.3	46.0	10.6	36	
STD OXB130	Standard	0.125																				
STD OXB130	Standard	0.120																				
STD OXG141	Standard	0.943																				
STD OXG141	Standard	0.946																				
STD OXN155	Standard	7.669																				
STD OXN155	Standard	7.673																				
STD OXP116	Standard						14.75	29.76														
STD OXP154	Standard						15.10	29.41														
STD OXP116 Expected							14.92															
STD OXP154 Expected							15.26															
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank	0.007																				
BLK	Blank	0.008																				
BLK	Blank							<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
Prep Wash																						
ROCK-WHI	Prep Blank	438			<0.005	<0.01	<0.17	26.47	1.0	3.1	1.1	32	<0.1	1.4	3.8	546	2.04	1.6	0.5	<0.5	2.4	29
ROCK-WHI	Prep Blank	440			<0.005	<0.01	<0.17	23.02	1.2	3.9	1.1	32	<0.1	1.8	3.9	587	2.31	1.5	0.5	<0.5	2.4	30



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000077.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2054009	Rock	0.7	0.5	4.4	2	0.13	0.048	22	8	0.13	1854	0.006	<1	0.44	0.028	0.21	0.2	0.03	1.3	<0.1	0.06
REP 2054009	QC																				
Reference Materials																					
STD BVGEO01	Standard	6.7	3.4	26.8	74	1.35	0.082	29	198	1.31	250	0.244	5	2.34	0.198	0.86	5.1	0.10	6.7	0.6	0.64
STD OREAS262	Standard	0.6	4.4	1.0	22	2.92	0.045	18	46	1.17	255	0.003	5	1.39	0.067	0.33	0.2	0.15	3.7	0.4	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP116 Expected																					
STD OXP154 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	25	0.75	0.045	8	5	0.49	75	0.091	2	1.03	0.114	0.15	<0.1	<0.01	3.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.69	0.044	9	9	0.47	78	0.093	2	1.06	0.146	0.16	<0.1	<0.01	3.9	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000077.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2054009	Rock	2	<0.5	5.6
REP 2054009	QC			
Reference Materials				
STD BVGEO01	Standard	8	5.0	1.0
STD OREAS262	Standard	4	<0.5	0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP116 Expected				
STD OXP154 Expected				
STD BVGEO01 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2