



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 30, 2020
Analysis Start: July 20, 2020
Report Date: July 23, 2020
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000078.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-11
P.O. Number
Number of Samples: 5

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	5	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	5	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	5	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	5	Per sample shipping charges for branch shipments			VAN
SLBHP	0	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000078.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
2054451	Rock	2.30	0.713	0.2	4.2	53.5	9	2.0	0.4	0.2	55	0.40	1.4	0.5	1016.6	5.5	19	<0.1	1.2	0.2
2054452	Rock	2.90	1.918	0.2	7.2	958.5	14	7.1	0.6	0.2	70	0.52	2.9	1.2	1607.5	5.8	68	0.1	2.0	2.8
2054453	Rock	1.52	1.040	0.1	5.0	63.3	12	2.0	0.5	0.1	51	0.42	1.9	0.6	838.8	4.2	51	<0.1	0.9	0.7
2054454	Rock	0.59	2.111	0.2	7.5	137.1	31	6.2	0.4	0.2	49	0.56	4.2	1.3	2102.7	6.0	4	0.3	3.3	1.9
1798578	Rock	0.81	0.220	0.2	16.1	215.8	7	7.0	0.7	0.2	32	0.61	3.2	0.6	189.8	0.2	1	<0.1	1.5	0.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000078.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
2054451	Rock	<0.01	0.002	10	5	0.04	1293	<0.001	<1	0.21	0.005	0.17	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5
2054452	Rock	<0.01	0.002	10	4	0.04	2319	<0.001	<1	0.20	0.005	0.16	0.1	0.10	0.4	<0.1	0.06	<1	1.7
2054453	Rock	<0.01	0.002	8	5	0.03	1806	<0.001	<1	0.15	0.005	0.12	<0.1	0.03	0.3	<0.1	<0.05	<1	<0.5
2054454	Rock	<0.01	0.003	8	4	0.04	226	<0.001	<1	0.22	0.003	0.18	<0.1	0.25	0.8	<0.1	<0.05	<1	<0.5
1798578	Rock	<0.01	0.001	<1	3	0.02	63	<0.001	<1	0.03	0.001	<0.01	<0.1	0.01	0.3	<0.1	0.10	<1	<0.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000078.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
Pulp Duplicates																						
2054451	Rock	2.30	0.713	0.2	4.2	53.5	9	2.0	0.4	0.2	55	0.40	1.4	0.5	1016.6	5.5	19	<0.1	1.2	0.2	2	
REP 2054451	QC			0.2	4.4	54.8	8	2.0	0.4	0.2	54	0.40	1.6	0.6	735.2	5.7	20	<0.1	1.3	0.2	2	
Core Reject Duplicates																						
2054453	Rock	1.52	1.040	0.1	5.0	63.3	12	2.0	0.5	0.1	51	0.42	1.9	0.6	838.8	4.2	51	<0.1	0.9	0.7	2	
DUP 2054453	QC			1.005	0.2	4.4	59.5	13	2.3	0.4	0.1	52	0.42	2.0	0.6	1569.1	3.9	56	<0.1	1.1	0.7	2
Reference Materials																						
STD DS11	Standard			13.9	142.6	150.2	348	1.7	76.8	13.4	1017	3.08	42.5	2.7	113.8	8.2	69	2.4	9.1	12.8	49	
STD OREAS262	Standard			0.7	112.9	63.1	151	0.5	61.7	27.5	537	3.15	37.0	1.3	77.3	9.9	39	0.6	6.0	1.1	21	
STD OXB130	Standard			0.124																		
STD OXG141	Standard			0.964																		
STD OXN155	Standard			7.988																		
STD DS11 Expected				14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	
STD OXG141 Expected				0.93																		
STD OXN155 Expected				7.762																		
STD OXB130 Expected				0.125																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<1		
BLK	Blank			0.007																		
BLK	Blank			0.007																		
Prep Wash																						
ROCK-WHI	Prep Blank			<0.005	0.7	4.8	1.8	30	<0.1	0.6	3.2	476	1.72	0.9	0.4	<0.5	2.3	26	<0.1	<0.1	<0.1	21



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000078.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																				
2054451	Rock	<0.01	0.002	10	5	0.04	1293	<0.001	<1	0.21	0.005	0.17	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	1.8
REP 2054451	QC	<0.01	0.002	11	5	0.04	1346	<0.001	<1	0.21	0.005	0.17	<0.1	0.01	0.6	<0.1	<0.05	<1	<0.5	2.3
Core Reject Duplicates																				
2054453	Rock	<0.01	0.002	8	5	0.03	1806	<0.001	<1	0.15	0.005	0.12	<0.1	0.03	0.3	<0.1	<0.05	<1	<0.5	3.0
DUP 2054453	QC	<0.01	0.002	9	5	0.03	1911	<0.001	<1	0.16	0.005	0.13	<0.1	0.04	0.4	<0.1	<0.05	<1	<0.5	3.1
Reference Materials																				
STD DS11	Standard	1.03	0.073	19	58	0.84	363	0.093	9	1.13	0.071	0.39	3.1	0.27	3.2	5.1	0.28	5	2.0	4.7
STD OREAS262	Standard	2.98	0.040	17	45	1.17	260	0.003	4	1.39	0.065	0.31	0.2	0.16	3.5	0.5	0.24	4	<0.5	0.2
STD OXB130	Standard																			
STD OXG141	Standard																			
STD OXN155	Standard																			
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23
STD OXG141 Expected																				
STD OXN155 Expected																				
STD OXB130 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.65	0.041	7	3	0.43	65	0.076	2	0.92	0.129	0.12	<0.1	<0.01	3.3	<0.1	<0.05	3	<0.5	<0.2