



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 04, 2020
Analysis Start: September 09, 2020
Report Date: September 21, 2020
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000220.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-13
P.O. Number
Number of Samples: 56

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	55	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FA430	55	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	55	Environmental disposal charge-Fire assay lead waste			VAN
AQ201	55	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	55	Per sample shipping charges for branch shipments			VAN
FA530	13	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000220.1

	Method	Analyte	Unit	MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
2054051	Rock				1.75	0.009	0.4	4.5	3.7	10	<0.1	0.7	0.2	43	0.45	0.7	0.8	37.3	0.3	2	<0.1	0.4	<0.1	<1
2054052	Rock				0.94	<0.005	0.4	13.2	26.9	18	<0.1	3.0	1.7	39	0.77	2.7	0.9	2.9	0.5	5	<0.1	0.6	0.1	<1
2054053	Rock				0.67	<0.005	0.4	1.6	1.8	26	<0.1	3.5	2.4	198	0.41	1.6	<0.1	0.7	0.2	1	0.3	<0.1	<0.1	<1
2054054	Rock				1.82	0.039	0.6	32.7	11.6	39	0.9	11.2	5.2	491	1.78	1196.7	0.4	47.7	1.8	122	0.3	3.0	<0.1	7
2054055	Rock				0.98	0.077	0.4	203.2	331.3	43	5.6	0.6	0.1	33	0.44	2.3	<0.1	12.7	0.1	1	0.7	0.8	2.8	<1
2054056	Rock				0.59	0.062	0.2	3.5	13.1	3	0.6	6.5	5.5	39	0.60	8.6	<0.1	51.2	0.5	7	<0.1	0.3	0.2	<1
2054057	Rock				1.48	1.107	0.4	9.3	376.0	2	10.7	0.5	0.1	31	0.33	3.0	0.4	1206.2	0.4	3	<0.1	0.8	2.8	<1
2054058	Rock				1.19	4.564	0.6	1.3	606.5	3	23.0	0.7	0.2	30	0.43	1.9	1.0	1123.0	0.2	<1	<0.1	0.7	3.7	<1
2054059	Rock				0.95	2.285	1.0	11.3	817.2	2	7.9	0.6	0.2	36	0.44	<0.5	1.1	3446.9	<0.1	8	<0.1	2.5	3.7	<1
2054060	Rock				1.62	>10	1.6	93.7	891.1	2	10.4	0.8	0.3	31	0.48	1.9	1.2	25773.6	0.2	7	<0.1	8.7	4.3	<1
2054061	Rock				1.23	>10	0.9	15.5	1689.9	2	11.5	0.6	0.1	27	0.42	<0.5	1.1	9319.6	0.1	7	0.2	2.5	7.6	<1
2054062	Rock				2.09	5.511	0.4	1.8	586.8	2	5.0	0.9	0.2	34	0.35	<0.5	0.4	823.4	0.2	1	0.1	0.3	3.2	<1
2054063	Rock				0.89	0.515	0.4	16.6	493.6	1	13.5	0.6	0.1	31	0.33	2.5	0.5	405.2	0.3	<1	<0.1	3.1	0.7	<1
2054064	Rock				0.83	0.806	0.6	14.3	2067.3	11	29.3	0.8	0.3	29	0.55	5.5	0.8	771.9	0.2	24	0.2	2.8	4.4	<1
2054065	Rock				1.34	0.495	0.6	5.2	411.4	10	9.4	0.7	0.2	33	0.49	7.2	0.7	1038.4	0.6	72	0.1	0.9	1.2	<1
2054066	Rock				2.56	3.484	0.2	4.8	156.3	<1	10.3	0.9	0.1	34	0.33	<0.5	0.1	2866.3	<0.1	39	<0.1	0.1	0.5	<1
2054067	Rock				0.66	>10	0.3	82.2	4877.4	6	49.8	1.9	0.6	28	0.79	<0.5	0.9	43472.6	0.1	2	0.2	3.0	7.9	<1
2054068	Rock				0.84	>10	1.2	9.6	174.9	7	7.0	0.7	0.2	36	0.64	1.9	1.1	23767.5	0.2	4	<0.1	1.8	2.5	<1
2054069	Rock				1.23	7.395	0.7	31.9	828.7	6	13.2	0.8	0.3	29	0.77	0.8	1.3	3127.0	0.2	12	0.1	3.4	4.7	<1
2054070	Rock				2.31	0.071	0.2	26.3	382.1	5	3.8	0.5	0.2	32	0.48	3.0	0.1	56.4	0.3	4	<0.1	1.9	2.3	<1
2054071	Rock				1.01	0.030	2.8	42.3	91.0	436	1.4	0.2	0.2	25	0.91	6.1	0.5	26.0	5.9	4	4.1	2.9	1.3	<1
2054072	Rock				0.38	3.216	0.2	2.3	3.9	23	1.6	3.1	0.8	93	1.11	1.8	<0.1	3057.9	0.1	2	0.2	0.2	<0.1	2
2054073	Rock				0.79	0.413	0.2	7.8	4.3	12	0.7	2.4	1.2	138	0.57	0.9	<0.1	520.5	0.3	1	0.1	1.1	<0.1	<1
2054074	Rock				0.60	>10	0.2	7.3	2.2	17	3.5	3.1	1.9	208	0.70	0.7	0.1	21986.0	0.6	2	0.2	1.2	<0.1	2
2054075	Rock				0.34	>10	0.1	4.1	2.4	10	8.0	1.6	1.0	120	0.42	0.6	<0.1	49213.2	0.2	<1	<0.1	0.3	<0.1	<1
2054076	Rock				1.23	0.191	0.2	2.8	1.7	7	0.1	1.0	0.4	81	0.38	0.7	<0.1	180.4	0.2	1	<0.1	0.4	<0.1	<1
2054077	Rock				0.72	>10	0.2	3.6	1.8	21	11.5	3.4	1.9	230	0.56	0.6	0.1	99877.5	0.1	1	0.2	0.3	<0.1	2
2054078	Rock				1.14	2.305	0.2	2.4	2.5	24	1.5	3.4	2.4	128	0.93	1.6	0.1	2439.0	0.6	3	0.2	0.1	<0.1	4
2054079	Rock				0.72	1.753	0.2	7.4	1.8	23	0.4	2.7	1.6	223	0.53	1.9	0.2	646.1	0.2	<1	0.2	0.4	<0.1	1
2054080	Rock				1.59	0.010	0.4	3.6	32.7	7	0.1	0.5	0.3	55	0.27	1.8	0.6	9.5	1.3	2	<0.1	0.9	<0.1	<1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000220.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
2054051	Rock	<0.01	0.005	<1	2	0.04	18	0.005	<1	0.05	0.002	0.01	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2054052	Rock	<0.01	0.009	3	2	0.03	14	<0.001	<1	0.06	0.002	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2054053	Rock	0.02	0.001	<1	2	0.03	64	<0.001	<1	0.04	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
2054054	Rock	2.53	0.040	3	5	0.78	184	<0.001	<1	0.19	0.009	0.14	0.1	0.01	2.5	<0.1	0.22	<1	0.9	<0.2
2054055	Rock	<0.01	<0.001	<1	1	<0.01	58	<0.001	<1	<0.01	0.001	<0.01	<0.1	0.06	<0.1	<0.1	<0.05	<1	<0.5	0.2
2054056	Rock	0.05	0.023	1	3	0.02	25	<0.001	<1	0.04	0.005	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	0.5
2054057	Rock	<0.01	0.001	<1	2	<0.01	274	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	7.2
2054058	Rock	<0.01	<0.001	<1	2	<0.01	11	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	0.9	9.7
2054059	Rock	<0.01	<0.001	<1	2	<0.01	308	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	1.4	3.9
2054060	Rock	<0.01	0.001	<1	2	0.01	359	<0.001	<1	0.01	0.001	<0.01	0.1	0.03	<0.1	<0.1	0.06	<1	1.3	3.4
2054061	Rock	<0.01	<0.001	<1	1	<0.01	276	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	0.06	<1	2.7	4.0
2054062	Rock	<0.01	<0.001	<1	2	<0.01	119	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	1.0	2.0
2054063	Rock	<0.01	0.003	<1	2	<0.01	19	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.08	<0.1	<0.1	<0.05	<1	<0.5	2.4
2054064	Rock	<0.01	0.001	<1	2	<0.01	1477	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.35	0.1	<0.1	0.15	<1	3.2	10.8
2054065	Rock	0.02	0.010	2	2	0.01	2247	<0.001	<1	0.04	0.009	0.01	<0.1	0.04	0.2	<0.1	0.08	<1	0.6	4.4
2054066	Rock	<0.01	<0.001	<1	2	<0.01	892	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	7.2
2054067	Rock	<0.01	<0.001	<1	1	<0.01	56	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.05	<0.1	<0.1	0.51	<1	9.2	7.5
2054068	Rock	<0.01	0.002	<1	2	<0.01	386	<0.001	<1	0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	6.6
2054069	Rock	<0.01	0.001	<1	1	<0.01	717	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.08	<1	1.3	8.6
2054070	Rock	<0.01	0.004	<1	2	<0.01	184	<0.001	<1	0.05	0.009	0.04	0.1	<0.01	0.2	<0.1	<0.05	<1	1.0	0.2
2054071	Rock	<0.01	0.003	17	<1	0.02	228	0.001	<1	0.22	0.009	0.25	<0.1	0.41	0.5	<0.1	0.60	<1	<0.5	<0.2
2054072	Rock	<0.01	<0.001	<1	8	0.07	284	<0.001	<1	0.06	0.001	<0.01	<0.1	0.02	1.2	<0.1	0.06	<1	<0.5	0.5
2054073	Rock	<0.01	<0.001	<1	4	0.05	127	<0.001	<1	0.05	0.002	<0.01	<0.1	0.05	0.5	<0.1	0.10	<1	<0.5	0.3
2054074	Rock	0.01	0.001	2	11	0.16	80	<0.001	<1	0.14	0.009	<0.01	<0.1	0.06	1.1	<0.1	0.06	<1	<0.5	<0.2
2054075	Rock	<0.01	0.001	<1	5	0.05	43	<0.001	<1	0.05	<0.001	<0.01	<0.1	0.02	0.6	<0.1	<0.05	<1	<0.5	0.2
2054076	Rock	<0.01	0.001	<1	4	0.02	69	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.02	0.6	<0.1	<0.05	<1	<0.5	<0.2
2054077	Rock	<0.01	0.001	<1	8	0.12	54	<0.001	<1	0.10	0.001	<0.01	0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
2054078	Rock	0.03	0.008	2	10	0.18	281	<0.001	<1	0.18	0.001	0.02	<0.1	<0.01	1.9	<0.1	<0.05	<1	<0.5	0.5
2054079	Rock	<0.01	0.002	<1	9	0.07	37	<0.001	<1	0.07	<0.001	<0.01	<0.1	0.02	1.5	<0.1	<0.05	<1	<0.5	<0.2
2054080	Rock	<0.01	<0.001	4	1	<0.01	394	<0.001	<1	0.04	0.001	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000220.1

	Method	Analyte	Unit	MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
2054081	Rock		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.			
2054082	Rock		0.62	0.641	0.1	2.3	10.0	8	0.4	1.6	1.6	100	0.38	1.6	0.2	478.3	0.8	1	<0.1	0.1	<0.1			
2054083	Rock		0.63	>10	0.3	3.5	165.4	38	7.0	0.7	0.9	147	0.35	1.4	0.2	74812.7	0.4	<1	0.5	0.7	0.8			
2054084	Rock		0.71	4.170	0.1	3.6	152.9	11	8.3	2.2	2.2	166	0.49	0.9	0.4	6938.5	0.7	49	<0.1	1.7	1.1			
2054085	Rock		1.09	>10	0.5	4.3	100.4	14	8.9	2.1	1.2	168	0.58	4.3	0.3	30844.2	2.1	2	<0.1	1.9	0.7			
2054086	Rock		0.58	>10	0.3	5.3	142.9	28	6.7	1.7	4.5	236	0.38	0.7	0.3	9912.0	0.5	74	0.4	2.2	0.9			
2054087	Rock		0.52	1.873	0.2	4.1	110.3	9	4.9	1.1	1.7	142	0.45	0.7	0.2	3012.0	0.4	15	<0.1	2.4	0.7			
2054088	Rock		0.87	0.185	0.3	2.5	193.3	25	1.7	0.9	1.0	173	0.43	<0.5	0.1	144.7	0.2	205	0.2	0.9	0.6			
2054089	Rock		0.73	5.256	0.2	5.5	400.5	10	10.0	1.4	1.0	117	0.53	<0.5	0.3	5548.1	0.5	86	<0.1	2.5	1.3			
2054090	Rock		0.44	1.868	0.3	9.9	30.8	21	1.1	0.9	0.4	69	0.40	0.8	0.2	2463.6	0.2	6	<0.1	0.2	0.2			
2054091	Rock		0.81	>10	0.5	29.9	130.3	58	8.0	1.6	0.9	88	0.64	2.2	0.8	22159.5	0.6	3	<0.1	1.3	3.1			
2054092	Rock		0.69	0.724	0.4	22.4	84.0	40	0.9	1.6	0.7	127	0.56	1.1	0.5	564.8	<0.1	1	<0.1	0.2	<0.1			
2054093	Rock		1.85	>10	0.3	242.8	458.5	44	27.6	2.3	1.9	155	1.03	27.8	0.2	48324.7	0.3	15	1.3	119.8	1.3			
2054094	Rock		1.27	0.016	1.0	11.1	233.1	14	1.0	1.5	1.4	97	0.71	11.9	0.5	11.1	0.1	3	0.1	1.1	1.4			
2054095	Rock		0.81	0.200	2.6	42.3	1169.9	19	5.9	1.7	1.3	43	1.18	12.6	1.3	243.8	0.1	23	0.2	1.7	6.7			
2054096	Rock		0.93	0.013	0.6	6.2	462.0	17	3.7	0.6	0.5	52	0.49	8.5	0.5	14.1	1.0	6	<0.1	2.5	3.4			
2054097	Rock		0.89	0.006	0.5	13.1	226.3	8	0.7	0.8	0.6	41	0.60	2.3	0.4	4.7	0.2	3	<0.1	1.4	1.4			
2054098	Rock		0.81	0.029	0.4	5.0	5.5	5	0.2	4.4	1.4	41	0.60	301.2	0.1	27.3	0.1	7	<0.1	0.3	0.1			
2054099	Rock		1.29	0.042	0.5	47.5	5.0	17	1.9	8.5	2.4	110	1.06	751.9	0.2	55.9	0.4	9	0.2	1.6	<0.1			
2054100	Rock		1.90	0.005	4.1	2.0	14.8	68	0.3	11.2	1.7	909	1.09	16.2	0.2	1.7	0.8	646	1.1	0.5	<0.1			
1798584	Rock		1.02	0.024	0.3	2.5	2.1	<1	<0.1	0.9	0.4	54	0.42	9.8	<0.1	18.4	<0.1	3	<0.1	<0.1	<0.1			
1798585	Rock		1.47	<0.005	4.7	2.3	14.9	45	0.2	144.2	10.8	1061	1.52	188.3	0.4	0.9	2.0	860	0.6	2.1	<0.1			
1798586	Rock		0.45	0.035	5.7	52.9	7.8	243	0.8	32.1	7.1	625	2.46	471.2	1.4	1.1	3.7	300	3.5	0.6	0.1			
1798587	Rock		1.71	0.006	0.8	21.7	5.0	81	0.2	18.8	12.1	492	2.97	6.0	0.7	1.1	4.3	67	0.3	0.1	<0.1			
1798588	Rock		2.64	<0.005	0.7	14.9	8.1	85	0.2	13.5	8.9	680	3.03	18.6	1.3	1.4	2.7	112	0.3	0.2	<0.1			
1798589	Rock		1.90	0.012	1.6	7.8	272.8	6	2.1	5.8	3.4	102	1.08	30.5	0.6	13.8	<0.1	2	0.1	0.7	4.5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000220.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.9
2054081	Rock	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
2054082	Rock	<0.01	0.003	2	2	0.05	65	<0.001	<1	0.09	0.005	0.04	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	0.8	
2054083	Rock	<0.01	0.003	1	2	0.05	57	<0.001	<1	0.06	0.003	0.02	<0.1	1.48	0.3	<0.1	<0.05	<1	<0.5	0.6	83.4
2054084	Rock	0.01	0.009	1	2	0.07	1522	0.002	<1	0.11	0.002	0.05	<0.1	<0.01	0.5	<0.1	0.10	<1	0.6	4.3	
2054085	Rock	<0.01	0.007	4	3	0.10	128	0.002	<1	0.19	0.010	0.07	<0.1	0.01	0.7	<0.1	<0.05	<1	<0.5	3.3	35.7
2054086	Rock	<0.01	0.004	1	2	0.05	2720	<0.001	<1	0.08	0.003	0.03	<0.1	0.36	0.3	<0.1	0.07	<1	<0.5	5.4	10.0
2054087	Rock	<0.01	0.002	<1	2	0.03	959	<0.001	<1	0.06	0.002	0.02	<0.1	0.02	0.2	<0.1	0.06	<1	0.6	3.7	
2054088	Rock	<0.01	0.005	<1	3	0.05	1625	<0.001	<1	0.06	0.001	0.01	<0.1	0.20	0.4	<0.1	0.06	<1	<0.5	0.5	
2054089	Rock	<0.01	0.004	1	4	0.06	1896	<0.001	<1	0.09	0.005	0.03	<0.1	0.01	0.4	<0.1	0.08	<1	2.2	4.4	
2054090	Rock	<0.01	<0.001	<1	3	0.02	236	<0.001	<1	0.05	0.002	0.03	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	0.4	
2054091	Rock	<0.01	0.002	2	5	0.04	403	<0.001	<1	0.10	0.003	0.05	0.1	0.02	0.2	<0.1	<0.05	<1	0.8	2.6	36.5
2054092	Rock	<0.01	<0.001	<1	2	0.02	326	<0.001	<1	0.03	0.001	0.01	<0.1	<0.01	0.1	<0.1	0.11	<1	<0.5	<0.2	
2054093	Rock	<0.01	0.002	<1	4	0.10	263	<0.001	<1	0.08	0.003	0.02	<0.1	0.28	0.5	<0.1	0.44	<1	1.9	6.8	32.8
2054094	Rock	<0.01	0.004	<1	2	0.01	26	<0.001	<1	0.03	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
2054095	Rock	0.03	0.027	<1	2	0.01	39	<0.001	<1	0.05	0.011	0.04	0.1	<0.01	0.1	<0.1	0.08	<1	3.2	0.5	
2054096	Rock	0.01	0.009	4	2	0.01	65	0.001	<1	0.08	0.004	0.06	<0.1	0.04	0.1	<0.1	<0.05	<1	1.4	<0.2	
2054097	Rock	<0.01	0.004	<1	2	<0.01	19	<0.001	<1	0.02	0.002	0.02	<0.1	<0.01	<0.1	<0.1	<0.05	<1	0.7	<0.2	
2054098	Rock	0.06	0.024	<1	2	<0.01	19	<0.001	<1	0.03	0.004	<0.01	<0.1	0.04	0.3	<0.1	0.18	<1	<0.5	<0.2	
2054099	Rock	0.16	0.013	2	4	0.06	58	0.002	<1	0.09	0.005	0.03	0.1	0.01	0.8	<0.1	0.43	<1	1.0	<0.2	
2054100	Rock	10.18	0.075	2	3	0.89	55	<0.001	<1	0.06	0.026	0.02	<0.1	0.07	3.5	<0.1	0.55	<1	2.1	<0.2	
1798584	Rock	0.05	0.011	<1	2	<0.01	14	<0.001	<1	0.01	0.002	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1798585	Rock	7.03	0.016	1	56	3.66	133	<0.001	<1	0.09	0.017	0.05	<0.1	0.04	5.1	<0.1	0.43	<1	0.8	<0.2	
1798586	Rock	5.92	0.124	5	14	0.66	138	<0.001	<1	0.59	0.011	0.21	0.6	0.12	3.4	<0.1	0.84	1	10.0	<0.2	
1798587	Rock	1.68	0.069	10	38	1.81	274	0.003	1	1.35	0.018	0.20	<0.1	0.01	4.5	<0.1	0.21	4	0.9	<0.2	
1798588	Rock	2.63	0.073	5	29	1.43	330	<0.001	<1	1.27	0.010	0.16	<0.1	0.04	10.3	<0.1	0.16	3	0.5	<0.2	
1798589	Rock	0.02	0.003	<1	3	0.05	14	<0.001	<1	0.06	0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	0.8	<0.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000220.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
Pulp Duplicates																					
2054062	Rock	2.09	5.511	0.4	1.8	586.8	2	5.0	0.9	0.2	34	0.35	<0.5	0.4	823.4	0.2	1	0.1	0.3	3.2	<1
REP 2054062	QC			0.4	1.8	586.1	3	4.9	0.8	0.2	31	0.35	0.7	0.4	793.7	0.1	1	0.2	0.4	3.0	<1
2054070	Rock	2.31	0.071	0.2	26.3	382.1	5	3.8	0.5	0.2	32	0.48	3.0	0.1	56.4	0.3	4	<0.1	1.9	2.3	<1
REP 2054070	QC		0.070																		
2054076	Rock	1.23	0.191	0.2	2.8	1.7	7	0.1	1.0	0.4	81	0.38	0.7	<0.1	180.4	0.2	1	<0.1	0.4	<0.1	<1
REP 2054076	QC			0.2	3.0	1.8	7	0.2	0.9	0.5	74	0.38	0.7	<0.1	202.8	0.1	1	<0.1	0.4	<0.1	<1
2054092	Rock	0.69	0.724	0.4	22.4	84.0	40	0.9	1.6	0.7	127	0.56	1.1	0.5	564.8	<0.1	1	<0.1	0.2	<0.1	<1
REP 2054092	QC			0.4	22.2	82.7	40	1.3	1.6	0.7	128	0.56	0.7	0.5	4140.3	<0.1	1	<0.1	0.2	<0.1	<1
Core Reject Duplicates																					
2054074	Rock	0.60	>10	0.2	7.3	2.2	17	3.5	3.1	1.9	208	0.70	0.7	0.1	21986.0	0.6	2	0.2	1.2	<0.1	2
DUP 2054074	QC		1.801	0.2	8.0	1.9	18	1.1	3.2	1.9	224	0.67	<0.5	0.1	4167.7	0.6	2	0.2	1.1	<0.1	2
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard			11.0	4480.3	181.3	1849	2.7	162.2	25.0	750	3.73	117.7	3.7	215.4	13.9	56	5.9	2.7	22.3	71
STD DS11	Standard			13.9	141.2	132.4	342	1.7	74.8	12.7	1033	3.12	42.4	2.4	63.2	7.9	64	2.4	7.9	11.5	47
STD DS11	Standard			14.2	150.0	142.2	352	1.7	79.4	13.5	1030	3.12	42.7	2.6	88.7	8.5	71	2.5	9.0	12.2	48
STD OREAS262	Standard			0.7	110.4	51.8	149	0.5	63.2	25.8	538	3.24	34.3	1.1	58.4	8.5	34	0.6	4.4	1.0	21
STD OREAS262	Standard			0.6	112.0	52.8	147	0.5	64.9	27.0	540	3.27	35.3	1.2	53.3	8.7	34	0.6	3.7	0.9	21
STD OREAS262	Standard			0.7	117.0	60.1	155	0.4	64.3	27.5	538	3.25	37.4	1.3	69.5	10.0	38	0.7	5.9	1.1	21
STD OXB130	Standard		0.124																		
STD OXB130	Standard		0.119																		
STD OXB130	Standard		0.121																		
STD OXG141	Standard		0.948																		
STD OXG141	Standard		0.939																		
STD OXG141	Standard		0.950																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 21, 2020

Page:

1 of 3

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000220.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
Pulp Duplicates																					
2054062	Rock	<0.01	<0.001	<1	2	<0.01	119	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	1.0	2.0	
REP 2054062	QC	<0.01	<0.001	<1	2	<0.01	118	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	1.0	2.0	
2054070	Rock	<0.01	0.004	<1	2	<0.01	184	<0.001	<1	0.05	0.009	0.04	0.1	<0.01	0.2	<0.1	<0.05	<1	1.0	0.2	
REP 2054070	QC																				
2054076	Rock	<0.01	0.001	<1	4	0.02	69	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.02	0.6	<0.1	<0.05	<1	<0.5	<0.2	
REP 2054076	QC	<0.01	0.001	<1	4	0.02	68	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2	
2054092	Rock	<0.01	<0.001	<1	2	0.02	326	<0.001	<1	0.03	0.001	0.01	<0.1	<0.01	0.1	<0.1	0.11	<1	<0.5	<0.2	
REP 2054092	QC	<0.01	<0.001	<1	2	0.02	335	<0.001	<1	0.03	0.001	0.01	<0.1	<0.01	0.1	<0.1	0.11	<1	<0.5	<0.2	
Core Reject Duplicates																					
2054074	Rock	0.01	0.001	2	11	0.16	80	<0.001	<1	0.14	0.009	<0.01	<0.1	0.06	1.1	<0.1	0.06	<1	<0.5	<0.2	20.1
DUP 2054074	QC	0.01	0.001	2	12	0.17	86	<0.001	<1	0.16	0.008	<0.01	<0.1	0.06	1.1	<0.1	<0.05	<1	<0.5	0.2	
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard	1.35	0.071	25	185	1.33	308	0.243	4	2.36	0.196	0.89	4.9	0.09	6.0	0.7	0.65	8	4.9	1.1	
STD DS11	Standard	1.04	0.066	17	55	0.85	352	0.081	6	1.14	0.072	0.40	2.8	0.27	2.9	4.8	0.27	5	2.0	4.6	
STD DS11	Standard	1.06	0.069	20	58	0.85	361	0.094	6	1.17	0.074	0.40	3.0	0.26	3.3	4.9	0.26	5	2.3	4.6	
STD OREAS262	Standard	2.96	0.035	15	39	1.18	240	0.002	3	1.26	0.067	0.30	0.2	0.16	3.4	0.5	0.25	4	<0.5	0.2	
STD OREAS262	Standard	2.98	0.038	15	43	1.17	240	0.003	4	1.22	0.068	0.30	0.2	0.15	3.1	0.5	0.26	4	0.5	0.2	
STD OREAS262	Standard	3.00	0.042	18	42	1.17	236	0.003	4	1.29	0.068	0.31	0.2	0.15	3.5	0.5	0.25	4	<0.5	0.3	
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000220.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
STD OXN155	Standard		7.852																		
STD OXN155	Standard		7.751																		
STD OXN155	Standard		7.841																		
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ132	Standard																				
STD OXQ132	Standard																				
STD OXQ132	Standard																				
STD OXQ132	Standard																				
STD BVGE001 Expected				11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73
STD DS11 Expected				14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5
STD OXQ114 Expected																					
STD AGPROOF Expected																					
STD OXQ132 Expected																					
STD OXG141 Expected			0.93																		
STD OXN155 Expected			7.762																		
STD OXB130 Expected			0.125																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 21, 2020

Page:

2 of 3

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000220.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXQ114	Standard	35.1																			
STD OXQ114	Standard	35.6																			
STD OXQ114	Standard	35.5																			
STD OXQ132	Standard	35.2																			
STD OXQ132	Standard	34.4																			
STD OXQ132	Standard	34.9																			
STD OXQ132	Standard	34.8																			
STD BVGE001 Expected		1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXQ114 Expected		35.2																			
STD AGPROOF Expected		0																			
STD OXQ132 Expected		34.69																			
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.9																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.9																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.9																			
BLK	Blank	<0.9																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000220.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.8	2.8	1.8	29	<0.1	0.7	3.6	441	1.81	1.0	0.4	2.2	2.2	27	<0.1	<0.1	<0.1	23	
ROCK-WHI	Prep Blank	<0.005	0.7	2.3	1.0	23	<0.1	0.7	3.0	394	1.70	1.0	0.4	1.5	2.2	18	<0.1	<0.1	<0.1	21	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 21, 2020

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000220.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.62	0.041	5	2	0.44	63	0.084	<1	0.84	0.078	0.08	0.1	<0.01	2.4	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.50	0.038	5	2	0.41	49	0.057	<1	0.76	0.076	0.07	<0.1	<0.01	2.1	<0.1	<0.05	3	<0.5	<0.2	