



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 28, 2020  
Analysis Start: October 30, 2020  
Report Date: November 07, 2020  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI20000323.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG20-14  
P.O. Number  
Number of Samples: 40

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description                                    | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|-----------------------------------------------------|--------------|---------------|-----|
| PRP70-250      | 40                | Crush, split and pulverize 250 g rock to 200 mesh   |              |               | WHI |
| SLBHP          | 0                 | Sort, label and box pulps                           |              |               | WHI |
| FA430          | 40                | Lead Collection Fire - Assay Fusion - AAS Finish    | 30           | Completed     | VAN |
| EN002          | 40                | Environmental disposal charge-Fire assay lead waste |              |               | VAN |
| AQ201          | 40                | 1:1:1 Aqua Regia digestion ICP-MS analysis          | 15           | Completed     | VAN |
| SHP01          | 40                | Per sample shipping charges for branch shipments    |              |               | VAN |
| BAT01          | 1                 | Batch charge of <50 samples                         |              |               | VAN |
| FA530          | 5                 | Lead collection fire assay 30G fusion - Grav finish | 30           | Completed     | VAN |

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 2 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000323.1

|         | Method | Analyte | Unit | MDL | WGHT | FA430 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201   | AQ201 | AQ201 | AQ201 |      |      |     |
|---------|--------|---------|------|-----|------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|------|------|-----|
|         |        |         |      |     | Wgt  | Au    | Mo    | Cu    | Pb     | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au      | Th    | Sr    | Cd    | Sb   | Bi   | V   |
|         |        |         |      |     | kg   | ppm   | ppm   | ppm   | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb     | ppm   | ppm   | ppm   | ppm  | ppm  | ppm |
|         |        |         |      |     | 0.01 | 0.005 | 0.1   | 0.1   | 0.1    | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5     | 0.1   | 1     | 0.1   | 0.1  | 0.1  | 1   |
| 2054081 | Rock   |         |      |     | 0.92 | 0.022 | 1.2   | 20.2  | 553.6  | 60    | 1.1   | 1.4   | 2.2   | 1198  | 0.50  | 38.7  | 3.8   | 15.7    | 2.1   | 11    | 0.2   | 2.5  | 1.5  | <1  |
| 2054121 | Rock   |         |      |     | 0.69 | 0.322 | 12.8  | 28.7  | 149.2  | 37    | 7.8   | 0.8   | 0.3   | 52    | 0.72  | 2.8   | 1.8   | 242.9   | 2.0   | 37    | 0.4   | 4.6  | 1.5  | 1   |
| 2054122 | Rock   |         |      |     | 0.63 | 0.150 | 3.4   | 2.6   | 70.9   | 141   | 2.0   | 0.6   | 0.3   | 25    | 0.33  | 1.4   | 0.7   | 143.7   | 0.8   | 62    | 3.5   | 1.1  | 0.9  | <1  |
| 2054123 | Rock   |         |      |     | 0.93 | 0.461 | 30.3  | 53.9  | 419.2  | 51    | 12.6  | 0.6   | 0.4   | 41    | 0.62  | 2.7   | 0.6   | 466.6   | 0.6   | 12    | 0.6   | 4.6  | 3.7  | <1  |
| 2054124 | Rock   |         |      |     | 1.14 | 0.246 | 55.8  | 7.6   | 326.1  | 41    | 7.2   | 0.6   | 0.3   | 37    | 0.64  | 1.6   | 0.7   | 244.8   | 1.8   | 8     | 0.6   | 2.0  | 2.9  | 1   |
| 2054125 | Rock   |         |      |     | 0.71 | 1.926 | 0.6   | 6.6   | 41.6   | 32    | 13.0  | 0.8   | 0.5   | 35    | 0.47  | 1.0   | 0.1   | 1078.6  | 0.2   | 46    | 0.4   | 1.1  | 1.2  | <1  |
| 2054126 | Rock   |         |      |     | 0.77 | 3.163 | 2.0   | 61.2  | 778.4  | 228   | 41.0  | 0.5   | 0.2   | 34    | 0.51  | 9.9   | 0.4   | 4500.5  | <0.1  | 20    | 6.6   | 95.9 | 2.1  | <1  |
| 2054127 | Rock   |         |      |     | 1.10 | 2.788 | 0.5   | 39.7  | 345.4  | 83    | 8.3   | 4.0   | 1.1   | 124   | 3.29  | 1.9   | 0.6   | 3303.7  | 1.9   | 21    | <0.1  | 1.9  | 0.5  | 13  |
| 2054128 | Rock   |         |      |     | 0.73 | 0.080 | 0.8   | 6.0   | 10.8   | 8     | 0.4   | 0.9   | 0.4   | 41    | 0.53  | 1.0   | 0.2   | 68.7    | 0.5   | 2     | <0.1  | 0.6  | 0.2  | <1  |
| 2054129 | Rock   |         |      |     | 0.86 | 0.525 | 21.1  | 5.5   | 478.3  | 15    | 5.1   | 0.5   | 0.3   | 47    | 0.60  | 1.0   | 0.1   | 284.3   | <0.1  | 8     | 0.2   | 1.7  | 1.3  | <1  |
| 2054130 | Rock   |         |      |     | 0.45 | 0.010 | 1.3   | 47.5  | 80.4   | 115   | 0.2   | 9.6   | 7.4   | 240   | 1.09  | 1.5   | 1.2   | 3.3     | 0.4   | 5     | 0.7   | 0.3  | <0.1 | 2   |
| 2054131 | Rock   |         |      |     | 0.73 | >10   | 0.4   | 50.2  | 53.1   | 14    | 17.5  | 2.9   | 0.7   | 45    | 1.46  | 2.2   | 0.2   | 28395.1 | 0.7   | 43    | <0.1  | 0.8  | 0.4  | 1   |
| 2054132 | Rock   |         |      |     | 0.98 | >10   | 0.3   | 10.6  | 11.2   | 19    | 3.5   | 2.3   | 3.2   | 338   | 0.67  | 1.1   | 0.4   | 15559.1 | 0.7   | 38    | 0.1   | 0.6  | <0.1 | 1   |
| 2054133 | Rock   |         |      |     | 0.47 | >10   | 0.6   | 112.9 | 26.9   | 13    | 21.1  | 6.3   | 1.6   | 68    | 2.29  | 3.1   | 0.5   | 20539.9 | 0.7   | 41    | <0.1  | 1.7  | 0.3  | 2   |
| 2054134 | Rock   |         |      |     | 0.97 | >10   | 0.1   | 28.4  | 9.6    | 12    | 10.4  | 2.7   | 1.4   | 83    | 1.06  | 0.7   | 0.2   | 29173.7 | 0.5   | 79    | 0.1   | 0.5  | <0.1 | 2   |
| 2054109 | Rock   |         |      |     | 1.06 | 2.035 | 7.5   | 8.5   | 361.4  | 93    | 19.7  | 0.8   | 0.7   | 60    | 1.54  | 5.3   | 4.1   | 3094.1  | 1.1   | 102   | 0.6   | 2.9  | 2.9  | <1  |
| 2054110 | Rock   |         |      |     | 1.45 | 0.790 | 1.0   | 3.8   | 39.6   | 39    | 4.7   | 0.9   | 0.4   | 44    | 0.86  | 2.3   | 1.1   | 1755.2  | 0.7   | 67    | 0.4   | 0.9  | 0.1  | <1  |
| 2054111 | Rock   |         |      |     | 0.74 | 2.246 | 0.5   | 3.6   | 14.9   | 168   | 4.7   | 0.8   | 1.0   | 51    | 1.21  | 1.0   | 1.0   | 519.7   | 3.1   | 5     | 2.5   | 0.6  | 0.4  | 2   |
| 2054112 | Rock   |         |      |     | 1.48 | 0.419 | 3.9   | 8.2   | 174.4  | 52    | 9.0   | 0.6   | 0.3   | 35    | 0.47  | 1.1   | 0.1   | 220.1   | 0.1   | 74    | 1.2   | 2.7  | 0.9  | <1  |
| 2054113 | Rock   |         |      |     | 1.84 | 0.323 | 3.9   | 17.7  | 207.9  | 45    | 12.3  | 0.8   | 0.3   | 36    | 0.50  | 1.0   | 0.1   | 290.2   | <0.1  | 36    | 1.1   | 4.0  | 0.8  | <1  |
| 2054114 | Rock   |         |      |     | 1.32 | 0.348 | 17.9  | 2.1   | 683.0  | 19    | 4.9   | 0.5   | 0.2   | 45    | 0.52  | 1.4   | 0.1   | 128.8   | <0.1  | 8     | 0.4   | 2.1  | 3.8  | 1   |
| 2054115 | Rock   |         |      |     | 1.26 | 2.077 | 1.9   | 45.0  | 6066.7 | 59    | >100  | 0.4   | 0.3   | 39    | 0.57  | 6.7   | 0.6   | 2354.4  | <0.1  | 100   | 1.4   | 62.0 | 11.6 | <1  |
| 2054116 | Rock   |         |      |     | 2.25 | 0.810 | 1.8   | 20.2  | 1249.6 | 21    | 62.5  | 0.8   | 0.3   | 36    | 0.49  | 2.4   | 0.1   | 649.9   | <0.1  | 120   | 0.4   | 18.2 | 3.1  | <1  |
| 2054117 | Rock   |         |      |     | 1.17 | 0.055 | 0.5   | 1.8   | 25.1   | 7     | 0.9   | 1.1   | 0.5   | 55    | 0.53  | 0.9   | 0.2   | 31.5    | 0.3   | 28    | <0.1  | 0.5  | 0.2  | 3   |
| 2054118 | Rock   |         |      |     | 0.37 | 0.072 | 3.5   | 4.2   | 54.8   | 8     | 3.3   | 1.7   | 0.9   | 61    | 0.57  | 1.3   | <0.1  | 89.0    | 0.4   | 35    | <0.1  | 1.2  | 0.5  | 4   |
| 2054119 | Rock   |         |      |     | 2.08 | 0.180 | 1.0   | 2.9   | 186.6  | 18    | 6.6   | 0.8   | 0.3   | 37    | 0.44  | 0.7   | 0.1   | 90.3    | <0.1  | 126   | 0.4   | 2.9  | 1.0  | <1  |
| 2054120 | Rock   |         |      |     | 2.08 | 0.076 | 32.9  | 2.7   | 166.6  | 15    | 3.3   | 0.5   | 0.2   | 43    | 0.42  | 0.8   | 0.2   | 73.1    | 0.4   | 8     | 0.2   | 0.6  | 0.9  | 1   |
| 2054101 | Rock   |         |      |     | 1.26 | 0.517 | 23.9  | 10.9  | 741.1  | 24    | 14.9  | 0.6   | 0.3   | 36    | 0.92  | 1.1   | 0.9   | 582.7   | 0.3   | 5     | 0.5   | 1.9  | 5.8  | <1  |
| 2054102 | Rock   |         |      |     | 0.91 | 0.496 | 15.3  | 1.4   | 705.8  | 79    | 9.1   | 0.7   | 0.3   | 33    | 0.46  | 0.5   | 0.4   | 541.1   | 1.0   | 11    | 2.0   | 1.5  | 1.8  | <1  |
| 2054103 | Rock   |         |      |     | 2.47 | 0.347 | 10.6  | 2.4   | 574.9  | 93    | 11.0  | 0.4   | 0.2   | 45    | 0.47  | <0.5  | 0.2   | 402.2   | 0.3   | 44    | 2.3   | 0.8  | 1.4  | 1   |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 2 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000323.1

| Method  | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | FA530 |
|---------|-------|-------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Ca    | P     | La     | Cr    | Mg    | Ba    | Ti    | B      | Al    | Na    | K      | W     | Hg    | Sc    | Tl    | S     | Ga    | Se    | Te    | Ag    |
| Unit    | %     | %     | ppm    | ppm   | %     | ppm   | %     | ppm    | %     | %     | %      | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   |
| MDL     | 0.01  | 0.001 | 1      | 1     | 0.01  | 1     | 0.001 | 1      | 0.01  | 0.001 | 0.01   | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  | 1     | 0.5   | 0.2   | 20    |
| 2054081 | Rock  | 0.01  | 0.002  | 11    | 1     | <0.01 | 2704  | <0.001 | <1    | 0.19  | 0.003  | 0.08  | <0.1  | 0.04  | 0.1   | <0.1  | 0.05  | <1    | <0.5  | <0.2  |
| 2054121 | Rock  | <0.01 | <0.001 | 2     | 4     | <0.01 | 1233  | 0.001  | <1    | 0.02  | 0.002  | <0.01 | 0.6   | 0.05  | <0.1  | <0.1  | 0.10  | <1    | <0.5  | 2.5   |
| 2054122 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 1563  | <0.001 | <1    | 0.01  | <0.001 | <0.01 | 0.3   | 0.30  | <0.1  | <0.1  | 0.10  | <1    | <0.5  | 0.8   |
| 2054123 | Rock  | <0.01 | <0.001 | 1     | 1     | <0.01 | 618   | <0.001 | <1    | 0.03  | 0.003  | 0.02  | <0.1  | 0.08  | <0.1  | <0.1  | 0.18  | <1    | 0.9   | 4.5   |
| 2054124 | Rock  | <0.01 | <0.001 | 3     | 3     | 0.01  | 522   | 0.001  | <1    | 0.06  | 0.005  | 0.04  | 0.2   | 0.06  | <0.1  | <0.1  | 0.15  | <1    | 0.6   | 2.3   |
| 2054125 | Rock  | <0.01 | <0.001 | 1     | 2     | 0.04  | 2014  | <0.001 | <1    | 0.04  | 0.003  | <0.01 | <0.1  | 0.04  | <0.1  | <0.1  | 0.09  | <1    | <0.5  | 3.9   |
| 2054126 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 1326  | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | 0.36  | <0.1  | <0.1  | 0.09  | <1    | 1.4   | 10.3  |
| 2054127 | Rock  | 0.03  | 0.048  | 3     | 40    | 0.63  | 1480  | 0.002  | <1    | 0.53  | 0.021  | 0.04  | 0.1   | 0.03  | 1.2   | <0.1  | 0.13  | 2     | 0.7   | 4.7   |
| 2054128 | Rock  | <0.01 | <0.001 | 1     | 2     | <0.01 | 85    | <0.001 | <1    | 0.03  | 0.001  | 0.02  | 0.3   | 0.02  | <0.1  | <0.1  | <0.05 | <1    | <0.5  | 0.4   |
| 2054129 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 312   | <0.001 | <1    | <0.01 | 0.001  | <0.01 | 0.1   | 0.09  | <0.1  | <0.1  | <0.05 | <1    | 0.7   | 1.9   |
| 2054130 | Rock  | 0.02  | 0.013  | 1     | 7     | 0.02  | 57    | <0.001 | <1    | 0.16  | 0.004  | 0.01  | 0.1   | 0.02  | 0.5   | <0.1  | <0.05 | <1    | <0.5  | <0.2  |
| 2054131 | Rock  | 0.01  | 0.019  | 2     | 5     | 0.03  | 1858  | 0.001  | <1    | 0.08  | 0.009  | 0.05  | 0.2   | 0.03  | 0.4   | <0.1  | 0.12  | <1    | <0.5  | 14.5  |
| 2054132 | Rock  | 0.02  | 0.005  | 2     | 3     | 0.07  | 1830  | 0.003  | <1    | 0.13  | 0.007  | 0.03  | 0.2   | 0.01  | 0.5   | <0.1  | <0.05 | <1    | <0.5  | 1.8   |
| 2054133 | Rock  | <0.01 | 0.025  | 2     | 5     | 0.05  | 1366  | <0.001 | <1    | 0.11  | 0.006  | 0.05  | 0.2   | 0.04  | 0.5   | <0.1  | 0.12  | <1    | 0.7   | 10.8  |
| 2054134 | Rock  | 0.02  | 0.009  | 2     | 6     | 0.03  | 2082  | 0.002  | <1    | 0.07  | 0.012  | 0.03  | 0.2   | 0.02  | 0.3   | <0.1  | 0.09  | <1    | <0.5  | 7.4   |
| 2054109 | Rock  | <0.01 | 0.001  | 4     | 2     | 0.03  | 1477  | <0.001 | <1    | 0.08  | 0.006  | 0.02  | 0.1   | 0.03  | 0.8   | <0.1  | 0.09  | <1    | 0.8   | 8.1   |
| 2054110 | Rock  | <0.01 | <0.001 | 2     | 2     | 0.01  | 2390  | <0.001 | <1    | 0.04  | 0.005  | 0.01  | 0.2   | 0.02  | 0.3   | <0.1  | 0.07  | <1    | <0.5  | 2.6   |
| 2054111 | Rock  | <0.01 | 0.002  | 3     | 4     | <0.01 | 242   | 0.001  | <1    | 0.10  | 0.023  | 0.04  | 0.2   | 0.34  | <0.1  | <0.1  | 0.61  | <1    | 0.5   | 2.4   |
| 2054112 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 2045  | 0.001  | <1    | 0.03  | 0.002  | <0.01 | <0.1  | 0.15  | <0.1  | <0.1  | 0.10  | <1    | <0.5  | 1.6   |
| 2054113 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 1282  | <0.001 | <1    | <0.01 | 0.001  | <0.01 | 0.2   | 0.06  | <0.1  | <0.1  | 0.13  | <1    | <0.5  | 2.4   |
| 2054114 | Rock  | <0.01 | 0.002  | <1    | 4     | <0.01 | 453   | <0.001 | <1    | 0.01  | 0.001  | <0.01 | 0.2   | 0.10  | <0.1  | <0.1  | <0.05 | <1    | 1.0   | 0.9   |
| 2054115 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 971   | <0.001 | <1    | <0.01 | 0.001  | <0.01 | 0.1   | 0.27  | <0.1  | <0.1  | 0.15  | <1    | 4.4   | 13.2  |
| 2054116 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 1640  | <0.001 | <1    | <0.01 | 0.002  | <0.01 | 0.2   | 0.05  | <0.1  | <0.1  | 0.11  | <1    | 1.4   | 4.0   |
| 2054117 | Rock  | 0.01  | <0.001 | <1    | 5     | 0.02  | 1191  | 0.004  | <1    | 0.07  | 0.004  | 0.01  | 0.2   | 0.04  | 0.2   | <0.1  | 0.06  | <1    | <0.5  | 0.3   |
| 2054118 | Rock  | 0.02  | 0.002  | 1     | 4     | 0.03  | 2114  | 0.007  | <1    | 0.13  | 0.005  | 0.02  | <0.1  | 0.04  | 0.4   | <0.1  | 0.05  | <1    | <0.5  | 0.9   |
| 2054119 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 2231  | <0.001 | <1    | 0.01  | 0.002  | <0.01 | 0.2   | 0.05  | <0.1  | <0.1  | 0.09  | <1    | <0.5  | 1.5   |
| 2054120 | Rock  | <0.01 | <0.001 | <1    | 4     | <0.01 | 662   | <0.001 | <1    | 0.03  | 0.002  | 0.01  | 0.2   | 0.08  | <0.1  | <0.1  | <0.05 | <1    | <0.5  | 1.6   |
| 2054101 | Rock  | <0.01 | <0.001 | <1    | 2     | <0.01 | 409   | <0.001 | <1    | 0.02  | 0.001  | 0.01  | 0.2   | 0.04  | <0.1  | <0.1  | 0.37  | <1    | 1.9   | 7.8   |
| 2054102 | Rock  | <0.01 | <0.001 | 1     | 2     | <0.01 | 359   | <0.001 | <1    | 0.04  | 0.003  | 0.03  | 0.3   | 0.32  | <0.1  | <0.1  | 0.12  | <1    | 1.0   | 2.7   |
| 2054103 | Rock  | <0.01 | <0.001 | <1    | 4     | <0.01 | 1494  | <0.001 | <1    | 0.02  | 0.002  | 0.02  | 0.2   | 0.26  | <0.1  | <0.1  | 0.09  | <1    | 0.8   | 3.4   |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: November 07, 2020

Page: 2 of 3

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI20000323.1

|         | Method | FA530 |
|---------|--------|-------|
| Analyte | Au     |       |
| Unit    | ppm    |       |
| MDL     | 0.9    |       |
| 2054081 | Rock   |       |
| 2054121 | Rock   |       |
| 2054122 | Rock   |       |
| 2054123 | Rock   |       |
| 2054124 | Rock   |       |
| 2054125 | Rock   |       |
| 2054126 | Rock   |       |
| 2054127 | Rock   |       |
| 2054128 | Rock   |       |
| 2054129 | Rock   |       |
| 2054130 | Rock   |       |
| 2054131 | Rock   | 13.9  |
| 2054132 | Rock   | 14.2  |
| 2054133 | Rock   | 24.0  |
| 2054134 | Rock   | 43.8  |
| 2054109 | Rock   |       |
| 2054110 | Rock   |       |
| 2054111 | Rock   |       |
| 2054112 | Rock   |       |
| 2054113 | Rock   |       |
| 2054114 | Rock   |       |
| 2054115 | Rock   | 2.3   |
| 2054116 | Rock   |       |
| 2054117 | Rock   |       |
| 2054118 | Rock   |       |
| 2054119 | Rock   |       |
| 2054120 | Rock   |       |
| 2054101 | Rock   |       |
| 2054102 | Rock   |       |
| 2054103 | Rock   |       |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 3 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000323.1

|         | Method  | WGHT | FA430 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|         | Analyte | Wgt  | Au    | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    | Cd    | Sb    | Bi    | V     |
|         | Unit    | kg   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   |
|         | MDL     | 0.01 | 0.005 | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     |
| 2054104 | Rock    | 0.66 | 0.283 | 11.6  | 2.3   | 98.5  | 5     | 8.6   | 0.4   | 0.3   | 34    | 0.49  | 0.6   | 0.2   | 291.3  | 0.5   | 18    | <0.1  | 0.6   | 1.0   | <1    |
| 2054105 | Rock    | 2.19 | 0.916 | 0.8   | 5.9   | 395.5 | 18    | 5.7   | 0.4   | 0.2   | 41    | 0.84  | 1.4   | 1.4   | 455.7  | 0.8   | 25    | 0.3   | 1.7   | 0.7   | <1    |
| 2054106 | Rock    | 1.51 | 0.300 | 0.4   | 4.4   | 33.6  | 24    | 2.8   | 0.5   | 0.2   | 23    | 0.87  | 2.1   | 0.7   | 201.5  | 0.4   | 5     | 0.3   | 0.7   | 0.2   | <1    |
| 2054107 | Rock    | 1.18 | 4.562 | 2.4   | 9.3   | 711.9 | 38    | 7.6   | 0.7   | 0.4   | 45    | 0.83  | 3.0   | 1.1   | 1429.0 | 0.6   | 43    | 0.2   | 2.8   | 1.9   | <1    |
| 2054108 | Rock    | 1.67 | 0.528 | 0.8   | 5.1   | 403.7 | 16    | 6.5   | 1.0   | 0.4   | 43    | 0.75  | 1.1   | 1.4   | 612.9  | 3.0   | 26    | 0.2   | 1.6   | 1.2   | <1    |
| 1798590 | Rock    | 0.57 | 0.244 | 0.2   | 5.8   | 70.1  | 7     | 0.6   | 0.8   | 0.6   | 60    | 0.68  | 1.2   | 0.2   | 237.7  | 0.2   | 86    | <0.1  | 1.5   | 0.2   | 1     |
| 1798591 | Rock    | 0.63 | 1.370 | 2.2   | 44.9  | 605.6 | 10    | 11.2  | 0.7   | 0.4   | 51    | 0.74  | 3.3   | 1.6   | 1255.1 | 4.2   | 42    | <0.1  | 3.0   | 3.9   | <1    |
| 1798592 | Rock    | 0.65 | 0.141 | 0.3   | 1.2   | 13.5  | 4     | 2.1   | 1.1   | 0.6   | 45    | 0.47  | 0.9   | 0.2   | 144.6  | 1.0   | 2     | <0.1  | 0.1   | <0.1  | <1    |
| 1798593 | Rock    | 0.99 | 0.037 | 0.2   | 1.4   | 126.1 | 8     | 0.6   | 0.6   | 0.4   | 83    | 0.55  | 2.1   | 0.6   | 35.4   | 4.5   | 3     | <0.1  | 0.3   | 1.1   | 1     |
| 1798594 | Rock    | 0.51 | 0.173 | 0.5   | 5.6   | 223.5 | 123   | 3.9   | 0.8   | 0.4   | 87    | 0.80  | 1.9   | 0.9   | 169.5  | 0.4   | 4     | 0.8   | 1.3   | 1.8   | <1    |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 3 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000323.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | FA530 |
|---------|----------------------------------|-------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Ca    | P      | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na     | K     | W     | Hg    | Sc    | Tl    | S     | Ga    | Se    | Te    | Ag    |
|         |                                  | %     | %      | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %      | %     | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   |
|         |                                  | 0.01  | 0.001  | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001  | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  | 1     | 0.5   | 0.2   | 20    |
|         |                                  |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |       |       |       |       |
| 2054104 | Rock                             | <0.01 | <0.001 | 1     | 2     | <0.01 | 810   | <0.001 | <1    | 0.03  | 0.003  | 0.02  | 0.1   | 0.02  | <0.1  | <0.1  | 0.13  | <1    | <0.5  | 5.9   |       |
| 2054105 | Rock                             | <0.01 | <0.001 | 2     | 4     | <0.01 | 863   | <0.001 | <1    | 0.01  | 0.004  | <0.01 | 0.2   | 0.01  | <0.1  | <0.1  | 0.09  | <1    | 0.6   | 2.3   |       |
| 2054106 | Rock                             | <0.01 | 0.001  | 4     | 2     | <0.01 | 401   | <0.001 | <1    | <0.01 | <0.001 | <0.01 | 0.2   | 0.02  | <0.1  | <0.1  | 0.29  | <1    | <0.5  | 1.5   |       |
| 2054107 | Rock                             | <0.01 | 0.001  | 1     | 2     | <0.01 | 1554  | <0.001 | <1    | 0.03  | 0.004  | 0.01  | 0.1   | 0.04  | 0.1   | <0.1  | 0.10  | <1    | 1.6   | 4.5   |       |
| 2054108 | Rock                             | <0.01 | <0.001 | 5     | 2     | <0.01 | 1013  | <0.001 | <1    | 0.08  | 0.023  | 0.06  | 0.4   | 0.01  | 0.1   | <0.1  | 0.10  | <1    | 0.6   | 2.8   |       |
| 1798590 | Rock                             | <0.01 | 0.004  | <1    | 4     | <0.01 | 2386  | <0.001 | <1    | 0.04  | 0.002  | 0.02  | 0.1   | <0.01 | 0.1   | <0.1  | 0.08  | <1    | <0.5  | 0.4   |       |
| 1798591 | Rock                             | <0.01 | 0.002  | 11    | 2     | 0.04  | 633   | <0.001 | <1    | 0.19  | 0.040  | 0.12  | <0.1  | 0.01  | 0.3   | <0.1  | 0.24  | 1     | 2.8   | 1.3   |       |
| 1798592 | Rock                             | <0.01 | 0.001  | 3     | 2     | 0.01  | 145   | <0.001 | <1    | 0.05  | 0.006  | 0.03  | 0.2   | <0.01 | <0.1  | <0.1  | <0.05 | <1    | <0.5  | 1.5   |       |
| 1798593 | Rock                             | <0.01 | 0.003  | 13    | 4     | 0.04  | 291   | <0.001 | <1    | 0.17  | 0.034  | 0.11  | <0.1  | <0.01 | 0.2   | <0.1  | <0.05 | <1    | <0.5  | <0.2  |       |
| 1798594 | Rock                             | <0.01 | 0.001  | <1    | 2     | 0.02  | 982   | <0.001 | <1    | 0.07  | 0.001  | 0.01  | 0.1   | 1.32  | 0.3   | <0.1  | <0.05 | <1    | 1.1   | 0.9   |       |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 3 of 3

**Part:** 3 of 3

## CERTIFICATE OF ANALYSIS

WHI20000323.1

|         | Method  | FA530 |
|---------|---------|-------|
|         | Analyte | Au    |
|         | Unit    | ppm   |
|         | MDL     | 0.9   |
| 2054104 | Rock    |       |
| 2054105 | Rock    |       |
| 2054106 | Rock    |       |
| 2054107 | Rock    |       |
| 2054108 | Rock    |       |
| 1798590 | Rock    |       |
| 1798591 | Rock    |       |
| 1798592 | Rock    |       |
| 1798593 | Rock    |       |
| 1798594 | Rock    |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

November 07, 2020

Page:

1 of 2

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI20000323.1

|                        | Method<br>Analyte<br>Unit<br>MDL | WGHT | FA430 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|                        |                                  | Wgt  | Au    | Mo    | Cu     | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    | Cd    | Sb    | Bi    | V     |
|                        |                                  | kg   | ppm   | ppm   | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   |
|                        |                                  | 0.01 | 0.005 | 0.1   | 0.1    | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1    | 0.5   | 0.1   | 1     | 0.1   | 0.1   | 0.1   |
| Pulp Duplicates        |                                  |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| 2054117                | Rock                             | 1.17 | 0.055 | 0.5   | 1.8    | 25.1  | 7     | 0.9   | 1.1   | 0.5   | 55    | 0.53  | 0.9   | 0.2   | 31.5   | 0.3   | 28    | <0.1  | 0.5   | 0.2   | 3     |
| REP 2054117            | QC                               |      |       | 0.5   | 1.8    | 25.2  | 7     | 0.9   | 1.1   | 0.4   | 54    | 0.54  | 0.9   | 0.2   | 33.8   | 0.3   | 29    | <0.1  | 0.5   | 0.2   | 3     |
| 1798592                | Rock                             | 0.65 | 0.141 | 0.3   | 1.2    | 13.5  | 4     | 2.1   | 1.1   | 0.6   | 45    | 0.47  | 0.9   | 0.2   | 144.6  | 1.0   | 2     | <0.1  | 0.1   | <0.1  | <1    |
| REP 1798592            | QC                               |      |       | 0.3   | 1.2    | 13.8  | 4     | 2.7   | 1.1   | 0.6   | 46    | 0.46  | 1.1   | 0.2   | 5735.4 | 1.0   | 2     | <0.1  | 0.1   | <0.1  | <1    |
| 1798593                | Rock                             | 0.99 | 0.037 | 0.2   | 1.4    | 126.1 | 8     | 0.6   | 0.6   | 0.4   | 83    | 0.55  | 2.1   | 0.6   | 35.4   | 4.5   | 3     | <0.1  | 0.3   | 1.1   | 1     |
| REP 1798593            | QC                               |      | 0.039 |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| Core Reject Duplicates |                                  |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| 2054106                | Rock                             | 1.51 | 0.300 | 0.4   | 4.4    | 33.6  | 24    | 2.8   | 0.5   | 0.2   | 23    | 0.87  | 2.1   | 0.7   | 201.5  | 0.4   | 5     | 0.3   | 0.7   | 0.2   | <1    |
| DUP 2054106            | QC                               |      | 0.214 | 0.4   | 4.5    | 33.7  | 24    | 2.8   | 0.6   | 0.2   | 23    | 0.87  | 2.3   | 0.7   | 186.7  | 0.4   | 5     | 0.3   | 0.7   | 0.2   | <1    |
| Reference Materials    |                                  |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD AGPROOF            | Standard                         |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD BVGEO01            | Standard                         |      |       | 10.3  | 4255.8 | 174.6 | 1682  | 2.5   | 162.1 | 23.5  | 689   | 3.53  | 106.6 | 3.4   | 210.9  | 12.6  | 53    | 5.9   | 3.5   | 22.9  | 72    |
| STD DS11               | Standard                         |      |       | 14.5  | 150.1  | 133.0 | 345   | 1.7   | 81.0  | 14.1  | 1061  | 3.29  | 42.8  | 2.4   | 66.4   | 7.5   | 68    | 2.2   | 8.1   | 11.1  | 49    |
| STD OREAS262           | Standard                         |      |       | 0.7   | 112.9  | 53.5  | 143   | 0.5   | 64.7  | 27.2  | 543   | 3.23  | 34.2  | 1.2   | 64.3   | 8.8   | 35    | 0.6   | 5.4   | 1.0   | 23    |
| STD OREAS262           | Standard                         |      |       | 0.7   | 113.9  | 54.6  | 147   | 0.5   | 63.3  | 27.1  | 523   | 3.29  | 33.9  | 1.1   | 62.1   | 8.8   | 34    | 0.6   | 5.3   | 0.9   | 22    |
| STD OXB130             | Standard                         |      | 0.122 |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD OXG141             | Standard                         |      | 0.961 |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD OXN155             | Standard                         |      | 7.748 |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD OXQ114             | Standard                         |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD OXQ132             | Standard                         |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD BVGEO01 Expected   |                                  |      |       | 11.2  | 4415   | 187   | 1741  | 2.53  | 163   | 25    | 733   | 3.7   | 121   | 3.77  | 219    | 14.4  | 55    | 6.5   | 3.39  | 25.6  | 73    |
| STD OXG141 Expected    |                                  |      | 0.93  |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD OXN155 Expected    |                                  |      | 7.762 |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD OXB130 Expected    |                                  |      | 0.125 |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD DS11 Expected      |                                  |      |       | 14.6  | 149    | 138   | 345   | 1.71  | 77.7  | 14.2  | 1055  | 3.1   | 42.8  | 2.59  | 79     | 7.65  | 67.3  | 2.37  | 8.74  | 12.2  | 50    |
| STD OREAS262 Expected  |                                  |      |       | 0.68  | 118    | 56    | 154   | 0.45  | 62    | 26.9  | 530   | 3.284 | 35.8  | 1.22  | 65     | 9.33  | 36    | 0.61  | 5.06  | 1.03  | 22.5  |
| STD AGPROOF Expected   |                                  |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |
| STD OXQ114 Expected    |                                  |      |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 1 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI20000323.1

| Method                 | AQ201    | AQ201  | AQ201  | AQ201 | AQ201 | AQ201  | AQ201 | AQ201  | AQ201 | AQ201  | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | FA530 |
|------------------------|----------|--------|--------|-------|-------|--------|-------|--------|-------|--------|--------|-------|-------|-------|-------|-------|--------|-------|-------|-------|
| Analyte                | Ca       | P      | La     | Cr    | Mg    | Ba     | Ti    | B      | Al    | Na     | K      | W     | Hg    | Sc    | Ti    | S     | Ga     | Se    | Te    | Ag    |
| Unit                   | %        | %      | ppm    | ppm   | %     | ppm    | %     | ppm    | %     | %      | %      | ppm   | ppm   | ppm   | ppm   | %     | ppm    | ppm   | ppm   | ppm   |
| MDL                    | 0.01     | 0.001  | 1      | 1     | 0.01  | 1      | 0.001 | 1      | 0.01  | 0.001  | 0.01   | 0.1   | 0.01  | 0.1   | 0.01  | 0.05  | 1      | 0.5   | 0.2   | 20    |
| Pulp Duplicates        |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| 2054117                | Rock     | 0.01   | <0.001 | <1    | 5     | 0.02   | 1191  | 0.004  | <1    | 0.07   | 0.004  | 0.01  | 0.2   | 0.04  | 0.2   | <0.1  | 0.06   | <1    | <0.5  | 0.3   |
| REP 2054117            | QC       | 0.01   | <0.001 | <1    | 5     | 0.02   | 1250  | 0.004  | <1    | 0.07   | 0.004  | 0.01  | 0.2   | 0.05  | 0.2   | <0.1  | 0.06   | <1    | <0.5  | 0.3   |
| 1798592                | Rock     | <0.01  | 0.001  | 3     | 2     | 0.01   | 145   | <0.001 | <1    | 0.05   | 0.006  | 0.03  | 0.2   | <0.01 | <0.1  | <0.1  | <0.05  | <1    | <0.5  | 1.5   |
| REP 1798592            | QC       | <0.01  | 0.001  | 3     | 2     | 0.02   | 149   | <0.001 | <1    | 0.05   | 0.006  | 0.03  | 0.2   | <0.01 | <0.1  | <0.1  | <0.05  | <1    | <0.5  | 1.5   |
| 1798593                | Rock     | <0.01  | 0.003  | 13    | 4     | 0.04   | 291   | <0.001 | <1    | 0.17   | 0.034  | 0.11  | <0.1  | <0.01 | 0.2   | <0.1  | <0.05  | <1    | <0.5  | <0.2  |
| REP 1798593            | QC       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| Core Reject Duplicates |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| 2054106                | Rock     | <0.01  | 0.001  | 4     | 2     | <0.01  | 401   | <0.001 | <1    | <0.01  | <0.001 | <0.01 | 0.2   | 0.02  | <0.1  | <0.1  | 0.29   | <1    | <0.5  | 1.5   |
| DUP 2054106            | QC       | <0.01  | 0.001  | 4     | 2     | <0.01  | 391   | <0.001 | <1    | <0.01  | <0.001 | <0.01 | 0.2   | 0.02  | <0.1  | <0.1  | 0.30   | <1    | <0.5  | 1.6   |
| Reference Materials    |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| STD AGPROOF            | Standard |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       | 99    |
| STD BVGEO01            | Standard | 1.24   | 0.068  | 24    | 179   | 1.27   | 292   | 0.211  | 3     | 2.13   | 0.184  | 0.85  | 5.2   | 0.08  | 5.5   | 0.6   | 0.67   | 9     | 4.6   | 1.0   |
| STD DS11               | Standard | 1.10   | 0.068  | 19    | 61    | 0.86   | 376   | 0.097  | 7     | 1.23   | 0.081  | 0.42  | 2.8   | 0.28  | 3.3   | 4.8   | 0.28   | 5     | 2.3   | 4.7   |
| STD OREAS262           | Standard | 2.87   | 0.037  | 17    | 46    | 1.20   | 245   | 0.002  | 4     | 1.43   | 0.069  | 0.33  | 0.2   | 0.17  | 3.3   | 0.5   | 0.27   | 5     | 0.6   | 0.2   |
| STD OREAS262           | Standard | 3.02   | 0.039  | 16    | 43    | 1.16   | 242   | 0.002  | 4     | 1.33   | 0.069  | 0.31  | 0.2   | 0.18  | 3.0   | 0.5   | 0.26   | 4     | 0.5   | 0.2   |
| STD OXB130             | Standard |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| STD OXG141             | Standard |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| STD OXN155             | Standard |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| STD OXQ114             | Standard |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       | 126   |
| STD OXQ132             | Standard |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       | 127   |
| STD BVGEO01 Expected   |          | 1.3219 | 0.0727 | 25.9  | 187   | 1.2963 | 260   | 0.233  | 3.8   | 2.347  | 0.1924 | 0.89  | 5.3   | 0.1   | 5.97  | 0.62  | 0.6655 | 7.37  | 4.84  | 1.02  |
| STD OXG141 Expected    |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| STD OXN155 Expected    |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| STD OXB130 Expected    |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       |       |
| STD DS11 Expected      |          | 1.063  | 0.0701 | 18.6  | 61.5  | 0.85   | 385   | 0.0976 |       | 1.1795 | 0.0762 | 0.4   | 2.9   | 0.26  | 3.4   | 4.9   | 0.2835 | 5.1   | 2.2   | 4.56  |
| STD OREAS262 Expected  |          | 2.98   | 0.04   | 15.9  | 41.7  | 1.17   | 248   | 0.0027 | 4     | 1.3    | 0.071  | 0.312 | 0.2   | 0.17  | 3.24  | 0.47  | 0.253  | 4.1   | 0.4   | 0.23  |
| STD AGPROOF Expected   |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       | 96    |
| STD OXQ114 Expected    |          |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |       |       | 127.1 |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 1 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI20000323.1

|                        | Method   | FA530 |
|------------------------|----------|-------|
| Analyte                | Au       |       |
| Unit                   | ppm      |       |
| MDL                    | 0.9      |       |
| Pulp Duplicates        |          |       |
| 2054117                | Rock     |       |
| REP 2054117            | QC       |       |
| 1798592                | Rock     |       |
| REP 1798592            | QC       |       |
| 1798593                | Rock     |       |
| REP 1798593            | QC       |       |
| Core Reject Duplicates |          |       |
| 2054106                | Rock     |       |
| DUP 2054106            | QC       |       |
| Reference Materials    |          |       |
| STD AGPROOF            | Standard | <0.9  |
| STD BVGE001            | Standard |       |
| STD DS11               | Standard |       |
| STD OREAS262           | Standard |       |
| STD OREAS262           | Standard |       |
| STD OXB130             | Standard |       |
| STD OXG141             | Standard |       |
| STD OXN155             | Standard |       |
| STD OXQ114             | Standard | 35.0  |
| STD OXQ132             | Standard | 35.0  |
| STD BVGE001 Expected   |          |       |
| STD OXG141 Expected    |          |       |
| STD OXN155 Expected    |          |       |
| STD OXB130 Expected    |          |       |
| STD DS11 Expected      |          |       |
| STD OREAS262 Expected  |          |       |
| STD AGPROOF Expected   |          | 0     |
| STD OXQ114 Expected    |          | 35.2  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI20000323.1

|                     |            | WGHT | FA430  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------------------|------------|------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                     |            | Wgt  | Au     | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    | Cd    | Sb    | Bi    | V     |
|                     |            | kg   | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   |
|                     |            | 0.01 | 0.005  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     |
| STD OXQ132 Expected |            |      |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |        | <0.1  | <0.1  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <1    |
| BLK                 | Blank      |      | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |        | <0.1  | <0.1  | 0.2   | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <1    |
| BLK                 | Blank      |      |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Prep Wash           |            |      |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| ROCK-WHI            | Prep Blank |      | <0.005 | 0.7   | 3.6   | 5.4   | 104   | <0.1  | 1.4   | 3.8   | 437   | 1.85  | 3.7   | 0.4   | <0.5  | 2.1   | 23    | 0.3   | 0.6   | <0.1  | 26    |
| ROCK-WHI            | Prep Blank |      | <0.005 | 0.7   | 3.7   | 5.4   | 104   | <0.1  | 1.4   | 3.8   | 437   | 1.84  | 3.9   | 0.4   | <0.5  | 2.1   | 23    | 0.3   | 0.6   | <0.1  | 25    |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

November 07, 2020

Page:

2 of 2

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI20000323.1

|                     |            | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | FA530 |
|---------------------|------------|-------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                     |            | Ca    | P      | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na     | K     | W     | Hg    | Sc    | Ti    | S     | Ga    | Se    | Te    | Ag    |
|                     |            | %     | %      | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %      | %     | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   |
|                     |            | 0.01  | 0.001  | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001  | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  | 1     | 0.5   | 0.2   | 20    |
| STD OXQ132 Expected |            |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |       |       |       | 128.5 |
| BLK                 | Blank      | <0.01 | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 | <1    | <0.5  | <0.2  |       |
| BLK                 | Blank      |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      | <0.01 | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 | <1    | <0.5  | <0.2  |       |
| BLK                 | Blank      |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |       |       |       | <20   |
| Prep Wash           |            |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |       |       |       |       |
| ROCK-WHI            | Prep Blank | 0.62  | 0.040  | 6     | 3     | 0.44  | 64    | 0.085  | 2     | 0.88  | 0.105  | 0.10  | <0.1  | 0.10  | 2.6   | <0.1  | 0.06  | 4     | <0.5  | <0.2  |       |
| ROCK-WHI            | Prep Blank | 0.62  | 0.041  | 6     | 3     | 0.45  | 66    | 0.081  | 2     | 0.90  | 0.104  | 0.09  | <0.1  | 0.11  | 2.6   | <0.1  | 0.06  | 4     | <0.5  | <0.2  |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** November 07, 2020

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI20000323.1

|                     |            | FA530<br>Au<br>ppm<br>0.9 |
|---------------------|------------|---------------------------|
| STD OXQ132 Expected |            | 34.69                     |
| BLK                 | Blank      |                           |
| BLK                 | Blank      |                           |
| BLK                 | Blank      |                           |
| BLK                 | Blank      |                           |
| BLK                 | Blank      | <0.9                      |
| Prep Wash           |            |                           |
| ROCK-WHI            | Prep Blank |                           |
| ROCK-WHI            | Prep Blank |                           |