



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

CERTIFICATE WH20234268

Project: Culvert - NUF

This report is for 113 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 14-OCT-2020.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-GG46	Ore Grade Ag Aqua Regia	
ME-GG46	Ore Grade Elements - AquaRegia	ICP-AES
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is a Partial Data Report for the analytical results of the above mentioned methods. A final Certificate of Analysis will be available upon completion of all requested methods.



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303001		4.26	0.03	2.21	1.3	0.14	<10	20	0.54	0.38	0.88	0.06	37.4	20.9	30	2.29
C303002		5.88	0.05	2.58	1.5	0.18	<10	60	1.00	0.99	0.15	0.01	50.6	19.6	32	3.90
C303003		5.87	0.11	2.30	6.0	0.10	<10	30	0.64	0.80	0.32	0.12	39.0	19.0	24	2.79
C303004		4.13	0.12	2.49	4.1	0.74	<10	40	0.82	0.12	0.09	0.06	44.7	16.7	24	3.23
C303005		3.72	0.03	2.20	2.3	0.28	<10	20	0.63	0.11	0.09	0.01	34.7	16.6	25	2.41
C303006		0.14	0.02	0.05	1.0	<0.02	<10	10	<0.05	0.03	<0.01	<0.01	3.95	0.6	12	0.08
C303007		2.83	0.07	2.25	4.6	0.12	<10	30	0.66	0.46	0.19	0.01	36.3	18.8	24	2.20
C303008		3.13	0.10	2.28	5.4	0.88	<10	40	0.86	0.60	0.16	0.01	40.0	19.7	24	2.69
C303009		0.06	0.14	2.43	336	1.60	<10	90	1.08	0.33	0.19	0.03	59.1	12.6	98	8.15
C303010		1.87	0.12	1.89	5.9	0.41	<10	30	0.73	0.64	0.16	0.02	30.9	16.9	20	2.25
C303011		3.36	0.14	2.43	1.7	0.66	<10	40	0.89	0.47	0.13	0.02	44.8	19.3	23	2.94
C303012		6.41	0.21	1.78	11.4	3.16	<10	20	0.71	0.91	0.10	0.10	21.4	18.5	17	2.21
C303013		1.78	0.05	2.40	2.7	0.36	<10	40	0.78	0.28	0.15	0.03	31.3	16.6	24	2.16
C303014		0.15	0.01	0.04	1.1	<0.02	<10	10	<0.05	0.02	0.01	0.01	3.02	0.4	6	0.06
C303015		5.28	0.06	2.46	2.3	0.99	<10	50	0.90	0.48	0.08	0.01	38.5	19.4	26	2.46
C303016		5.53	0.03	2.43	3.9	0.03	<10	30	0.79	0.61	0.15	<0.01	50.0	18.9	31	1.94
C303017		5.80	0.08	2.49	3.5	0.03	<10	40	0.90	0.56	0.31	0.01	41.3	19.4	29	2.34
C303018		0.07	0.19	2.52	486	2.01	<10	90	1.18	0.28	0.21	0.03	56.8	12.3	99	7.41
C303019		6.07	0.07	2.44	11.0	1.06	<10	30	0.77	0.24	0.17	0.02	51.2	19.2	31	2.21
C303020		5.01	0.03	2.42	3.1	<0.02	<10	40	0.81	0.42	0.19	0.02	36.9	18.1	32	2.41
C303021		5.88	0.06	2.18	0.5	<0.02	<10	30	0.72	0.45	0.38	0.04	35.2	17.4	31	2.07
C303022		0.15	0.01	0.07	0.5	<0.02	<10	10	<0.05	0.01	0.05	0.01	3.68	0.4	5	0.07
C303023		5.41	0.02	2.54	0.4	<0.02	<10	50	0.86	0.35	0.13	0.01	40.1	19.8	35	2.71
C303024		6.09	0.01	2.21	0.3	<0.02	<10	30	0.86	0.61	0.18	0.01	37.1	18.1	30	2.68
C303025		8.82	0.03	2.72	0.4	<0.02	<10	40	0.85	0.44	0.23	<0.01	53.9	19.4	38	2.15
C303026		3.61	0.07	2.60	3.5	0.06	<10	30	0.62	0.18	0.18	0.04	69.5	22.2	33	2.21
C303027		0.06	0.15	2.67	366	1.55	<10	100	1.25	0.29	0.21	0.04	61.6	13.0	105	8.16
C303028		4.56	0.12	2.95	21.4	0.84	<10	50	0.75	0.42	0.15	0.03	45.8	20.4	37	2.20
C303029		3.78	0.17	3.22	38.7	<0.02	<10	30	0.60	0.45	0.15	0.05	47.2	25.9	38	1.83
C303030		4.56	0.05	2.50	27.5	<0.02	<10	40	0.71	0.30	0.19	0.02	41.2	16.5	35	1.79
C303031		2.99	0.05	2.77	39.6	<0.02	<10	20	0.65	0.36	0.08	0.04	53.9	22.0	34	1.48
C303032		3.65	0.08	2.74	36.0	<0.02	<10	40	0.71	1.27	0.14	0.02	70.7	19.4	33	1.73
C303033		0.15	0.01	0.06	1.3	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.48	0.5	6	0.08
C303034		3.78	0.05	2.59	31.9	<0.02	<10	40	0.73	0.23	0.14	0.02	57.1	18.3	32	1.46
C303035		3.13	0.05	2.27	45.7	<0.02	<10	20	0.65	0.27	0.11	0.02	35.2	18.7	26	1.76
C303036		3.00	0.07	2.78	35.2	<0.02	<10	40	0.81	0.29	0.20	0.01	55.7	22.5	31	5.29
C303037		2.79	0.23	2.32	25.0	0.07	<10	30	0.58	0.72	0.31	0.07	48.0	22.0	32	1.91
C303038		0.06	0.15	2.56	350	1.47	<10	100	1.22	0.27	0.20	0.03	59.5	12.2	101	7.61
C303039		3.01	0.13	2.30	3240	1.58	<10	50	0.72	0.21	0.35	0.01	34.7	18.3	29	1.69
C303040		3.14	>100	2.42	587	0.28	<10	30	0.58	0.62	0.46	0.04	45.0	19.6	34	1.07



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303001		10.6	4.34	7.64	0.05	0.07	<0.01	0.020	0.11	20.2	82.8	1.04	2560	0.18	0.03	<0.05
C303002		4.8	4.93	8.03	0.07	0.08	<0.01	0.018	0.33	27.4	58.9	0.75	738	0.16	0.06	<0.05
C303003		37.2	4.70	7.30	0.05	0.08	<0.01	0.027	0.16	21.1	67.3	0.90	1190	0.09	0.02	<0.05
C303004		95.8	4.82	8.24	0.06	0.10	<0.01	0.025	0.23	24.6	65.4	0.80	656	0.17	0.03	<0.05
C303005		11.9	4.61	7.39	0.06	0.10	<0.01	0.018	0.14	18.4	64.4	0.77	559	0.07	0.02	<0.05
C303006		1.4	1.38	0.34	<0.05	0.08	<0.01	<0.005	0.01	2.1	0.8	0.01	143	0.65	<0.01	0.05
C303007		2.5	4.70	7.01	0.06	0.11	<0.01	0.017	0.15	19.7	64.1	0.76	615	0.17	0.02	<0.05
C303008		6.4	4.72	7.11	0.05	0.10	<0.01	0.019	0.23	21.3	70.3	0.78	581	0.18	0.03	<0.05
C303009		24.4	3.34	8.37	0.10	0.78	0.01	0.023	0.95	31.8	29.7	1.21	203	0.55	0.07	0.26
C303010		10.4	4.20	4.96	0.05	0.10	<0.01	0.017	0.15	15.2	56.4	0.69	563	0.18	0.02	<0.05
C303011		16.0	5.11	6.46	0.07	0.08	<0.01	0.020	0.22	22.4	66.8	0.84	724	0.35	0.03	<0.05
C303012		5.5	4.84	4.63	0.05	0.08	<0.01	0.011	0.14	10.9	55.1	0.64	495	0.10	0.02	<0.05
C303013		13.1	5.05	5.10	0.06	0.08	<0.01	0.013	0.24	16.4	51.5	0.74	638	0.48	0.04	<0.05
C303014		1.1	0.65	0.20	<0.05	0.07	<0.01	<0.005	0.01	1.4	0.7	0.01	69	0.39	0.01	0.06
C303015		4.2	5.30	6.49	0.07	0.10	<0.01	0.017	0.24	19.4	61.8	0.77	584	0.15	0.04	<0.05
C303016		1.2	4.96	6.99	0.07	0.07	<0.01	0.016	0.15	25.9	69.0	0.84	696	0.15	0.03	<0.05
C303017		3.6	5.03	6.88	0.06	0.09	<0.01	0.020	0.21	21.6	70.3	0.83	981	0.16	0.04	<0.05
C303018		24.0	3.49	7.30	0.10	0.72	0.01	0.024	0.99	29.0	31.1	1.25	214	0.52	0.08	0.25
C303019		3.1	4.84	7.34	0.08	0.10	<0.01	0.018	0.15	27.2	71.0	0.84	925	0.16	0.04	<0.05
C303020		18.7	4.81	6.90	0.07	0.10	<0.01	0.019	0.20	21.1	61.8	0.77	1410	0.42	0.05	<0.05
C303021		127.5	4.33	6.51	0.06	0.10	<0.01	0.025	0.14	19.9	56.4	0.83	1400	0.09	0.04	<0.05
C303022		1.4	0.62	0.32	<0.05	0.09	<0.01	<0.005	0.01	1.7	1.1	0.01	73	0.25	0.01	0.11
C303023		13.6	4.79	7.03	0.07	0.14	<0.01	0.015	0.26	22.9	52.1	0.75	655	0.18	0.06	<0.05
C303024		25.1	4.58	5.96	0.06	0.10	<0.01	0.012	0.14	21.4	61.9	0.75	576	0.16	0.04	<0.05
C303025		18.1	5.02	7.95	0.09	0.09	<0.01	0.019	0.20	28.6	61.2	0.91	882	0.16	0.06	<0.05
C303026		83.9	4.40	7.31	0.10	0.11	<0.01	0.021	0.13	35.8	76.8	1.17	1280	0.19	0.04	<0.05
C303027		24.3	3.64	7.88	0.12	0.76	<0.01	0.025	1.04	31.2	33.2	1.31	221	0.55	0.08	0.22
C303028		115.0	4.61	8.19	0.09	0.16	<0.01	0.024	0.22	25.4	83.4	1.20	975	0.17	0.07	<0.05
C303029		164.0	5.35	8.99	0.08	0.17	<0.01	0.026	0.12	25.7	97.2	1.48	1130	0.10	0.05	<0.05
C303030		32.6	4.27	6.80	0.07	0.13	<0.01	0.023	0.17	22.8	63.8	0.97	892	0.23	0.06	<0.05
C303031		69.8	4.93	7.63	0.08	0.15	<0.01	0.025	0.12	28.2	76.2	1.16	947	0.09	0.04	<0.05
C303032		21.3	5.02	7.52	0.10	0.14	<0.01	0.029	0.18	36.4	67.7	1.02	1000	0.31	0.05	<0.05
C303033		0.9	0.72	0.26	<0.05	0.08	<0.01	<0.005	0.01	1.7	1.3	0.02	77	0.32	0.01	0.05
C303034		25.5	4.86	6.93	0.09	0.12	<0.01	0.020	0.17	29.8	64.6	0.94	1060	0.23	0.04	<0.05
C303035		16.5	4.91	6.22	0.07	0.13	<0.01	0.027	0.10	18.3	59.0	0.85	967	0.19	0.03	<0.05
C303036		22.7	5.38	7.80	0.09	0.12	<0.01	0.026	0.17	28.1	72.7	0.96	1100	0.37	0.04	<0.05
C303037		81.4	4.18	6.47	0.08	0.13	<0.01	0.029	0.13	25.5	67.9	0.91	969	0.50	0.03	<0.05
C303038		22.8	3.48	7.55	0.13	0.78	<0.01	0.024	1.00	30.3	33.2	1.25	214	0.50	0.08	0.23
C303039		11.8	5.28	6.57	0.06	0.08	<0.01	0.016	0.27	17.4	44.4	0.63	714	0.28	0.03	<0.05
C303040		1525	5.17	7.26	0.09	0.07	0.05	0.031	0.15	23.2	59.2	0.78	894	0.47	0.03	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: +1 604 984 0221 Fax: +1 604 984 0218

www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7Page: 2 - C
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303001		47.5	460	8.4	6.7	<0.001	0.20	0.13	3.0	<0.2	0.6	25.7	<0.01	0.02	15.2
C303002		43.0	300	18.3	18.5	0.001	0.61	0.13	2.8	<0.2	0.4	22.8	<0.01	0.03	17.0
C303003		42.4	340	18.4	8.8	<0.001	0.56	0.14	2.5	<0.2	0.4	16.5	<0.01	0.02	16.7
C303004		43.4	260	11.0	12.8	<0.001	0.31	0.13	2.7	<0.2	0.5	17.2	<0.01	<0.01	16.2
C303005		44.8	310	7.6	7.4	<0.001	0.36	0.13	2.3	<0.2	0.2	12.4	<0.01	<0.01	14.1
C303006		2.5	20	0.7	0.7	<0.001	0.01	0.06	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.5
C303007		44.4	330	9.0	8.3	<0.001	0.42	0.12	2.0	<0.2	0.2	14.2	<0.01	0.02	15.1
C303008		44.4	380	7.9	13.0	0.001	0.68	0.22	2.4	<0.2	0.3	18.7	<0.01	0.02	16.1
C303009		59.0	490	8.8	101.5	<0.001	0.08	227	5.7	<0.2	1.3	16.8	<0.01	0.01	13.5
C303010		37.9	340	8.0	7.1	<0.001	0.90	0.32	2.1	<0.2	0.2	14.0	<0.01	0.03	13.3
C303011		43.6	280	8.4	10.9	<0.001	0.65	0.86	2.6	0.2	0.4	17.7	<0.01	0.01	14.9
C303012		39.8	260	10.3	6.7	<0.001	1.70	0.20	2.0	<0.2	0.2	12.2	<0.01	0.03	12.7
C303013		41.8	290	4.6	10.6	<0.001	0.60	0.34	2.0	<0.2	0.3	14.1	<0.01	<0.01	13.4
C303014		1.5	10	0.9	0.5	<0.001	0.01	0.07	0.2	<0.2	<0.2	0.8	<0.01	<0.01	1.0
C303015		45.8	330	4.3	12.3	<0.001	0.82	0.22	2.5	<0.2	0.2	17.1	<0.01	0.02	14.8
C303016		43.4	330	4.6	7.6	<0.001	0.23	0.13	2.7	<0.2	0.2	12.7	<0.01	0.05	15.2
C303017		46.1	280	13.7	11.5	<0.001	0.42	0.11	2.8	<0.2	0.2	23.6	<0.01	0.03	13.6
C303018		57.4	510	8.3	88.9	<0.001	0.11	326	5.7	<0.2	1.2	17.1	<0.01	0.01	12.9
C303019		42.4	330	5.7	7.1	<0.001	0.09	0.27	3.0	<0.2	0.2	14.5	<0.01	0.02	13.9
C303020		40.5	260	6.0	10.7	<0.001	0.31	0.13	2.7	<0.2	0.2	29.0	<0.01	<0.01	10.5
C303021		40.0	290	6.2	6.8	<0.001	0.23	0.10	2.6	<0.2	0.3	20.1	<0.01	0.02	10.9
C303022		1.4	20	1.1	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.9	<0.01	<0.01	1.1
C303023		43.3	280	5.2	13.7	<0.001	0.29	0.08	2.9	<0.2	0.2	19.5	<0.01	0.02	10.6
C303024		42.6	280	2.6	6.6	<0.001	0.09	0.10	2.0	<0.2	<0.2	16.5	<0.01	0.01	10.5
C303025		46.9	310	4.1	10.4	<0.001	0.02	0.07	3.1	<0.2	0.4	21.9	<0.01	0.01	12.6
C303026		44.0	330	6.2	6.4	<0.001	0.01	0.08	2.5	<0.2	0.2	16.3	<0.01	<0.01	16.9
C303027		62.4	520	7.9	96.7	<0.001	0.09	233	6.3	0.3	1.3	16.7	<0.01	0.02	13.4
C303028		42.3	310	6.5	11.1	<0.001	0.12	0.23	3.0	0.2	0.3	29.4	<0.01	0.02	13.4
C303029		51.2	300	5.3	5.7	<0.001	0.03	0.07	2.9	0.3	0.2	24.5	<0.01	0.02	14.2
C303030		36.2	270	5.0	8.2	<0.001	0.07	0.09	2.7	<0.2	0.3	30.7	<0.01	0.01	12.5
C303031		43.3	290	2.7	5.5	<0.001	0.09	0.06	2.3	<0.2	0.3	18.8	<0.01	0.02	17.1
C303032		40.8	300	4.3	9.0	<0.001	0.03	0.05	2.5	<0.2	0.4	18.5	<0.01	0.02	17.7
C303033		1.6	20	0.9	0.6	<0.001	0.01	<0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.1
C303034		35.4	290	4.5	8.2	<0.001	0.09	0.07	2.4	<0.2	0.3	25.8	<0.01	0.01	15.6
C303035		36.4	270	5.1	5.0	<0.001	0.52	0.36	2.3	<0.2	0.5	23.7	<0.01	0.01	16.3
C303036		42.2	290	3.4	10.2	<0.001	0.25	0.14	2.8	0.2	0.7	51.2	<0.01	0.01	16.9
C303037		42.7	230	4.1	6.0	<0.001	0.12	0.08	2.4	<0.2	0.4	27.4	<0.01	0.01	16.2
C303038		59.4	500	7.5	91.6	<0.001	0.08	223	5.8	<0.2	1.2	16.3	<0.01	0.01	13.2
C303039		39.9	240	5.9	14.1	<0.001	0.75	0.85	2.9	<0.2	0.5	18.9	<0.01	0.03	11.7
C303040		56.7	250	3.3	7.0	0.002	0.26	0.16	2.9	<0.2	0.3	19.5	<0.01	0.02	13.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 4 (A - D)
 Date: 16-DEC-2020
 Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Ag-OG46 Ag ppm 1	Au-GRA22 Au ppm 0.05
C303001		0.04	1.11	23	0.28	3.10	126	2.6		
C303002		0.11	1.65	26	0.23	3.19	106	3.5		
C303003		0.05	1.43	19	0.40	2.70	133	3.0		
C303004		0.09	1.70	19	0.40	2.72	115	3.8		
C303005		0.05	1.31	21	0.43	2.33	109	3.4		
C303006		<0.02	0.19	1	<0.05	0.67	2	1.8		
C303007		0.06	1.40	18	0.23	2.71	107	3.9		
C303008		0.07	2.32	18	0.31	3.18	104	4.0		
C303009		0.65	1.62	65	0.42	10.05	77	29.8		
C303010		0.05	1.66	15	0.21	2.53	91	4.1		
C303011		0.06	2.38	17	0.24	3.10	123	3.0		
C303012		0.04	1.31	13	0.26	2.07	100	3.3		
C303013		0.05	1.21	18	0.17	2.32	103	3.4		
C303014		<0.02	0.19	1	0.06	0.59	2	1.7		
C303015		0.06	1.42	19	0.26	2.80	103	4.1		
C303016		0.04	1.48	23	0.52	2.78	113	3.1		
C303017		0.05	1.39	20	0.16	3.15	112	3.4		
C303018		0.51	1.33	66	0.39	9.30	77	27.4		
C303019		0.04	1.36	22	0.08	3.05	107	3.8		
C303020		0.06	1.44	25	0.07	3.11	107	4.0		
C303021		0.04	1.30	23	<0.05	2.75	111	4.2		
C303022		<0.02	0.20	2	<0.05	0.72	2	1.9		
C303023		0.06	1.55	28	<0.05	2.98	108	5.5		
C303024		0.04	1.26	23	<0.05	2.55	102	4.0		
C303025		0.05	1.40	31	<0.05	2.92	123	3.5		
C303026		0.03	1.26	23	<0.05	3.13	140	4.3		
C303027		0.54	1.41	70	0.39	9.79	80	28.4		
C303028		0.06	1.61	24	<0.05	3.41	131	6.8		
C303029		0.04	1.40	25	<0.05	3.41	160	6.5		
C303030		0.05	1.36	21	0.06	2.91	118	5.1		
C303031		0.04	1.19	20	<0.05	3.25	125	5.9		
C303032		0.05	1.38	19	0.07	3.64	130	5.3		
C303033		<0.02	0.16	2	<0.05	0.64	2	1.9		
C303034		0.04	1.18	19	<0.05	3.19	108	4.5		
C303035		0.05	1.30	15	0.05	2.66	114	4.9		
C303036		0.04	2.04	19	0.07	3.44	121	5.1		
C303037		0.04	1.37	16	0.51	3.05	101	5.1		
C303038		0.52	1.35	67	0.37	9.62	76	28.6		
C303039		0.07	0.74	19	0.91	2.62	72	2.9		
C303040		0.07	0.88	22	470	2.86	86	3.0	107	



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: +1 604 984 0221 Fax: +1 604 984 0218

www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7Page: 3 - A
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303041		0.15	0.02	0.04	8.8	<0.02	<10	10	<0.05	0.01	0.02	0.01	2.80	0.3	6	0.06
C303042		3.46	0.33	2.45	15.3	<0.02	<10	50	0.73	0.48	0.57	0.02	54.1	24.0	34	1.04
C303043		2.83	0.03	2.78	7.8	<0.02	<10	30	0.57	0.22	0.22	0.01	59.5	20.5	37	0.94
C303044		0.06	0.19	2.49	482	2.11	<10	90	1.25	0.29	0.21	0.04	58.5	13.2	97	7.47
C303045		4.70	0.07	2.73	683	0.84	<10	40	0.67	1.21	0.48	0.03	43.4	19.4	33	1.41
C303046		4.32	0.04	2.82	258	<0.02	<10	30	0.50	0.43	0.75	0.01	35.3	20.5	36	1.41
C303047		2.72	0.05	3.03	905	0.31	<10	30	0.63	0.30	0.26	0.01	35.0	19.4	37	1.54
C303048		1.84	0.06	2.68	17.4	0.02	<10	30	0.53	0.54	0.28	0.02	39.0	20.9	36	1.44
C303049		2.25	0.07	2.41	256	<0.02	<10	30	0.61	0.51	0.54	0.02	33.5	21.2	33	3.17
C303050		4.25	0.03	2.66	27.1	0.02	<10	20	0.50	1.05	0.64	0.02	42.8	25.7	35	1.65
C303051		4.31	0.02	2.84	10.5	<0.02	<10	30	0.58	0.05	0.34	0.02	55.4	22.6	36	1.51
C303052		8.08	0.06	2.63	7.6	<0.02	<10	20	0.52	0.17	0.73	0.08	62.5	21.8	35	1.31
C303053		3.65	<0.01	2.37	0.2	0.04	<10	40	0.74	1.51	0.39	0.01	55.0	20.5	36	1.27
C303054		3.44	0.01	1.89	0.3	<0.02	<10	30	0.73	0.32	0.50	0.02	61.3	19.8	30	1.48
C303055		3.73	0.01	2.26	3.1	0.14	<10	40	0.75	0.40	0.52	0.02	53.8	19.5	34	1.65
C303056		0.06	0.16	2.41	479	2.06	<10	90	1.12	0.30	0.21	0.03	50.9	11.3	97	7.15
C303057		3.41	<0.01	2.04	1.8	0.06	<10	30	0.69	0.64	0.29	0.01	55.9	17.8	34	1.49
C303058		4.31	<0.01	2.40	2.9	0.06	<10	40	0.76	0.38	0.35	0.01	52.1	18.1	35	1.52
C303059		2.84	0.03	2.27	25.7	0.49	<10	30	0.73	0.53	0.09	0.01	32.4	20.2	28	1.64
C303060		0.15	0.01	0.06	0.7	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.54	0.5	11	0.09
C303061		2.04	1.26	1.00	7320	>25.0	<10	20	0.48	1.21	0.19	0.03	17.75	11.7	15	1.21
C303062		2.72	0.08	2.06	4110	1.50	<10	40	0.92	0.70	0.24	0.01	26.1	18.2	25	1.62
C303063		2.27	0.36	1.63	5440	5.63	<10	30	0.74	0.94	0.33	0.03	21.6	16.5	22	1.42
C303064		3.79	0.03	2.52	27.4	0.13	<10	50	0.89	0.58	0.27	0.01	51.8	21.4	35	1.56
C303065		0.18	0.01	0.04	3.3	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.82	0.4	6	0.05
C303066		4.80	0.12	2.41	50.4	2.32	<10	40	0.79	5.09	0.25	0.01	42.1	24.5	30	1.97
C303067		4.60	0.09	2.62	28.2	<0.02	<10	30	0.66	0.95	0.49	0.07	50.9	22.5	35	2.01
C303068		0.06	0.14	2.55	352	1.59	<10	90	1.12	0.31	0.20	0.04	60.8	13.0	100	8.10
C303069		4.74	0.05	2.88	30.6	<0.02	<10	30	0.67	0.71	0.25	0.03	50.7	24.2	38	2.66
C303070		5.17	0.09	2.62	26.5	<0.02	<10	20	0.56	0.66	0.23	0.02	56.5	22.6	35	2.28
C303071		0.15	<0.01	0.05	1.1	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.46	0.4	9	0.07
C303072		4.96	0.01	2.54	15.9	<0.02	<10	30	0.52	0.19	0.11	<0.01	56.0	19.5	35	1.84
C303073		3.75	0.03	2.72	32.8	<0.02	<10	30	0.50	0.45	0.21	0.03	50.8	18.4	36	1.76
C303074		4.35	0.13	2.76	82.1	<0.02	<10	20	0.46	0.97	0.13	0.03	30.7	29.4	40	2.30
C303075		4.55	0.10	2.67	9.3	0.03	<10	20	0.45	0.57	0.45	0.05	29.8	18.0	38	1.87
C303076		5.40	0.03	2.39	16.6	<0.02	<10	10	0.42	0.47	1.51	0.06	33.3	16.2	34	1.53
C303077		6.33	0.07	2.69	14.7	<0.02	<10	20	0.45	0.61	0.47	0.02	33.4	22.2	38	2.00
C303078		0.06	0.14	2.54	349	1.60	<10	90	1.15	0.32	0.20	0.04	60.8	13.2	100	8.04
C303079		5.59	0.06	2.81	21.8	<0.02	<10	20	0.42	0.54	0.24	0.01	61.9	22.7	40	2.22
C303080		5.31	0.04	2.94	23.3	<0.02	<10	30	0.44	0.35	0.14	0.02	61.4	19.5	40	2.11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - B
 Total # Pages: 4 (A - D)
 Date: 16-DEC-2020
 Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303041		1.2	0.64	0.21	<0.05	0.09	<0.01	<0.005	0.01	1.3	0.9	<0.01	71	0.38	0.01	0.05
C303042		9.6	5.08	6.91	0.08	0.07	<0.01	0.018	0.20	27.8	45.8	0.70	1080	0.24	0.03	<0.05
C303043		2.6	5.71	7.44	0.08	0.05	<0.01	0.014	0.14	29.5	69.2	0.85	840	0.07	0.02	<0.05
C303044		25.0	3.44	7.71	0.11	0.75	0.01	0.025	0.96	30.1	33.4	1.24	213	0.53	0.08	0.29
C303045		46.0	5.18	7.72	0.07	0.06	<0.01	0.029	0.18	21.6	84.8	1.07	1180	0.25	0.04	<0.05
C303046		39.2	5.30	7.93	0.07	0.08	<0.01	0.024	0.13	18.6	87.3	1.15	1560	0.15	0.04	<0.05
C303047		43.0	5.62	8.25	0.08	0.09	<0.01	0.022	0.17	18.3	88.6	1.18	1210	0.22	0.04	<0.05
C303048		45.1	5.17	7.40	0.07	0.10	<0.01	0.022	0.13	19.7	79.4	1.05	1110	0.21	0.03	<0.05
C303049		43.5	4.89	6.75	0.06	0.13	0.01	0.018	0.15	17.1	73.6	0.90	1060	1.43	0.04	<0.05
C303050		39.3	4.92	7.66	0.06	0.08	<0.01	0.023	0.11	20.9	85.1	1.06	1490	0.69	0.03	<0.05
C303051		24.5	4.83	8.35	0.07	0.06	<0.01	0.020	0.16	27.3	89.6	1.10	1330	0.23	0.04	<0.05
C303052		101.0	4.80	8.04	0.07	0.07	<0.01	0.031	0.12	30.1	84.5	1.02	1500	0.72	0.03	<0.05
C303053		9.5	4.94	7.20	0.06	0.05	<0.01	0.015	0.18	26.9	72.0	0.70	1170	<0.05	0.03	<0.05
C303054		1.7	5.00	5.99	0.08	0.08	0.01	0.010	0.16	30.2	65.6	0.61	948	<0.05	0.02	<0.05
C303055		1.0	4.87	7.21	0.06	0.05	<0.01	0.016	0.20	26.8	56.3	0.62	801	<0.05	0.03	<0.05
C303056		22.6	3.31	7.29	0.08	0.76	0.01	0.024	0.93	25.2	28.8	1.21	209	0.42	0.07	0.23
C303057		0.5	5.29	7.61	0.07	0.03	<0.01	0.014	0.15	27.0	57.7	0.57	570	<0.05	0.03	<0.05
C303058		0.4	5.32	8.33	0.07	0.04	0.01	0.018	0.19	24.9	52.5	0.62	614	<0.05	0.03	<0.05
C303059		2.2	5.61	7.11	0.06	0.05	0.01	0.016	0.16	16.7	62.5	0.66	533	<0.05	0.02	<0.05
C303060		1.2	1.07	0.31	<0.05	0.09	<0.01	<0.005	0.01	1.7	1.1	0.01	114	0.43	0.01	<0.05
C303061		9.2	3.42	2.99	<0.05	0.04	<0.01	0.008	0.12	9.1	26.8	0.32	368	0.47	0.01	<0.05
C303062		7.4	5.42	5.88	<0.05	0.06	<0.01	0.015	0.21	13.2	60.8	0.60	624	0.05	0.03	<0.05
C303063		12.8	4.84	4.91	<0.05	0.04	<0.01	0.015	0.15	10.9	48.9	0.50	540	0.12	0.02	<0.05
C303064		3.3	5.58	7.52	0.08	0.05	<0.01	0.015	0.21	25.1	71.3	0.62	694	0.09	0.02	<0.05
C303065		0.7	0.72	0.22	<0.05	0.08	<0.01	<0.005	0.01	1.7	0.7	0.01	82	0.31	<0.01	0.05
C303066		5.1	4.64	7.05	0.06	0.10	<0.01	0.018	0.21	21.6	71.8	0.80	802	0.05	0.03	<0.05
C303067		87.9	4.49	8.05	0.07	0.08	<0.01	0.025	0.14	25.7	93.5	1.13	1590	<0.05	0.03	<0.05
C303068		24.2	3.40	8.40	0.10	0.85	0.01	0.024	0.98	30.2	34.3	1.25	210	0.50	0.08	0.23
C303069		83.9	4.79	8.67	0.08	0.12	0.01	0.021	0.17	26.8	95.6	1.11	996	<0.05	0.06	<0.05
C303070		48.1	4.64	7.94	0.07	0.09	<0.01	0.022	0.13	28.6	89.9	0.99	927	<0.05	0.04	<0.05
C303071		1.3	1.03	0.29	<0.05	0.09	<0.01	<0.005	0.01	1.7	1.0	0.01	108	0.41	0.01	<0.05
C303072		14.5	4.61	7.95	0.07	0.08	0.01	0.017	0.13	28.1	81.6	0.92	646	<0.05	0.04	<0.05
C303073		41.3	4.84	8.01	0.07	0.07	<0.01	0.021	0.15	26.2	82.1	1.00	838	0.29	0.04	<0.05
C303074		44.1	5.62	8.81	0.05	0.16	0.01	0.021	0.10	15.5	97.1	1.10	909	0.78	0.05	<0.05
C303075		41.0	5.13	8.11	0.05	0.14	0.01	0.025	0.12	14.4	85.0	1.03	1200	0.62	0.06	<0.05
C303076		37.4	4.51	8.47	0.06	0.13	0.01	0.031	0.08	16.6	81.9	0.95	1700	0.23	0.05	<0.05
C303077		42.5	5.25	8.66	0.06	0.16	<0.01	0.026	0.13	16.3	86.7	1.02	966	0.52	0.06	<0.05
C303078		24.4	3.41	8.26	0.10	0.87	0.01	0.026	0.98	30.5	31.1	1.25	211	0.49	0.08	0.25
C303079		50.5	5.31	8.44	0.07	0.16	<0.01	0.024	0.12	23.3	88.1	1.07	833	0.44	0.05	<0.05
C303080		38.6	5.19	8.99	0.07	0.12	0.01	0.023	0.14	31.4	91.1	1.09	804	0.23	0.06	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: +1 604 984 0221 Fax: +1 604 984 0218

www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7Page: 3 - C
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303041		1.3	20	1.5	0.4	<0.001	<0.01	0.12	0.2	<0.2	<0.2	0.9	<0.01	<0.01	0.9
C303042		48.1	340	2.9	10.6	<0.001	0.18	0.07	2.9	<0.2	0.3	18.4	<0.01	0.03	13.2
C303043		41.7	280	2.6	6.7	<0.001	0.07	0.05	2.7	<0.2	0.3	14.5	<0.01	0.01	14.9
C303044		59.3	510	8.6	93.1	<0.001	0.11	315	6.0	0.3	1.3	17.9	<0.01	0.02	13.5
C303045		41.8	240	6.4	9.1	<0.001	0.27	0.74	3.0	0.2	0.5	18.0	<0.01	0.02	14.2
C303046		40.7	270	9.5	6.1	<0.001	0.28	0.19	3.0	<0.2	0.4	17.3	<0.01	0.01	15.6
C303047		44.1	380	5.8	8.5	<0.001	0.30	0.30	2.9	<0.2	0.2	15.1	<0.01	0.02	14.2
C303048		41.4	250	6.3	5.9	<0.001	0.32	0.17	2.7	<0.2	0.2	14.2	<0.01	0.02	14.3
C303049		38.3	310	17.2	6.9	0.001	0.34	0.19	2.2	0.2	0.3	30.2	<0.01	0.03	13.9
C303050		37.6	230	6.1	5.3	<0.001	0.24	0.15	2.5	<0.2	0.2	23.0	<0.01	0.05	13.3
C303051		38.1	290	1.9	7.5	<0.001	0.03	0.07	2.5	0.2	0.2	18.9	<0.01	0.01	12.7
C303052		39.2	560	3.5	5.9	0.001	0.06	<0.05	2.7	<0.2	0.2	23.3	<0.01	0.03	13.6
C303053		36.3	370	1.9	9.4	<0.001	0.03	<0.05	2.3	<0.2	0.3	17.8	<0.01	0.03	13.7
C303054		38.6	290	2.9	8.6	<0.001	0.05	0.05	1.9	<0.2	0.2	17.8	<0.01	0.02	14.3
C303055		40.1	320	2.0	10.2	<0.001	0.10	0.06	2.7	<0.2	0.3	23.4	<0.01	0.02	13.3
C303056		53.0	490	8.3	84.0	<0.001	0.11	295	5.2	<0.2	1.2	16.2	<0.01	0.02	12.0
C303057		36.3	310	1.2	7.6	<0.001	0.09	0.44	2.8	<0.2	0.2	17.4	<0.01	0.02	14.1
C303058		36.6	290	2.0	9.7	<0.001	0.16	0.14	3.2	<0.2	<0.2	18.5	<0.01	0.04	13.1
C303059		39.6	240	5.3	8.0	<0.001	0.86	0.13	2.5	<0.2	<0.2	9.1	<0.01	0.04	13.2
C303060		2.0	10	0.7	0.8	<0.001	0.01	<0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.1
C303061		23.4	110	30.0	5.8	<0.001	1.01	1.75	1.0	0.2	<0.2	9.8	<0.01	0.06	6.3
C303062		39.6	220	5.5	10.3	<0.001	1.04	0.89	2.1	<0.2	0.2	13.6	<0.01	0.04	9.6
C303063		33.0	170	47.6	7.2	0.001	1.13	1.16	1.7	0.2	<0.2	17.1	<0.01	0.04	8.8
C303064		39.6	320	4.9	11.9	<0.001	0.32	0.24	3.2	<0.2	0.2	15.6	<0.01	0.03	13.9
C303065		1.4	10	0.8	0.5	<0.001	<0.01	0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.1
C303066		45.8	550	6.3	10.9	<0.001	0.30	0.18	2.2	<0.2	0.4	15.1	<0.01	0.05	14.5
C303067		43.3	270	3.6	7.1	<0.001	0.14	0.13	2.6	<0.2	0.3	19.7	<0.01	0.03	15.0
C303068		61.1	500	8.4	95.6	<0.001	0.09	207	6.1	<0.2	1.3	16.7	<0.01	0.01	13.1
C303069		45.9	480	2.7	8.6	<0.001	0.11	0.46	2.8	<0.2	0.2	21.1	<0.01	0.02	16.3
C303070		43.0	270	10.4	6.4	<0.001	0.08	0.13	2.3	<0.2	0.2	19.2	<0.01	0.04	15.9
C303071		1.8	10	0.5	0.6	<0.001	0.01	<0.05	0.1	<0.2	<0.2	1.2	<0.01	0.01	1.0
C303072		41.6	230	1.4	6.7	<0.001	0.13	0.07	2.3	<0.2	0.2	13.5	<0.01	0.03	15.4
C303073		38.4	240	2.7	6.9	<0.001	0.05	<0.05	2.5	0.2	0.2	17.0	<0.01	0.04	14.2
C303074		46.4	230	70.0	4.5	0.001	0.90	0.75	2.8	<0.2	0.2	18.5	<0.01	0.03	14.7
C303075		40.0	280	57.4	5.5	<0.001	0.74	0.50	2.8	<0.2	0.3	24.1	<0.01	0.02	13.4
C303076		35.8	240	14.7	3.9	<0.001	0.39	0.12	3.5	<0.2	0.4	35.3	<0.01	0.01	15.0
C303077		41.5	270	26.2	6.1	<0.001	0.60	0.20	3.1	<0.2	0.3	22.9	<0.01	0.01	14.0
C303078		60.5	500	8.4	96.4	<0.001	0.09	207	5.9	<0.2	1.3	16.9	<0.01	0.03	13.2
C303079		43.9	310	15.5	5.4	0.001	0.41	0.55	2.8	<0.2	0.2	19.0	<0.01	0.03	14.9
C303080		43.8	270	6.3	6.9	<0.001	0.08	0.13	3.0	<0.2	0.2	18.8	<0.01	0.02	15.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 4 (A - D)
 Date: 16-DEC-2020
 Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Ag-OG46 Ag ppm 1	Au-GR22 Au ppm 0.05
C303041		<0.02	0.15	1	0.67	0.76	<2	1.9		
C303042		0.05	0.80	22	8.47	3.52	88	3.0		
C303043		0.04	0.69	21	0.78	2.85	86	1.8		
C303044		0.54	1.41	65	0.60	10.10	76	27.9		
C303045		0.04	1.31	19	0.78	2.81	116	2.4		
C303046		0.03	1.17	20	0.31	2.75	123	3.4		
C303047		0.04	0.98	21	0.27	2.95	115	3.6		
C303048		0.04	1.09	19	0.43	2.82	112	4.0		
C303049		0.05	1.21	17	0.09	3.04	91	4.6		
C303050		0.03	1.42	19	0.07	3.87	99	2.6		
C303051		0.05	0.62	20	0.05	4.08	101	2.3		
C303052		0.04	0.75	20	0.27	5.66	101	2.3		
C303053		0.05	0.73	21	<0.05	3.68	78	1.4		
C303054		0.06	0.82	22	<0.05	3.41	71	1.3		
C303055		0.07	0.71	25	0.09	3.32	78	1.6		
C303056		0.57	1.37	63	0.41	8.50	74	26.1		
C303057		0.04	0.68	28	0.11	2.99	69	1.2		
C303058		0.06	0.72	27	0.09	2.72	75	1.3		
C303059		0.06	1.03	19	0.29	2.35	86	1.9		0.87
C303060		<0.02	0.16	1	<0.05	0.68	2	1.9		
C303061		0.04	1.23	6	0.33	1.35	54	1.5		21.7
C303062		0.06	0.81	14	0.37	2.19	76	1.8		1.66
C303063		0.05	0.70	12	0.28	1.83	72	1.6		9.30
C303064		0.06	1.09	23	0.17	2.96	77	1.7		0.29
C303065		<0.02	0.13	1	<0.05	0.63	<2	1.8		
C303066		0.06	1.80	15	0.10	3.22	96	3.5		
C303067		0.04	1.36	17	<0.05	2.85	118	2.8		
C303068		0.62	1.53	66	0.43	10.05	75	28.8		
C303069		0.05	1.66	19	0.10	3.34	113	4.4		
C303070		0.04	1.30	16	0.05	3.01	106	3.1		
C303071		<0.02	0.17	1	<0.05	0.57	<2	1.9		
C303072		0.04	1.36	17	0.72	2.74	94	3.1		
C303073		0.06	1.18	18	0.07	2.65	100	2.6		
C303074		0.04	1.23	20	0.05	2.47	99	5.2		
C303075		0.04	1.30	21	0.05	2.66	102	5.0		
C303076		0.03	1.46	22	0.07	3.26	104	4.7		
C303077		0.04	1.59	22	<0.05	2.98	109	5.9		
C303078		0.63	1.54	66	0.40	9.99	75	29.4		
C303079		0.05	1.41	20	0.06	2.96	112	5.2		
C303080		0.04	1.46	21	0.14	3.07	106	4.8		



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: +1 604 984 0221 Fax: +1 604 984 0218

www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303081		3.77	0.05	2.76	22.3	<0.02	<10	20	0.37	0.30	0.48	0.03	53.0	18.2	39	1.75
C303082		2.32	0.08	2.63	27.4	<0.02	<10	30	0.42	0.55	0.72	0.02	36.4	19.4	38	2.34
C303083		0.15	0.01	0.07	1.1	<0.02	<10	10	<0.05	0.02	0.01	0.01	4.22	0.6	9	0.13
C303084		2.60	0.06	2.64	274	0.23	<10	30	0.51	0.72	0.34	0.01	31.6	21.4	36	3.96
C303085		3.61	0.05	3.16	17.2	<0.02	<10	20	0.47	0.42	0.72	0.03	42.2	23.6	40	2.25
C303086		1.91	0.15	3.00	13.2	0.04	<10	30	0.54	1.34	0.70	0.10	33.8	24.0	38	2.42
C303087		2.62	0.04	2.58	3.4	0.02	<10	30	0.48	0.44	0.25	0.02	35.7	19.8	34	1.73
C303088		3.23	0.02	2.56	2.3	<0.02	<10	30	0.47	0.21	0.16	0.02	58.3	18.1	34	1.84
C303089		0.06	0.19	2.46	476	2.24	<10	90	1.20	0.33	0.21	0.04	57.2	13.0	97	7.86
C303090		4.87	0.28	3.05	2.5	<0.02	<10	30	0.55	0.73	0.64	0.08	42.2	24.5	40	1.73
C303091		5.28	0.08	2.67	0.2	<0.02	<10	30	0.50	0.35	0.28	0.03	59.7	20.3	36	1.84
C303092		3.62	0.01	2.87	0.2	<0.02	<10	40	0.60	0.16	0.23	0.01	37.7	21.4	36	1.84
C303093		7.61	0.08	2.45	<0.1	<0.02	<10	30	0.59	0.27	0.12	0.01	47.2	23.0	33	2.15
C303094		0.15	0.01	0.08	0.8	<0.02	<10	10	<0.05	0.01	0.01	<0.01	4.91	0.8	10	0.11
C303095		3.03	0.01	2.71	0.1	<0.02	<10	30	0.61	0.15	0.60	0.04	39.3	21.3	37	1.57
C303096		5.55	0.03	2.51	22.7	<0.02	<10	40	0.71	0.18	0.42	0.01	66.6	20.3	34	1.89
C303097		4.58	0.09	2.62	5.2	<0.02	<10	20	0.62	0.50	0.17	0.02	57.6	24.4	36	2.42
C303098		5.45	0.02	2.85	0.2	<0.02	<10	40	0.71	0.19	0.35	0.01	46.8	21.4	37	2.28
C303099		0.06	0.15	2.49	345	1.56	<10	90	1.20	0.29	0.20	0.04	57.7	12.9	100	7.85
C303100		5.17	<0.01	2.42	0.3	<0.02	<10	110	0.79	0.09	0.27	<0.01	62.5	20.0	35	2.14
C303101		6.10	<0.01	2.55	<0.1	<0.02	<10	110	0.86	0.08	0.29	0.01	59.3	18.6	35	1.95
C303102		4.10	0.01	2.72	0.2	<0.02	<10	30	0.82	0.28	0.23	0.01	44.3	21.3	39	1.70
C303103		4.10	0.01	2.72	2.5	<0.02	<10	40	0.69	0.16	0.20	0.01	77.9	19.9	38	1.66
C303104		3.91	0.02	2.66	26.9	<0.02	<10	30	0.54	0.17	0.25	0.02	77.9	24.0	38	1.70
C303105		5.65	0.19	3.08	25.7	<0.02	<10	30	0.51	1.08	0.57	0.10	42.5	22.3	35	1.25
C303106		0.07	0.18	2.49	486	2.23	<10	90	1.15	0.32	0.22	0.04	56.2	13.0	99	7.60
C303107		4.21	0.06	2.62	19.8	<0.02	<10	30	0.54	0.18	0.37	0.04	55.7	18.9	38	1.97
C303108		6.29	0.05	2.89	19.6	<0.02	<10	40	0.56	0.27	0.22	0.01	72.5	28.4	40	2.07
C303109		0.13	0.01	0.05	0.5	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.21	0.5	8	0.08
C303110		4.87	0.03	2.63	2.2	<0.02	<10	40	0.63	0.17	0.34	0.03	78.3	24.9	35	1.94
C303111		5.26	0.01	2.41	0.1	<0.02	<10	30	0.68	0.10	0.24	0.02	84.0	23.8	34	1.96
C303112		0.15	0.01	0.05	0.8	<0.02	<10	10	<0.05	0.01	<0.01	<0.01	3.89	0.6	9	0.07
C303113		5.57	0.02	2.19	<0.1	<0.02	<10	30	0.62	0.15	0.35	0.02	49.6	21.9	31	2.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303081		36.5	5.03	8.60	0.08	0.12	<0.01	0.023	0.11	26.7	87.5	1.05	942	0.13	0.04
C303082		28.6	4.81	8.09	0.06	0.12	<0.01	0.025	0.13	18.5	81.5	0.97	1000	0.28	0.05
C303083		2.3	0.87	0.38	<0.05	0.09	0.01	<0.005	0.01	2.1	1.5	0.02	90	0.35	0.01
C303084		39.7	4.98	7.63	0.05	0.12	<0.01	0.019	0.14	16.7	84.2	1.00	830	0.30	0.04
C303085		53.6	5.79	9.69	0.07	0.08	<0.01	0.026	0.10	21.5	103.5	1.29	1220	0.41	0.04
C303086		119.5	5.45	9.12	0.06	0.09	0.01	0.104	0.15	17.4	94.6	1.22	1260	1.15	0.04
C303087		58.2	4.53	7.48	0.06	0.06	<0.01	0.022	0.13	18.5	86.0	1.10	856	0.13	0.04
C303088		28.6	4.26	7.86	0.08	0.06	<0.01	0.019	0.13	29.7	86.9	1.08	785	<0.05	0.04
C303089		25.9	3.34	8.34	0.10	0.78	0.01	0.025	0.95	29.2	33.8	1.23	210	0.53	0.07
C303090		238	5.15	9.89	0.07	0.06	<0.01	0.030	0.15	21.6	108.5	1.38	1320	0.47	0.05
C303091		115.0	4.31	8.35	0.08	0.05	<0.01	0.032	0.13	30.3	86.1	1.24	961	0.06	0.04
C303092		11.0	5.15	8.67	0.05	0.06	<0.01	0.015	0.17	19.0	86.8	1.15	823	0.09	0.04
C303093		112.5	3.94	6.98	0.07	0.06	<0.01	0.013	0.15	24.6	89.7	1.14	632	0.05	0.04
C303094		1.7	1.12	0.41	<0.05	0.08	<0.01	<0.005	0.01	2.4	1.9	0.02	118	0.46	0.01
C303095		21.5	4.85	8.56	0.06	0.06	<0.01	0.021	0.13	19.9	87.7	1.20	1420	0.07	0.03
C303096		10.0	4.28	7.85	0.09	0.06	<0.01	0.018	0.18	34.7	80.4	1.01	732	0.08	0.04
C303097		149.0	4.13	8.09	0.07	0.07	0.01	0.019	0.13	29.4	87.7	1.27	728	0.05	0.04
C303098		1.0	4.93	8.69	0.07	0.05	0.01	0.017	0.18	23.9	82.2	1.23	754	0.06	0.05
C303099		24.5	3.37	8.24	0.10	0.76	0.01	0.023	0.96	30.0	34.2	1.24	208	0.54	0.07
C303100		0.5	4.68	7.61	0.09	0.07	<0.01	0.013	0.14	32.1	95.1	0.89	599	<0.05	0.03
C303101		1.2	4.76	8.15	0.09	0.04	<0.01	0.016	0.19	30.9	72.3	0.86	662	0.06	0.04
C303102		0.8	5.36	8.86	0.07	0.04	<0.01	0.015	0.15	22.8	80.7	0.97	695	<0.05	0.03
C303103		1.0	4.74	8.40	0.10	0.08	<0.01	0.016	0.17	40.5	89.8	1.00	760	0.08	0.04
C303104		11.1	4.51	8.52	0.09	0.07	<0.01	0.021	0.14	40.0	93.6	1.11	916	0.06	0.03
C303105		231	5.54	10.00	0.07	0.07	<0.01	0.042	0.12	21.3	108.0	1.40	1330	0.14	0.04
C303106		25.6	3.38	8.03	0.09	0.76	0.01	0.025	0.95	29.9	34.1	1.25	214	0.51	0.07
C303107		45.1	4.28	8.46	0.09	0.08	0.01	0.024	0.12	27.8	97.6	1.21	1030	0.07	0.04
C303108		23.3	4.32	8.93	0.10	0.06	0.01	0.022	0.18	36.2	102.5	1.43	1120	0.07	0.05
C303109		1.1	0.89	0.29	<0.05	0.07	<0.01	<0.005	0.01	1.6	1.4	0.01	99	0.37	0.01
C303110		46.6	3.86	8.37	0.11	0.05	<0.01	0.020	0.19	39.8	93.8	1.34	1320	0.08	0.05
C303111		33.8	3.40	7.72	0.10	0.06	<0.01	0.013	0.15	43.4	82.8	1.30	1060	0.11	0.04
C303112		1.3	1.07	0.31	<0.05	0.09	<0.01	<0.005	0.01	1.9	1.0	0.01	115	0.41	0.01
C303113		1.4	3.19	6.20	0.08	0.07	<0.01	0.012	0.16	25.7	73.4	1.25	1100	0.09	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C303081		40.8	270	10.6	5.4	<0.001	0.11	0.12	3.1	<0.2	0.2	22.0	<0.01	0.01	15.3
C303082		41.3	230	18.2	6.6	<0.001	0.30	0.18	2.7	<0.2	0.3	38.0	<0.01	0.02	13.4
C303083		2.0	20	0.9	0.9	<0.001	<0.01	<0.05	0.3	<0.2	<0.2	1.6	<0.01	0.01	1.1
C303084		41.9	260	7.5	7.0	0.001	0.44	0.33	2.4	<0.2	0.3	63.4	<0.01	0.01	13.9
C303085		49.2	310	9.4	5.2	<0.001	0.11	0.06	3.1	0.2	0.2	45.8	<0.01	0.02	14.9
C303086		45.2	460	7.7	7.5	<0.001	0.31	0.07	3.4	0.3	0.3	45.9	<0.01	0.04	15.4
C303087		37.2	300	3.8	6.2	0.001	0.27	0.05	2.4	<0.2	0.2	23.4	<0.01	0.01	13.9
C303088		39.4	310	2.4	6.6	<0.001	0.05	<0.05	2.5	<0.2	0.2	21.7	<0.01	0.02	14.7
C303089		58.3	500	9.1	99.2	<0.001	0.10	305	6.0	<0.2	1.3	18.2	<0.01	0.03	13.1
C303090		43.8	320	9.7	7.8	<0.001	0.13	0.33	3.8	0.2	0.3	35.3	<0.01	0.03	15.3
C303091		38.7	310	2.3	6.9	<0.001	0.03	0.06	2.7	0.2	0.2	30.2	<0.01	0.02	16.2
C303092		45.4	290	1.5	9.3	<0.001	0.14	0.05	2.8	<0.2	0.2	40.3	<0.01	0.01	14.6
C303093		45.0	300	0.9	7.6	0.001	0.02	0.06	2.1	<0.2	<0.2	24.9	<0.01	0.02	14.9
C303094		2.7	30	0.5	0.9	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.7	<0.01	<0.01	1.1
C303095		44.3	300	4.3	6.8	<0.001	0.12	0.05	3.1	<0.2	0.2	32.7	<0.01	0.02	14.5
C303096		41.3	290	5.5	9.3	<0.001	0.02	0.05	2.6	<0.2	0.2	28.5	<0.01	0.01	15.5
C303097		46.9	310	2.5	6.5	<0.001	0.04	0.05	2.5	<0.2	0.2	25.1	<0.01	0.03	15.8
C303098		48.6	300	6.7	9.3	<0.001	0.19	0.05	2.9	0.3	0.2	31.2	<0.01	0.02	15.2
C303099		58.6	490	8.1	98.4	<0.001	0.07	216	5.8	<0.2	1.2	16.5	<0.01	0.02	13.0
C303100		45.8	280	0.7	7.7	0.001	0.02	0.25	2.6	<0.2	<0.2	26.5	<0.01	0.02	15.4
C303101		46.9	290	1.3	10.3	<0.001	0.06	0.09	2.9	<0.2	0.2	29.5	<0.01	0.02	15.3
C303102		47.6	290	4.9	8.0	<0.001	0.27	0.06	3.1	<0.2	<0.2	22.4	<0.01	0.03	15.5
C303103		45.7	290	3.2	9.5	<0.001	<0.01	0.05	2.9	<0.2	0.2	24.5	<0.01	0.04	16.3
C303104		49.9	310	4.2	7.3	<0.001	<0.01	<0.05	2.7	<0.2	0.3	19.3	<0.01	0.02	16.3
C303105		42.0	320	9.3	6.1	<0.001	0.06	<0.05	3.2	<0.2	0.4	28.0	<0.01	0.04	14.1
C303106		59.1	500	9.0	97.0	0.001	0.10	309	5.8	0.3	1.3	18.0	<0.01	0.02	13.3
C303107		40.6	300	5.6	6.1	<0.001	0.06	0.34	3.1	<0.2	0.2	32.8	<0.01	0.01	15.2
C303108		50.6	300	6.9	10.1	<0.001	0.01	0.15	3.1	<0.2	0.2	24.9	<0.01	0.02	15.8
C303109		1.9	10	0.4	0.6	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.0
C303110		46.2	280	4.9	10.3	<0.001	<0.01	0.11	3.2	<0.2	0.2	28.2	<0.01	0.02	14.5
C303111		42.0	280	1.6	7.9	<0.001	<0.01	0.08	2.5	<0.2	<0.2	23.8	<0.01	0.02	15.3
C303112		2.2	10	0.4	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	0.01	1.2
C303113		42.9	270	6.5	7.9	<0.001	0.09	0.07	2.0	<0.2	<0.2	24.6	<0.01	0.01	13.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 4 (A - D)
Date: 16-DEC-2020
Account: NUF

Project: Culvert - NUF

PRELIMINARY CERTIFICATE OF ANALYSIS WH20234268

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Ag-OG46 Ag ppm 1	Au-GRA22 Au ppm 0.05
C303081		0.03	1.19	21	0.15	2.97	105	4.5		
C303082		0.05	1.16	19	0.07	3.28	109	4.3		
C303083		<0.02	0.19	2	<0.05	0.81	3	2.3		
C303084		0.05	1.60	17	0.14	2.65	104	5.0		
C303085		0.03	1.26	23	0.16	2.87	127	3.1		
C303086		0.05	1.65	24	5.49	3.32	127	3.4		
C303087		0.04	1.19	16	2.60	2.41	101	2.4		
C303088		0.04	1.19	16	0.08	2.94	99	2.5		
C303089		0.61	1.48	64	0.49	9.71	74	30.2		
C303090		0.04	1.42	23	<0.05	3.22	127	2.6		
C303091		0.04	1.19	18	<0.05	2.77	115	2.0		
C303092		0.06	1.17	22	0.05	2.41	110	2.2		
C303093		0.05	1.36	17	0.05	2.56	119	2.8		
C303094		<0.02	0.16	1	<0.05	0.75	3	2.0		
C303095		0.04	1.22	24	<0.05	2.66	121	2.0		
C303096		0.06	1.46	20	0.05	3.50	105	2.3		
C303097		0.03	1.52	20	<0.05	3.17	127	3.1		
C303098		0.05	1.26	25	<0.05	2.81	126	1.9		
C303099		0.60	1.43	66	0.44	9.57	74	29.2		
C303100		0.04	1.58	25	<0.05	2.90	97	2.5		
C303101		0.06	1.26	25	<0.05	2.94	91	2.0		
C303102		0.05	1.16	28	<0.05	2.40	100	1.6		
C303103		0.06	1.42	25	<0.05	3.34	100	2.9		
C303104		0.05	1.45	21	<0.05	3.37	112	3.1		
C303105		0.04	1.28	27	0.05	2.75	147	2.5		
C303106		0.59	1.48	65	0.47	9.51	75	29.6		
C303107		0.04	1.35	23	<0.05	3.12	109	2.8		
C303108		0.05	1.45	23	<0.05	3.49	141	2.4		
C303109		<0.02	0.15	1	<0.05	0.59	2	2.0		
C303110		0.06	1.18	23	<0.05	3.53	128	2.0		
C303111		0.05	1.34	20	0.11	3.43	132	2.4		
C303112		<0.02	0.17	1	<0.05	0.63	2	2.1		
C303113		0.05	1.32	16	<0.05	2.89	129	2.6		