



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

CERTIFICATE WH20241085

Project: Culvert - NUF

This report is for 110 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20-OCT-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303114		6.02	<0.01	2.79	<0.1	<0.02	<10	50	0.79	0.15	0.23	0.01	66.3	21.6	37	2.43
C303115		5.26	<0.01	2.39	0.3	<0.02	<10	30	0.70	0.21	0.16	<0.01	66.8	18.1	36	2.22
C303116		5.60	<0.01	2.59	0.2	<0.02	<10	50	0.77	0.53	0.17	0.01	63.7	18.6	37	2.21
C303117		6.11	<0.01	2.41	0.1	<0.02	<10	260	0.68	0.15	0.13	<0.01	60.1	20.4	34	2.15
C303118		0.06	0.16	2.55	345	1.64	<10	90	1.15	0.33	0.20	0.03	59.7	13.0	103	7.57
C303119		6.11	<0.01	2.72	0.4	<0.02	<10	50	0.87	0.19	0.11	<0.01	75.4	21.0	36	2.59
C303120		5.58	0.01	2.47	0.3	<0.02	<10	30	0.68	0.13	0.25	0.01	60.4	20.1	35	2.23
C303121		5.38	<0.01	2.52	0.4	<0.02	<10	50	0.86	0.11	0.17	0.01	69.8	20.9	38	2.55
C303122		3.92	0.02	2.15	0.2	<0.02	<10	30	0.70	0.44	0.20	0.01	67.6	20.6	34	2.15
C303123		4.89	0.01	2.69	0.3	<0.02	<10	50	0.86	0.21	0.19	0.01	76.6	23.0	38	2.43
C303124		0.07	0.14	2.63	352	1.62	<10	100	1.29	0.33	0.21	0.04	62.3	13.0	106	7.63
C303125		6.26	<0.01	2.85	0.8	<0.02	<10	30	0.71	0.08	0.34	<0.01	58.3	24.6	39	2.05
C303126		5.25	0.01	3.00	0.2	<0.02	<10	40	0.78	0.11	0.59	0.01	51.6	22.7	38	2.12
C303127		5.22	0.17	3.05	0.1	<0.02	<10	30	0.57	0.42	0.17	0.03	41.5	25.0	40	1.80
C303128		4.20	0.26	3.97	0.1	<0.02	<10	40	0.65	0.42	0.25	0.04	58.8	31.0	50	1.91
C303129		0.15	0.01	0.05	1.0	<0.02	<10	10	<0.05	0.01	<0.01	<0.01	3.29	0.5	10	0.06
C303130		3.78	0.13	2.77	0.2	<0.02	<10	30	0.59	0.29	0.16	0.02	64.5	22.9	40	2.32
C303131		4.74	0.11	3.28	0.2	<0.02	<10	40	0.61	0.40	0.20	0.02	65.3	26.0	42	2.03
C303132		5.90	0.04	2.86	0.1	<0.02	<10	30	0.63	0.16	0.11	0.01	66.8	22.1	40	2.33
C303133		0.06	0.17	2.61	501	2.21	<10	100	1.27	0.31	0.23	0.03	62.0	12.7	102	7.76
C303134		5.19	0.08	3.19	0.4	<0.02	<10	30	0.61	0.37	0.23	0.02	42.5	26.5	43	2.05
C303135		5.77	<0.01	3.04	0.1	<0.02	<10	110	0.75	0.06	0.15	0.01	73.2	19.2	40	2.05
C303136		6.35	<0.01	2.55	<0.1	<0.02	<10	30	0.64	0.10	0.15	<0.01	47.4	15.4	37	2.07
C303137		0.15	0.01	0.07	0.7	<0.02	<10	10	<0.05	0.01	0.05	0.01	2.95	0.5	10	0.07
C303138		5.54	0.04	2.97	0.6	<0.02	<10	30	0.72	0.48	0.48	0.03	44.1	22.6	40	2.06
C303139		5.31	0.38	4.00	0.6	<0.02	<10	20	0.45	0.99	1.13	0.13	39.0	34.7	63	0.86
C303140		6.21	0.41	3.49	0.3	<0.02	<10	20	0.50	1.18	1.04	0.18	43.1	32.1	55	0.91
C303141		0.06	0.18	2.69	514	2.22	<10	100	1.17	0.32	0.23	0.03	59.4	12.8	104	7.54
C303142		5.18	<0.01	2.93	0.3	<0.02	<10	40	0.81	0.13	0.16	<0.01	71.4	19.6	41	2.26
C303143		6.16	0.01	2.64	0.2	<0.02	<10	30	0.71	0.11	0.27	0.01	50.6	19.7	40	1.83
C303144		5.80	0.02	3.09	1.1	<0.02	<10	50	0.81	0.37	0.12	<0.01	82.2	16.5	45	1.81
C303145		5.74	0.03	2.92	24.4	<0.02	<10	30	0.62	0.31	0.22	0.02	63.3	23.3	40	1.72
C303146		0.15	0.01	0.06	1.1	<0.02	<10	10	<0.05	0.04	0.02	<0.01	3.52	1.5	11	0.05
C303147		4.36	0.07	2.92	23.9	0.02	<10	30	0.63	0.20	0.12	0.07	67.0	22.3	37	1.87
C303148		3.62	0.02	3.02	14.2	<0.02	<10	50	0.79	0.13	0.47	0.01	66.6	16.9	39	1.80
C303149		1.90	0.04	2.03	16.5	0.05	<10	30	0.52	0.27	0.63	0.01	37.1	14.1	32	1.35
C303150		5.38	0.09	3.00	24.6	<0.02	<10	50	0.74	0.33	0.31	0.06	67.3	21.6	38	1.92
C303151		5.46	0.04	2.92	21.4	<0.02	<10	30	0.74	0.28	0.11	0.02	57.6	20.7	43	1.92
C303152		5.32	0.01	3.10	8.2	<0.02	<10	60	0.83	0.49	0.13	<0.01	58.0	17.0	47	1.73
C303153		0.14	<0.01	0.05	1.0	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.55	0.5	5	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303114		1.3	4.26	8.22	0.11	0.09	<0.01	0.016	0.25	33.1	82.3	1.17	803	0.13	0.05
C303115		0.4	4.39	6.92	0.12	0.05	<0.01	0.013	0.16	34.1	76.0	0.97	611	0.05	0.03
C303116		0.8	4.52	7.10	0.12	0.05	<0.01	0.014	0.25	31.7	68.6	1.01	721	<0.05	0.05
C303117		0.6	3.99	7.32	0.11	0.03	<0.01	0.013	0.14	29.7	79.9	1.09	734	0.05	0.03
C303118		24.9	3.42	8.13	0.14	0.74	0.01	0.025	0.98	29.7	31.8	1.29	215	0.57	0.07
C303119		4.1	3.78	8.31	0.12	0.07	<0.01	0.016	0.27	37.2	84.2	1.20	786	0.15	0.05
C303120		2.2	4.02	7.42	0.11	0.12	<0.01	0.013	0.14	30.0	81.3	1.13	746	0.08	0.03
C303121		0.5	4.56	7.72	0.13	0.07	<0.01	0.015	0.24	34.5	76.6	1.04	657	<0.05	0.05
C303122		4.7	4.33	6.95	0.11	0.05	<0.01	0.013	0.14	33.6	73.4	1.01	809	<0.05	0.02
C303123		2.0	4.92	8.33	0.13	0.07	<0.01	0.016	0.24	38.8	79.9	1.16	892	<0.05	0.05
C303124		24.9	3.52	8.30	0.13	0.76	0.01	0.027	1.02	30.7	32.7	1.32	221	0.54	0.07
C303125		0.3	5.22	8.63	0.12	0.06	<0.01	0.015	0.13	29.3	90.7	1.30	817	<0.05	0.02
C303126		0.9	5.08	9.37	0.11	0.05	<0.01	0.015	0.19	25.7	94.0	1.32	929	0.12	0.04
C303127		178.5	4.84	8.23	0.08	0.04	<0.01	0.019	0.14	20.5	86.7	1.64	976	0.32	0.03
C303128		355	6.04	10.45	0.13	0.09	<0.01	0.045	0.20	28.3	101.5	2.08	1420	0.17	0.06
C303129		1.6	1.36	0.31	<0.05	0.08	<0.01	<0.005	0.01	1.5	0.8	0.01	146	0.57	<0.01
C303130		155.5	4.22	7.69	0.11	0.05	<0.01	0.019	0.14	31.2	73.8	1.43	950	0.13	0.04
C303131		149.5	4.95	8.94	0.10	0.06	<0.01	0.019	0.19	32.0	81.1	1.62	1170	0.17	0.06
C303132		65.7	4.31	7.74	0.11	0.06	<0.01	0.015	0.15	32.9	81.7	1.42	846	0.11	0.04
C303133		26.2	3.53	7.93	0.12	0.70	0.01	0.023	1.03	30.0	32.6	1.32	230	0.52	0.07
C303134		197.0	5.16	8.88	0.11	0.06	<0.01	0.017	0.15	20.3	96.8	1.70	1080	0.11	0.03
C303135		3.4	4.90	8.50	0.12	0.05	<0.01	0.018	0.24	35.1	77.0	1.25	827	0.08	0.05
C303136		0.2	4.71	7.14	0.09	0.05	<0.01	0.015	0.16	23.3	65.7	0.99	642	0.05	0.03
C303137		1.3	1.35	0.34	<0.05	0.08	<0.01	<0.005	0.02	1.4	1.2	0.01	144	0.55	<0.01
C303138		63.9	5.43	8.50	0.09	0.05	<0.01	0.020	0.16	21.6	78.9	1.38	1300	0.10	0.03
C303139		393	7.17	14.45	0.10	0.06	<0.01	0.047	0.10	15.6	111.5	2.41	3120	0.17	0.04
C303140		528	6.16	11.00	0.09	0.05	<0.01	0.044	0.09	18.0	101.0	2.23	3140	0.11	0.03
C303141		26.1	3.61	7.81	0.11	0.67	0.01	0.025	1.05	28.7	31.1	1.35	235	0.52	0.07
C303142		2.0	5.07	7.80	0.12	0.05	<0.01	0.017	0.23	34.6	76.4	1.16	686	0.10	0.05
C303143		0.5	5.14	7.85	0.10	0.03	<0.01	0.017	0.17	24.6	70.8	1.02	727	0.08	0.03
C303144		1.7	5.56	8.75	0.13	0.03	<0.01	0.021	0.27	40.6	67.9	0.93	797	0.09	0.05
C303145		5.5	5.19	8.18	0.11	0.06	<0.01	0.020	0.17	31.3	76.8	1.25	997	0.09	0.04
C303146		1.6	1.42	0.36	<0.05	0.08	<0.01	<0.005	0.01	1.6	1.2	0.01	288	0.56	<0.01
C303147		78.7	4.61	8.16	0.11	0.07	<0.01	0.024	0.13	33.2	77.0	1.47	881	0.10	0.03
C303148		2.2	5.27	8.66	0.12	0.08	<0.01	0.023	0.24	32.7	71.1	1.12	1140	0.14	0.05
C303149		24.4	3.99	6.09	0.08	0.03	<0.01	0.019	0.12	18.2	51.6	0.76	1110	0.12	0.03
C303150		90.9	4.89	8.89	0.11	0.06	<0.01	0.033	0.25	32.2	71.1	1.22	1060	0.12	0.06
C303151		19.9	5.36	8.48	0.10	0.12	<0.01	0.021	0.16	28.2	73.6	1.16	706	0.07	0.04
C303152		4.8	5.82	9.81	0.11	0.03	<0.01	0.020	0.27	29.2	69.5	0.89	537	0.11	0.05
C303153		1.1	0.65	0.26	<0.05	0.08	<0.01	<0.005	0.01	1.6	1.2	0.01	66	0.24	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303114		45.2	300	2.0	13.2	<0.001	<0.01	0.08	3.2	<0.2	0.2	32.3	<0.01	<0.01	16.1
C303115		40.5	280	1.6	8.0	<0.001	<0.01	0.07	2.5	<0.2	0.2	23.1	<0.01	<0.01	15.6
C303116		40.0	290	2.1	12.0	0.001	<0.01	0.07	2.8	<0.2	0.3	24.4	<0.01	0.01	14.2
C303117		43.4	270	1.5	7.6	<0.001	<0.01	0.06	2.6	<0.2	0.2	27.4	<0.01	<0.01	14.9
C303118		58.9	500	8.4	95.1	<0.001	0.08	243	6.0	<0.2	1.4	16.9	<0.01	0.02	13.5
C303119		41.7	280	2.4	14.5	<0.001	<0.01	0.37	3.3	<0.2	0.3	26.5	<0.01	0.01	14.8
C303120		43.4	270	1.8	7.2	<0.001	<0.01	0.13	2.7	<0.2	<0.2	31.6	<0.01	<0.01	14.2
C303121		45.6	310	2.7	12.5	<0.001	<0.01	0.10	3.0	<0.2	0.3	38.8	<0.01	<0.01	16.2
C303122		40.3	280	2.0	7.1	<0.001	<0.01	0.18	2.5	<0.2	0.2	22.9	<0.01	0.02	15.5
C303123		46.7	300	2.4	13.2	<0.001	<0.01	0.09	3.1	<0.2	0.3	28.8	<0.01	0.02	16.5
C303124		58.7	530	8.4	95.1	<0.001	0.08	250	6.1	<0.2	1.4	17.3	<0.01	0.01	13.4
C303125		50.2	300	1.9	6.9	<0.001	0.01	0.40	3.1	<0.2	0.2	33.1	<0.01	<0.01	15.3
C303126		47.8	280	2.2	10.1	<0.001	0.04	0.10	3.4	<0.2	0.2	43.5	<0.01	<0.01	15.2
C303127		52.3	300	6.1	6.5	<0.001	0.12	0.14	2.7	0.3	0.2	29.0	<0.01	0.05	13.2
C303128		58.8	320	8.2	9.4	<0.001	0.04	0.08	3.6	0.3	0.3	35.7	<0.01	0.02	14.8
C303129		2.3	20	0.8	0.5	<0.001	<0.01	0.05	0.2	0.2	<0.2	1.3	<0.01	0.01	1.0
C303130		45.0	310	4.5	5.5	<0.001	0.02	0.05	2.6	0.3	<0.2	46.6	<0.01	0.05	14.4
C303131		43.7	310	3.8	9.3	<0.001	0.02	0.05	3.2	0.3	0.2	33.2	<0.01	0.02	13.7
C303132		46.8	310	1.9	6.5	<0.001	0.01	<0.05	2.6	0.2	<0.2	32.0	<0.01	0.06	16.0
C303133		60.5	520	8.5	88.9	<0.001	0.11	363	6.1	0.5	1.2	18.4	<0.01	0.02	12.5
C303134		51.0	310	1.5	7.1	<0.001	0.10	0.32	3.0	0.4	<0.2	30.9	<0.01	0.02	14.5
C303135		41.5	310	1.7	11.4	<0.001	0.01	0.11	3.2	0.2	0.2	27.4	<0.01	0.02	15.0
C303136		43.2	300	1.1	7.3	<0.001	0.15	0.06	2.7	0.2	<0.2	23.3	<0.01	0.02	14.4
C303137		2.4	20	0.9	0.7	<0.001	<0.01	0.07	0.2	0.2	<0.2	2.4	<0.01	0.02	0.8
C303138		49.3	310	3.2	7.6	<0.001	0.22	0.07	3.1	0.4	0.2	36.7	<0.01	0.05	15.8
C303139		44.9	510	28.2	5.4	<0.001	0.31	0.07	6.2	0.4	0.2	48.3	<0.01	0.04	11.2
C303140		43.8	470	19.9	4.5	<0.001	0.19	0.08	5.1	0.4	0.2	41.8	<0.01	0.07	12.7
C303141		60.1	530	8.5	88.5	<0.001	0.11	357	6.1	0.3	1.2	18.1	<0.01	0.03	12.4
C303142		46.1	300	1.9	11.0	<0.001	0.01	0.39	3.0	0.2	0.2	31.1	<0.01	0.01	14.4
C303143		44.4	300	2.8	8.2	<0.001	0.13	0.11	3.2	0.2	<0.2	25.2	<0.01	0.01	14.3
C303144		37.3	290	14.0	12.6	<0.001	0.01	0.08	3.7	0.2	0.3	25.8	<0.01	0.02	14.4
C303145		48.4	310	6.1	7.8	<0.001	0.07	0.24	3.1	0.2	0.3	25.6	<0.01	0.04	14.4
C303146		2.4	20	1.0	0.5	<0.001	<0.01	0.07	0.2	0.2	<0.2	1.5	<0.01	0.01	0.9
C303147		42.9	300	5.4	6.1	<0.001	0.02	0.05	2.6	0.3	0.3	44.9	<0.01	0.03	14.1
C303148		41.0	300	5.2	11.6	<0.001	0.06	0.05	3.6	0.2	0.3	36.6	<0.01	0.02	14.9
C303149		32.9	220	5.0	5.4	<0.001	0.17	0.08	2.7	0.4	0.2	30.3	<0.01	0.02	11.2
C303150		45.3	380	8.1	11.9	<0.001	0.09	0.11	3.5	<0.2	0.4	33.5	<0.01	0.02	16.3
C303151		49.6	320	5.3	7.9	<0.001	0.10	0.06	3.1	0.3	0.2	28.4	<0.01	0.03	13.8
C303152		47.1	300	5.7	13.8	<0.001	0.09	0.12	4.3	0.2	0.3	26.7	<0.01	0.05	11.9
C303153		1.3	20	0.9	0.5	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.3	<0.01	0.01	0.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-JAN-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01
C303114		0.07	1.29	30	<0.05	3.01	122	2.1	0.01
C303115		0.06	1.34	30	<0.05	2.65	100	2.0	0.01
C303116		0.07	1.13	33	<0.05	2.56	105	1.6	<0.01
C303117		0.04	1.26	26	<0.05	2.50	112	1.5	0.01
C303118		0.65	1.50	68	0.42	9.65	77	28.2	1.63
C303119		0.08	1.33	25	<0.05	2.94	121	2.3	<0.01
C303120		0.04	1.22	27	<0.05	2.45	114	1.8	<0.01
C303121		0.08	1.27	36	<0.05	2.88	108	2.3	<0.01
C303122		0.05	1.27	29	<0.05	3.06	105	1.8	0.01
C303123		0.08	1.40	32	<0.05	3.45	117	2.4	0.01
C303124		0.66	1.50	69	0.40	9.79	79	29.1	1.62
C303125		0.04	1.58	34	<0.05	3.00	129	2.9	0.01
C303126		0.05	1.25	31	<0.05	2.72	125	2.0	<0.01
C303127		0.03	1.03	25	<0.05	2.13	155	2.0	0.01
C303128		0.05	1.36	35	<0.05	2.92	190	3.6	0.01
C303129		<0.02	0.17	1	<0.05	0.56	2	2.0	<0.01
C303130		0.03	1.14	24	<0.05	2.65	129	2.1	0.01
C303131		0.05	1.24	28	<0.05	2.82	140	3.1	0.01
C303132		0.04	1.38	23	<0.05	2.95	125	2.8	0.01
C303133		0.58	1.46	68	0.44	9.35	79	30.5	2.26
C303134		0.03	1.41	29	<0.05	2.53	155	2.8	0.01
C303135		0.06	1.18	33	<0.05	2.78	114	1.9	<0.01
C303136		0.04	1.21	28	<0.05	2.16	88	1.4	<0.01
C303137		<0.02	0.16	1	<0.05	0.64	2	2.2	<0.01
C303138		0.05	1.52	26	<0.05	2.78	127	1.9	0.01
C303139		0.03	1.09	46	<0.05	4.25	211	2.6	0.01
C303140		0.03	1.13	39	<0.05	3.69	207	2.1	0.02
C303141		0.57	1.46	69	0.43	9.13	81	29.9	2.28
C303142		0.07	1.30	30	<0.05	2.69	119	2.0	0.01
C303143		0.04	1.17	32	<0.05	2.25	109	2.1	0.01
C303144		0.07	0.91	38	<0.05	2.65	104	1.2	0.01
C303145		0.04	1.26	26	<0.05	2.57	130	1.9	<0.01
C303146		<0.02	0.18	2	<0.05	0.67	2	2.2	<0.01
C303147		0.03	1.24	22	<0.05	3.08	137	2.9	0.02
C303148		0.07	1.28	27	<0.05	3.37	109	2.1	<0.01
C303149		0.03	1.02	19	<0.05	2.59	86	1.3	0.02
C303150		0.08	1.40	28	<0.05	3.34	122	2.6	0.02
C303151		0.04	1.37	29	<0.05	2.56	118	2.3	<0.01
C303152		0.08	0.98	38	<0.05	2.61	96	1.6	0.01
C303153		<0.02	0.18	2	<0.05	0.62	2	2.0	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303154		5.64	0.02	2.81	1.4	<0.02	<10	40	0.84	0.69	0.13	<0.01	39.7	19.8	44	2.07
C303155		5.35	<0.01	2.80	0.3	<0.02	<10	60	1.02	0.29	0.41	0.01	45.6	18.5	38	2.28
C303156		5.23	<0.01	2.67	0.3	<0.02	<10	30	0.83	0.27	0.27	<0.01	68.4	20.4	41	1.85
C303157		4.21	<0.01	2.95	1.3	<0.02	<10	50	0.84	0.34	0.13	<0.01	89.8	19.0	43	1.86
C303158		4.65	<0.01	2.70	0.5	<0.02	<10	40	0.80	0.24	0.15	<0.01	58.9	18.9	38	2.30
C303159		0.06	0.14	2.73	366	1.62	<10	100	1.29	0.31	0.22	0.03	64.2	12.9	108	7.62
C303160		5.66	<0.01	2.65	0.6	<0.02	<10	30	0.91	0.23	0.32	<0.01	40.0	20.9	38	2.41
C303161		0.06	0.13	2.73	367	1.60	<10	100	1.26	0.31	0.22	0.03	63.3	13.2	107	7.86
C303162		2.63	<0.01	2.54	0.3	<0.02	<10	30	0.82	0.16	0.29	<0.01	42.1	19.2	34	1.95
C303163		4.55	0.01	2.82	12.7	<0.02	<10	50	0.90	0.19	0.14	<0.01	39.9	20.1	37	2.23
C303164		2.58	0.02	2.63	24.3	<0.02	<10	20	0.66	0.18	0.34	<0.01	40.8	22.6	34	1.72
C303165		3.68	0.03	2.74	18.1	<0.02	<10	40	0.80	0.23	0.28	0.01	62.7	21.4	40	2.09
C303166		0.15	0.01	0.04	0.7	<0.02	<10	10	<0.05	0.01	0.01	0.01	3.12	0.4	5	<0.05
C303167		2.23	0.04	3.11	9.5	<0.02	<10	40	0.73	0.75	0.11	0.01	60.3	20.1	48	2.12
C303168		5.49	0.03	3.16	14.1	<0.02	<10	30	0.63	0.28	0.11	0.01	56.3	23.2	47	1.87
C303169		4.13	0.03	2.91	22.8	<0.02	<10	40	0.82	0.35	0.18	0.04	71.5	24.8	40	2.34
C303170		1.66	0.03	2.68	17.1	<0.02	<10	20	0.58	0.07	0.14	0.01	46.8	23.7	35	1.97
C303171		0.19	0.01	0.05	0.6	<0.02	<10	10	<0.05	0.01	<0.01	<0.01	3.43	0.5	12	0.08
C303172		4.49	0.06	2.77	10.6	<0.02	<10	30	0.65	0.31	0.11	0.02	45.7	19.7	42	1.97
C303173		4.51	0.02	2.78	19.4	<0.02	<10	40	0.82	0.17	0.11	0.01	57.6	23.6	37	2.49
C303174		1.86	0.02	2.67	19.1	<0.02	<10	20	0.74	0.21	0.11	0.01	51.8	23.2	37	2.26
C303175		3.60	0.01	3.17	16.0	<0.02	<10	50	0.80	0.60	0.12	<0.01	56.9	20.4	44	1.99
C303176		5.12	0.01	2.73	24.0	<0.02	<10	30	0.72	0.47	0.31	0.01	46.0	22.1	39	1.59
C303177		1.85	0.04	2.76	17.7	0.25	<10	50	0.82	6.21	0.50	0.01	32.6	32.5	38	1.71
C303178		0.07	0.17	2.58	484	2.17	<10	100	1.12	0.30	0.22	0.03	54.6	12.7	101	7.25
C303179		3.37	0.02	3.37	34.9	0.08	<10	50	0.97	1.18	0.75	0.01	69.5	27.9	47	1.66
C303180		3.67	0.01	2.66	22.9	<0.02	<10	30	0.82	0.35	0.54	0.01	48.0	20.5	38	1.46
C303181		4.46	0.01	2.82	19.5	<0.02	<10	40	0.76	0.34	0.27	0.01	55.0	22.2	39	3.34
C303182		3.92	0.01	2.71	4.0	<0.02	<10	30	0.65	0.27	0.10	<0.01	50.2	17.0	42	1.52
C303183		2.84	0.01	3.03	0.1	<0.02	<10	50	0.80	0.53	0.11	<0.01	67.2	17.4	43	2.20
C303184		0.15	0.01	0.07	1.4	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.46	0.4	6	0.08
C303185		2.02	0.01	2.90	0.1	<0.02	<10	50	0.82	0.57	0.31	<0.01	47.5	21.1	40	2.36
C303186		2.87	<0.01	2.36	0.4	<0.02	<10	20	0.64	0.25	0.32	<0.01	33.8	19.8	32	1.61
C303187		3.87	<0.01	2.57	1.6	<0.02	<10	50	0.88	0.23	0.24	<0.01	33.9	19.1	35	2.49
C303188		5.73	<0.01	2.46	1.4	<0.02	<10	30	0.74	0.26	0.30	0.01	36.3	20.6	35	1.88
C303189		0.06	0.13	2.60	345	1.51	<10	100	1.07	0.28	0.21	0.03	58.3	12.7	103	7.20
C303190		2.19	0.01	1.81	1.3	<0.02	<10	40	0.63	0.17	0.12	0.01	50.2	19.5	34	2.92
C303191		4.10	<0.01	1.81	0.9	<0.02	<10	50	0.67	0.41	0.15	<0.01	51.1	18.7	33	3.14
C303192		4.70	<0.01	1.57	0.4	<0.02	<10	30	0.59	0.28	0.20	<0.01	48.9	19.8	31	2.93
C303193		4.64	<0.01	2.26	0.3	<0.02	<10	60	0.79	0.28	0.24	0.01	65.8	20.8	35	3.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303154		1.5	5.63	8.39	0.10	0.03	<0.01	0.019	0.20	20.3	61.6	0.87	430	0.07	0.04
C303155		0.4	5.06	7.80	0.09	0.04	<0.01	0.019	0.30	22.3	42.7	0.88	765	0.12	0.06
C303156		1.1	5.25	8.44	0.13	0.02	<0.01	0.019	0.18	33.9	49.8	0.96	824	0.09	0.04
C303157		1.3	5.33	9.55	0.13	0.08	<0.01	0.020	0.28	43.7	52.5	0.93	600	0.12	0.06
C303158		0.8	5.12	7.64	0.10	0.03	<0.01	0.014	0.21	29.1	45.0	0.95	533	0.12	0.04
C303159		25.7	3.63	8.12	0.12	0.72	<0.01	0.027	1.05	31.3	31.8	1.36	230	0.57	0.08
C303160		0.4	5.08	7.39	0.09	0.04	<0.01	0.018	0.21	20.3	45.2	1.00	598	0.10	0.04
C303161		24.1	3.63	7.92	0.13	0.70	0.01	0.026	1.06	30.4	31.8	1.36	234	0.53	0.08
C303162		0.6	5.14	7.04	0.09	0.02	<0.01	0.016	0.16	21.0	43.9	0.93	613	0.08	0.03
C303163		0.9	4.94	7.86	0.07	0.04	<0.01	0.016	0.28	21.0	47.7	0.93	480	<0.05	0.06
C303164		3.4	5.12	7.48	0.08	0.03	<0.01	0.014	0.13	21.8	53.4	1.02	751	0.13	0.02
C303165		27.2	4.61	7.96	0.08	0.06	0.01	0.025	0.22	32.3	59.1	1.13	812	0.25	0.06
C303166		0.8	0.70	0.24	<0.05	0.09	<0.01	<0.005	0.01	1.5	0.4	<0.01	76	0.27	<0.01
C303167		19.1	5.34	9.39	0.09	0.04	<0.01	0.022	0.23	32.0	76.6	1.16	761	0.12	0.06
C303168		52.3	5.66	8.81	0.09	0.05	0.01	0.024	0.15	28.9	84.0	1.32	813	0.07	0.04
C303169		59.1	4.33	7.92	0.09	0.05	<0.01	0.021	0.24	36.8	75.6	1.27	835	0.08	0.06
C303170		69.4	4.65	7.06	0.08	0.04	<0.01	0.017	0.12	24.4	75.0	1.27	768	0.10	0.03
C303171		1.3	1.55	0.31	<0.05	0.10	0.01	<0.005	0.01	1.6	0.9	0.01	164	0.59	<0.01
C303172		156.0	4.95	7.73	0.07	0.03	0.01	0.023	0.14	23.9	74.3	1.11	718	0.06	0.03
C303173		15.3	4.10	7.56	0.08	0.07	0.01	0.019	0.25	29.8	67.6	1.17	619	0.09	0.06
C303174		25.6	4.69	7.30	0.08	0.06	0.02	0.021	0.14	27.9	66.6	1.10	638	0.07	0.03
C303175		6.5	5.60	8.64	0.09	0.03	0.02	0.022	0.26	29.5	68.8	1.01	695	0.11	0.06
C303176		8.3	5.31	7.56	0.07	0.05	0.02	0.017	0.17	24.2	65.8	0.96	929	0.10	0.03
C303177		155.0	6.10	7.94	0.06	0.04	0.03	0.030	0.26	17.5	60.5	0.81	1080	0.18	0.05
C303178		23.8	3.48	7.42	0.10	0.78	0.04	0.021	0.98	28.5	32.5	1.30	222	0.50	0.07
C303179		0.5	5.87	10.15	0.11	0.06	0.02	0.028	0.25	35.7	86.5	1.31	1520	0.11	0.05
C303180		2.6	4.99	7.30	0.07	0.03	0.02	0.018	0.16	24.5	65.3	0.95	1140	0.10	0.03
C303181		1.7	5.20	7.76	0.08	0.08	0.01	0.017	0.23	28.6	63.5	0.93	734	0.20	0.04
C303182		1.5	5.38	8.08	0.07	0.02	0.02	0.019	0.16	26.9	67.4	0.85	534	0.09	0.03
C303183		0.4	5.42	8.37	0.10	0.04	<0.01	0.019	0.29	35.4	62.0	0.85	503	0.06	0.06
C303184		1.8	0.73	0.28	<0.05	0.09	0.01	<0.005	0.01	1.6	1.0	0.01	71	0.30	<0.01
C303185		0.4	5.29	8.10	0.07	0.03	0.01	0.020	0.25	25.0	48.0	0.96	615	0.11	0.05
C303186		0.3	4.75	6.38	0.06	0.02	0.01	0.013	0.14	17.5	43.3	0.90	557	0.09	0.03
C303187		0.2	4.41	6.74	0.06	0.05	0.01	0.015	0.30	17.7	37.6	0.81	468	<0.05	0.06
C303188		0.2	4.78	6.95	0.06	0.03	<0.01	0.017	0.18	19.3	42.9	0.93	675	0.06	0.03
C303189		22.3	3.47	7.49	0.10	0.78	0.01	0.023	1.00	30.1	33.2	1.31	216	0.49	0.07
C303190		1.6	4.79	5.10	0.08	0.09	<0.01	0.010	0.16	26.6	58.6	0.73	586	<0.05	0.04
C303191		0.4	4.45	4.90	0.08	0.14	<0.01	0.011	0.24	27.3	51.6	0.70	655	0.07	0.07
C303192		0.2	4.50	4.55	0.07	0.12	<0.01	0.009	0.16	25.8	52.4	0.70	661	<0.05	0.04
C303193		1.1	4.74	6.36	0.10	0.11	<0.01	0.015	0.30	34.2	64.8	0.81	925	<0.05	0.08



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303154		49.1	270	10.2	10.1	<0.001	0.16	0.07	3.6	0.3	0.2	25.9	<0.01	0.04	10.3
C303155		42.6	270	6.1	13.9	<0.001	0.14	0.08	3.5	<0.2	0.2	39.4	<0.01	0.03	12.2
C303156		46.0	290	7.3	8.7	<0.001	0.06	0.06	3.5	0.3	0.2	30.8	<0.01	0.02	14.5
C303157		46.0	310	6.0	14.3	<0.001	0.03	<0.05	3.9	0.3	0.2	27.5	<0.01	0.02	15.4
C303158		48.5	280	5.1	10.1	<0.001	0.10	0.05	3.0	0.3	0.2	27.0	<0.01	0.02	12.9
C303159		61.6	530	8.0	91.0	<0.001	0.08	264	6.1	0.3	1.3	17.4	<0.01	0.03	13.0
C303160		52.7	310	4.0	10.0	<0.001	0.12	0.28	2.9	0.2	0.2	28.5	<0.01	0.03	10.4
C303161		58.6	530	8.0	89.3	<0.001	0.08	262	6.4	0.3	1.3	17.2	<0.01	0.02	13.0
C303162		49.3	260	3.5	8.1	<0.001	0.10	0.12	2.7	0.2	0.2	23.9	<0.01	0.02	11.8
C303163		48.4	300	6.1	15.5	<0.001	0.09	0.05	3.2	<0.2	0.2	29.3	<0.01	0.02	11.0
C303164		49.5	270	10.0	6.3	<0.001	0.04	0.05	2.7	0.2	<0.2	48.4	<0.01	0.01	12.2
C303165		41.7	240	7.2	12.3	<0.001	0.01	0.05	3.3	0.4	0.3	36.7	<0.01	0.01	12.8
C303166		1.3	20	0.7	0.5	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	0.9
C303167		40.3	250	7.5	12.9	<0.001	<0.01	<0.05	3.8	<0.2	0.3	27.9	<0.01	0.01	12.7
C303168		51.1	300	3.3	7.0	<0.001	0.01	<0.05	3.1	0.3	0.2	24.5	<0.01	0.01	13.6
C303169		49.1	290	4.8	12.6	<0.001	0.01	0.05	3.0	0.3	0.2	35.7	<0.01	0.01	15.3
C303170		46.0	280	4.8	5.3	<0.001	0.01	<0.05	2.4	<0.2	0.2	27.2	<0.01	<0.01	12.5
C303171		2.7	10	0.7	0.6	<0.001	<0.01	0.06	0.1	<0.2	<0.2	1.0	<0.01	<0.01	1.0
C303172		42.7	280	4.5	6.9	<0.001	0.02	<0.05	3.0	0.2	0.2	31.1	<0.01	0.02	12.6
C303173		52.0	280	5.4	14.0	<0.001	<0.01	0.05	2.7	<0.2	0.2	37.9	<0.01	<0.01	13.0
C303174		45.0	280	4.5	6.4	<0.001	0.01	<0.05	2.5	<0.2	0.2	39.8	<0.01	0.01	13.4
C303175		49.3	280	7.8	13.7	<0.001	0.03	<0.05	3.3	0.3	0.3	35.9	<0.01	0.01	13.7
C303176		50.9	260	8.5	8.1	<0.001	0.19	0.06	2.9	<0.2	0.3	28.9	<0.01	0.03	15.0
C303177		58.1	230	25.5	15.5	0.002	1.27	0.28	3.4	0.4	0.8	34.7	<0.01	0.31	13.3
C303178		62.8	520	8.9	94.0	<0.001	0.11	345	5.6	0.2	1.3	17.9	<0.01	0.02	13.1
C303179		62.8	310	13.3	14.6	0.001	0.04	0.32	4.7	0.2	0.5	43.1	<0.01	0.04	19.4
C303180		44.3	280	11.9	7.8	<0.001	0.15	0.07	2.7	<0.2	0.3	45.8	<0.01	0.01	14.4
C303181		45.7	260	9.8	13.3	<0.001	0.05	<0.05	2.9	0.2	0.3	65.9	<0.01	0.01	13.8
C303182		38.2	280	9.5	7.5	<0.001	0.01	<0.05	3.2	<0.2	0.2	24.4	<0.01	0.01	11.9
C303183		40.4	310	11.2	16.4	<0.001	0.03	<0.05	3.5	<0.2	0.3	31.8	<0.01	<0.01	14.1
C303184		1.6	20	1.4	0.8	0.001	<0.01	0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.0
C303185		44.7	290	14.0	14.0	0.001	0.14	0.05	3.2	<0.2	0.2	94.9	<0.01	0.01	13.4
C303186		49.1	260	7.4	6.5	0.001	0.11	<0.05	2.2	<0.2	0.2	40.1	<0.01	0.04	12.7
C303187		45.2	240	2.7	17.2	<0.001	0.25	0.09	2.7	<0.2	0.2	31.8	<0.01	<0.01	8.9
C303188		51.5	260	3.8	8.8	0.001	0.16	0.06	2.6	0.2	0.2	26.6	<0.01	0.03	11.9
C303189		63.3	520	8.1	95.2	0.001	0.08	238	5.5	0.2	1.4	16.7	<0.01	0.01	12.7
C303190		45.8	310	2.9	7.6	<0.001	<0.01	0.33	1.8	0.2	0.5	10.6	<0.01	0.01	13.9
C303191		43.1	310	3.1	12.8	<0.001	<0.01	0.21	1.9	0.2	0.5	14.8	<0.01	0.09	13.2
C303192		44.9	320	2.9	7.9	<0.001	<0.01	0.20	1.6	<0.2	0.4	12.8	<0.01	0.01	12.5
C303193		47.7	310	3.5	17.4	0.001	<0.01	0.19	2.6	0.2	0.5	21.3	<0.01	0.02	15.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-JAN-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.01
C303154		0.05	1.01	38	<0.05	2.10	99	0.01
C303155		0.08	1.03	33	<0.05	2.78	99	<0.01
C303156		0.05	1.01	34	<0.05	2.70	106	0.01
C303157		0.08	1.05	33	<0.05	3.02	101	0.01
C303158		0.05	1.10	29	<0.05	2.28	103	<0.01
C303159		0.58	1.50	70	0.41	9.47	82	1.61
C303160		0.06	1.10	29	<0.05	2.16	109	0.01
C303161		0.58	1.52	71	0.39	9.25	82	1.61
C303162		0.06	1.18	27	<0.05	2.37	108	<0.01
C303163		0.08	0.95	31	0.05	2.33	100	<0.01
C303164		0.04	1.04	29	0.06	2.52	102	<0.01
C303165		0.07	1.37	32	0.05	3.24	121	0.03
C303166		<0.02	0.15	1	<0.05	0.85	<2	<0.01
C303167		0.08	1.16	42	<0.05	2.51	116	<0.01
C303168		0.05	1.12	38	<0.05	2.27	133	<0.01
C303169		0.08	1.43	28	<0.05	3.08	132	<0.01
C303170		0.04	1.34	23	<0.05	2.33	115	<0.01
C303171		<0.02	0.16	1	<0.05	0.68	<2	<0.01
C303172		0.04	1.09	33	<0.05	2.07	109	<0.01
C303173		0.08	1.49	26	<0.05	2.75	122	<0.01
C303174		0.05	1.28	26	<0.05	2.39	122	<0.01
C303175		0.07	1.00	33	<0.05	2.50	110	<0.01
C303176		0.05	1.11	31	<0.05	2.52	112	<0.01
C303177		0.13	1.21	27	0.05	2.68	101	0.19
C303178		0.60	1.36	67	0.47	9.56	78	2.16
C303179		0.08	1.31	38	<0.05	4.12	156	0.12
C303180		0.04	0.99	26	<0.05	2.63	111	<0.01
C303181		0.07	1.05	29	<0.05	2.75	104	<0.01
C303182		0.05	0.91	35	0.12	2.16	94	<0.01
C303183		0.09	0.89	37	<0.05	2.64	94	<0.01
C303184		<0.02	0.15	1	<0.05	0.72	2	<0.01
C303185		0.08	0.91	32	<0.05	2.53	105	<0.01
C303186		0.04	0.95	23	<0.05	2.16	101	<0.01
C303187		0.09	0.93	27	<0.05	2.22	93	<0.01
C303188		0.05	1.06	27	<0.05	2.26	109	<0.01
C303189		0.62	1.37	68	0.42	10.10	78	1.57
C303190		0.05	0.70	36	0.05	2.74	97	<0.01
C303191		0.07	0.80	31	<0.05	2.87	96	<0.01
C303192		0.05	0.76	30	<0.05	2.71	95	<0.01
C303193		0.11	0.82	31	0.05	3.33	109	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C303194		0.06	0.15	2.59	346	1.55	<10	100	1.09	0.29	0.21	0.03	59.8	13.2	103	7.36
C303195		1.44	<0.01	1.86	0.8	<0.02	<10	50	0.78	0.34	0.13	0.01	58.5	20.1	34	3.12
C303196		4.59	<0.01	1.71	0.5	<0.02	<10	30	0.60	0.30	0.19	0.01	52.4	20.9	34	3.41
C303197		3.59	0.01	2.41	0.5	<0.02	<10	50	0.75	0.47	0.42	0.03	67.6	22.6	35	2.92
C303198		3.80	<0.01	2.03	0.2	<0.02	<10	40	0.59	0.15	0.68	0.03	71.8	20.8	33	2.50
C303199		0.16	0.01	0.05	0.9	<0.02	<10	10	<0.05	0.02	0.02	<0.01	3.26	0.7	12	0.07
C303200		1.78	0.01	2.08	0.2	<0.02	<10	30	0.70	0.87	0.21	0.01	59.4	22.0	31	2.82
C303201		3.18	<0.01	2.01	0.2	<0.02	<10	50	0.80	0.37	0.09	<0.01	68.6	20.8	34	3.90
C303202		0.07	0.17	2.57	499	2.26	<10	100	1.30	0.30	0.22	0.04	59.7	13.7	103	7.65
C303203		5.79	<0.01	2.19	0.5	<0.02	<10	60	0.94	0.33	0.17	<0.01	69.8	21.5	33	4.06
C303204		3.89	<0.01	1.76	0.4	<0.02	<10	30	0.80	0.31	0.20	<0.01	56.4	20.5	30	3.67
C303205		5.49	<0.01	2.45	0.1	0.02	<10	60	1.18	0.33	0.12	<0.01	69.9	22.0	34	4.05
C303206		0.17	0.01	0.04	0.7	<0.02	<10	10	<0.05	0.03	0.04	0.01	3.80	0.7	6	0.06
C303207		4.32	<0.01	2.47	0.3	<0.02	<10	140	1.13	0.16	0.17	<0.01	69.8	22.3	34	3.65
C303208		5.95	0.01	2.16	0.2	<0.02	<10	40	0.92	0.55	0.36	0.02	56.6	20.2	32	2.37
C303209		4.51	0.01	2.62	0.4	<0.02	<10	60	1.16	0.86	0.23	0.01	54.9	22.0	36	3.08
C303210		4.28	0.04	2.69	6.7	<0.02	<10	30	0.64	1.14	0.34	0.02	59.6	26.1	35	1.45
C303211		0.17	0.01	0.05	0.8	<0.02	<10	20	<0.05	0.02	0.01	<0.01	3.16	0.6	12	0.09
C303212		5.09	0.06	2.76	4.0	<0.02	<10	30	0.65	1.11	0.19	0.05	43.3	28.0	37	1.43
C303213		4.94	0.04	3.25	3.6	<0.02	<10	50	0.88	0.54	0.27	0.03	66.4	27.2	41	1.55
C303214		2.86	0.02	3.04	0.6	0.02	<10	30	0.68	1.51	0.18	0.01	61.9	27.3	39	1.25
C303215		4.16	0.02	3.05	1.2	0.14	<10	60	0.85	0.34	0.62	0.01	67.5	26.6	42	1.36
C303216		4.62	<0.01	2.78	0.2	<0.02	<10	30	0.73	0.08	0.33	0.01	41.0	25.9	38	1.92
C303217		0.06	0.13	2.61	358	1.59	<10	100	1.27	0.31	0.21	0.03	60.1	13.9	105	7.82
C303218		5.86	0.01	2.76	1.0	<0.02	<10	30	0.65	0.13	0.24	<0.01	58.6	20.9	39	1.53
C303219		5.11	0.01	3.26	3.8	<0.02	<10	60	0.84	0.07	0.23	0.01	86.9	21.7	41	1.79
C303220		5.80	0.02	2.78	19.1	<0.02	<10	40	0.72	0.22	0.14	0.01	59.8	22.9	39	1.57
C303221		3.94	0.09	3.27	19.5	<0.02	<10	60	0.97	0.45	0.12	0.02	86.5	28.3	45	2.49
C303222		2.99	0.12	3.03	11.3	<0.02	<10	30	0.73	0.49	0.13	0.03	68.6	30.7	46	2.41
C303223		0.06	0.17	2.62	510	2.26	<10	100	1.41	0.32	0.23	0.04	60.9	14.2	104	7.73



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-JAN-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303194		23.0	3.43	7.67	0.11	0.82	0.01	0.025	0.98	30.1	32.0	1.29	214	0.53	0.07	0.27
C303195		0.5	4.22	5.38	0.09	0.17	<0.01	0.011	0.23	29.4	56.3	0.75	642	0.08	0.06	<0.05
C303196		0.2	4.77	5.13	0.07	0.15	<0.01	0.011	0.16	28.0	59.1	0.78	639	<0.05	0.05	<0.05
C303197		2.1	4.56	7.27	0.09	0.08	<0.01	0.015	0.25	34.6	76.6	1.01	1600	0.06	0.06	<0.05
C303198		1.5	4.36	6.37	0.11	0.09	<0.01	0.015	0.16	37.4	69.6	0.92	2100	<0.05	0.04	<0.05
C303199		1.9	1.61	0.35	<0.05	0.09	<0.01	<0.005	0.01	1.5	0.7	0.01	170	0.75	<0.01	<0.05
C303200		0.4	4.84	5.80	0.07	0.09	<0.01	0.012	0.14	32.5	59.4	0.78	803	0.08	0.04	<0.05
C303201		0.2	4.73	5.57	0.09	0.13	<0.01	0.012	0.27	37.1	53.5	0.77	459	<0.05	0.09	<0.05
C303202		25.3	3.51	7.60	0.09	0.74	0.01	0.025	1.00	30.6	32.7	1.31	229	0.50	0.07	0.25
C303203		0.4	4.53	5.98	0.10	0.15	<0.01	0.015	0.31	38.4	62.9	0.83	620	0.07	0.09	<0.05
C303204		0.4	4.50	4.99	0.07	0.14	<0.01	0.010	0.17	31.3	59.4	0.77	621	<0.05	0.04	<0.05
C303205		0.3	4.71	6.98	0.10	0.16	<0.01	0.013	0.33	37.7	75.0	0.77	543	0.09	0.08	<0.05
C303206		1.1	0.82	0.21	<0.05	0.09	0.01	<0.005	0.01	1.7	0.8	0.01	111	0.28	<0.01	0.05
C303207		0.3	4.77	6.61	0.08	0.14	<0.01	0.013	0.31	38.7	82.6	0.79	505	0.09	0.08	<0.05
C303208		15.7	4.32	6.09	0.08	0.07	<0.01	0.013	0.17	29.9	74.7	0.87	1260	0.14	0.04	<0.05
C303209		10.6	4.76	6.95	0.08	0.13	<0.01	0.015	0.30	29.9	88.6	0.85	667	0.08	0.07	<0.05
C303210		46.3	4.56	7.31	0.08	0.05	<0.01	0.024	0.16	30.1	83.1	1.07	1320	<0.05	0.03	<0.05
C303211		1.3	1.61	0.32	<0.05	0.10	<0.01	<0.005	0.01	1.5	0.9	0.01	169	0.66	<0.01	0.05
C303212		85.1	4.74	7.84	0.07	0.04	<0.01	0.024	0.17	21.6	87.9	1.13	1260	<0.05	0.03	<0.05
C303213		56.3	5.25	8.99	0.10	0.05	<0.01	0.023	0.29	32.4	97.8	1.22	1300	0.06	0.05	<0.05
C303214		8.3	5.48	8.14	0.09	0.05	<0.01	0.015	0.17	30.2	98.1	1.25	1270	<0.05	0.02	<0.05
C303215		2.0	5.43	8.97	0.10	0.07	<0.01	0.021	0.29	33.5	77.4	1.08	1460	0.09	0.04	<0.05
C303216		0.9	4.96	7.49	0.07	0.04	<0.01	0.016	0.16	21.0	93.5	1.19	843	<0.05	0.03	<0.05
C303217		23.9	3.51	7.56	0.10	0.71	0.01	0.023	1.01	30.7	34.9	1.32	225	0.51	0.07	0.23
C303218		2.1	4.93	7.85	0.09	0.04	<0.01	0.016	0.17	30.0	83.7	1.09	961	0.05	0.03	<0.05
C303219		1.0	5.17	9.11	0.13	0.06	<0.01	0.020	0.30	43.6	95.3	1.26	965	0.07	0.05	<0.05
C303220		1.4	5.26	8.10	0.10	0.03	<0.01	0.018	0.18	30.5	82.3	0.98	641	0.06	0.03	<0.05
C303221		152.5	4.54	9.68	0.12	0.10	<0.01	0.025	0.32	44.1	90.3	1.42	775	0.06	0.07	<0.05
C303222		213	4.74	8.60	0.09	0.08	<0.01	0.020	0.15	34.8	95.7	1.53	826	0.06	0.04	<0.05
C303223		26.2	3.56	7.87	0.11	0.72	0.01	0.028	1.01	31.6	35.9	1.34	234	0.50	0.07	0.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry


To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C303194		62.4	510	8.1	98.0	0.001	0.08	242	5.7	0.3	1.4	16.9	<0.01	0.02	13.2
C303195		43.6	420	3.4	13.3	<0.001	<0.01	0.30	2.1	0.2	0.4	16.3	<0.01	0.03	14.2
C303196		46.8	340	3.1	8.4	<0.001	<0.01	0.24	1.9	<0.2	0.4	14.4	<0.01	0.01	12.3
C303197		49.1	380	3.2	15.0	<0.001	<0.01	0.29	3.0	0.2	0.4	24.1	<0.01	0.09	16.2
C303198		45.7	380	2.5	8.6	<0.001	<0.01	0.16	2.5	<0.2	0.4	22.8	<0.01	0.01	15.8
C303199		3.3	20	1.4	0.6	<0.001	<0.01	0.13	0.2	<0.2	<0.2	1.1	<0.01	<0.01	0.9
C303200		42.9	270	2.9	6.7	<0.001	<0.01	0.11	2.2	<0.2	0.3	25.6	<0.01	0.02	14.6
C303201		44.4	280	3.9	13.7	<0.001	<0.01	0.16	2.2	<0.2	0.5	26.1	<0.01	0.01	12.7
C303202		59.7	520	9.4	95.8	<0.001	0.11	368	6.1	0.2	1.3	19.8	<0.01	0.03	12.8
C303203		45.1	320	4.1	15.8	<0.001	<0.01	0.42	2.5	<0.2	0.6	26.3	<0.01	0.02	13.2
C303204		44.9	310	2.7	8.0	<0.001	<0.01	0.22	1.8	<0.2	0.3	16.4	<0.01	0.01	12.2
C303205		44.9	300	3.4	18.4	<0.001	<0.01	0.17	2.9	<0.2	0.5	24.4	<0.01	0.02	13.6
C303206		1.4	20	0.8	0.4	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.5	<0.01	<0.01	0.9
C303207		48.0	300	2.8	16.9	<0.001	0.01	0.12	2.7	<0.2	0.4	27.3	<0.01	0.01	12.8
C303208		43.5	340	2.4	9.0	0.001	0.01	0.11	2.3	<0.2	0.2	22.8	<0.01	0.01	11.9
C303209		46.6	300	3.3	15.7	<0.001	0.03	0.10	2.8	0.2	0.3	27.1	<0.01	0.04	11.1
C303210		39.6	310	3.3	7.4	0.001	0.01	0.09	2.7	0.3	0.2	19.7	<0.01	0.02	12.8
C303211		2.8	10	0.8	0.7	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.0
C303212		41.9	290	2.8	8.7	<0.001	0.02	0.10	3.0	<0.2	0.2	14.0	<0.01	0.02	12.4
C303213		40.7	500	2.8	14.9	<0.001	0.01	0.08	3.8	0.2	0.3	18.9	<0.01	0.02	13.7
C303214		43.4	330	5.2	7.4	<0.001	0.03	0.08	3.0	<0.2	0.2	13.2	<0.01	0.02	13.4
C303215		43.5	910	5.2	15.7	<0.001	0.14	0.15	4.0	<0.2	0.3	24.1	<0.01	0.08	13.9
C303216		47.6	320	1.4	7.5	<0.001	0.10	0.05	3.0	<0.2	0.2	27.4	<0.01	0.01	14.5
C303217		59.4	520	8.6	94.5	<0.001	0.08	258	6.0	0.2	1.2	17.8	<0.01	0.02	12.7
C303218		42.0	350	6.3	7.9	<0.001	0.06	0.23	3.2	<0.2	0.2	20.6	<0.01	0.01	14.7
C303219		42.6	360	4.3	15.8	<0.001	<0.01	0.08	3.9	<0.2	0.3	26.8	<0.01	<0.01	15.8
C303220		48.1	320	5.5	8.7	<0.001	0.10	0.19	3.3	<0.2	0.2	19.5	<0.01	0.01	14.6
C303221		53.7	310	4.3	16.9	<0.001	0.02	0.07	4.0	<0.2	0.4	33.0	<0.01	0.02	17.5
C303222		54.1	410	2.9	6.8	<0.001	0.02	<0.05	3.2	<0.2	0.2	25.7	<0.01	0.02	16.0
C303223		61.3	530	9.5	99.0	<0.001	0.11	374	6.4	0.3	1.3	19.7	<0.01	0.02	12.9



Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20241085

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41