



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

CERTIFICATE WH20246624

Project: Culvert-NUF

This report is for 73 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-OCT-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	Ultra Trace Aqua Regia ICP-MS
Au-AA25	Ore Grade Au 30g FA AA finish AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA25 Au ppm 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
C303224		2.42	<0.01	0.03	2.35	2.2	<0.02	<10	60	0.77	0.58	0.13	0.03	59.5	22.1	33
C303225		3.73	0.01	0.04	2.17	6.7	<0.02	<10	60	0.99	0.40	0.12	0.02	73.4	20.6	33
C303226		2.14	<0.01	0.05	1.80	0.9	<0.02	<10	30	0.69	0.48	0.10	0.01	78.7	19.8	31
C303227		3.35	<0.01	0.01	1.91	0.9	<0.02	<10	40	0.84	0.21	0.09	0.01	106.5	21.2	33
C303228		3.51	<0.01	0.02	1.91	0.5	<0.02	<10	50	0.83	0.22	0.11	0.01	102.0	20.4	33
C303229		0.15	<0.01	0.01	0.05	1.3	<0.02	<10	10	<0.05	0.01	0.03	<0.01	4.21	0.8	15
C303230		2.57	<0.01	0.03	2.27	0.6	<0.02	<10	40	0.92	0.80	0.12	0.01	115.5	22.4	33
C303231		2.01	<0.01	0.01	2.55	0.5	<0.02	<10	50	0.96	0.49	0.10	0.01	71.6	18.9	32
C303232		4.43	0.01	0.02	2.58	0.4	<0.02	<10	40	0.91	0.38	0.11	0.01	77.2	20.1	34
C303233		2.04	<0.01	0.01	2.76	1.8	<0.02	<10	40	0.79	0.11	0.09	0.01	93.5	19.2	32
C303234		3.64	<0.01	0.01	2.64	4.4	<0.02	<10	30	0.80	0.25	0.09	<0.01	109.5	18.8	31
C303235		0.06	2.20	0.19	2.52	487	2.19	<10	100	1.37	0.34	0.21	0.04	67.3	12.9	99
C303236		2.74	<0.01	0.02	2.87	3.1	<0.02	<10	50	0.84	0.28	0.10	<0.01	116.0	17.7	36
C303237		2.53	<0.01	0.06	2.90	8.9	<0.02	<10	40	0.86	0.37	0.10	0.01	120.0	17.8	35
C303238		0.17	<0.01	0.01	0.06	1.1	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.42	0.7	12
C303239		1.49	<0.01	0.05	1.38	6.1	0.07	<10	20	0.54	0.43	0.09	0.01	58.1	9.8	25
C303240		4.97	0.01	0.02	2.91	1.2	<0.02	<10	50	0.82	0.32	0.11	0.01	116.5	20.7	37
C303241		5.79	<0.01	0.04	2.65	0.1	<0.02	<10	40	0.78	0.25	0.13	0.01	120.0	21.0	37
C303242		5.63	<0.01	0.01	2.54	0.2	<0.02	<10	30	0.78	0.83	0.09	<0.01	117.5	20.7	35
C303243		0.06	2.23	0.18	2.60	498	2.19	<10	100	1.32	0.35	0.22	0.04	66.1	12.9	102
C303244		4.33	<0.01	<0.01	2.09	0.4	<0.02	<10	30	0.80	0.21	0.07	<0.01	118.0	22.2	32
C303245		4.92	<0.01	0.07	2.06	0.3	<0.02	<10	40	0.71	0.52	0.07	<0.01	108.0	20.1	35
C303246		3.29	<0.01	0.02	1.90	0.3	<0.02	<10	30	0.74	0.35	0.08	0.01	122.5	22.1	34
C303247		3.21	<0.01	0.01	2.46	0.2	<0.02	<10	50	0.85	0.31	0.21	<0.01	91.5	19.8	35
C303248		2.69	<0.01	0.03	2.31	0.2	<0.02	<10	40	0.79	0.09	0.10	<0.01	121.5	22.5	35
C303249		0.15	<0.01	0.01	0.04	1.2	<0.02	<10	10	<0.05	0.01	<0.01	<0.01	4.07	0.5	13
C303250		2.62	<0.01	0.03	2.07	0.1	<0.02	<10	30	0.73	0.77	0.13	<0.01	121.0	19.5	34
C303251		2.33	<0.01	0.03	2.17	0.4	<0.02	<10	40	0.82	0.36	0.15	<0.01	105.5	19.6	32
C303252		3.21	<0.01	0.25	2.06	0.5	<0.02	<10	30	0.72	0.19	0.11	<0.01	109.0	19.6	49
C303253		0.16	<0.01	0.01	0.04	0.6	<0.02	<10	20	<0.05	0.01	0.01	<0.01	3.81	0.5	12
C303254		3.99	0.59	0.03	2.35	10.1	0.34	<10	30	0.80	0.28	0.11	<0.01	49.5	19.1	26
C303255		2.40	0.19	0.01	2.38	2.3	0.02	<10	30	0.93	0.40	0.20	0.01	46.0	21.3	31
C303256		2.96	<0.01	<0.01	2.13	0.2	<0.02	<10	30	0.90	0.19	0.25	<0.01	62.0	19.0	30
C303257		2.27	0.01	<0.01	2.48	0.2	<0.02	<10	90	0.94	0.36	0.19	0.01	70.2	18.2	35
C303258		1.38	0.05	0.02	2.43	1.2	0.02	<10	30	0.87	0.58	0.25	<0.01	38.6	19.4	29
C303259		0.06	1.58	0.16	2.64	357	1.59	<10	100	1.17	0.32	0.20	0.04	65.2	12.3	103
C303260		2.80	0.01	<0.01	2.31	0.5	<0.02	<10	50	0.85	0.34	0.15	0.01	70.9	19.6	33
C303261		2.70	<0.01	<0.01	2.02	0.2	<0.02	<10	30	0.71	0.32	0.23	0.01	58.9	18.5	31
C303262		0.18	<0.01	0.03	0.05	2.0	<0.02	<10	10	<0.05	0.05	0.03	0.01	3.69	0.5	12
C303263		2.78	<0.01	<0.01	1.77	0.2	<0.02	<10	30	0.65	0.18	0.14	<0.01	63.9	18.4	31



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
C303224		1.99	36.3	4.69	6.82	0.10	0.06	<0.01	0.013	0.16	32.2	80.4	1.01	1220	0.24
C303225		2.64	46.5	4.55	6.37	0.13	0.11	<0.01	0.014	0.22	38.6	65.9	0.90	1040	0.40
C303226		3.19	33.1	4.45	5.39	0.12	0.13	<0.01	0.009	0.14	42.4	65.3	0.87	827	0.23
C303227		3.23	3.2	4.57	5.43	0.11	0.10	0.01	0.025	0.18	54.2	67.8	0.88	700	0.21
C303228		2.95	6.1	4.59	5.26	0.10	0.09	0.01	0.017	0.18	50.8	70.4	0.87	950	0.21
C303229		0.08	2.4	1.94	0.38	<0.05	0.09	0.01	0.006	0.01	1.8	0.7	0.01	209	0.88
C303230		2.75	20.8	4.70	6.29	0.11	0.08	0.01	0.018	0.16	56.4	83.5	0.92	903	0.19
C303231		2.60	23.1	4.43	7.08	0.08	0.11	0.01	0.019	0.21	37.4	67.2	0.90	985	0.19
C303232		2.41	23.9	4.81	8.07	0.08	0.08	0.01	0.021	0.16	38.4	74.8	0.89	1140	0.07
C303233		1.91	17.8	5.24	8.75	0.10	0.09	<0.01	0.022	0.18	46.5	81.3	0.87	886	0.21
C303234		2.96	6.4	5.06	8.20	0.10	0.09	<0.01	0.017	0.14	57.2	76.8	0.86	726	0.09
C303235		8.10	28.2	3.36	8.20	0.10	0.74	0.02	0.030	0.97	32.4	36.4	1.23	217	0.55
C303236		2.21	3.6	5.06	8.83	0.11	0.11	<0.01	0.019	0.20	58.3	79.3	0.87	751	<0.05
C303237		2.43	12.7	5.29	9.11	0.11	0.09	<0.01	0.019	0.16	62.9	83.7	0.94	835	0.14
C303238		0.08	1.5	1.60	0.32	<0.05	0.09	<0.01	<0.005	0.01	1.9	0.9	0.01	168	0.67
C303239		1.14	7.5	2.61	3.57	0.06	0.07	0.01	0.011	0.08	29.8	36.6	0.41	493	0.22
C303240		2.60	17.6	5.06	9.01	0.11	0.07	<0.01	0.023	0.20	57.1	75.7	0.94	963	0.09
C303241		2.62	39.5	4.80	9.36	0.11	0.09	<0.01	0.025	0.15	62.8	76.5	0.93	917	0.08
C303242		3.29	85.7	4.80	8.50	0.10	0.08	<0.01	0.018	0.16	61.3	76.2	0.90	575	0.18
C303243		7.73	28.1	3.46	8.15	0.09	0.74	0.01	0.027	1.00	32.6	35.4	1.27	225	0.52
C303244		3.98	5.5	4.26	5.62	0.11	0.16	<0.01	0.014	0.16	62.7	68.5	0.91	524	0.07
C303245		3.56	75.1	4.68	5.15	0.10	0.15	<0.01	0.013	0.20	56.8	59.6	0.90	513	0.13
C303246		3.78	12.0	4.64	5.41	0.11	0.14	<0.01	0.013	0.16	64.5	65.6	0.89	521	0.05
C303247		3.20	15.2	4.75	6.59	0.09	0.08	<0.01	0.014	0.18	47.8	67.2	1.00	776	0.13
C303248		5.01	2.7	4.97	7.14	0.11	0.13	<0.01	0.014	0.16	65.1	68.2	0.94	511	0.08
C303249		0.06	1.6	1.66	0.29	<0.05	0.09	<0.01	<0.005	0.01	1.7	0.5	<0.01	180	0.70
C303250		4.75	45.5	4.96	5.69	0.11	0.09	<0.01	0.014	0.15	61.6	57.7	0.85	512	0.08
C303251		5.32	31.0	4.56	6.19	0.10	0.11	<0.01	0.014	0.20	55.4	59.5	0.86	578	0.14
C303252		5.19	16.3	4.96	5.35	0.10	0.11	<0.01	0.012	0.16	58.9	60.7	0.86	573	5.24
C303253		0.08	1.3	1.50	0.27	<0.05	0.09	<0.01	<0.005	0.01	1.6	0.5	0.01	159	0.61
C303254		3.44	23.5	4.76	6.85	0.06	0.08	<0.01	0.016	0.16	24.7	57.5	0.69	669	0.19
C303255		3.69	10.9	4.59	7.06	0.06	0.07	<0.01	0.016	0.16	23.2	60.5	0.80	541	0.19
C303256		2.96	1.8	4.17	5.77	0.08	0.12	<0.01	0.013	0.17	33.5	69.5	0.81	479	0.12
C303257		3.40	1.3	5.05	6.65	0.09	0.14	<0.01	0.015	0.25	37.5	74.7	0.79	437	0.33
C303258		2.97	6.1	4.82	6.96	0.06	0.07	<0.01	0.013	0.17	21.3	74.9	0.81	556	0.33
C303259		7.44	24.2	3.46	7.78	0.12	0.80	<0.01	0.025	1.02	32.8	35.1	1.28	220	0.54
C303260		3.63	0.9	4.46	6.44	0.08	0.13	<0.01	0.013	0.25	37.5	71.4	0.77	480	0.24
C303261		3.13	1.9	4.53	4.59	0.07	0.13	<0.01	0.010	0.16	30.7	63.4	0.83	561	0.05
C303262		0.08	2.4	1.51	0.37	<0.05	0.11	<0.01	<0.005	0.01	1.8	0.7	0.01	153	0.65
C303263		3.03	1.8	4.58	5.01	0.09	0.15	<0.01	0.006	0.16	34.8	56.0	0.74	432	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01
C303224		<0.05	40.8	390	2.5	7.3	<0.001	<0.01	0.34	2.4	<0.2	0.2	11.4	<0.01	0.02
C303225		<0.05	39.9	400	3.2	11.1	<0.001	<0.01	0.21	2.4	0.2	0.3	16.0	<0.01	0.02
C303226		<0.05	39.0	380	2.5	6.3	<0.001	<0.01	0.17	1.8	<0.2	0.3	10.3	<0.01	0.02
C303227		<0.05	46.2	370	3.4	10.8	<0.001	0.01	0.21	1.8	<0.2	0.4	14.5	<0.01	0.01
C303228		<0.05	44.2	400	3.4	9.7	<0.001	0.01	0.21	1.8	<0.2	0.4	13.6	<0.01	0.01
C303229		0.07	3.9	20	1.3	0.6	<0.001	0.01	0.13	0.2	<0.2	<0.2	1.4	<0.01	<0.01
C303230		<0.05	46.4	400	2.9	9.4	<0.001	0.01	0.18	2.0	<0.2	0.4	13.7	<0.01	0.03
C303231		<0.05	42.2	280	4.8	11.1	<0.001	0.06	0.16	2.3	<0.2	0.2	13.8	<0.01	0.02
C303232		<0.05	43.0	350	10.2	8.6	<0.001	0.09	0.09	2.8	<0.2	0.2	11.3	<0.01	0.02
C303233		<0.05	42.1	380	5.0	9.8	<0.001	0.01	0.08	3.4	<0.2	0.3	12.5	<0.01	0.01
C303234		<0.05	43.6	330	4.1	7.0	<0.001	0.01	0.08	2.5	0.2	0.3	10.4	<0.01	0.02
C303235		0.29	62.7	500	10.0	101.5	<0.001	0.11	350	6.2	0.3	1.3	18.8	<0.01	0.02
C303236		<0.05	43.6	370	5.6	10.8	<0.001	0.01	0.41	3.1	<0.2	0.2	14.2	<0.01	0.02
C303237		<0.05	45.2	330	7.2	8.4	<0.001	0.01	0.12	2.8	<0.2	0.2	12.1	<0.01	0.02
C303238		0.06	2.9	20	1.1	0.8	<0.001	0.01	0.13	0.2	<0.2	<0.2	1.1	<0.01	0.01
C303239		<0.05	23.5	190	10.2	4.0	<0.001	0.01	0.07	1.5	<0.2	0.2	7.9	<0.01	0.01
C303240		<0.05	45.3	430	5.9	11.0	<0.001	0.01	0.07	3.3	<0.2	0.3	14.3	<0.01	0.03
C303241		<0.05	46.9	360	8.8	8.5	<0.001	0.01	0.07	3.1	<0.2	0.2	12.6	<0.01	0.02
C303242		<0.05	46.1	340	4.7	8.9	<0.001	0.05	0.09	2.4	0.2	0.3	13.1	<0.01	0.03
C303243		0.27	61.2	520	10.1	101.0	<0.001	0.12	348	6.2	0.3	1.3	18.4	<0.01	0.02
C303244		<0.05	48.7	310	2.4	9.2	<0.001	0.01	0.38	1.8	<0.2	0.4	13.6	<0.01	0.01
C303245		<0.05	44.9	320	2.9	10.2	<0.001	0.01	0.19	1.8	<0.2	0.4	15.5	<0.01	0.02
C303246		<0.05	48.9	350	2.9	9.0	<0.001	0.01	0.18	1.8	<0.2	0.4	13.5	<0.01	0.02
C303247		<0.05	41.8	390	3.2	9.1	<0.001	0.05	0.16	2.0	<0.2	0.3	21.0	<0.01	0.02
C303248		<0.05	49.5	310	2.6	8.9	<0.001	0.01	0.10	2.0	0.2	0.3	17.3	<0.01	0.01
C303249		0.06	2.9	10	0.8	0.5	<0.001	0.01	0.09	0.2	<0.2	<0.2	0.8	<0.01	<0.01
C303250		<0.05	45.7	410	2.5	8.5	<0.001	0.01	0.13	2.0	<0.2	0.4	19.0	<0.01	0.02
C303251		<0.05	45.0	370	3.6	11.1	<0.001	0.06	0.19	2.0	<0.2	0.4	27.3	<0.01	0.02
C303252		<0.05	46.1	330	2.7	8.3	0.001	0.02	0.13	1.7	<0.2	0.6	18.4	<0.01	0.02
C303253		0.05	2.6	10	0.7	0.5	<0.001	0.01	0.08	0.1	<0.2	<0.2	1.2	<0.01	<0.01
C303254		<0.05	46.2	350	7.8	9.0	<0.001	0.27	0.10	2.2	<0.2	0.2	16.3	<0.01	0.04
C303255		<0.05	49.1	290	4.7	9.1	<0.001	0.14	0.15	2.2	<0.2	0.2	31.2	<0.01	0.02
C303256		<0.05	44.6	280	3.1	7.9	<0.001	0.01	0.07	1.9	<0.2	0.2	40.8	<0.01	0.02
C303257		<0.05	47.3	310	3.7	12.5	<0.001	0.02	0.10	2.5	<0.2	0.4	39.8	<0.01	0.02
C303258		<0.05	44.4	310	9.0	7.9	<0.001	0.21	0.06	2.5	<0.2	0.2	39.2	<0.01	0.05
C303259		0.23	60.3	520	8.6	94.4	<0.001	0.09	246	5.8	0.4	1.4	17.1	<0.01	0.01
C303260		<0.05	45.2	290	3.4	13.8	<0.001	0.02	0.39	2.1	<0.2	0.3	30.8	<0.01	0.04
C303261		<0.05	42.7	320	2.8	8.1	<0.001	0.01	0.22	1.5	<0.2	0.3	32.8	<0.01	0.01
C303262		0.07	2.6	20	1.6	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.3	<0.01	<0.01
C303263		<0.05	40.6	340	3.0	7.8	<0.001	<0.01	0.13	1.6	<0.2	0.4	21.8	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
C303224		0.020	0.04	1.06	27	<0.05	3.08	123	2.5
C303225		0.036	0.05	1.83	31	0.06	3.78	113	4.5
C303226		0.047	0.04	1.17	31	0.06	3.50	109	5.0
C303227		0.058	0.05	0.91	34	0.09	3.64	113	4.6
C303228		0.055	0.05	0.80	34	0.15	3.59	112	3.2
C303229		<0.005	<0.02	0.15	1	<0.05	0.81	2	2.2
C303230		0.029	0.05	0.81	29	<0.05	4.08	120	2.8
C303231		<0.005	0.06	1.09	27	<0.05	3.31	118	5.6
C303232		<0.005	0.04	0.89	29	<0.05	3.44	112	3.5
C303233		<0.005	0.04	0.77	27	0.05	3.57	114	4.3
C303234		<0.005	0.04	0.67	24	<0.05	3.53	113	4.2
C303235		0.146	0.57	1.46	66	0.47	10.00	78	28.9
C303236		<0.005	0.05	0.73	27	<0.05	4.05	116	4.5
C303237		<0.005	0.04	0.84	26	0.37	3.88	127	3.4
C303238		<0.005	<0.02	0.17	1	<0.05	0.65	2	2.1
C303239		<0.005	0.02	0.52	13	0.09	1.95	59	2.6
C303240		<0.005	0.05	0.64	28	<0.05	3.81	124	3.1
C303241		<0.005	0.04	0.92	28	<0.05	3.79	127	3.5
C303242		0.008	0.04	0.99	27	<0.05	3.44	121	3.4
C303243		0.151	0.56	1.47	67	0.45	9.75	80	29.4
C303244		0.032	0.04	1.39	27	<0.05	3.64	123	7.1
C303245		0.054	0.05	1.07	34	0.21	3.21	120	7.8
C303246		0.057	0.04	1.05	33	0.12	3.60	119	6.1
C303247		0.025	0.05	1.13	30	0.05	2.95	126	3.7
C303248		0.034	0.04	1.42	31	0.48	3.58	123	5.9
C303249		<0.005	<0.02	0.15	1	<0.05	0.58	<2	2.0
C303250		0.047	0.04	1.20	34	0.08	3.44	113	3.6
C303251		0.036	0.07	1.14	32	0.13	3.47	113	4.9
C303252		0.044	0.04	1.17	32	6.03	3.43	116	3.9
C303253		<0.005	<0.02	0.15	1	<0.05	0.63	<2	2.1
C303254		<0.005	0.05	1.26	17	0.21	3.00	94	3.5
C303255		0.006	0.04	1.38	23	<0.05	2.72	114	2.7
C303256		0.019	0.05	1.22	28	<0.05	2.72	114	4.5
C303257		0.027	0.09	1.36	33	<0.05	3.09	109	5.0
C303258		0.007	0.06	1.32	24	0.05	2.48	109	3.3
C303259		0.154	0.64	1.47	68	0.43	10.20	80	28.7
C303260		0.029	0.07	1.28	31	<0.05	3.23	108	5.8
C303261		0.042	0.05	1.11	29	<0.05	2.59	117	4.5
C303262		<0.005	<0.02	0.19	1	<0.05	0.77	3	2.5
C303263		0.058	0.04	1.12	33	0.07	2.67	99	5.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA25	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
C303264		2.22	0.01	0.04	2.48	0.2	<0.02	<10	40	0.74	0.89	1.36	0.11	75.4	23.3	34
C303265		2.51	<0.01	<0.01	2.12	0.2	<0.02	<10	30	0.70	0.10	0.16	<0.01	66.4	18.1	32
C303266		0.07	2.18	0.18	2.61	494	2.18	<10	100	1.21	0.34	0.23	0.04	62.8	13.3	101
C303267		3.86	0.01	0.11	2.38	0.8	0.53	<10	30	0.84	0.34	0.26	<0.01	52.8	18.3	34
C303268		2.90	0.12	0.03	2.57	0.6	0.13	<10	30	0.90	0.32	0.31	0.04	45.7	22.0	33
C303269		2.67	0.09	0.02	2.35	1.0	0.05	<10	30	0.69	0.31	0.16	<0.01	61.2	20.6	28
C303270		1.53	0.02	0.01	2.60	8.6	<0.02	<10	40	0.86	0.46	0.27	<0.01	67.8	24.8	31
C303271		2.81	0.33	0.06	2.71	7.4	0.05	<10	40	0.86	0.62	0.48	0.01	42.8	21.0	32
C303272		4.24	0.08	0.01	2.87	13.8	0.06	<10	50	0.82	0.19	0.17	0.01	49.5	22.4	38
C303273		0.16	<0.01	0.01	0.05	0.5	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.73	0.4	6
C303274		5.57	0.36	0.04	2.90	14.3	0.07	<10	60	0.78	0.55	0.18	0.01	53.1	19.9	34
C303275		3.39	0.30	0.06	2.91	30.3	0.22	<10	40	0.81	0.52	0.16	0.01	47.2	23.9	33
C303276		2.07	0.44	0.06	2.73	26.9	0.89	<10	50	0.94	0.89	0.23	0.01	35.8	21.7	31
C303277		2.89	2.57	0.06	2.63	39.3	0.88	<10	50	0.95	0.80	0.62	0.01	59.4	23.1	29
C303278		2.97	0.34	0.33	0.96	6.5	0.04	<10	30	0.36	15.90	0.43	0.06	18.25	5.5	20
C303279		0.06	1.64	0.15	2.62	363	1.52	<10	100	1.27	0.30	0.21	0.04	60.3	12.1	104
C303280		2.94	0.11	0.30	2.34	21.4	0.02	<10	80	0.44	1.14	0.79	0.30	22.7	21.7	26
C303281		3.78	0.16	0.51	2.52	17.9	0.07	<10	180	0.91	0.89	0.18	0.07	53.9	20.2	31
C303282		4.15	0.13	0.06	2.53	17.8	0.02	<10	30	0.77	0.88	0.28	0.02	35.4	18.4	32
C303283		4.34	0.01	0.03	2.85	18.5	<0.02	<10	30	0.87	0.49	0.15	0.01	41.4	19.2	36
C303284		4.70	0.04	0.28	2.64	19.8	<0.02	<10	170	0.77	0.69	0.23	0.01	57.3	21.3	36
C303285		0.15	<0.01	0.01	0.08	0.7	<0.02	<10	10	0.05	0.03	0.02	<0.01	4.74	0.7	13
C303286		3.67	0.11	0.05	2.83	19.9	0.05	<10	30	0.83	0.35	0.28	0.02	47.2	19.6	35
C303287		3.45	0.11	0.06	2.86	27.7	0.03	<10	40	0.88	0.57	0.24	0.01	47.3	23.6	35
C303288		0.06	2.26	0.16	2.50	481	2.14	<10	90	1.35	0.32	0.21	0.03	60.8	12.6	98
C303289		3.07	0.07	0.18	2.74	43.8	0.10	<10	30	0.86	1.47	0.24	0.02	54.4	32.3	34
C303290		5.30	0.19	0.14	2.82	91.8	0.12	<10	40	0.95	0.55	0.29	0.02	51.4	22.2	32
C303291		3.44	0.30	0.16	2.61	335	0.37	<10	30	0.91	0.66	0.46	0.03	43.0	25.2	29
C303292		5.08	0.49	0.13	3.05	156.0	0.86	<10	40	1.00	0.39	0.23	0.02	45.2	30.2	33
C303293		0.15	<0.01	0.01	0.05	0.7	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.73	0.4	6
C303294		3.83	0.30	0.27	3.11	257	0.20	<10	40	0.87	0.92	0.14	0.04	58.8	22.3	35
C303295		5.18	0.05	0.09	2.86	17.7	0.05	<10	30	0.76	0.41	0.14	0.03	52.5	20.0	35
C303296		0.06	2.26	0.16	2.57	489	2.17	<10	100	1.26	0.31	0.22	0.03	59.1	12.3	101



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm 0.05	ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.2	ppm 0.1	% 0.01	ppm 5	ppm 0.05
C303264		2.31	122.0	4.43	8.40	0.10	0.10	<0.01	0.030	0.19	37.8	83.0	1.31	4210	0.44
C303265		2.78	7.9	4.49	6.23	0.09	0.12	<0.01	0.013	0.16	35.3	70.3	0.77	531	0.23
C303266		7.31	25.2	3.46	8.27	0.12	0.80	0.01	0.020	1.00	31.8	34.0	1.28	219	0.44
C303267		2.96	66.7	4.93	6.85	0.09	0.12	<0.01	0.007	0.16	28.2	71.9	0.82	541	<0.05
C303268		2.63	55.6	4.65	7.79	0.08	0.11	0.01	0.009	0.16	24.3	70.1	0.92	672	0.09
C303269		2.34	6.2	4.02	6.60	0.10	0.13	<0.01	0.007	0.16	30.5	54.5	0.91	764	<0.05
C303270		2.71	11.3	4.28	7.22	0.10	0.09	<0.01	0.010	0.19	34.5	60.1	1.05	938	<0.05
C303271		2.50	24.7	4.98	8.04	0.06	0.08	<0.01	0.015	0.15	21.5	61.2	1.04	1120	<0.05
C303272		2.98	27.7	4.62	8.65	0.08	0.11	<0.01	0.017	0.22	25.3	68.3	1.12	839	<0.05
C303273		0.07	1.2	0.68	0.24	<0.05	0.09	<0.01	<0.005	0.01	1.8	0.8	0.02	73	0.18
C303274		2.59	16.3	5.03	8.49	0.10	0.10	0.01	0.015	0.28	27.1	74.9	1.08	965	<0.05
C303275		2.60	10.9	5.37	8.19	0.08	0.12	0.01	0.028	0.18	24.1	84.7	1.14	977	<0.05
C303276		3.16	17.2	6.04	7.99	0.07	0.13	<0.01	0.028	0.25	17.8	75.2	0.85	858	<0.05
C303277		3.28	11.2	4.91	7.38	0.08	0.10	<0.01	0.021	0.21	29.8	75.2	0.94	1310	<0.05
C303278		0.61	8.5	2.55	3.26	<0.05	0.02	<0.01	0.012	0.07	9.4	30.9	0.41	842	0.34
C303279		7.40	26.0	3.55	7.48	0.14	0.76	0.01	0.022	0.99	31.2	35.7	1.29	219	0.88
C303280		1.07	73.5	5.01	6.96	0.09	0.06	<0.01	0.051	0.08	12.2	86.4	1.13	1560	0.27
C303281		2.48	42.0	4.73	7.00	0.10	0.10	0.01	0.025	0.22	27.5	80.1	0.89	755	0.23
C303282		2.16	67.8	4.90	6.83	0.08	0.12	<0.01	0.017	0.13	18.7	86.4	0.99	848	0.37
C303283		2.69	30.1	4.99	7.96	0.09	0.12	<0.01	0.018	0.16	22.6	96.2	1.04	809	0.64
C303284		2.39	57.8	4.91	7.78	0.09	0.10	<0.01	0.023	0.15	29.5	92.2	1.00	823	1.27
C303285		0.10	1.7	1.73	0.47	0.05	0.11	<0.01	<0.005	0.02	2.3	1.3	0.01	180	0.66
C303286		2.55	34.5	5.21	7.71	0.08	0.09	<0.01	0.017	0.14	25.1	98.5	1.09	923	0.52
C303287		2.28	44.6	5.11	7.78	0.08	0.10	<0.01	0.018	0.21	24.6	93.2	1.06	981	0.26
C303288		7.59	25.8	3.41	7.66	0.11	0.76	0.01	0.023	0.95	31.1	37.0	1.23	211	0.50
C303289		2.45	55.5	5.03	7.66	0.09	0.10	<0.01	0.022	0.17	27.4	97.4	1.04	951	0.37
C303290		2.29	34.4	5.18	8.26	0.09	0.09	<0.01	0.022	0.21	27.2	98.5	1.08	1230	0.20
C303291		2.28	39.0	5.20	7.72	0.07	0.08	<0.01	0.021	0.17	22.6	95.7	1.06	1380	0.25
C303292		2.37	44.3	5.93	9.03	0.08	0.11	<0.01	0.027	0.24	23.3	103.0	1.20	1320	0.28
C303293		0.08	1.1	0.73	0.31	<0.05	0.09	<0.01	<0.005	0.01	1.8	0.8	0.01	74	0.29
C303294		2.08	44.7	5.62	9.76	0.09	0.10	<0.01	0.025	0.22	31.0	101.5	1.22	1240	0.29
C303295		2.62	49.0	4.94	7.76	0.08	0.12	<0.01	0.016	0.17	27.6	87.3	1.15	1180	0.46
C303296		7.37	25.1	3.50	7.51	0.10	0.75	<0.01	0.022	0.98	30.3	32.5	1.26	217	0.51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C303264		<0.05	45.1	400	5.6	10.7	<0.001	0.01	0.07	3.7	<0.2	0.4	45.8	<0.01	0.02	16.7
C303265		<0.05	41.1	330	2.4	8.1	<0.001	<0.01	0.08	1.9	<0.2	0.3	24.3	<0.01	0.03	13.7
C303266		0.28	59.2	510	9.7	92.9	<0.001	0.11	341	5.8	0.3	1.4	18.2	<0.01	0.02	13.1
C303267		<0.05	42.1	300	3.7	8.0	<0.001	0.02	0.32	2.3	<0.2	0.3	47.1	<0.01	0.01	12.0
C303268		<0.05	45.9	320	10.2	7.8	<0.001	0.09	0.16	2.7	<0.2	0.2	50.0	<0.01	0.01	13.8
C303269		<0.05	41.5	360	9.9	7.8	<0.001	0.12	0.07	2.0	<0.2	0.2	31.3	<0.01	0.01	16.5
C303270		<0.05	47.5	340	5.2	9.8	<0.001	0.07	<0.05	2.4	<0.2	0.2	41.3	<0.01	0.01	17.7
C303271		<0.05	41.3	300	8.1	7.4	<0.001	0.37	0.05	2.8	<0.2	0.2	62.3	<0.01	0.04	14.8
C303272		<0.05	43.7	330	3.9	11.3	<0.001	0.10	<0.05	3.1	<0.2	0.2	36.9	<0.01	<0.01	14.4
C303273		0.06	1.5	10	0.9	0.5	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.2
C303274		<0.05	41.2	320	9.0	14.5	<0.001	0.40	0.07	3.0	<0.2	0.3	22.7	<0.01	0.01	16.7
C303275		<0.05	44.7	300	9.7	8.9	<0.001	0.38	0.07	2.6	<0.2	0.3	19.0	<0.01	0.01	18.0
C303276		<0.05	41.9	310	5.1	13.4	<0.001	1.34	0.27	2.7	<0.2	0.5	28.0	<0.01	0.03	20.4
C303277		<0.05	42.9	280	4.6	10.0	<0.001	0.15	<0.05	2.5	<0.2	0.5	19.0	<0.01	0.01	23.1
C303278		<0.05	11.5	140	26.0	3.9	<0.001	0.06	0.72	1.7	<0.2	0.3	16.1	<0.01	0.20	3.6
C303279		0.22	58.4	520	10.2	93.8	<0.001	0.09	213	6.2	0.2	1.2	16.8	<0.01	0.02	13.7
C303280		<0.05	28.5	180	7.7	4.3	<0.001	0.44	0.51	2.7	0.3	0.4	25.2	<0.01	0.03	8.1
C303281		<0.05	40.3	310	4.8	11.7	<0.001	0.31	0.26	2.6	<0.2	0.5	21.5	<0.01	0.01	17.8
C303282		<0.05	36.9	300	4.8	6.7	<0.001	0.35	0.21	2.6	0.3	0.2	20.1	<0.01	0.03	14.9
C303283		<0.05	41.4	400	2.9	8.3	<0.001	0.09	0.13	2.7	<0.2	0.2	22.9	<0.01	0.02	16.2
C303284		<0.05	41.7	470	4.5	8.2	<0.001	0.13	0.14	2.7	<0.2	0.3	19.4	<0.01	0.02	16.5
C303285		0.07	3.1	30	1.0	1.2	<0.001	<0.01	0.10	0.3	<0.2	<0.2	1.5	<0.01	<0.01	1.2
C303286		<0.05	40.1	560	4.0	7.2	<0.001	0.18	0.15	2.6	0.2	0.2	19.1	<0.01	0.02	17.4
C303287		<0.05	41.9	340	10.5	10.6	<0.001	0.27	0.08	2.8	<0.2	0.2	14.0	<0.01	0.03	15.9
C303288		0.24	57.8	500	9.0	94.9	<0.001	0.11	289	6.2	0.2	1.3	18.3	<0.01	0.02	13.6
C303289		<0.05	44.1	330	29.1	9.3	<0.001	0.23	0.33	2.8	0.2	0.3	12.7	<0.01	0.03	15.8
C303290		<0.05	40.1	320	39.8	11.5	<0.001	0.27	0.20	3.4	0.2	0.2	11.8	<0.01	0.02	14.7
C303291		<0.05	43.7	490	38.6	9.6	<0.001	0.58	0.32	3.3	0.3	0.2	12.4	<0.01	0.04	14.2
C303292		<0.05	46.1	310	33.8	12.5	<0.001	0.63	0.21	3.8	0.2	0.3	12.6	<0.01	0.02	14.6
C303293		0.05	1.5	20	1.0	0.6	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.1
C303294		<0.05	43.6	290	62.3	12.0	<0.001	0.16	0.10	4.1	0.2	0.3	14.1	<0.01	0.04	16.2
C303295		<0.05	41.5	330	10.7	8.7	<0.001	0.14	0.09	2.7	0.2	0.2	13.8	<0.01	0.02	18.0
C303296		0.22	56.6	510	9.0	93.7	<0.001	0.11	286	6.0	0.2	1.2	18.3	<0.01	0.01	13.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

Sample Description	Method Analyte Units LOD	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
C303264		<0.005	0.07	1.24	29	0.05	4.06	133	3.3
C303265		0.025	0.05	1.26	30	<0.05	2.70	99	4.5
C303266		0.148	0.61	1.53	67	0.50	9.54	77	30.4
C303267		0.017	0.05	1.11	32	0.23	2.53	106	4.6
C303268		<0.005	0.05	1.61	27	0.07	2.78	128	4.5
C303269		<0.005	0.04	1.49	17	0.12	3.00	109	4.7
C303270		<0.005	0.05	1.51	18	0.11	3.45	121	4.7
C303271		<0.005	0.04	1.23	22	0.16	2.85	121	3.5
C303272		<0.005	0.06	1.62	25	0.07	2.86	123	4.5
C303273		<0.005	<0.02	0.16	1	<0.05	0.69	2	2.3
C303274		<0.005	0.07	1.54	24	0.24	3.22	124	4.3
C303275		<0.005	0.06	1.61	20	0.18	2.98	141	4.6
C303276		<0.005	0.07	2.14	21	0.20	3.04	110	5.0
C303277		<0.005	0.05	2.21	17	0.20	3.88	106	3.8
C303278		<0.005	0.02	0.53	9	2.79	1.41	43	1.2
C303279		0.154	0.60	1.58	69	0.40	9.51	81	28.6
C303280		<0.005	0.03	1.21	20	5.61	2.23	165	2.2
C303281		<0.005	0.07	1.82	18	10.00	3.36	119	3.7
C303282		<0.005	0.04	1.72	16	0.13	2.91	110	4.4
C303283		<0.005	0.05	1.83	19	0.11	3.19	113	4.6
C303284		<0.005	0.05	1.59	18	1.36	3.63	120	3.9
C303285		<0.005	<0.02	0.21	2	0.07	1.01	3	2.6
C303286		<0.005	0.04	1.47	18	0.17	3.17	111	3.6
C303287		<0.005	0.06	1.40	19	0.10	3.01	101	3.8
C303288		0.144	0.60	1.60	65	0.46	9.70	75	28.6
C303289		<0.005	0.06	1.32	18	0.09	3.12	98	3.8
C303290		<0.005	0.06	1.24	21	0.14	3.19	102	3.5
C303291		<0.005	0.06	1.49	19	0.19	3.18	99	3.6
C303292		<0.005	0.07	1.45	24	0.37	2.95	113	4.0
C303293		<0.005	<0.02	0.16	1	<0.05	0.69	<2	2.2
C303294		<0.005	0.07	1.37	27	0.18	3.28	128	4.3
C303295		<0.005	0.06	1.84	21	0.10	3.40	119	4.3
C303296		0.148	0.58	1.60	66	0.44	9.37	77	28.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20246624

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41