



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

CERTIFICATE WH20254970

Project: Culvert-NUF

This report is for 219 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-NOV-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C303297		5.57	0.07	2.80	10.7	<0.02	<10	30	0.73	0.32	0.23	0.02	48.6	20.5	36	2.04
C303298		5.11	0.10	2.65	12.5	<0.02	<10	30	0.79	0.54	0.28	0.03	51.4	20.1	35	2.54
C303299		5.63	0.06	2.91	9.6	<0.02	<10	30	0.73	0.33	0.39	0.02	45.2	19.2	39	1.77
C303300		4.79	0.06	2.88	16.3	<0.02	<10	30	0.67	0.27	0.38	0.03	58.4	19.6	37	2.20
C303301		5.90	0.22	2.79	22.1	<0.02	<10	30	0.62	1.61	0.27	0.06	62.5	22.0	37	2.26
C303302		3.60	0.12	2.68	15.9	<0.02	<10	30	0.66	0.62	0.21	0.05	59.0	19.7	35	2.37
C303303		0.16	0.01	0.04	1.2	<0.02	<10	10	<0.05	0.02	0.03	<0.01	3.05	0.3	2	0.06
C303304		3.60	0.09	3.14	14.9	<0.02	<10	30	0.81	0.46	0.22	0.01	63.9	23.5	39	2.18
C303305		6.04	0.03	2.88	18.8	<0.02	<10	30	0.72	0.14	0.20	<0.01	70.3	21.1	36	2.70
C303306		6.81	0.03	2.71	26.4	<0.02	<10	30	0.71	0.11	0.17	0.01	71.2	22.6	35	2.34
C303307		4.66	0.03	3.03	40.6	<0.02	<10	30	0.76	0.16	0.13	0.02	67.8	27.5	37	2.61
C303308		5.19	0.04	2.52	28.4	0.16	<10	30	0.69	0.21	0.13	0.01	40.9	20.0	31	2.13
C303309		0.06	0.14	2.61	381	1.61	<10	100	1.25	0.31	0.22	0.03	61.0	13.3	109	7.75
C303310		4.31	0.04	2.70	33.6	0.17	<10	30	0.93	0.40	0.11	<0.01	39.8	23.6	33	2.72
C303311		3.79	0.07	2.91	96.5	0.14	<10	20	0.71	0.81	0.18	0.02	37.5	23.0	36	2.35
C303312		4.63	0.04	2.95	39.5	0.02	<10	30	0.82	0.19	0.31	0.02	41.9	24.4	39	2.39
C303313		5.19	0.04	3.06	42.4	<0.02	<10	30	0.74	0.32	0.20	0.02	44.1	22.1	39	2.17
C303314		0.14	0.01	0.05	0.9	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.69	0.5	2	0.07
C303315		4.43	0.15	2.86	30.4	0.02	<10	30	0.73	1.80	0.25	0.02	51.9	24.4	38	2.21
C303316		4.84	0.12	2.95	19.5	<0.02	<10	30	0.70	0.60	0.15	0.01	46.8	18.9	38	2.03
C303317		0.06	0.15	2.65	381	1.60	<10	100	1.32	0.30	0.22	0.03	60.7	13.2	109	7.84
C303318		4.93	0.09	2.85	22.2	<0.02	<10	20	0.64	0.43	0.16	0.01	50.8	21.4	37	1.90
C303319		5.31	0.33	2.76	26.1	<0.02	<10	30	0.65	0.87	0.42	0.07	33.1	30.2	36	1.99
C303320		2.17	0.16	2.69	21.9	0.25	<10	30	0.71	1.34	0.71	0.02	37.3	26.5	34	1.84
C303321		0.06	0.19	2.58	521	2.27	<10	100	1.32	0.30	0.24	0.03	59.5	13.2	106	7.57
C303322		2.27	0.11	2.52	35.4	0.03	<10	30	0.67	3.12	0.90	0.05	31.7	36.9	36	1.70
C303323		4.41	0.08	2.87	19.2	<0.02	<10	30	0.64	0.24	0.47	0.04	52.8	24.0	36	1.67
C303324		4.34	0.01	2.63	5.8	<0.02	<10	30	0.61	0.16	0.37	0.01	53.2	19.5	35	1.69
C303325		4.92	0.05	2.59	10.8	<0.02	<10	30	0.63	0.81	0.56	0.03	46.1	22.8	35	2.14
C303326		0.16	0.01	0.06	0.9	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.99	0.3	2	0.06
C303327		4.77	0.03	2.85	4.5	<0.02	<10	30	0.58	0.29	0.25	0.01	38.7	21.9	36	2.39
C303328		3.33	0.06	2.73	9.1	0.04	<10	30	0.62	0.15	0.19	0.03	35.7	21.6	36	2.53
C303329		2.65	0.05	2.36	6.1	0.19	<10	30	0.63	0.21	0.23	0.01	30.8	17.4	26	2.66
C303330		6.56	0.06	2.85	15.8	<0.02	<10	20	0.45	0.83	0.45	0.03	35.8	28.6	37	2.13
C303331		6.33	0.02	2.62	5.6	<0.02	<10	30	0.53	0.30	0.21	0.02	45.0	17.7	35	1.93
C303332		4.47	0.02	3.54	4.1	<0.02	<10	30	0.54	0.50	0.12	<0.01	42.7	27.5	41	2.04
C303333		0.16	0.01	0.05	0.5	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.38	0.3	2	0.06
C303334		4.22	0.01	3.39	2.9	<0.02	<10	30	0.49	0.15	0.15	<0.01	44.6	22.6	39	1.95
C303335		7.91	<0.01	2.66	3.9	<0.02	<10	30	0.44	0.15	0.08	<0.01	44.5	16.6	35	1.71
C303336		6.95	0.02	3.02	8.1	<0.02	<10	30	0.45	0.48	0.09	<0.01	50.7	22.2	40	2.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303297		16.6	4.97	8.04	0.08	0.08	0.01	0.017	0.16	24.1	95.7	1.18	1250	0.10	0.04
C303298		74.6	4.62	7.44	0.08	0.10	0.01	0.016	0.14	26.3	86.2	1.09	1310	0.30	0.04
C303299		18.1	5.23	8.42	0.10	0.08	0.01	0.024	0.14	22.1	96.4	1.24	1520	0.14	0.04
C303300		28.4	5.04	8.35	0.10	0.09	<0.01	0.016	0.14	29.7	97.5	1.22	1540	0.08	0.04
C303301		121.5	4.88	7.79	0.12	0.09	0.01	0.023	0.14	32.6	91.7	1.18	1280	0.09	0.04
C303302		61.1	4.64	7.48	0.10	0.10	<0.01	0.027	0.15	30.7	84.7	1.11	1140	0.16	0.04
C303303		1.1	0.24	0.18	<0.05	0.07	<0.01	<0.005	0.01	1.5	0.9	0.01	24	0.21	<0.01
C303304		27.5	5.55	8.89	0.11	0.10	<0.01	0.024	0.14	32.8	103.0	1.34	1300	0.09	0.04
C303305		7.5	4.87	7.96	0.12	0.11	0.01	0.020	0.18	36.3	93.2	1.18	1130	0.08	0.05
C303306		34.1	4.57	7.42	0.11	0.09	<0.01	0.019	0.18	36.6	85.9	1.14	1030	0.07	0.04
C303307		21.4	5.31	8.22	0.12	0.09	<0.01	0.018	0.15	35.5	101.0	1.33	1120	0.06	0.03
C303308		14.4	4.59	6.62	0.09	0.08	<0.01	0.014	0.15	21.0	80.9	1.04	865	0.06	0.03
C303309		25.1	3.56	7.78	0.12	0.75	0.01	0.023	1.06	30.1	35.7	1.37	231	0.52	0.08
C303310		8.3	5.16	7.31	0.08	0.10	<0.01	0.013	0.19	20.6	87.5	1.08	830	0.05	0.04
C303311		69.5	5.59	7.94	0.08	0.09	<0.01	0.026	0.12	18.9	93.3	1.27	1030	0.09	0.03
C303312		39.5	5.56	7.69	0.09	0.09	<0.01	0.020	0.15	22.2	96.1	1.22	1200	0.06	0.03
C303313		38.6	5.72	8.32	0.10	0.08	<0.01	0.023	0.15	22.7	100.0	1.29	1180	0.19	0.03
C303314		1.2	0.25	0.20	<0.05	0.09	0.01	<0.005	0.01	1.6	1.2	0.01	31	0.17	<0.01
C303315		36.9	5.25	7.78	0.11	0.09	<0.01	0.025	0.14	26.9	95.2	1.21	1240	1.52	0.03
C303316		37.6	5.48	8.16	0.09	0.08	0.01	0.016	0.14	24.3	97.5	1.24	1090	0.20	0.03
C303317		25.4	3.59	7.92	0.13	0.75	0.01	0.024	1.05	31.1	36.0	1.38	230	0.57	0.07
C303318		27.4	5.23	7.88	0.09	0.08	<0.01	0.016	0.13	26.5	96.0	1.21	1120	0.14	0.03
C303319		39.5	5.32	7.35	0.08	0.10	<0.01	0.018	0.15	16.8	93.8	1.16	1320	2.11	0.03
C303320		44.5	5.15	7.42	0.08	0.10	0.01	0.023	0.15	19.4	91.3	1.13	1660	0.92	0.03
C303321		26.5	3.52	7.75	0.13	0.78	0.02	0.023	1.03	30.3	34.5	1.35	233	0.53	0.07
C303322		103.5	4.97	6.55	0.07	0.12	<0.01	0.031	0.14	16.2	80.7	1.04	1730	6.63	0.03
C303323		56.9	5.24	7.64	0.09	0.07	<0.01	0.023	0.16	26.2	86.7	1.17	1470	0.40	0.03
C303324		4.1	4.91	7.30	0.10	0.03	<0.01	0.015	0.16	26.6	82.6	1.02	1010	<0.05	0.03
C303325		58.2	4.59	7.22	0.10	0.09	<0.01	0.018	0.16	24.3	81.8	1.07	1340	0.06	0.04
C303326		1.8	0.26	0.25	<0.05	0.09	<0.01	<0.005	0.01	1.9	1.1	0.01	27	0.21	<0.01
C303327		48.6	5.11	8.48	0.07	0.10	<0.01	0.019	0.16	20.1	90.3	1.16	961	0.38	0.04
C303328		121.5	4.95	8.25	0.08	0.10	<0.01	0.028	0.15	18.7	83.9	1.10	924	0.61	0.04
C303329		53.8	4.40	6.96	0.08	0.08	<0.01	0.016	0.14	15.8	76.1	0.95	917	0.18	0.04
C303330		98.4	5.31	8.57	0.08	0.08	0.01	0.022	0.12	18.7	95.9	1.11	1200	1.21	0.04
C303331		15.4	4.81	7.49	0.08	0.06	<0.01	0.017	0.15	23.5	76.2	0.94	697	0.05	0.04
C303332		10.9	6.55	10.25	0.09	0.05	<0.01	0.019	0.15	21.8	108.0	1.29	898	0.47	0.04
C303333		1.7	0.28	0.20	<0.05	0.08	<0.01	<0.005	0.01	1.6	1.3	0.01	31	0.17	<0.01
C303334		0.9	6.32	9.21	0.09	0.06	0.01	0.017	0.14	22.6	100.0	1.22	824	0.09	0.04
C303335		0.9	4.85	7.32	0.08	0.05	<0.01	0.012	0.13	23.9	77.9	0.94	659	0.06	0.03
C303336		10.6	5.54	8.62	0.09	0.09	<0.01	0.014	0.14	26.9	94.4	1.08	742	<0.05	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303297		41.6	330	7.5	7.2	<0.001	0.18	0.12	2.9	<0.2	0.3	14.1	<0.01	<0.01	16.7
C303298		38.3	300	3.2	6.2	<0.001	0.11	0.14	2.6	0.2	0.3	16.6	<0.01	<0.01	16.5
C303299		40.8	350	9.7	6.0	<0.001	0.20	0.11	3.2	<0.2	0.2	16.0	<0.01	<0.01	16.3
C303300		42.7	320	5.8	6.3	<0.001	0.07	0.11	3.2	<0.2	0.2	16.1	<0.01	<0.01	17.6
C303301		41.8	300	6.1	5.9	<0.001	0.05	0.11	2.8	<0.2	0.3	14.9	<0.01	0.03	18.1
C303302		41.2	300	4.2	6.6	<0.001	0.07	0.09	2.6	<0.2	0.4	14.8	<0.01	0.01	16.9
C303303		0.7	20	1.1	0.6	<0.001	0.01	<0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.0
C303304		51.1	330	8.4	6.4	<0.001	0.07	0.08	3.3	0.2	0.3	13.9	<0.01	0.01	18.1
C303305		39.9	330	4.0	8.1	<0.001	0.04	0.06	2.8	<0.2	0.3	15.3	<0.01	<0.01	17.7
C303306		40.6	300	2.4	7.9	<0.001	0.02	0.07	2.5	<0.2	0.2	13.3	<0.01	<0.01	17.8
C303307		49.3	310	3.3	6.8	<0.001	0.02	0.10	2.8	0.3	0.2	11.1	<0.01	<0.01	17.7
C303308		40.7	290	4.3	6.5	<0.001	0.09	0.08	2.4	<0.2	<0.2	11.1	<0.01	0.01	14.1
C303309		61.3	540	8.4	95.8	<0.001	0.09	271	6.1	0.4	1.4	16.8	<0.01	0.01	12.9
C303310		49.1	330	3.2	9.0	<0.001	0.40	0.27	2.7	<0.2	0.3	12.2	<0.01	<0.01	18.6
C303311		45.8	470	4.7	5.4	<0.001	0.22	0.18	2.7	0.3	0.3	11.5	<0.01	0.01	15.6
C303312		51.6	300	3.1	6.3	<0.001	0.25	0.16	2.7	<0.2	0.3	14.6	<0.01	<0.01	16.7
C303313		47.8	410	4.8	6.8	<0.001	0.29	0.14	3.0	<0.2	0.4	12.6	<0.01	<0.01	15.5
C303314		0.7	20	1.1	0.8	<0.001	0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.2
C303315		41.9	340	25.0	6.3	<0.001	0.14	0.16	2.8	0.2	0.4	12.5	<0.01	0.07	14.3
C303316		40.4	400	25.7	6.1	<0.001	0.20	0.15	3.1	0.2	0.2	10.6	<0.01	0.03	13.2
C303317		61.5	550	8.6	95.4	<0.001	0.09	263	6.1	0.4	1.4	17.4	<0.01	0.01	12.8
C303318		41.5	290	19.7	5.4	<0.001	0.09	0.26	2.9	<0.2	0.2	10.2	<0.01	0.01	14.0
C303319		41.2	710	350	6.4	0.002	0.49	0.23	3.0	<0.2	0.2	16.5	<0.01	0.01	13.9
C303320		39.3	400	42.0	6.7	<0.001	0.46	0.24	3.2	0.3	0.4	20.5	<0.01	0.02	12.6
C303321		61.9	540	9.4	94.0	<0.001	0.12	374	6.0	0.4	1.4	18.3	<0.01	<0.01	12.8
C303322		37.4	760	17.4	6.4	0.001	0.64	0.55	3.2	0.3	0.4	21.1	<0.01	0.07	13.0
C303323		42.5	310	7.4	7.1	<0.001	0.15	0.16	3.0	0.4	0.3	15.6	<0.01	<0.01	13.0
C303324		37.2	310	3.0	7.1	<0.001	0.15	0.15	2.9	<0.2	0.2	13.7	<0.01	0.01	13.2
C303325		44.1	360	5.4	7.1	<0.001	0.15	0.16	3.0	0.4	0.2	17.8	<0.01	0.01	14.3
C303326		0.7	10	1.1	0.8	<0.001	<0.01	0.05	0.2	0.2	<0.2	1.7	<0.01	<0.01	1.0
C303327		46.4	300	2.8	7.3	<0.001	0.24	0.16	2.9	<0.2	0.2	15.5	<0.01	0.01	14.7
C303328		50.3	480	1.5	7.0	<0.001	0.22	0.19	2.9	<0.2	0.2	15.1	<0.01	0.01	15.6
C303329		38.6	240	2.8	6.5	<0.001	0.37	0.23	2.7	<0.2	0.2	15.0	<0.01	0.01	15.8
C303330		44.1	280	4.7	5.3	0.001	0.21	0.16	3.5	<0.2	0.2	16.4	<0.01	0.02	15.5
C303331		40.8	270	2.2	6.7	<0.001	0.20	0.15	2.7	<0.2	0.2	11.5	<0.01	0.02	14.9
C303332		54.2	300	2.7	7.0	<0.001	0.16	0.17	3.3	<0.2	0.2	11.7	<0.01	0.02	14.6
C303333		0.6	10	1.3	0.5	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.2	<0.01	<0.01	0.9
C303334		49.7	310	2.3	6.2	<0.001	0.10	0.15	3.0	<0.2	0.2	11.2	<0.01	0.04	14.1
C303335		37.1	260	0.8	5.7	<0.001	0.01	0.08	2.4	<0.2	<0.2	9.1	<0.01	0.04	12.3
C303336		49.0	250	1.9	6.2	<0.001	0.05	0.12	2.8	<0.2	0.2	10.0	<0.01	0.02	14.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C303297		0.05	1.30	23	0.44	2.98	125	3.3	0.02	
C303298		0.05	1.38	20	0.05	3.16	117	4.2	0.01	
C303299		0.04	1.33	26	<0.05	2.98	130	3.5	<0.01	
C303300		0.04	1.42	22	<0.05	3.18	125	3.6	<0.01	
C303301		0.03	1.58	20	0.13	3.32	129	4.0	0.01	
C303302		0.04	1.26	21	<0.05	3.24	124	3.7	0.01	
C303303		<0.02	0.14	1	<0.05	0.62	2	1.6	<0.01	
C303304		0.04	1.35	26	<0.05	3.59	152	4.0	<0.01	
C303305		0.05	1.26	19	0.05	3.56	129	4.4	<0.01	
C303306		0.05	1.38	17	<0.05	3.50	125	3.7	<0.01	
C303307		0.04	1.57	19	<0.05	3.29	151	3.5	0.01	
C303308		0.04	1.39	18	0.76	2.55	123	3.5	0.14	
C303309		0.58	1.41	72	0.41	9.83	84	29.5	1.59	
C303310		0.05	1.76	19	0.18	2.96	117	4.0	0.09	
C303311		0.04	1.28	20	0.13	2.77	134	3.5	0.21	
C303312		0.04	1.36	19	0.09	3.14	124	3.7	0.01	
C303313		0.05	1.26	20	0.07	2.94	133	3.7	0.01	
C303314		<0.02	0.15	1	<0.05	0.73	2	2.2	<0.01	
C303315		0.03	1.12	18	0.05	3.09	121	3.4	0.42	
C303316		0.03	1.00	21	<0.05	2.98	115	3.0	<0.01	
C303317		0.60	1.44	72	0.39	9.87	84	30.9	1.58	
C303318		0.03	1.04	19	<0.05	2.88	109	3.2	<0.01	
C303319		0.04	1.23	18	<0.05	3.13	111	4.3	<0.01	
C303320		0.04	1.09	20	0.11	3.12	115	4.1	0.09	
C303321		0.57	1.41	70	0.50	9.64	83	30.5	2.23	
C303322		0.05	1.17	19	0.33	3.45	120	4.6	0.06	
C303323		0.05	0.92	20	<0.05	3.09	118	2.6	<0.01	
C303324		0.04	0.77	19	<0.05	2.93	98	1.4	<0.01	
C303325		0.05	1.58	19	0.05	3.24	114	4.2	<0.01	
C303326		<0.02	0.13	2	<0.05	0.72	2	2.3	0.04	
C303327		0.04	1.23	20	0.18	2.81	128	2.9	0.06	
C303328		0.05	1.45	18	0.13	3.13	122	3.7	0.12	
C303329		0.05	1.40	16	0.44	2.52	100	3.4	0.18	
C303330		0.03	1.39	21	<0.05	2.63	115	3.3	0.05	
C303331		0.04	1.21	17	<0.05	2.47	107	2.7	0.01	
C303332		0.05	1.19	21	<0.05	2.50	134	2.3	0.01	
C303333		<0.02	0.12	3	<0.05	0.79	2	2.0	<0.01	
C303334		0.04	0.96	20	<0.05	2.42	128	2.1	0.03	
C303335		0.03	0.89	16	<0.05	2.32	98	1.8	0.03	
C303336		0.04	1.39	19	<0.05	2.65	113	3.6	0.02	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303337		5.48	0.05	2.66	13.4	<0.02	<10	40	0.54	0.74	0.12	0.02	66.1	20.8	37	2.48
C303338		0.07	0.17	2.54	494	2.11	<10	100	1.22	0.29	0.22	0.03	52.5	12.5	101	7.71
C303339		7.12	0.06	3.23	17.2	<0.02	<10	30	0.51	0.85	0.26	0.04	50.9	28.2	41	2.00
C303340		7.77	0.08	3.81	9.2	<0.02	<10	30	0.43	0.67	0.47	0.04	33.1	28.7	45	1.51
C303341		5.14	0.04	2.98	16.4	<0.02	<10	40	0.55	0.43	0.20	0.02	50.2	25.5	37	2.02
C303342		0.16	0.01	0.04	0.7	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.53	0.3	1	0.05
C303343		6.32	0.05	3.31	32.3	<0.02	<10	30	0.50	0.15	0.15	0.03	46.8	28.7	38	1.89
C303344		3.59	0.05	2.60	21.3	<0.02	<10	20	0.49	0.89	0.22	0.02	32.5	22.4	34	2.15
C303345		5.97	0.03	3.54	37.8	0.02	<10	30	0.64	0.46	0.11	0.01	35.0	37.3	42	1.71
C303346		6.12	0.01	2.78	7.0	<0.02	<10	30	0.57	0.19	0.12	<0.01	48.3	17.8	34	1.61
C303347		5.31	0.01	2.64	14.0	<0.02	<10	30	0.62	0.11	0.22	<0.01	56.2	18.3	34	1.64
C303348		6.07	0.04	2.79	14.7	<0.02	<10	30	0.59	0.34	0.25	0.01	42.2	19.8	35	1.94
C303349		0.06	0.14	2.56	353	1.53	<10	100	1.21	0.28	0.20	0.04	58.8	12.8	103	8.34
C303350		5.44	0.10	2.62	25.5	0.05	<10	30	0.58	0.71	0.77	0.05	36.1	21.9	37	1.72
C303351		4.63	0.04	2.81	16.8	<0.02	<10	30	0.52	0.11	0.32	0.03	51.8	16.5	38	2.11
C303352		6.21	0.03	2.74	19.7	<0.02	<10	30	0.55	0.39	0.24	0.01	36.5	23.6	36	2.04
C303353		3.48	0.09	2.94	23.9	<0.02	<10	20	0.50	0.50	0.50	0.03	40.2	23.4	42	2.76
C303354		3.76	0.46	2.95	17.0	<0.02	<10	20	0.62	0.47	0.70	0.17	46.8	19.3	40	1.77
C303355		0.15	0.01	0.05	0.6	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.11	0.3	2	0.06
C303356		2.37	0.03	2.66	8.2	<0.02	<10	20	0.53	0.08	0.98	0.02	57.2	12.2	39	1.58
C303357		4.11	0.02	2.94	15.3	<0.02	<10	30	0.50	0.36	0.11	0.03	54.2	20.9	39	1.95
C303358		0.06	0.18	2.54	489	2.17	<10	100	1.25	0.29	0.22	0.03	56.8	12.8	101	7.90
C303359		2.68	0.06	2.72	24.4	<0.02	<10	20	0.51	0.54	0.46	0.02	35.7	27.4	36	1.68
C303360		7.99	0.04	2.82	332	0.03	<10	30	0.61	0.52	0.21	0.04	41.7	25.9	35	3.04
C303361		5.45	0.04	2.68	30.9	<0.02	<10	40	0.70	0.25	0.28	0.01	56.8	19.6	33	4.27
C303362		0.17	0.02	0.06	0.5	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.09	0.3	2	0.07
C303363		5.34	0.11	2.73	19.8	<0.02	<10	20	0.63	0.59	0.37	0.03	49.2	27.0	38	1.60
C303364		5.67	0.21	2.60	11.2	0.06	<10	20	0.62	0.67	0.66	0.14	29.8	24.9	37	1.62
C303365		5.78	0.11	2.88	8.2	0.03	<10	20	0.62	0.58	0.28	0.04	43.5	26.8	40	2.09
C303366		6.89	0.21	2.93	12.2	<0.02	<10	20	0.62	1.41	0.27	0.04	40.9	28.3	42	2.29
C303367		5.23	0.06	3.03	15.8	<0.02	<10	20	0.55	0.50	0.25	0.03	46.9	24.3	42	2.11
C303368		6.41	0.03	3.04	18.2	<0.02	<10	20	0.56	0.28	0.18	0.04	74.0	18.7	42	2.21
C303369		0.06	0.13	2.63	358	1.44	<10	100	1.33	0.34	0.21	0.05	62.8	14.0	103	7.38
C303370		4.32	0.03	2.91	22.3	<0.02	<10	20	0.55	0.24	0.28	0.03	68.1	21.0	40	2.17
C303371		5.47	0.02	2.90	22.4	<0.02	<10	30	0.62	0.34	0.11	0.02	65.6	21.1	39	2.24
C303372		5.09	0.02	2.99	25.5	<0.02	<10	30	0.59	0.34	0.11	0.02	77.1	21.7	41	2.32
C303373		7.72	0.02	2.92	22.9	<0.02	<10	20	0.63	0.18	0.18	0.02	72.7	18.4	39	2.31
C303374		0.18	0.01	0.07	1.0	<0.02	<10	10	<0.05	0.01	0.02	0.01	4.29	0.3	2	0.09
C303375		6.32	0.04	3.11	30.2	<0.02	<10	30	0.63	0.53	0.22	0.02	58.0	24.5	41	2.20
C303376		5.08	0.04	3.04	27.6	<0.02	<10	30	0.58	0.33	0.24	0.02	55.8	21.6	41	2.16



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303337		85.7	4.55	7.56	0.11	0.10	<0.01	0.020	0.18	35.0	78.2	0.90	643	0.05	0.05
C303338		25.9	3.46	7.69	0.11	0.71	0.01	0.024	0.99	27.1	32.9	1.28	217	0.53	0.07
C303339		90.7	5.92	9.28	0.11	0.09	<0.01	0.028	0.13	26.5	101.0	1.19	903	0.06	0.04
C303340		149.0	7.15	9.92	0.09	0.07	<0.01	0.028	0.14	17.0	109.0	1.44	1160	0.07	0.04
C303341		47.4	5.28	8.47	0.10	0.09	<0.01	0.018	0.18	25.9	88.5	1.04	790	0.05	0.05
C303342		1.7	0.21	0.18	<0.05	0.06	<0.01	<0.005	0.01	1.5	1.2	0.01	24	0.13	0.01
C303343		86.6	6.09	9.24	0.11	0.08	<0.01	0.028	0.13	24.1	98.5	1.22	955	0.06	0.04
C303344		67.6	4.87	6.95	0.08	0.10	<0.01	0.022	0.13	17.0	79.0	0.95	749	0.07	0.03
C303345		34.3	6.87	10.40	0.10	0.09	<0.01	0.036	0.13	18.2	114.0	1.34	1120	0.06	0.03
C303346		5.4	5.21	7.52	0.08	0.04	<0.01	0.019	0.17	24.4	78.5	0.93	712	0.06	0.04
C303347		2.1	4.83	7.23	0.10	0.07	<0.01	0.015	0.17	29.5	80.8	0.92	717	<0.05	0.04
C303348		26.6	5.00	7.74	0.07	0.09	<0.01	0.020	0.17	22.0	80.4	1.03	885	0.05	0.04
C303349		25.6	3.42	8.21	0.11	0.75	0.01	0.026	0.99	30.5	34.6	1.27	215	0.57	0.07
C303350		58.9	4.70	7.60	0.08	0.08	0.01	0.034	0.12	19.3	81.6	1.03	1200	1.83	0.04
C303351		51.3	4.93	7.93	0.09	0.09	<0.01	0.023	0.14	26.5	84.0	1.10	993	0.27	0.04
C303352		42.8	5.02	7.77	0.08	0.17	<0.01	0.016	0.15	18.8	80.5	1.04	885	0.13	0.05
C303353		44.3	5.37	9.03	0.09	0.13	<0.01	0.025	0.11	19.9	94.1	1.17	1200	0.26	0.04
C303354		876	5.39	8.83	0.10	0.13	<0.01	0.126	0.14	23.5	94.0	1.16	1340	0.23	0.05
C303355		1.5	0.21	0.22	<0.05	0.09	<0.01	<0.005	0.01	1.9	1.4	0.01	28	0.14	<0.01
C303356		23.1	4.80	8.11	0.12	0.11	0.01	0.023	0.12	28.7	87.7	1.05	1380	0.14	0.04
C303357		41.9	5.09	8.95	0.10	0.10	<0.01	0.022	0.14	26.7	88.6	1.10	808	0.15	0.06
C303358		26.1	3.44	7.91	0.12	0.73	0.01	0.024	0.99	29.3	32.3	1.27	216	0.52	0.07
C303359		41.4	5.05	8.21	0.08	0.11	<0.01	0.020	0.13	18.0	86.1	1.05	948	0.20	0.05
C303360		43.8	5.11	8.04	0.10	0.11	<0.01	0.022	0.14	21.4	85.6	1.10	842	0.30	0.04
C303361		30.1	4.73	7.58	0.13	0.09	0.02	0.020	0.17	29.2	86.2	1.00	780	0.59	0.03
C303362		1.0	0.26	0.26	<0.05	0.10	0.01	<0.005	0.01	2.0	1.0	0.01	33	0.20	<0.01
C303363		40.2	5.06	8.09	0.11	0.11	0.01	0.022	0.13	25.4	99.3	1.08	926	0.67	0.05
C303364		55.7	5.41	7.85	0.10	0.16	0.01	0.023	0.12	16.2	93.4	1.07	1090	1.26	0.05
C303365		45.5	5.52	8.82	0.11	0.18	0.01	0.024	0.13	23.1	105.5	1.16	879	0.80	0.05
C303366		47.8	5.61	8.80	0.09	0.21	0.02	0.025	0.12	21.7	103.5	1.17	862	2.12	0.06
C303367		43.9	5.49	8.60	0.12	0.15	0.01	0.023	0.13	24.5	97.6	1.19	857	1.23	0.06
C303368		46.4	5.35	9.30	0.14	0.12	0.01	0.024	0.13	38.4	100.5	1.18	760	0.11	0.05
C303369		24.8	3.51	8.12	0.15	0.78	0.01	0.020	1.00	31.5	39.0	1.30	216	0.53	0.07
C303370		33.7	5.17	8.79	0.13	0.13	<0.01	0.027	0.12	35.0	102.0	1.14	801	0.12	0.05
C303371		37.6	5.04	8.68	0.11	0.11	<0.01	0.025	0.15	34.7	93.3	1.09	701	0.20	0.05
C303372		40.6	5.26	8.95	0.13	0.12	<0.01	0.025	0.14	41.3	98.4	1.13	728	0.15	0.05
C303373		35.5	5.15	9.12	0.12	0.11	<0.01	0.024	0.13	38.3	102.0	1.11	779	0.12	0.04
C303374		1.2	0.30	0.27	<0.05	0.11	<0.01	<0.005	0.01	2.1	1.4	0.01	37	0.16	<0.01
C303375		44.7	5.59	8.94	0.11	0.15	<0.01	0.025	0.15	30.6	96.0	1.18	859	0.20	0.04
C303376		31.6	5.47	8.71	0.11	0.12	<0.01	0.022	0.15	29.2	96.9	1.17	830	0.13	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303337		47.2	350	2.1	8.8	<0.001	0.02	0.11	2.6	<0.2	0.2	13.7	<0.01	0.01	16.0
C303338		59.9	510	8.6	91.5	<0.001	0.11	348	5.8	0.3	1.3	18.0	<0.01	0.01	12.7
C303339		53.1	280	2.9	6.2	<0.001	0.05	0.40	3.0	0.2	0.2	12.0	<0.01	0.02	16.3
C303340		57.7	320	3.6	5.7	<0.001	0.15	0.17	3.3	0.2	0.2	12.5	<0.01	0.02	14.4
C303341		45.9	310	2.9	9.2	<0.001	0.10	0.13	2.9	0.2	0.2	14.5	<0.01	0.02	15.9
C303342		0.6	10	0.8	0.4	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.8	<0.01	<0.01	0.8
C303343		57.2	260	1.9	5.8	<0.001	0.07	0.10	2.9	0.2	0.2	12.3	<0.01	<0.01	15.6
C303344		48.7	550	4.9	5.6	<0.001	0.23	0.19	2.4	0.3	0.3	14.0	<0.01	0.03	15.6
C303345		65.4	250	3.0	6.3	<0.001	0.47	0.31	3.3	0.2	0.6	11.3	<0.01	0.03	17.6
C303346		41.1	290	1.6	8.5	<0.001	0.17	0.12	2.6	<0.2	0.3	12.6	<0.01	0.02	14.2
C303347		38.0	290	2.6	7.6	<0.001	0.09	0.10	2.7	0.2	0.2	15.5	<0.01	0.01	14.9
C303348		49.6	280	4.9	8.2	<0.001	0.20	0.14	2.7	<0.2	0.4	17.7	<0.01	0.01	16.0
C303349		60.8	500	8.1	96.4	<0.001	0.08	249	6.1	0.3	1.4	17.4	<0.01	0.03	13.1
C303350		44.5	270	8.0	5.8	<0.001	0.14	0.26	3.1	<0.2	0.4	24.1	<0.01	0.02	15.9
C303351		45.6	310	3.4	6.1	<0.001	0.08	0.09	2.9	<0.2	0.3	19.8	<0.01	<0.01	15.7
C303352		42.5	260	4.5	6.8	<0.001	0.45	0.16	2.9	<0.2	0.3	22.0	<0.01	0.02	14.8
C303353		48.6	250	12.7	5.2	<0.001	0.24	0.17	3.8	0.3	0.3	28.3	<0.01	0.02	17.0
C303354		46.7	270	19.0	6.4	<0.001	0.19	0.13	3.3	0.3	1.2	36.8	<0.01	0.01	16.8
C303355		0.7	10	0.8	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.6	<0.01	<0.01	1.1
C303356		38.9	260	4.2	5.6	<0.001	0.06	0.08	3.2	<0.2	0.3	37.6	<0.01	<0.01	16.2
C303357		45.8	260	2.9	6.6	<0.001	0.09	0.16	3.1	<0.2	0.2	20.9	<0.01	0.01	15.1
C303358		61.1	500	8.9	93.5	0.001	0.10	340	6.0	0.3	1.3	18.5	<0.01	0.01	13.0
C303359		45.5	210	8.3	6.1	<0.001	0.39	0.90	3.1	0.4	0.3	28.7	<0.01	0.01	14.1
C303360		46.5	270	5.0	6.4	<0.001	0.23	0.33	2.8	<0.2	0.3	52.2	<0.01	0.01	15.9
C303361		40.6	280	5.7	8.0	0.001	0.17	0.35	2.6	<0.2	0.3	59.3	<0.01	0.01	14.5
C303362		0.6	20	1.1	0.6	<0.001	<0.01	0.05	0.2	0.2	<0.2	1.3	<0.01	<0.01	1.3
C303363		37.5	300	58.3	6.2	0.001	0.43	0.26	3.2	0.2	0.2	29.9	<0.01	0.04	14.7
C303364		44.2	250	293	5.6	<0.001	1.07	0.28	3.4	0.3	0.2	35.3	<0.01	0.01	14.4
C303365		43.7	260	80.2	5.9	0.001	0.64	0.25	3.5	<0.2	0.2	28.9	<0.01	0.02	14.4
C303366		44.1	250	106.0	5.5	0.001	0.63	0.29	3.5	0.3	0.2	29.8	<0.01	0.01	14.7
C303367		43.3	270	19.6	5.8	<0.001	0.27	0.14	3.3	0.4	0.2	26.2	<0.01	0.02	14.1
C303368		46.2	320	8.6	6.1	<0.001	0.06	0.06	3.4	0.5	0.2	23.8	<0.01	0.01	16.1
C303369		64.7	510	8.2	95.9	<0.001	0.08	256	6.0	0.3	1.3	17.5	<0.01	0.01	12.8
C303370		45.3	290	6.2	5.5	<0.001	0.04	0.29	3.2	0.3	0.2	25.0	<0.01	0.01	15.7
C303371		43.2	250	4.7	6.2	<0.001	0.12	0.11	3.1	<0.2	0.2	28.2	<0.01	0.02	15.3
C303372		46.9	290	3.0	5.8	<0.001	0.08	0.06	3.3	<0.2	0.2	27.1	<0.01	0.02	16.3
C303373		44.3	280	4.2	5.8	<0.001	0.05	0.06	3.2	0.3	0.2	35.9	<0.01	<0.01	16.7
C303374		0.8	30	1.0	0.7	<0.001	<0.01	<0.05	0.3	<0.2	<0.2	1.7	<0.01	<0.01	1.2
C303375		46.3	220	6.1	6.4	<0.001	0.18	0.09	3.2	<0.2	0.2	22.7	<0.01	0.02	15.8
C303376		46.0	280	4.7	6.1	<0.001	0.16	0.12	3.2	0.2	0.2	23.4	<0.01	0.02	15.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C303337		0.05	1.54	17	<0.05	3.19	98	4.4	0.02	
C303338		0.56	1.35	67	0.43	9.67	78	28.3	2.18	
C303339		0.04	1.35	20	<0.05	2.75	139	3.4	0.02	
C303340		0.03	1.40	26	<0.05	2.37	165	3.0	0.03	
C303341		0.05	1.23	19	<0.05	2.84	117	3.5	0.04	
C303342		<0.02	0.14	1	<0.05	0.62	2	1.5	0.02	
C303343		0.03	1.23	21	<0.05	2.68	142	2.9	0.01	
C303344		0.04	1.59	15	<0.05	2.80	104	4.1	0.01	
C303345		0.04	1.59	21	0.07	2.76	151	3.4	0.05	
C303346		0.05	0.91	17	<0.05	2.56	103	2.4	0.01	
C303347		0.05	1.01	16	<0.05	3.08	102	2.4	0.02	
C303348		0.05	1.44	17	<0.05	3.03	108	3.1	0.02	
C303349		0.57	1.39	67	0.38	10.10	78	30.6	1.58	
C303350		0.03	1.43	19	<0.05	2.92	117	3.2	0.04	
C303351		0.03	1.18	18	<0.05	3.25	116	3.6	0.02	
C303352		0.04	1.19	18	<0.05	3.02	106	5.7	0.02	
C303353		0.04	1.50	23	<0.05	3.25	123	5.5	0.01	
C303354		0.04	1.30	20	<0.05	4.38	156	4.5	0.03	
C303355		<0.02	0.15	1	<0.05	0.69	2	2.1	<0.01	
C303356		0.03	1.11	18	<0.05	5.05	112	4.1	0.02	
C303357		0.04	1.22	20	<0.05	3.38	113	4.4	0.02	
C303358		0.57	1.35	66	0.46	9.40	78	29.8	2.23	
C303359		0.15	1.25	18	<0.05	3.42	99	4.7	0.03	
C303360		0.04	1.41	17	0.05	3.00	112	4.5	0.02	
C303361		0.05	1.49	16	0.09	3.13	105	3.6	0.03	
C303362		<0.02	0.16	1	<0.05	0.90	2	2.5	0.01	
C303363		0.04	1.07	19	0.05	3.07	100	3.7	0.02	
C303364		0.04	1.67	20	0.10	3.12	101	6.6	1.82	
C303365		0.04	1.74	21	0.05	3.32	114	6.6	0.03	
C303366		0.04	1.88	22	0.07	3.30	111	7.5	0.01	
C303367		0.04	1.66	22	1.47	3.25	120	5.6	0.03	
C303368		0.04	1.32	22	0.24	3.55	119	4.4	0.01	
C303369		0.63	1.55	68	0.46	10.15	79	28.7	1.61	
C303370		0.03	1.22	20	2.76	3.34	116	5.7	0.04	
C303371		0.03	1.09	20	0.05	3.14	108	4.7	0.04	
C303372		0.04	1.06	20	0.06	3.40	122	5.1	<0.01	
C303373		0.04	1.13	20	0.06	3.41	112	4.3	<0.01	
C303374		<0.02	0.18	1	<0.05	0.98	2	2.7	<0.01	
C303375		0.04	1.26	21	0.11	3.10	125	4.8	0.01	
C303376		0.04	1.24	20	0.05	3.03	117	4.6	0.02	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303377		4.37	0.04	2.97	30.9	<0.02	<10	30	0.55	0.39	0.23	0.03	52.4	24.7	39	1.95
C303378		0.06	0.15	2.64	353	1.58	<10	100	1.34	0.31	0.21	0.04	64.7	13.5	103	8.44
C303379		3.83	0.03	2.76	18.5	0.06	<10	30	0.54	1.32	0.27	0.01	48.6	17.4	36	1.87
C303380		4.79	0.02	2.93	11.4	<0.02	<10	30	0.50	0.10	0.11	0.01	57.4	12.8	37	1.81
C303381		4.48	0.03	2.75	31.6	<0.02	<10	30	0.58	0.64	0.35	0.02	53.1	27.3	36	1.93
C303382		4.21	0.04	2.70	26.5	0.09	<10	30	0.61	0.38	0.35	0.02	52.7	22.7	35	1.90
C303383		0.18	0.01	0.08	0.9	<0.02	<10	10	<0.05	0.02	0.01	0.01	4.20	0.4	2	0.11
C303384		3.88	0.02	2.99	22.8	<0.02	<10	30	0.56	0.24	0.28	0.01	58.6	19.7	38	1.80
C303385		6.05	0.03	2.86	22.9	<0.02	<10	40	0.62	0.65	0.38	0.02	50.0	24.0	37	1.87
C303386		6.18	0.02	2.88	22.8	<0.02	<10	40	0.62	0.80	0.27	0.01	42.2	26.8	37	1.82
C303387		0.07	0.19	2.63	496	2.16	<10	100	1.32	0.32	0.22	0.03	60.9	13.5	101	8.08
C303388		3.14	0.02	2.53	14.7	<0.02	<10	40	0.54	0.16	0.34	0.02	58.8	15.1	32	1.64
C303389		6.62	0.02	2.73	12.8	<0.02	<10	30	0.53	0.16	0.87	0.02	42.7	17.4	35	1.43
C303390		2.81	0.02	2.73	22.6	<0.02	<10	40	0.59	0.07	0.19	0.01	57.9	17.2	36	1.85
C303391		0.16	0.01	0.06	0.9	<0.02	<10	10	<0.05	0.01	0.01	<0.01	4.16	0.3	2	0.09
C303392		3.22	0.03	2.85	24.1	<0.02	<10	40	0.60	0.11	0.26	0.01	60.3	18.6	36	1.67
C303393		3.12	0.04	2.36	604	0.39	<10	40	0.69	0.29	0.46	0.02	39.3	16.0	30	1.81
C303394		2.50	0.04	2.98	31.2	0.03	<10	40	0.63	0.12	0.41	0.03	51.1	21.4	39	1.73
C303395		1.74	0.09	2.68	1280	1.50	<10	30	0.67	0.42	0.38	0.02	41.3	19.2	33	1.97
C303396		1.60	0.04	2.53	533	0.06	<10	30	0.66	0.79	0.24	<0.01	37.3	23.6	33	2.27
C303397		0.07	0.20	2.52	501	2.12	<10	100	1.25	0.32	0.22	0.04	57.4	14.0	102	7.48
C303398		3.65	0.05	2.81	24.7	<0.02	<10	30	0.58	0.62	0.78	0.01	34.1	23.0	38	1.86
C303399		3.15	0.22	2.55	46.7	0.07	<10	20	0.57	1.51	0.75	0.02	29.7	19.0	34	1.95
C303400		2.14	0.16	2.21	1410	0.44	<10	20	0.48	1.48	1.15	0.02	21.3	17.1	29	1.40
C303401		1.49	0.25	2.77	28.5	<0.02	<10	30	0.61	0.93	0.15	0.04	35.1	25.1	39	2.86
C303402		4.29	0.13	2.97	19.2	<0.02	<10	20	0.52	0.59	0.41	0.03	35.5	19.8	41	2.41
C303403		4.28	0.11	3.07	18.2	<0.02	<10	30	0.46	0.52	0.30	0.03	35.7	22.1	43	2.73
C303404		5.15	0.16	3.04	24.1	<0.02	<10	20	0.48	0.63	0.32	0.04	37.8	23.3	39	2.48
C303405		2.55	0.14	2.58	15.6	<0.02	<10	30	0.45	0.47	0.42	0.08	45.7	17.1	37	2.07
C303406		3.82	0.09	3.11	9.4	<0.02	<10	30	0.63	0.19	0.33	0.07	68.7	22.5	40	2.13
C303407		5.00	0.01	2.69	0.5	<0.02	<10	40	0.71	0.11	0.20	<0.01	42.2	21.4	38	2.14
C303408		3.99	<0.01	2.78	<0.1	<0.02	<10	40	1.00	0.07	0.44	0.01	46.5	25.0	38	2.32
C303409		6.28	<0.01	2.24	<0.1	<0.02	<10	90	0.90	0.13	0.22	<0.01	54.6	21.3	35	2.47
C303410		0.06	0.17	2.55	506	2.23	<10	100	1.33	0.35	0.22	0.05	58.6	13.6	102	7.41
C303411		5.08	<0.01	2.26	0.3	0.08	<10	40	0.94	0.29	0.46	0.01	63.5	23.3	32	2.15
C303412		3.58	<0.01	2.13	0.1	<0.02	<10	260	0.98	0.15	0.18	<0.01	63.6	20.1	32	2.37
C303413		5.62	<0.01	1.76	0.3	<0.02	<10	30	0.89	0.14	0.14	<0.01	63.3	18.1	33	2.30
C303414		5.31	<0.01	1.77	0.4	<0.02	<10	30	0.87	0.34	0.11	<0.01	63.0	18.8	33	2.43
C303415		4.08	<0.01	1.88	0.3	<0.02	<10	60	0.89	0.95	0.14	<0.01	70.8	19.9	32	2.47
C303416		5.48	<0.01	1.86	<0.1	<0.02	<10	30	0.87	0.14	0.13	0.01	74.4	20.2	34	2.51



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303377		40.3	5.39	8.30	0.10	0.09	<0.01	0.021	0.14	26.7	94.0	1.15	875	0.23	0.03
C303378		23.9	3.46	8.23	0.14	0.74	0.01	0.026	1.00	33.7	34.5	1.28	222	0.52	0.07
C303379		26.0	4.91	7.96	0.11	0.12	0.01	0.028	0.15	25.8	84.8	1.07	988	0.10	0.03
C303380		24.3	5.24	8.33	0.10	0.07	<0.01	0.023	0.14	30.2	89.5	1.14	912	<0.05	0.03
C303381		50.4	4.88	7.70	0.11	0.10	<0.01	0.019	0.16	27.9	86.3	1.04	904	0.21	0.04
C303382		53.7	4.83	7.60	0.11	0.08	<0.01	0.020	0.16	27.6	85.2	1.04	894	0.59	0.03
C303383		1.1	0.32	0.32	<0.05	0.11	<0.01	<0.005	0.02	2.1	1.7	0.02	35	0.21	<0.01
C303384		20.4	5.38	8.26	0.11	0.06	<0.01	0.022	0.16	31.0	88.7	1.16	926	<0.05	0.03
C303385		42.8	5.21	8.10	0.11	0.07	<0.01	0.021	0.17	26.2	89.7	1.10	952	0.36	0.04
C303386		44.0	5.39	7.86	0.10	0.08	<0.01	0.022	0.16	22.2	87.9	1.12	903	1.00	0.04
C303387		25.2	3.48	8.12	0.13	0.70	0.01	0.025	1.01	31.4	35.7	1.28	223	0.52	0.07
C303388		25.6	4.38	7.02	0.12	0.07	<0.01	0.017	0.17	29.9	74.9	0.95	834	<0.05	0.03
C303389		11.5	5.01	8.32	0.10	0.06	<0.01	0.020	0.15	22.2	85.7	1.08	1270	<0.05	0.03
C303390		26.0	4.79	8.20	0.12	0.06	<0.01	0.019	0.17	28.4	88.1	1.04	850	<0.05	0.03
C303391		0.7	0.28	0.30	<0.05	0.11	<0.01	<0.005	0.01	2.1	1.3	0.01	38	0.18	<0.01
C303392		39.2	4.95	8.68	0.12	0.05	<0.01	0.024	0.19	31.3	89.4	1.10	990	<0.05	0.03
C303393		30.7	4.36	6.94	0.09	0.07	<0.01	0.020	0.17	19.8	71.4	0.95	922	0.05	0.03
C303394		44.7	5.30	8.68	0.10	0.05	<0.01	0.026	0.17	25.9	92.8	1.19	1130	<0.05	0.03
C303395		49.3	4.91	7.48	0.10	0.06	<0.01	0.020	0.16	21.5	83.3	1.09	1060	0.11	0.03
C303396		42.0	4.78	7.30	0.09	0.08	<0.01	0.020	0.16	19.7	81.5	1.01	929	0.42	0.03
C303397		28.5	3.51	8.13	0.15	0.76	0.01	0.022	0.98	30.1	37.3	1.30	219	0.91	0.07
C303398		39.7	5.14	8.30	0.09	0.13	<0.01	0.021	0.14	17.5	97.6	1.17	1300	0.54	0.04
C303399		40.0	4.88	7.83	0.08	0.11	0.01	0.021	0.13	15.5	90.2	1.09	1300	1.30	0.04
C303400		53.4	4.53	7.21	0.09	0.08	<0.01	0.022	0.10	10.6	80.7	0.99	1400	1.97	0.03
C303401		47.7	5.10	8.42	0.10	0.09	<0.01	0.021	0.13	18.5	94.5	1.14	855	0.13	0.05
C303402		35.9	5.41	9.15	0.10	0.06	<0.01	0.022	0.12	18.2	105.5	1.25	1130	0.11	0.04
C303403		43.1	5.60	9.41	0.09	0.08	<0.01	0.022	0.13	17.5	112.5	1.29	1080	0.64	0.05
C303404		107.5	5.44	8.87	0.11	0.07	<0.01	0.055	0.12	19.0	104.5	1.34	1120	1.59	0.04
C303405		115.0	4.38	7.01	0.11	0.07	<0.01	0.057	0.12	23.7	81.3	1.15	979	10.05	0.04
C303406		74.5	5.20	8.84	0.14	0.04	<0.01	0.021	0.14	35.0	108.0	1.47	1060	0.08	0.04
C303407		0.8	5.30	8.19	0.11	0.03	<0.01	0.017	0.17	21.9	73.8	1.01	684	<0.05	0.03
C303408		0.3	5.70	8.50	0.11	0.03	<0.01	0.020	0.17	24.7	72.2	1.02	843	<0.05	0.03
C303409		0.4	5.20	6.34	0.10	0.04	<0.01	0.011	0.17	28.6	86.4	0.88	622	0.06	0.03
C303410		26.8	3.52	7.94	0.15	0.78	0.01	0.025	0.99	29.9	36.7	1.31	221	0.58	0.07
C303411		2.4	3.97	6.45	0.11	0.07	0.01	0.013	0.17	32.9	77.2	1.07	1350	0.11	0.03
C303412		2.4	4.98	6.54	0.12	0.04	<0.01	0.013	0.17	32.5	81.2	0.83	603	0.10	0.03
C303413		0.4	4.96	5.06	0.12	0.05	0.01	0.009	0.17	32.7	64.4	0.71	431	<0.05	0.03
C303414		0.7	4.87	5.30	0.13	0.07	<0.01	0.011	0.17	33.0	67.0	0.74	388	0.06	0.03
C303415		3.7	4.74	5.43	0.14	0.06	<0.01	0.009	0.16	35.8	70.3	0.82	463	0.09	0.03
C303416		0.4	5.09	5.64	0.15	0.05	0.01	0.011	0.17	37.4	71.4	0.81	398	0.08	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C303377		43.0	280	2.7	5.5	<0.001	0.11	0.08	3.0	<0.2	0.2	18.2	<0.01	0.01	15.5
C303378		60.6	510	8.3	92.6	<0.001	0.08	260	6.2	0.3	1.3	18.6	<0.01	0.01	13.6
C303379		40.8	290	2.8	6.1	<0.001	0.11	0.23	2.7	0.3	0.4	20.3	<0.01	0.02	15.4
C303380		42.9	310	1.2	6.0	<0.001	0.08	0.09	2.9	<0.2	0.2	16.4	<0.01	0.01	15.4
C303381		43.9	270	4.4	7.1	<0.001	0.19	0.12	3.0	0.2	0.2	21.3	<0.01	0.02	15.6
C303382		43.1	280	3.9	6.8	0.001	0.13	0.07	2.9	<0.2	0.2	23.1	<0.01	0.02	15.9
C303383		0.8	20	1.2	0.9	<0.001	<0.01	0.06	0.3	<0.2	<0.2	1.6	<0.01	<0.01	1.1
C303384		41.2	330	2.6	6.5	<0.001	0.08	0.07	3.0	<0.2	0.2	19.3	<0.01	0.01	16.1
C303385		45.4	310	4.7	7.7	<0.001	0.23	0.09	3.0	0.2	0.2	22.6	<0.01	0.01	16.6
C303386		44.0	300	4.4	6.8	<0.001	0.38	0.13	2.9	<0.2	0.2	20.5	<0.01	0.02	15.9
C303387		58.8	500	9.0	92.0	<0.001	0.11	364	6.2	0.4	1.3	19.5	<0.01	0.02	13.3
C303388		35.9	320	3.1	7.1	<0.001	0.08	0.35	2.6	<0.2	0.2	20.8	<0.01	0.01	15.8
C303389		37.9	320	5.3	6.7	<0.001	0.21	0.10	3.5	<0.2	0.2	26.7	<0.01	0.01	15.0
C303390		44.2	290	2.7	7.9	<0.001	0.12	0.09	3.1	0.2	0.2	19.9	<0.01	<0.01	15.8
C303391		0.7	20	1.0	0.6	<0.001	<0.01	0.05	0.3	<0.2	<0.2	1.1	<0.01	<0.01	1.0
C303392		41.5	320	3.0	9.0	<0.001	0.12	0.07	3.5	<0.2	0.3	20.1	<0.01	<0.01	17.8
C303393		35.6	220	5.4	7.8	<0.001	0.43	0.28	2.8	0.2	0.2	24.9	<0.01	0.01	14.6
C303394		43.3	320	4.8	7.4	<0.001	0.18	0.21	3.4	<0.2	0.2	25.1	<0.01	<0.01	16.4
C303395		43.2	270	6.7	7.1	<0.001	0.27	0.33	2.9	0.2	0.2	23.9	<0.01	0.02	16.0
C303396		45.2	270	6.0	7.4	<0.001	0.58	0.30	2.9	0.2	0.2	25.8	<0.01	0.02	16.3
C303397		65.1	510	10.8	99.4	<0.001	0.11	364	6.2	0.4	1.4	19.0	<0.01	0.01	11.6
C303398		42.9	270	13.7	6.5	<0.001	0.31	0.57	3.3	0.4	0.3	30.1	<0.01	0.01	13.7
C303399		39.1	270	48.8	6.1	<0.001	0.54	0.29	3.3	0.2	0.2	31.8	<0.01	0.03	14.5
C303400		32.8	220	41.5	5.1	0.001	0.73	0.63	3.3	0.4	0.2	37.1	<0.01	0.07	10.9
C303401		41.8	300	210	6.4	<0.001	0.46	0.09	3.1	<0.2	0.2	33.4	<0.01	0.03	14.8
C303402		42.7	280	100.5	5.7	<0.001	0.28	0.08	3.7	0.3	0.2	24.9	<0.01	0.02	13.5
C303403		45.8	340	104.0	6.0	0.001	0.37	0.09	3.8	0.4	0.2	23.6	<0.01	0.01	14.3
C303404		44.3	310	56.2	5.4	0.001	0.17	0.09	3.6	0.3	0.2	22.1	<0.01	0.02	13.6
C303405		35.0	290	6.8	5.3	0.002	0.07	0.07	2.8	0.2	0.3	21.7	<0.01	0.01	12.1
C303406		43.8	310	4.6	6.3	<0.001	0.01	0.09	3.3	0.2	0.2	22.5	<0.01	<0.01	14.4
C303407		41.8	260	2.4	8.2	<0.001	0.27	0.09	3.4	0.3	0.2	19.0	<0.01	<0.01	12.2
C303408		51.8	310	1.8	8.8	0.001	0.09	0.19	3.8	0.2	0.2	32.1	<0.01	<0.01	14.9
C303409		43.4	320	1.5	8.3	<0.001	0.03	0.11	2.5	<0.2	0.3	21.2	<0.01	0.01	14.4
C303410		63.1	510	9.4	97.0	<0.001	0.11	352	6.0	0.3	1.3	18.3	<0.01	0.01	12.2
C303411		44.7	330	2.5	8.8	0.001	0.02	0.38	2.7	0.2	0.2	27.1	<0.01	<0.01	15.1
C303412		43.9	310	1.3	8.7	<0.001	0.01	0.17	2.6	<0.2	0.2	28.4	<0.01	<0.01	14.1
C303413		39.6	310	1.7	7.8	<0.001	<0.01	0.17	1.9	0.2	0.3	19.9	<0.01	<0.01	14.1
C303414		41.6	300	1.8	8.1	0.001	<0.01	0.14	1.9	<0.2	0.4	19.7	<0.01	0.01	13.7
C303415		42.5	330	1.7	7.7	<0.001	<0.01	0.12	1.9	0.3	0.5	19.4	<0.01	0.02	14.4
C303416		46.9	310	1.7	8.6	<0.001	<0.01	0.13	2.1	<0.2	0.4	20.7	<0.01	<0.01	14.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C303377		0.03	1.27	19	<0.05	2.90	117	4.0	<0.01	
C303378		0.57	1.44	68	0.40	10.15	79	30.3	1.56	
C303379		0.04	1.39	17	0.05	2.76	121	3.7	0.16	
C303380		0.03	1.18	18	<0.05	2.77	123	3.1	0.01	
C303381		0.04	1.43	17	<0.05	3.09	106	3.9	0.01	
C303382		0.04	1.28	17	<0.05	3.05	105	3.6	<0.01	
C303383		<0.02	0.17	1	<0.05	0.85	2	2.7	0.01	
C303384		0.03	1.17	19	<0.05	2.96	122	2.5	<0.01	
C303385		0.05	1.36	18	8.90	3.04	111	3.1	0.02	
C303386		0.04	1.43	17	0.05	2.79	112	3.3	0.01	
C303387		0.53	1.44	67	0.43	9.89	79	28.2	2.20	
C303388		0.04	1.16	16	<0.05	2.96	95	2.8	0.01	
C303389		0.04	1.25	21	<0.05	2.81	107	2.1	0.01	
C303390		0.05	1.27	18	0.05	2.77	102	2.5	<0.01	
C303391		<0.02	0.17	2	<0.05	0.88	2	3.0	<0.01	
C303392		0.05	1.31	20	0.06	2.97	111	2.6	0.01	
C303393		0.05	1.49	16	0.17	2.48	103	2.7		0.28
C303394		0.04	1.20	22	0.05	2.88	119	2.8		<0.05
C303395		0.04	1.45	17	0.08	2.57	110	2.8		1.45
C303396		0.05	1.57	16	0.10	2.54	101	3.2	0.08	
C303397		0.57	1.40	67	0.46	10.25	81	29.1	2.22	
C303398		0.04	1.40	21	0.05	2.50	114	3.0	<0.01	
C303399		0.04	1.70	19	0.10	2.52	109	2.9	0.11	
C303400		0.03	1.55	18	0.08	2.44	94	2.6		0.74
C303401		0.04	1.20	19	<0.05	2.71	108	3.6		<0.05
C303402		0.04	1.27	22	<0.05	2.69	119	2.8	<0.01	
C303403		0.04	1.42	23	<0.05	2.88	119	3.2	0.01	
C303404		0.04	1.42	22	0.09	2.60	125	2.6	0.03	
C303405		0.03	1.15	19	0.18	2.45	108	2.1	0.01	
C303406		0.05	1.36	21	<0.05	2.99	136	2.0	<0.01	
C303407		0.05	1.00	25	<0.05	2.05	99	1.5	0.01	
C303408		0.06	1.20	27	<0.05	2.56	114	1.1	<0.01	
C303409		0.05	1.26	28	<0.05	2.32	102	1.6	<0.01	
C303410		0.65	1.50	67	0.49	10.15	79	29.3	2.19	
C303411		0.05	2.00	16	<0.05	3.08	119	2.8	0.14	
C303412		0.05	1.36	25	<0.05	2.40	99	1.6	0.01	
C303413		0.05	1.09	33	<0.05	2.16	86	1.7	<0.01	
C303414		0.05	1.22	33	<0.05	2.32	89	1.9	<0.01	
C303415		0.04	1.53	30	<0.05	2.55	97	2.7	<0.01	
C303416		0.06	1.29	33	<0.05	2.63	96	2.9	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303417		3.06	<0.01	1.81	<0.1	<0.02	<10	30	0.87	0.22	0.13	<0.01	24.2	18.8	33	2.94
C303418		4.26	<0.01	1.92	0.1	<0.02	<10	30	0.87	0.57	0.13	<0.01	37.7	17.7	34	2.33
C303419		5.93	0.01	2.65	0.4	<0.02	<10	30	0.84	0.54	0.20	<0.01	54.0	20.8	39	1.84
C303420		4.84	0.02	2.58	13.0	<0.02	<10	40	0.89	0.24	0.16	0.01	84.7	22.8	39	2.05
C303421		4.16	0.16	1.68	12.5	<0.02	<10	20	0.52	1.06	2.96	0.29	39.8	15.0	20	0.96
C303422		0.17	0.01	0.07	0.7	<0.02	<10	10	<0.05	0.02	0.02	0.01	3.85	0.4	4	0.08
C303423		4.17	0.02	2.52	18.3	<0.02	<10	30	0.87	0.35	0.16	0.01	35.8	21.5	36	2.02
C303424		3.56	0.02	2.66	12.2	<0.02	<10	30	0.78	0.63	0.09	<0.01	35.5	19.9	40	2.11
C303425		4.24	0.01	2.73	25.2	<0.02	<10	30	0.65	0.45	0.09	<0.01	38.5	23.5	39	1.86
C303426		3.99	0.07	2.50	16.1	0.02	<10	30	0.61	0.52	0.74	0.01	31.3	17.4	33	1.60
C303427		2.29	0.05	1.96	30.6	0.08	<10	60	0.61	0.22	0.88	0.02	62.4	20.7	29	1.73
C303428		4.05	0.07	2.79	28.2	<0.02	<10	90	0.94	0.15	0.15	0.06	79.1	19.7	36	2.56
C303429		4.23	0.07	2.68	36.6	0.13	<10	80	0.98	0.31	0.16	0.04	79.7	24.0	33	2.58
C303430		3.91	0.06	2.80	25.7	0.02	<10	60	0.89	0.27	1.13	0.02	59.7	18.8	31	2.06
C303431		6.05	0.02	3.09	19.5	<0.02	<10	40	0.50	0.16	0.93	0.01	53.1	23.1	41	1.58
C303432		6.14	0.09	2.76	13.3	<0.02	<10	60	0.66	0.42	0.95	0.05	58.7	19.4	40	2.02
C303433		6.60	0.08	3.44	14.1	<0.02	<10	40	0.64	0.29	0.31	0.05	75.5	32.4	46	2.42
C303434		4.76	0.03	3.27	0.5	<0.02	<10	40	0.74	0.03	0.16	0.02	73.9	27.0	48	2.71
C303435		6.07	0.11	3.09	0.2	<0.02	<10	30	0.68	0.27	0.52	0.06	71.1	26.9	45	2.41
C303436		5.86	0.03	3.08	0.5	<0.02	<10	50	0.99	0.38	0.23	0.02	47.1	23.6	41	2.95
C303437		2.69	<0.01	2.40	0.2	0.04	<10	50	0.86	0.28	0.22	0.01	64.1	18.8	38	2.17
C303438		5.63	<0.01	2.24	0.4	<0.02	<10	60	1.10	0.23	0.20	0.02	75.5	19.3	38	2.57
C303439		0.06	0.14	2.58	366	1.52	<10	100	1.26	0.30	0.21	0.03	57.7	13.3	103	7.17
C303440		2.42	<0.01	2.09	0.7	<0.02	<10	50	1.10	0.29	0.21	0.01	63.3	17.7	37	2.32
C303441		3.11	0.01	2.49	0.6	<0.02	<10	60	1.10	0.34	0.37	0.02	59.7	15.9	39	2.19
C303442		6.27	0.01	2.69	3.2	<0.02	<10	40	0.91	0.37	0.11	<0.01	54.7	17.3	40	1.96
C303443		2.46	0.01	2.82	24.1	<0.02	<10	60	0.94	0.18	0.82	0.01	61.8	19.1	32	1.96
C303444		3.26	0.01	2.87	39.2	<0.02	<10	50	0.92	0.29	0.29	<0.01	69.7	27.5	41	1.89
C303445		4.94	0.01	2.82	14.4	<0.02	<10	40	0.83	0.20	0.22	<0.01	72.4	22.1	42	1.76
C303446		3.08	0.01	2.85	5.8	<0.02	<10	60	1.01	0.22	0.07	0.01	67.0	19.4	40	2.23
C303447		2.72	0.01	2.75	12.1	<0.02	<10	40	0.98	0.17	0.12	<0.01	75.1	23.9	35	2.09
C303448		3.98	<0.01	3.32	9.0	<0.02	<10	60	0.92	0.36	0.10	0.01	86.4	19.2	41	1.88
C303449		0.19	0.01	0.07	1.4	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.27	0.5	6	0.07
C303450		3.82	0.03	2.92	19.6	<0.02	<10	50	0.87	0.28	0.37	0.02	81.2	22.5	43	1.70
C303451		3.66	0.05	2.29	19.2	<0.02	<10	30	0.74	0.35	0.74	0.04	43.8	18.1	32	1.25
C303452		7.46	0.02	3.10	28.1	<0.02	<10	60	0.90	0.31	0.10	<0.01	63.5	25.0	41	2.12
C303453		3.72	0.02	2.80	20.0	<0.02	<10	40	0.71	0.57	0.14	<0.01	52.4	22.2	38	1.61
C303454		3.65	0.03	2.91	14.5	<0.02	<10	50	0.92	0.39	0.11	<0.01	52.0	22.0	42	1.98
C303455		2.15	0.05	2.75	17.6	<0.02	<10	40	0.72	0.93	0.14	0.01	48.6	22.7	42	1.50
C303456		4.74	0.02	3.00	10.2	<0.02	<10	60	0.87	0.66	0.13	<0.01	33.4	20.1	45	1.91



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303417		0.2	5.07	4.95	0.08	0.06	0.02	0.009	0.16	12.5	68.1	0.76	284	0.07	0.03
C303418		0.3	4.94	5.49	0.09	0.05	<0.01	0.009	0.16	20.0	72.6	0.75	319	0.07	0.03
C303419		2.3	5.29	8.00	0.12	0.03	0.01	0.013	0.16	26.9	83.5	0.97	672	0.06	0.03
C303420		2.8	4.74	8.02	0.14	0.09	<0.01	0.015	0.19	41.0	86.3	0.98	673	0.08	0.03
C303421		141.5	2.49	5.29	0.08	0.07	<0.01	0.050	0.10	18.7	58.8	1.32	5450	0.06	0.03
C303422		1.4	0.27	0.28	<0.05	0.12	<0.01	<0.005	0.01	1.8	1.5	0.02	53	0.20	<0.01
C303423		4.3	4.95	7.83	0.10	0.07	<0.01	0.018	0.16	18.9	84.9	0.91	532	0.86	0.02
C303424		1.1	5.42	8.34	0.10	0.05	<0.01	0.018	0.17	19.0	90.0	0.89	396	0.06	0.02
C303425		1.4	5.49	8.49	0.12	0.03	<0.01	0.015	0.16	20.5	86.5	0.95	495	0.06	0.02
C303426		16.1	4.78	7.34	0.09	0.09	<0.01	0.018	0.14	15.7	80.7	1.12	1450	0.07	0.03
C303427		13.9	2.99	5.44	0.10	0.04	<0.01	0.023	0.24	30.5	54.2	0.93	1500	0.12	0.04
C303428		81.2	3.51	8.04	0.11	0.05	<0.01	0.027	0.41	39.2	74.7	1.09	873	0.05	0.06
C303429		67.3	3.56	7.90	0.14	0.11	<0.01	0.021	0.38	39.9	71.2	1.03	676	0.05	0.06
C303430		62.1	4.29	8.40	0.13	0.06	0.01	0.021	0.26	30.0	82.8	1.21	1820	0.13	0.06
C303431		3.4	4.97	9.71	0.11	0.08	<0.01	0.022	0.19	25.4	102.5	1.51	1920	0.06	0.06
C303432		81.2	4.04	8.95	0.13	0.07	<0.01	0.038	0.26	29.0	89.8	1.20	1620	12.60	0.09
C303433		108.0	5.32	10.60	0.15	0.10	<0.01	0.030	0.18	37.9	122.5	1.60	1410	9.06	0.07
C303434		83.5	4.67	8.89	0.15	0.10	<0.01	0.022	0.22	38.2	97.2	1.40	1100	2.62	0.10
C303435		168.0	4.81	9.95	0.16	0.06	<0.01	0.027	0.17	35.4	107.5	1.54	1760	6.78	0.07
C303436		40.0	4.32	8.83	0.11	0.06	0.01	0.017	0.29	24.4	105.0	1.44	895	0.06	0.08
C303437		3.0	5.58	7.42	0.15	0.04	<0.01	0.019	0.26	32.6	74.7	0.86	611	0.09	0.05
C303438		0.9	5.49	7.33	0.14	0.04	<0.01	0.015	0.29	39.3	72.3	0.75	487	0.08	0.05
C303439		24.0	3.52	7.83	0.14	0.79	<0.01	0.025	0.99	29.8	36.4	1.31	214	0.54	0.07
C303440		0.2	5.39	6.69	0.15	0.04	<0.01	0.012	0.24	32.2	66.5	0.69	450	<0.05	0.04
C303441		0.6	5.10	8.31	0.12	0.04	<0.01	0.015	0.28	30.8	65.9	0.66	522	0.05	0.05
C303442		0.8	5.64	8.51	0.13	0.03	<0.01	0.015	0.22	28.3	71.1	0.73	517	0.07	0.03
C303443		2.2	5.09	7.95	0.13	0.04	<0.01	0.025	0.30	31.8	77.1	0.88	1100	0.40	0.04
C303444		0.3	5.39	9.03	0.13	0.06	<0.01	0.016	0.23	36.4	85.2	1.02	863	0.14	0.04
C303445		0.5	5.40	8.60	0.15	0.05	<0.01	0.015	0.20	38.2	81.2	1.01	624	0.08	0.03
C303446		0.5	4.66	8.30	0.15	0.06	<0.01	0.016	0.35	35.6	70.3	0.93	365	0.07	0.05
C303447		3.7	4.89	7.85	0.15	0.06	<0.01	0.015	0.22	39.5	80.4	1.09	580	0.15	0.03
C303448		2.1	5.77	8.63	0.18	0.05	<0.01	0.019	0.31	44.8	87.5	1.16	684	0.10	0.04
C303449		0.8	0.85	0.30	<0.05	0.10	0.01	<0.005	0.01	1.6	1.0	0.01	86	0.34	<0.01
C303450		11.2	5.02	8.80	0.16	0.06	<0.01	0.019	0.26	41.3	86.4	1.17	988	0.09	0.05
C303451		32.7	4.13	6.69	0.11	0.04	<0.01	0.021	0.13	22.5	74.0	1.08	1280	0.14	0.03
C303452		1.9	5.44	9.30	0.14	0.09	0.01	0.023	0.28	32.7	85.2	1.13	597	0.10	0.05
C303453		0.4	5.15	7.23	0.13	0.05	<0.01	0.015	0.19	27.0	73.9	1.16	508	0.07	0.03
C303454		0.6	5.13	8.57	0.12	0.07	<0.01	0.020	0.26	27.7	81.9	1.09	478	0.05	0.04
C303455		2.7	5.31	9.69	0.12	0.04	<0.01	0.020	0.17	25.9	77.5	1.08	460	0.16	0.04
C303456		1.4	5.87	8.57	0.11	0.03	<0.01	0.018	0.29	17.7	77.5	0.96	393	0.06	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 5 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C303417		47.1	290	1.8	7.8	<0.001	0.39	0.27	1.7	<0.2	0.3	47.0	<0.01	<0.01	8.6
C303418		43.9	270	1.7	7.7	<0.001	0.03	0.13	2.1	<0.2	0.3	21.5	<0.01	0.02	10.6
C303419		45.5	340	7.2	7.7	<0.001	0.07	0.08	3.2	<0.2	0.3	18.6	<0.01	<0.01	14.2
C303420		43.7	370	6.8	9.6	<0.001	0.01	0.08	3.2	<0.2	0.2	17.9	<0.01	0.02	15.9
C303421		20.4	370	30.1	5.6	<0.001	0.05	0.07	3.6	<0.2	0.2	56.2	<0.01	<0.01	11.2
C303422		0.9	20	1.1	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.1
C303423		42.4	290	7.8	7.9	0.001	0.22	0.17	2.9	<0.2	0.2	52.4	<0.01	0.01	10.8
C303424		41.7	280	6.1	8.6	<0.001	0.18	0.16	3.3	0.2	0.2	26.0	<0.01	<0.01	9.2
C303425		50.9	310	2.7	7.8	0.002	0.10	0.06	3.2	<0.2	0.2	16.4	<0.01	0.05	10.5
C303426		35.1	390	15.5	6.7	<0.001	0.29	0.06	3.5	0.2	0.3	26.5	<0.01	0.01	10.8
C303427		28.5	300	8.4	12.6	<0.001	0.01	0.07	2.5	<0.2	0.5	39.6	<0.01	0.01	10.9
C303428		38.4	300	6.9	21.8	<0.001	0.02	0.09	3.7	0.2	0.5	25.7	<0.01	<0.01	14.9
C303429		45.4	380	6.9	20.7	<0.001	0.03	0.07	3.4	0.3	0.4	30.3	<0.01	0.03	16.0
C303430		38.1	290	9.2	15.2	<0.001	0.03	0.07	3.7	<0.2	0.5	60.2	<0.01	0.01	12.8
C303431		43.5	350	9.9	9.6	<0.001	0.07	0.07	4.3	<0.2	0.3	37.0	<0.01	<0.01	13.4
C303432		36.0	300	12.3	14.6	0.010	0.14	0.08	4.3	0.2	0.5	46.0	<0.01	0.01	15.0
C303433		46.5	350	10.9	9.2	0.004	0.01	0.11	4.5	<0.2	0.3	33.6	<0.01	<0.01	15.7
C303434		41.6	340	4.2	9.4	0.002	0.01	0.07	4.0	<0.2	0.2	31.0	<0.01	<0.01	15.8
C303435		49.4	340	7.5	8.7	0.004	0.02	0.09	4.1	<0.2	0.2	32.8	<0.01	0.01	15.0
C303436		47.8	290	2.4	15.7	<0.001	0.20	0.11	3.5	<0.2	0.3	30.0	<0.01	<0.01	13.9
C303437		45.4	300	2.2	14.0	0.001	0.01	0.10	3.3	<0.2	0.5	24.9	<0.01	0.02	14.5
C303438		44.1	300	2.6	17.4	0.001	<0.01	0.11	3.4	<0.2	0.4	27.3	<0.01	0.02	14.7
C303439		63.0	510	8.2	100.5	<0.001	0.08	257	5.9	<0.2	1.4	17.1	<0.01	0.01	12.5
C303440		43.6	280	2.1	13.5	0.001	<0.01	0.33	3.0	<0.2	0.4	22.8	<0.01	<0.01	14.8
C303441		40.9	260	2.8	16.3	0.001	0.06	0.11	4.1	0.2	0.3	31.2	<0.01	<0.01	13.8
C303442		43.3	260	7.8	11.2	<0.001	0.17	0.07	3.8	<0.2	0.2	18.9	<0.01	0.02	13.5
C303443		46.3	260	6.6	16.6	<0.001	0.02	0.07	3.4	<0.2	0.5	43.2	<0.01	0.01	15.1
C303444		52.5	290	5.7	10.9	<0.001	0.05	0.06	3.6	0.2	0.3	25.6	<0.01	0.03	16.6
C303445		49.3	320	6.5	10.2	0.001	0.01	0.07	3.5	<0.2	0.2	23.0	<0.01	<0.01	14.8
C303446		41.3	280	5.1	19.8	<0.001	<0.01	0.07	3.6	<0.2	0.3	23.7	<0.01	<0.01	12.8
C303447		47.1	300	6.6	10.7	<0.001	<0.01	0.06	3.1	0.2	0.2	19.4	<0.01	0.01	15.3
C303448		41.7	310	4.6	15.3	<0.001	<0.01	0.08	3.5	0.2	0.3	18.6	<0.01	0.02	14.4
C303449		1.6	20	1.3	0.6	0.001	<0.01	0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	0.9
C303450		43.5	310	8.4	14.9	<0.001	0.01	0.09	3.8	0.3	0.3	24.6	<0.01	<0.01	16.1
C303451		34.8	350	11.7	6.7	<0.001	0.09	0.07	2.9	<0.2	0.2	34.8	<0.01	0.01	12.4
C303452		47.6	300	5.3	15.4	0.001	0.06	0.07	3.7	<0.2	0.3	24.1	<0.01	0.01	16.1
C303453		43.9	290	9.5	8.8	0.001	0.01	0.07	2.9	0.3	0.2	16.1	<0.01	0.02	12.5
C303454		44.5	280	13.8	15.0	0.001	0.02	0.08	3.6	<0.2	0.2	19.5	<0.01	<0.01	13.2
C303455		48.8	300	22.8	8.9	0.001	0.04	0.08	4.3	<0.2	0.2	18.1	<0.01	0.01	13.3
C303456		37.6	260	10.4	15.6	<0.001	0.36	0.10	3.8	<0.2	0.3	20.4	<0.01	0.01	10.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C303417		0.06	0.92	28	0.05	1.75	92	2.4	<0.01	
C303418		0.04	1.06	30	<0.05	1.89	88	2.3	<0.01	
C303419		0.04	0.98	29	<0.05	2.31	111	0.8	0.01	
C303420		0.06	1.63	27	<0.05	3.23	111	2.6	<0.01	
C303421		0.04	1.16	16	<0.05	5.03	110	2.2	0.01	
C303422		<0.02	0.18	1	<0.05	0.73	3	2.3	<0.01	
C303423		0.05	1.16	26	0.08	2.25	94	2.9	<0.01	
C303424		0.08	0.89	29	<0.05	1.88	95	1.3	<0.01	
C303425		0.05	0.83	28	<0.05	2.05	105	1.1	0.01	
C303426		0.04	0.93	24	0.05	2.42	120	1.1	0.01	
C303427		0.08	1.13	17	0.06	3.36	99	1.6	<0.01	
C303428		0.13	1.47	22	0.07	3.68	119	4.3	0.01	
C303429		0.12	1.78	20	0.12	4.01	109	3.9	0.19	
C303430		0.09	1.21	24	0.07	5.05	102	2.6	0.03	
C303431		0.07	1.25	32	<0.05	3.45	132	2.4	<0.01	
C303432		0.07	1.38	29	<0.05	3.71	110	3.3	0.02	
C303433		0.07	1.47	31	<0.05	3.90	143	3.9	<0.01	
C303434		0.05	1.35	30	<0.05	3.63	127	3.4	<0.01	
C303435		0.05	1.40	29	<0.05	3.81	136	2.6	0.01	
C303436		0.07	1.37	27	<0.05	2.96	140	2.5	<0.01	
C303437		0.09	1.16	37	0.05	2.70	92	1.7	0.18	
C303438		0.09	1.08	35	0.06	2.93	91	1.6	0.01	
C303439		0.61	1.53	68	0.44	10.00	79	30.2	1.58	
C303440		0.08	1.01	34	<0.05	2.53	82	1.3	0.01	
C303441		0.09	0.98	32	<0.05	2.70	74	1.5	0.01	
C303442		0.06	1.01	32	<0.05	2.46	84	1.1	0.02	
C303443		0.10	1.17	23	0.06	4.54	93	1.2	<0.01	
C303444		0.05	1.40	28	<0.05	3.29	109	1.7	<0.01	
C303445		0.06	1.35	31	<0.05	2.94	112	1.8	<0.01	
C303446		0.10	1.27	30	0.05	2.82	108	2.5	<0.01	
C303447		0.07	1.51	24	<0.05	3.01	116	2.3	0.04	
C303448		0.08	1.17	29	<0.05	3.14	121	1.9	0.04	
C303449		<0.02	0.18	1	<0.05	0.67	2	2.2	<0.01	
C303450		0.08	1.56	31	<0.05	3.53	127	2.3	<0.01	
C303451		0.04	1.10	22	0.24	3.20	106	1.8	0.02	
C303452		0.09	1.40	29	0.08	2.83	119	2.2	0.01	
C303453		0.06	1.45	29	<0.05	2.27	128	1.9	<0.01	
C303454		0.08	1.69	33	<0.05	2.51	122	2.8	<0.01	
C303455		0.06	1.27	38	<0.05	2.16	123	1.6	<0.01	
C303456		0.09	1.08	35	<0.05	1.93	107	1.2	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303457		6.95	0.01	2.83	23.6	<0.02	<10	40	0.86	0.29	0.23	0.01	66.6	24.2	40	1.92
C303458		3.75	0.01	3.04	26.2	0.04	<10	50	0.86	0.15	0.12	0.01	83.0	23.3	41	1.79
C303459		5.06	0.10	2.30	32.2	<0.02	<10	40	0.71	1.08	0.77	0.09	36.8	22.6	31	1.77
C303460		3.63	0.04	2.63	15.2	<0.02	<10	50	0.80	0.42	0.96	0.07	45.4	20.1	38	2.88
C303461		3.23	0.01	2.16	16.0	<0.02	<10	40	0.75	0.05	0.10	0.01	61.8	19.4	37	1.51
C303462		4.59	0.02	3.05	17.8	<0.02	<10	60	0.97	0.32	0.12	0.01	85.4	21.9	43	1.85
C303463		4.61	0.02	2.77	19.1	<0.02	<10	50	0.83	0.55	0.14	0.03	51.1	20.7	40	1.61
C303464		2.01	0.12	1.81	22.6	0.18	<10	40	0.60	1.24	1.81	0.16	29.1	11.4	23	0.96
C303465		3.28	0.08	1.80	45.4	0.03	<10	30	0.51	0.53	0.81	0.44	31.4	18.4	30	0.90
C303466		4.85	0.07	2.43	46.9	<0.02	<10	50	0.59	0.52	0.76	0.13	43.5	20.4	33	1.46
C303467		2.00	0.05	1.35	17.2	<0.02	<10	10	0.32	0.37	2.80	0.09	13.35	9.6	21	0.51
C303468		0.06	0.16	2.64	523	2.22	<10	100	1.25	0.34	0.23	0.03	58.4	13.0	106	7.20
C303469		2.50	0.11	1.13	18.7	1.68	<10	20	0.35	0.26	0.86	0.03	33.5	9.4	28	0.52
C303470		1.34	0.13	1.44	20.1	<0.02	<10	10	0.54	0.63	1.55	0.10	14.85	10.5	20	0.52
C303471		4.79	0.03	2.32	28.3	<0.02	<10	50	0.71	0.40	0.53	0.04	37.5	20.0	33	1.19
C303472		3.81	0.01	2.43	25.7	<0.02	<10	50	0.80	0.16	0.30	0.01	46.1	18.3	36	1.30
C303473		3.94	0.01	2.74	28.9	<0.02	<10	50	0.79	0.18	0.14	<0.01	45.6	19.5	37	1.29
C303474		2.67	0.01	2.65	43.4	<0.02	<10	30	0.60	0.36	0.13	0.03	31.9	23.7	39	1.01
C303475		4.57	0.10	2.38	37.7	1.11	<10	50	0.72	0.91	0.19	0.04	33.0	21.7	30	1.31
C303476		2.20	0.08	2.43	34.7	0.46	<10	40	0.84	0.42	0.20	<0.01	29.3	21.5	31	1.48
C303477		4.30	0.02	2.74	57.9	0.06	<10	40	0.97	0.34	0.10	0.02	36.5	21.3	35	1.45
C303478		1.69	0.16	2.37	55.4	0.02	<10	40	0.81	0.61	0.74	0.07	33.3	18.0	28	9.58
C303479		2.74	0.02	2.51	29.1	<0.02	<10	30	0.71	0.34	0.59	<0.01	69.1	22.6	34	2.49
C303480		2.96	0.04	2.74	21.0	<0.02	<10	40	0.77	0.31	0.23	0.01	73.7	22.7	37	1.87
C303481		3.69	0.06	2.47	10.8	<0.02	<10	20	0.67	0.30	0.50	0.02	55.3	19.1	35	2.83
C303482		3.97	0.18	2.54	18.3	0.65	<10	40	0.69	11.25	0.64	0.05	68.8	21.2	36	1.29
C303483		3.85	0.04	2.81	5.9	<0.02	<10	30	0.73	0.64	0.10	<0.01	47.6	20.3	44	1.33
C303484		0.19	0.01	0.03	0.7	<0.02	<10	<10	<0.05	0.02	<0.01	<0.01	3.25	0.5	10	0.05
C303485		4.96	0.02	2.65	9.2	<0.02	<10	30	0.71	0.31	0.09	<0.01	34.5	17.6	42	1.51
C303486		2.40	0.25	2.54	30.9	<0.02	<10	30	0.67	17.55	0.44	0.02	32.7	23.4	38	1.11
C303487		3.35	0.09	2.81	28.5	<0.02	<10	30	0.79	0.80	0.23	0.02	39.5	21.9	41	1.50
C303488		5.86	0.01	2.74	13.5	<0.02	<10	40	0.82	0.22	0.09	<0.01	55.1	19.6	42	1.76
C303489		4.02	0.02	2.68	2.8	<0.02	<10	30	0.68	0.27	0.11	<0.01	51.9	20.3	42	1.51
C303490		6.46	0.01	2.78	0.2	<0.02	<10	30	0.81	0.47	0.10	<0.01	55.6	20.4	44	2.14
C303491		4.77	0.03	2.49	<0.1	<0.02	<10	30	0.76	0.39	0.20	0.01	41.6	21.4	39	2.13
C303492		5.88	0.05	2.81	1.1	<0.02	<10	40	0.80	0.44	0.18	0.01	41.6	21.7	41	2.40
C303493		3.23	0.03	2.43	3.7	<0.02	<10	30	0.77	0.26	0.21	0.01	32.7	22.6	36	2.43
C303494		2.01	0.03	2.80	5.7	<0.02	<10	40	0.77	0.40	0.37	0.02	56.2	19.8	40	1.59
C303495		2.64	0.01	2.43	1.3	<0.02	<10	30	0.81	0.24	0.20	<0.01	37.5	18.3	37	2.17
C303496		3.18	0.02	2.67	2.8	<0.02	<10	40	0.87	0.29	0.59	0.01	63.1	21.5	39	1.68



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303457		1.2	5.28	7.99	0.13	0.06	<0.01	0.014	0.22	34.9	81.4	1.06	553	0.07	0.03
C303458		2.8	5.44	9.29	0.16	0.05	<0.01	0.020	0.25	41.6	86.4	1.11	578	0.13	0.04
C303459		15.5	4.40	7.00	0.11	0.06	<0.01	0.023	0.18	17.5	68.0	1.02	1100	0.12	0.03
C303460		22.2	4.90	8.60	0.12	0.09	<0.01	0.027	0.20	22.6	72.8	1.08	1190	0.16	0.04
C303461		0.5	3.83	7.01	0.13	0.08	<0.01	0.015	0.18	31.0	61.7	0.89	278	0.09	0.03
C303462		4.0	5.63	9.45	0.16	0.06	<0.01	0.020	0.26	42.6	80.5	1.07	408	0.10	0.04
C303463		15.4	5.60	8.42	0.12	0.06	<0.01	0.019	0.23	25.4	73.2	0.99	455	0.07	0.03
C303464		22.2	3.80	5.14	0.09	0.05	<0.01	0.032	0.20	14.3	41.9	0.72	2050	0.27	0.05
C303465		76.4	4.05	5.23	0.10	0.05	<0.01	0.031	0.12	15.1	46.5	0.77	1150	0.19	0.04
C303466		21.4	4.68	7.77	0.10	0.05	<0.01	0.025	0.22	21.2	63.6	1.02	1200	0.17	0.05
C303467		18.3	3.62	4.18	0.07	0.02	<0.01	0.030	0.05	5.9	40.6	1.08	2480	0.21	0.03
C303468		25.4	3.63	7.81	0.15	0.79	0.02	0.024	1.00	29.9	36.2	1.35	227	0.52	0.08
C303469		15.0	2.37	3.25	0.06	0.05	<0.01	0.018	0.09	15.8	27.7	0.47	1190	0.16	0.06
C303470		49.1	3.50	4.36	0.05	0.02	<0.01	0.023	0.06	7.2	36.7	0.85	1980	0.23	0.02
C303471		26.6	4.64	6.79	0.09	0.08	<0.01	0.021	0.20	18.3	63.2	0.95	973	0.14	0.04
C303472		1.3	4.97	7.36	0.09	0.03	<0.01	0.017	0.20	23.1	67.9	0.81	680	0.07	0.03
C303473		0.9	5.48	8.17	0.10	0.06	<0.01	0.017	0.23	23.5	75.6	0.88	525	0.08	0.03
C303474		6.9	5.57	8.28	0.09	0.03	<0.01	0.020	0.15	16.1	81.0	1.09	643	0.08	0.03
C303475		73.9	5.23	7.10	0.09	0.04	<0.01	0.025	0.22	16.3	65.5	0.88	693	0.20	0.03
C303476		32.5	5.65	7.43	0.09	0.03	<0.01	0.019	0.16	14.4	68.9	0.89	650	0.19	0.02
C303477		17.0	6.11	7.86	0.10	0.09	<0.01	0.019	0.17	18.3	75.5	0.93	489	0.15	0.02
C303478		11.9	4.77	6.60	0.08	0.07	<0.01	0.023	0.16	16.3	62.6	0.92	1200	0.23	0.03
C303479		2.0	4.59	6.92	0.11	0.04	<0.01	0.015	0.13	35.3	73.9	1.09	1060	0.15	0.02
C303480		12.8	4.39	7.52	0.13	0.06	<0.01	0.015	0.20	36.1	80.7	1.28	918	0.12	0.04
C303481		33.8	4.28	6.92	0.10	0.09	<0.01	0.021	0.12	27.1	76.7	1.14	1160	0.16	0.03
C303482		37.2	4.32	7.46	0.12	0.07	<0.01	0.027	0.19	34.1	73.9	1.18	1480	0.23	0.05
C303483		5.2	5.53	8.27	0.11	0.04	<0.01	0.017	0.18	24.0	83.0	0.98	668	0.10	0.03
C303484		1.1	1.30	0.26	<0.05	0.09	<0.01	<0.005	0.01	1.5	0.7	<0.01	133	0.54	<0.01
C303485		1.2	5.27	7.50	0.08	0.04	<0.01	0.014	0.17	18.0	74.8	0.90	474	0.11	0.03
C303486		105.0	5.47	7.24	0.10	0.05	<0.01	0.035	0.17	16.5	70.5	0.93	1060	0.23	0.04
C303487		5.7	5.74	7.88	0.10	0.04	<0.01	0.019	0.15	20.2	79.1	0.99	896	0.12	0.03
C303488		0.7	5.09	8.15	0.12	0.04	<0.01	0.019	0.23	29.3	70.3	0.88	582	0.09	0.05
C303489		1.1	5.32	8.25	0.11	0.04	<0.01	0.015	0.15	26.6	79.0	0.96	676	0.10	0.04
C303490		1.0	5.18	8.39	0.10	0.05	<0.01	0.019	0.19	28.9	84.5	1.00	542	0.11	0.05
C303491		32.4	4.54	7.31	0.09	0.05	<0.01	0.015	0.15	21.3	63.8	1.12	703	0.13	0.04
C303492		88.8	4.72	7.71	0.10	0.05	<0.01	0.019	0.20	21.5	70.7	1.27	791	0.08	0.06
C303493		47.0	4.24	6.90	0.09	0.05	<0.01	0.015	0.16	16.8	61.6	1.16	727	0.05	0.04
C303494		23.6	5.34	7.79	0.10	0.03	<0.01	0.018	0.19	28.8	72.1	1.02	1100	0.32	0.04
C303495		0.6	5.13	7.26	0.10	0.02	<0.01	0.018	0.15	19.3	49.1	0.79	621	0.12	0.03
C303496		2.0	5.00	8.02	0.12	0.04	<0.01	0.021	0.19	31.5	64.7	1.05	1440	0.17	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303457		45.6	300	7.9	10.7	<0.001	0.03	0.05	3.2	0.4	0.2	25.7	<0.01	0.02	15.1
C303458		43.2	270	5.6	13.6	0.001	0.01	0.06	3.8	<0.2	0.3	26.7	<0.01	0.01	16.0
C303459		42.1	320	25.3	8.8	<0.001	0.40	0.11	3.0	<0.2	0.4	42.9	<0.01	0.01	13.9
C303460		41.8	270	10.5	10.0	<0.001	0.21	0.13	3.8	0.3	0.4	83.1	<0.01	0.01	14.1
C303461		42.2	360	1.7	8.6	0.001	<0.01	0.05	2.8	<0.2	0.2	24.4	<0.01	0.01	14.3
C303462		44.8	300	3.9	14.1	0.001	0.01	0.06	3.9	<0.2	0.2	30.0	<0.01	0.03	15.5
C303463		44.5	310	4.0	10.9	<0.001	0.37	0.12	3.5	<0.2	0.3	22.2	<0.01	0.02	15.2
C303464		27.3	370	16.2	9.6	0.001	0.25	0.07	3.0	<0.2	0.5	64.9	<0.01	0.02	12.1
C303465		31.7	320	7.7	5.7	<0.001	0.54	0.14	3.1	<0.2	0.3	34.4	<0.01	0.01	12.8
C303466		40.0	320	11.6	10.7	0.001	0.33	0.10	3.3	0.3	0.6	34.4	<0.01	0.01	15.0
C303467		17.8	220	9.6	2.8	<0.001	0.27	0.06	3.3	<0.2	0.2	71.9	<0.01	0.01	4.8
C303468		62.9	520	9.3	98.4	<0.001	0.11	379	5.9	<0.2	1.3	18.0	<0.01	0.02	12.6
C303469		15.9	230	8.0	4.0	<0.001	0.10	0.07	2.9	<0.2	0.2	36.6	<0.01	0.01	12.4
C303470		18.2	200	19.0	3.0	<0.001	0.21	0.20	3.3	0.2	0.3	81.1	<0.01	0.02	4.7
C303471		41.0	280	5.9	10.5	<0.001	0.32	0.09	3.4	0.2	0.4	29.9	<0.01	0.01	13.6
C303472		44.0	290	2.6	10.9	<0.001	0.17	0.08	3.5	<0.2	0.2	20.7	<0.01	0.01	12.8
C303473		48.0	280	1.5	12.6	<0.001	0.24	0.08	3.8	<0.2	0.2	16.5	<0.01	0.02	14.0
C303474		48.6	250	2.0	7.0	<0.001	0.51	0.09	3.5	<0.2	0.2	14.2	<0.01	0.03	13.7
C303475		47.8	230	8.3	11.8	<0.001	0.71	0.09	3.4	<0.2	0.4	20.0	<0.01	0.03	13.2
C303476		48.7	280	6.3	7.9	<0.001	0.66	0.10	3.7	0.2	0.2	19.9	<0.01	0.02	14.9
C303477		50.8	320	2.5	9.2	<0.001	0.71	0.11	3.4	0.3	0.2	24.5	<0.01	0.01	17.0
C303478		38.5	520	9.7	9.1	<0.001	0.47	0.21	3.0	<0.2	0.3	103.0	<0.01	0.05	12.9
C303479		44.3	290	5.2	6.7	<0.001	0.02	0.05	2.5	<0.2	0.2	58.1	<0.01	0.02	14.2
C303480		48.8	320	8.7	11.1	<0.001	0.01	0.06	3.2	<0.2	0.2	44.9	<0.01	0.04	16.1
C303481		40.0	270	8.8	6.2	<0.001	0.03	0.06	2.7	<0.2	0.3	73.0	<0.01	0.03	14.2
C303482		42.8	270	23.8	11.0	<0.001	0.01	0.07	3.7	<0.2	0.3	38.4	<0.01	0.25	15.5
C303483		46.7	280	13.1	10.1	<0.001	0.02	0.11	3.7	0.2	0.2	17.9	<0.01	0.01	11.1
C303484		2.2	10	0.9	0.4	<0.001	<0.01	0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01	0.9
C303485		43.3	270	5.8	10.2	<0.001	0.07	0.10	3.6	0.2	0.2	16.8	<0.01	0.02	9.1
C303486		45.8	240	55.0	10.3	<0.001	0.29	0.23	3.7	0.3	0.5	27.6	<0.01	0.22	13.1
C303487		52.1	280	21.7	8.3	<0.001	0.08	0.06	3.7	<0.2	0.2	25.5	<0.01	0.03	13.2
C303488		46.7	270	6.3	12.9	<0.001	<0.01	0.05	3.9	<0.2	0.2	20.5	<0.01	0.02	12.0
C303489		46.4	290	9.8	9.2	<0.001	0.01	0.06	3.8	0.2	0.2	17.8	<0.01	0.02	12.1
C303490		48.3	280	4.5	11.2	<0.001	<0.01	0.06	4.2	0.2	0.2	21.6	<0.01	0.01	11.8
C303491		47.0	280	8.7	9.5	<0.001	0.11	0.07	3.4	<0.2	0.2	25.1	<0.01	0.02	12.4
C303492		47.7	280	6.1	11.9	<0.001	0.09	0.08	3.6	0.2	0.2	26.7	<0.01	0.01	11.9
C303493		47.0	270	6.3	10.1	<0.001	0.22	0.07	3.1	0.2	0.2	26.4	<0.01	0.02	11.5
C303494		44.8	270	12.1	10.8	<0.001	0.03	0.05	3.6	<0.2	0.3	34.2	<0.01	0.02	14.2
C303495		44.0	270	5.0	8.5	<0.001	0.13	0.19	3.5	<0.2	0.2	68.5	<0.01	0.03	11.9
C303496		50.0	290	14.9	11.8	<0.001	0.05	0.05	3.9	<0.2	0.3	76.0	<0.01	0.02	14.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C303457		0.06	1.33	28	0.07	2.77	114	1.7	<0.01	
C303458		0.07	1.08	28	0.08	3.06	120	1.8	0.03	
C303459		0.06	1.71	22	0.16	2.93	127	2.6	0.02	
C303460		0.07	1.74	26	0.16	3.28	127	3.5	0.01	
C303461		0.05	1.46	21	0.05	2.79	92	3.1	<0.01	
C303462		0.08	1.03	33	<0.05	3.28	110	1.7	<0.01	
C303463		0.07	1.29	27	0.08	2.76	107	2.0	0.02	
C303464		0.04	1.56	18	0.14	5.46	89	1.7	0.33	
C303465		0.04	1.26	17	0.15	3.11	156	1.8	0.13	
C303466		0.05	1.31	24	0.17	3.53	121	1.5	0.03	
C303467		0.02	0.48	13	0.15	4.17	92	0.7	0.03	
C303468		0.62	1.54	69	0.48	10.20	82	29.9	2.17	
C303469		0.03	0.89	15	0.15	2.76	61	1.6	0.12	
C303470		0.02	1.19	12	0.20	3.30	91	0.7	0.01	
C303471		0.05	1.43	23	0.13	3.04	115	2.7	0.01	
C303472		0.05	0.83	26	<0.05	2.86	101	1.4	<0.01	
C303473		0.06	0.89	27	0.06	2.42	107	1.6	0.01	
C303474		0.04	0.99	25	0.11	1.92	129	1.3	0.01	
C303475		0.05	0.86	23	0.16	2.29	109	1.3	1.60	
C303476		0.04	0.90	22	0.12	1.98	93	1.0	0.65	
C303477		0.04	1.17	22	0.19	2.48	100	1.7	0.25	
C303478		0.06	1.28	19	0.37	3.58	125	2.4	0.24	
C303479		0.04	1.24	19	0.07	3.26	108	1.8	<0.01	
C303480		0.05	1.42	23	<0.05	3.34	120	2.9	<0.01	
C303481		0.04	1.33	23	0.07	2.77	109	2.4	<0.01	
C303482		0.07	1.31	27	<0.05	3.78	133	2.9	0.10	
C303483		0.05	0.91	35	<0.05	2.17	111	1.2	<0.01	
C303484		<0.02	0.16	1	<0.05	0.61	<2	2.0	<0.01	
C303485		0.05	0.89	37	<0.05	1.84	103	1.1	<0.01	
C303486		0.05	1.45	29	<0.05	2.69	107	1.6	0.01	
C303487		0.04	1.29	31	<0.05	2.46	117	1.4	<0.01	
C303488		0.06	1.01	34	<0.05	2.30	102	2.5	0.01	
C303489		0.04	1.05	32	0.06	2.18	107	1.3	0.01	
C303490		0.05	1.09	38	<0.05	2.27	111	1.4	<0.01	
C303491		0.04	1.16	30	<0.05	2.35	119	1.8	<0.01	
C303492		0.06	1.25	31	<0.05	2.53	131	2.7	<0.01	
C303493		0.05	1.38	26	<0.05	2.20	126	2.7	<0.01	
C303494		0.06	1.06	27	0.06	2.64	120	1.2	<0.01	
C303495		0.06	0.90	26	<0.05	1.97	93	1.1	<0.01	
C303496		0.06	0.99	26	<0.05	3.35	116	1.4	<0.01	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303497		5.52	<0.01	2.18	2.0	<0.02	<10	30	0.73	0.38	0.17	<0.01	47.7	17.5	34	1.72
C303498		0.06	0.14	2.47	355	1.49	<10	90	1.17	0.26	0.20	0.03	56.1	12.8	102	7.26
C303499		3.30	0.01	2.45	4.3	<0.02	<10	40	0.85	0.35	0.50	0.01	73.7	21.1	38	1.69
C303500		4.19	0.01	2.59	1.7	<0.02	<10	30	0.75	0.73	0.64	0.02	63.8	21.4	42	1.53
C303501		2.54	0.01	2.65	1.1	<0.02	<10	40	0.82	0.54	0.12	<0.01	54.5	21.0	41	1.52
C303502		4.15	0.02	2.45	1.8	0.02	<10	30	0.76	0.33	0.65	0.01	63.4	20.2	40	1.54
C303503		6.02	0.01	2.51	0.4	<0.02	<10	30	0.88	0.45	0.19	<0.01	40.3	20.4	38	2.18
C303504		6.08	0.02	2.56	2.6	<0.02	<10	30	0.80	0.76	0.21	<0.01	44.3	20.7	41	1.81
C303505		5.48	0.03	2.67	12.5	<0.02	<10	30	0.87	0.37	0.10	0.01	55.1	20.4	40	2.24
C303506		4.05	0.04	2.62	16.4	<0.02	<10	30	0.76	0.45	0.13	0.01	63.2	19.2	40	2.12
C303507		3.78	0.01	2.75	22.5	<0.02	<10	30	0.79	0.22	0.10	0.01	51.1	19.9	41	2.29
C303508		2.87	0.32	2.14	31.4	<0.02	<10	20	0.76	1.65	0.60	0.02	42.8	22.3	30	2.61
C303509		0.15	0.01	0.04	0.8	<0.02	<10	10	<0.05	0.03	0.01	0.01	4.10	0.6	12	0.07
C303510		5.04	0.03	2.70	27.9	<0.02	<10	20	0.62	0.31	0.10	0.02	54.8	23.0	40	2.21
C303511		4.36	0.05	2.81	27.8	<0.02	<10	30	0.75	0.28	0.21	0.03	66.3	24.1	41	2.51
C303512		5.50	0.11	2.56	29.3	0.11	<10	20	0.71	3.38	0.13	0.05	52.3	20.7	37	2.30
C303513		4.25	0.07	2.51	33.0	<0.02	<10	30	0.79	0.58	0.14	0.03	60.8	21.0	34	2.30
C303514		3.68	0.04	2.22	32.1	<0.02	<10	20	0.75	0.25	0.14	0.04	51.1	21.6	32	2.29
C303515		3.47	0.04	2.94	23.3	<0.02	<10	30	0.75	0.24	0.09	0.03	52.4	19.1	42	2.23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303497		0.4	4.54	6.33	0.11	0.05	<0.01	0.015	0.17	23.5	46.9	0.73	572	0.07	0.03	<0.05
C303498		23.1	3.42	7.09	0.11	0.74	<0.01	0.024	0.95	28.3	32.7	1.26	208	0.51	0.07	0.26
C303499		0.8	4.62	7.44	0.13	0.04	<0.01	0.031	0.20	37.3	61.7	1.02	1220	0.15	0.04	<0.05
C303500		2.3	5.19	7.99	0.13	0.03	<0.01	0.023	0.17	32.9	70.3	1.12	1740	0.11	0.04	0.05
C303501		0.5	5.21	7.89	0.12	0.05	<0.01	0.014	0.20	27.5	61.7	0.94	678	0.22	0.04	<0.05
C303502		1.1	4.90	7.63	0.12	0.04	<0.01	0.018	0.15	32.5	57.5	1.08	1700	0.15	0.04	<0.05
C303503		0.5	4.95	7.14	0.10	0.03	<0.01	0.015	0.18	21.0	50.8	0.89	553	0.08	0.04	<0.05
C303504		1.1	5.17	7.94	0.11	0.04	<0.01	0.017	0.15	22.4	63.4	0.99	727	0.12	0.03	0.10
C303505		0.9	4.99	8.62	0.10	0.03	<0.01	0.018	0.19	28.3	71.6	0.93	572	0.09	0.04	<0.05
C303506		1.3	5.01	8.47	0.10	0.03	<0.01	0.015	0.15	32.3	74.7	0.95	663	0.14	0.03	<0.05
C303507		1.6	5.10	8.70	0.09	0.03	<0.01	0.019	0.18	26.3	76.7	0.99	593	0.08	0.04	<0.05
C303508		197.5	4.03	6.64	0.06	0.05	<0.01	0.027	0.14	22.3	61.4	1.02	1180	0.11	0.03	<0.05
C303509		1.9	1.52	0.34	<0.05	0.10	<0.01	<0.005	0.01	2.0	0.8	0.01	157	0.68	<0.01	0.06
C303510		36.5	4.79	8.57	0.09	0.04	<0.01	0.019	0.14	28.0	83.3	1.18	665	0.08	0.03	<0.05
C303511		60.0	4.81	8.88	0.10	0.05	<0.01	0.029	0.18	33.5	84.9	1.21	857	0.18	0.04	<0.05
C303512		80.7	4.85	8.28	0.07	0.03	<0.01	0.026	0.14	26.3	76.5	0.98	801	0.14	0.03	<0.05
C303513		23.5	4.78	7.85	0.09	0.04	<0.01	0.023	0.18	30.5	72.1	0.98	802	0.22	0.04	<0.05
C303514		45.6	3.68	6.97	0.09	0.05	<0.01	0.022	0.14	25.7	64.9	1.03	662	0.11	0.03	<0.05
C303515		85.0	5.32	9.54	0.09	0.03	<0.01	0.024	0.19	27.1	79.8	1.06	650	0.11	0.04	<0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
C303497		42.5	280	5.7	10.5	<0.001	0.19	0.08	3.2	<0.2	<0.2	25.7	<0.01	0.02	14.0	<0.005
C303498		58.8	500	7.6	89.6	<0.001	0.08	246	5.8	<0.2	1.2	15.4	<0.01	0.02	12.3	0.143
C303499		48.8	250	13.1	12.6	<0.001	<0.01	0.28	4.0	<0.2	0.2	31.1	<0.01	0.06	14.9	<0.005
C303500		48.7	280	15.6	10.4	<0.001	0.04	0.10	4.1	<0.2	0.2	32.6	0.01	0.03	15.3	<0.005
C303501		50.3	280	6.3	12.2	<0.001	0.02	0.05	3.8	<0.2	0.2	23.1	<0.01	0.02	13.4	<0.005
C303502		44.8	280	15.4	9.3	<0.001	<0.01	0.08	3.9	<0.2	0.2	37.5	<0.01	0.08	13.6	<0.005
C303503		48.8	260	12.3	11.6	<0.001	0.06	0.08	3.5	<0.2	0.2	23.7	<0.01	0.02	11.7	<0.005
C303504		46.5	290	17.3	9.3	<0.001	0.13	0.06	3.9	<0.2	0.2	25.9	<0.01	0.10	13.7	<0.005
C303505		45.8	280	10.0	11.1	0.001	<0.01	0.05	3.3	<0.2	0.2	26.7	<0.01	0.01	12.3	<0.005
C303506		44.9	290	9.5	8.5	0.001	<0.01	0.06	3.1	<0.2	0.2	22.5	<0.01	0.03	13.6	<0.005
C303507		45.2	260	3.2	10.5	<0.001	<0.01	0.06	3.4	<0.2	0.2	22.4	<0.01	0.08	11.4	<0.005
C303508		44.1	260	80.2	8.0	<0.001	0.02	0.09	2.9	0.2	0.2	49.4	<0.01	0.06	12.0	<0.005
C303509		2.7	10	1.1	0.5	0.001	<0.01	0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.1	<0.005
C303510		45.7	280	4.8	7.4	<0.001	<0.01	0.06	3.2	0.2	0.2	21.7	<0.01	0.02	12.4	<0.005
C303511		44.2	310	10.1	10.2	0.001	0.01	0.05	3.4	0.2	0.2	30.8	<0.01	0.04	14.5	<0.005
C303512		43.4	300	18.7	7.5	0.001	0.05	0.07	3.1	<0.2	0.4	26.6	<0.01	0.13	13.2	<0.005
C303513		42.9	250	13.0	9.6	<0.001	0.02	<0.05	2.9	<0.2	0.3	33.5	<0.01	0.03	14.8	<0.005
C303514		40.6	250	7.5	7.6	<0.001	0.10	0.35	2.4	<0.2	0.2	45.9	<0.01	0.01	14.4	<0.005
C303515		42.0	270	4.3	10.4	<0.001	0.03	<0.05	3.4	0.2	0.3	29.0	<0.01	0.02	12.4	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C303497		0.05	1.11	30	<0.05	2.27	87	1.6	<0.01	
C303498		0.52	1.34	66	0.42	9.53	77	27.4	1.56	
C303499		0.06	1.27	32	<0.05	3.58	125	2.3	0.02	
C303500		0.05	0.98	30	<0.05	3.37	126	1.3	0.01	
C303501		0.06	1.01	30	<0.05	2.40	109	1.5	<0.01	
C303502		0.05	1.09	30	<0.05	3.16	115	1.9	0.01	
C303503		0.06	1.19	30	<0.05	2.13	103	2.4	<0.01	
C303504		0.05	1.04	31	<0.05	2.27	110	1.6	0.01	
C303505		0.06	1.07	32	<0.05	2.42	103	1.4	<0.01	
C303506		0.06	1.25	32	<0.05	2.38	100	1.2	<0.01	
C303507		0.07	1.16	33	<0.05	2.13	104	1.3	<0.01	
C303508		0.06	1.52	21	<0.05	3.55	119	2.1	<0.01	
C303509		<0.02	0.17	1	0.06	0.69	2	2.2	<0.01	
C303510		0.04	1.24	30	<0.05	2.36	119	1.4	<0.01	
C303511		0.06	1.42	29	<0.05	2.96	125	1.9	<0.01	
C303512		0.04	1.21	24	<0.05	2.39	113	1.3	4.83	
C303513		0.06	1.39	22	0.05	2.76	117	1.3	<0.01	
C303514		0.07	1.69	19	<0.05	2.50	109	1.7	<0.01	
C303515		0.06	1.18	32	<0.05	2.59	112	1.3	<0.01	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20254970

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41