



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

CERTIFICATE WH20259875

Project: Culvert - NUF

This report is for 92 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-NOV-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg 0.02	ppm 0.01	% 0.01	ppm 0.1	ppm 0.02	ppm 10	ppm 10	ppm 0.05	ppm 0.01	% 0.01	ppm 0.01	ppm 0.02	ppm 0.1	ppm 1	ppm 0.05
C303516		2.48	0.18	3.02	5.9	<0.02	<10	30	0.44	1.46	0.09	0.05	66.5	22.0	40	2.42
C303517		3.98	0.19	3.17	4.7	<0.02	<10	30	0.54	0.66	0.19	0.05	68.1	25.7	42	2.64
C303518		2.87	0.32	2.80	3.8	<0.02	<10	20	0.47	0.59	0.09	0.08	68.6	25.8	38	2.94
C303519		2.71	0.12	2.41	5.3	<0.02	<10	30	0.53	0.23	0.09	0.13	71.4	22.1	34	3.10
C303520		2.97	0.46	3.04	3.5	<0.02	<10	30	0.50	0.83	0.17	0.37	52.1	23.0	38	2.39
C303521		1.89	0.01	2.95	2.3	<0.02	<10	40	0.58	0.19	0.08	0.04	59.9	18.9	39	2.76
C303522		3.27	0.02	2.75	3.7	<0.02	<10	30	0.67	0.30	0.09	0.02	53.5	18.9	38	2.59
C303523		2.36	0.01	2.63	3.1	<0.02	<10	50	0.83	0.08	0.11	0.01	55.7	18.2	38	3.06
C303524		2.72	0.02	2.09	2.0	<0.02	<10	30	0.76	0.09	0.09	<0.01	53.2	16.7	34	2.68
C303525		3.70	0.02	2.53	0.8	<0.02	<10	50	0.90	0.25	0.17	0.01	43.0	17.0	35	2.57
C303526		0.07	0.19	2.50	492	2.20	<10	90	1.14	0.32	0.21	0.03	54.5	12.2	101	7.08
C303527		4.22	0.04	2.46	1.3	<0.02	<10	30	0.86	0.36	1.07	0.29	49.2	18.4	33	2.22
C303528		2.36	0.06	2.74	3.4	<0.02	<10	60	0.91	0.53	0.09	0.06	69.6	19.7	36	3.14
C303529		4.97	0.03	2.45	1.1	<0.02	<10	30	0.81	0.53	0.19	0.03	63.7	18.3	36	2.26
C303530		2.91	0.03	2.68	2.0	<0.02	<10	40	0.91	0.59	0.12	0.19	41.9	19.4	35	2.62
C303531		5.70	0.06	2.43	0.6	<0.02	<10	30	0.72	0.62	0.09	0.01	27.6	19.4	35	2.58
C303532		0.19	0.01	0.04	1.0	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.34	0.5	6	0.05
C303533		3.98	<0.01	2.35	2.5	<0.02	<10	50	0.95	0.32	0.11	0.01	35.3	19.6	34	3.02
C303534		2.15	0.01	1.93	1.6	<0.02	<10	30	0.83	0.10	0.07	<0.01	55.8	19.5	32	3.75
C303535		2.13	0.01	2.09	1.0	<0.02	<10	40	0.79	0.28	0.10	<0.01	55.9	17.9	32	3.23
C303536		3.67	0.01	1.93	0.9	<0.02	<10	30	0.76	0.13	0.08	<0.01	49.1	18.0	30	3.28
C303537		5.20	0.02	2.46	0.6	<0.02	<10	40	0.85	0.50	0.43	0.35	51.2	19.6	33	2.43
C303538		4.42	0.10	2.07	1.2	<0.02	<10	270	0.77	0.68	0.08	<0.01	47.5	19.3	32	3.29
C303539		4.49	0.01	2.33	4.0	<0.02	<10	150	0.79	0.47	0.12	0.01	39.1	20.3	32	3.18
C303540		4.76	0.03	2.54	3.5	<0.02	<10	40	0.76	0.57	0.23	0.01	43.0	19.6	37	2.71
C303541		3.99	0.04	2.55	6.5	<0.02	<10	30	0.78	0.56	0.07	0.01	43.2	19.4	35	3.26
C303542		5.24	0.06	2.84	19.4	<0.02	<10	50	0.82	0.76	0.09	0.02	63.4	16.3	37	2.98
C303543		4.02	0.02	2.49	21.4	<0.02	<10	40	0.79	0.15	0.10	0.01	60.7	16.5	30	2.62
C303544		2.47	0.04	2.70	11.8	<0.02	<10	40	0.59	0.21	0.10	0.01	67.7	14.7	32	2.86
C303545		5.92	0.03	2.45	29.6	<0.02	<10	30	0.55	0.27	0.06	0.02	42.5	10.0	29	2.46
C303546		2.33	0.19	2.60	524	0.12	<10	40	0.71	0.31	0.07	0.04	54.9	8.5	28	3.25
C303547		4.62	0.04	2.69	148.5	0.07	<10	30	0.66	0.24	0.10	0.02	69.7	7.5	33	3.16
C303548		4.79	0.10	3.36	53.0	<0.02	<10	40	0.75	0.45	0.17	0.03	70.5	18.4	38	2.58
C303549		3.90	0.45	2.54	69.1	<0.02	<10	30	0.73	1.78	0.09	0.03	52.1	18.2	32	2.21
C303550		6.28	0.41	2.49	36.2	<0.02	<10	40	0.75	2.19	0.14	0.04	42.1	32.2	32	2.22
C303551		4.24	0.08	2.80	449	0.57	<10	40	0.88	1.06	0.11	0.02	41.8	30.4	31	2.26
C303552		5.75	0.06	3.14	44.0	<0.02	<10	40	0.89	0.65	0.10	0.04	63.8	29.3	39	2.50
C303553		5.35	0.08	2.83	49.8	<0.02	<10	30	0.65	1.17	0.10	0.03	68.3	23.9	37	2.27
C303554		3.96	0.03	3.10	15.9	<0.02	<10	40	0.68	0.45	0.09	0.02	67.3	20.9	38	2.32
C303555		6.37	0.03	3.05	12.5	<0.02	<10	30	0.50	0.30	0.10	0.01	70.4	20.7	38	2.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303516		92.2	5.11	8.57	0.09	0.16	<0.01	0.048	0.11	32.9	108.5	1.31	2160	0.74	0.04	<0.05
C303517		61.3	5.15	9.10	0.09	0.15	<0.01	0.036	0.15	33.7	112.0	1.34	2270	1.01	0.06	<0.05
C303518		55.2	4.46	8.35	0.09	0.19	<0.01	0.032	0.12	34.5	103.5	1.22	1950	1.85	0.05	<0.05
C303519		162.0	3.61	7.09	0.07	0.20	<0.01	0.027	0.15	35.7	84.0	1.02	1800	1.30	0.07	<0.05
C303520		528	4.79	8.86	0.08	0.14	<0.01	0.052	0.13	25.7	119.5	1.51	1590	0.67	0.05	<0.05
C303521		13.0	4.76	8.04	0.08	0.18	<0.01	0.020	0.17	29.9	106.5	1.29	825	0.11	0.05	<0.05
C303522		13.4	5.63	7.24	0.07	0.13	<0.01	0.020	0.15	26.9	89.2	0.87	832	0.09	0.03	<0.05
C303523		4.0	5.50	7.21	0.07	0.22	<0.01	0.018	0.22	28.4	87.9	0.80	672	0.07	0.04	<0.05
C303524		1.2	4.78	5.68	0.07	0.15	<0.01	0.013	0.17	27.2	64.6	0.66	525	0.05	0.03	<0.05
C303525		1.1	4.75	6.51	0.06	0.12	<0.01	0.017	0.24	21.5	74.5	0.70	723	0.06	0.05	<0.05
C303526		24.9	3.46	7.46	0.09	0.80	<0.01	0.030	0.99	27.3	33.6	1.27	211	0.53	0.07	0.27
C303527		2.0	4.60	7.01	0.07	0.11	<0.01	0.033	0.16	24.7	91.2	0.86	1920	<0.05	0.03	<0.05
C303528		7.0	4.85	7.53	0.08	0.14	<0.01	0.020	0.27	34.7	88.6	0.74	946	0.07	0.05	<0.05
C303529		5.1	4.89	6.95	0.07	0.16	<0.01	0.019	0.16	30.9	86.5	0.73	951	0.05	0.03	<0.05
C303530		5.3	5.10	7.05	0.05	0.12	<0.01	0.019	0.20	21.7	88.2	0.80	948	0.08	0.04	<0.05
C303531		0.5	4.79	6.70	<0.05	0.15	<0.01	0.016	0.17	14.5	84.0	0.77	612	0.05	0.03	<0.05
C303532		1.0	0.81	0.21	<0.05	0.10	<0.01	<0.005	0.01	1.6	1.1	0.01	80	0.32	<0.01	0.06
C303533		2.1	4.77	6.38	0.05	0.20	<0.01	0.016	0.24	18.0	79.4	0.71	560	0.14	0.05	<0.05
C303534		0.2	4.94	5.39	0.07	0.25	<0.01	0.013	0.16	29.6	72.0	0.70	421	0.06	0.04	<0.05
C303535		0.2	4.45	5.38	0.06	0.21	<0.01	0.015	0.23	28.8	68.7	0.73	436	<0.05	0.05	<0.05
C303536		0.2	4.63	4.87	0.05	0.19	<0.01	0.011	0.16	26.2	67.4	0.70	460	0.06	0.04	<0.05
C303537		2.7	4.62	7.10	0.07	0.16	<0.01	0.032	0.21	26.4	85.2	0.89	1440	0.07	0.04	<0.05
C303538		0.3	4.78	5.53	0.05	0.23	<0.01	0.014	0.17	25.9	73.4	0.73	455	0.06	0.04	<0.05
C303539		1.5	4.67	6.29	0.05	0.26	<0.01	0.014	0.17	21.3	81.8	0.79	565	0.07	0.04	<0.05
C303540		4.6	4.79	7.43	0.06	0.19	<0.01	0.019	0.18	22.4	72.3	0.89	1170	0.08	0.04	<0.05
C303541		58.4	4.89	7.54	0.06	0.17	<0.01	0.019	0.18	24.1	77.6	0.79	591	0.09	0.04	<0.05
C303542		33.5	4.98	8.79	0.07	0.13	<0.01	0.022	0.26	32.8	80.7	0.92	979	0.25	0.06	<0.05
C303543		13.8	4.36	6.81	0.08	0.15	<0.01	0.019	0.17	30.7	76.4	0.95	826	0.08	0.03	<0.05
C303544		22.8	4.62	8.11	0.07	0.14	<0.01	0.022	0.15	35.4	80.7	1.09	1060	0.14	0.03	<0.05
C303545		47.4	4.63	7.04	0.05	0.17	<0.01	0.018	0.16	22.2	71.9	0.90	617	0.21	0.03	<0.05
C303546		89.7	4.71	7.03	0.07	0.19	<0.01	0.028	0.22	28.1	77.2	1.04	575	0.24	0.03	<0.05
C303547		31.3	5.20	7.75	0.08	0.23	<0.01	0.018	0.14	36.2	85.0	1.04	718	0.17	0.02	<0.05
C303548		38.8	5.71	9.20	0.09	0.18	<0.01	0.024	0.25	36.1	93.6	1.21	1000	0.40	0.04	<0.05
C303549		53.8	4.69	6.64	0.06	0.20	<0.01	0.022	0.16	27.0	73.7	0.95	998	2.39	0.03	<0.05
C303550		74.4	4.55	6.44	0.05	0.24	<0.01	0.022	0.21	21.6	69.6	0.90	1140	0.86	0.03	<0.05
C303551		45.4	5.08	7.41	0.06	0.18	<0.01	0.026	0.24	21.7	81.9	1.06	1160	0.21	0.03	<0.05
C303552		57.8	5.45	9.00	0.08	0.18	<0.01	0.026	0.25	32.2	97.6	1.13	1100	0.30	0.04	<0.05
C303553		65.6	5.24	8.36	0.10	0.26	<0.01	0.023	0.16	34.2	94.6	1.09	955	0.40	0.03	<0.05
C303554		43.0	5.24	8.36	0.09	0.13	<0.01	0.018	0.23	34.2	91.0	1.15	979	0.14	0.05	<0.05
C303555		30.7	5.41	8.72	0.10	0.16	<0.01	0.018	0.15	36.0	101.5	1.20	1040	0.13	0.03	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303516		35.5	370	12.3	5.1	<0.001	<0.01	0.20	3.1	<0.2	0.2	10.7	<0.01	0.02	14.3
C303517		35.8	390	192.5	6.7	<0.001	0.01	0.13	3.6	<0.2	0.3	15.1	<0.01	0.01	14.1
C303518		39.0	310	288	5.6	<0.001	0.01	0.14	3.0	<0.2	0.2	13.3	<0.01	0.01	15.3
C303519		43.0	320	9.7	6.7	<0.001	<0.01	0.11	2.6	<0.2	0.3	15.8	<0.01	0.01	14.4
C303520		39.3	360	10.2	5.8	<0.001	0.03	0.18	2.9	<0.2	0.3	12.0	<0.01	0.01	13.5
C303521		39.1	310	2.2	8.2	<0.001	<0.01	0.09	2.6	<0.2	0.4	10.9	<0.01	0.01	13.9
C303522		45.7	340	4.2	7.2	<0.001	0.01	0.10	2.4	<0.2	0.4	7.9	<0.01	<0.01	13.9
C303523		48.2	450	2.2	10.6	<0.001	<0.01	0.09	2.5	<0.2	0.4	10.3	<0.01	<0.01	12.0
C303524		42.6	350	2.8	8.2	<0.001	0.01	0.10	1.8	<0.2	0.3	8.4	<0.01	0.01	11.6
C303525		40.2	350	5.1	12.0	<0.001	0.11	0.09	2.5	<0.2	0.3	11.2	<0.01	0.02	12.8
C303526		56.0	510	9.0	89.9	<0.001	0.11	359	5.7	<0.2	1.3	16.6	<0.01	0.01	12.3
C303527		37.6	320	11.1	8.3	<0.001	<0.01	0.38	2.7	<0.2	0.4	16.8	<0.01	<0.01	11.5
C303528		43.0	310	6.9	13.6	<0.001	<0.01	0.12	2.6	<0.2	0.8	12.8	<0.01	0.01	14.3
C303529		40.7	420	8.8	8.3	<0.001	0.01	0.11	2.3	<0.2	0.4	9.4	<0.01	0.04	13.7
C303530		45.4	300	8.2	9.7	<0.001	0.05	0.10	2.4	<0.2	0.5	10.2	<0.01	0.01	11.4
C303531		43.7	310	4.1	8.3	<0.001	0.13	0.12	2.3	<0.2	0.2	8.4	<0.01	0.02	9.3
C303532		1.6	10	0.7	0.4	<0.001	<0.01	0.06	0.1	<0.2	<0.2	0.8	<0.01	<0.01	1.0
C303533		42.9	340	3.7	12.1	<0.001	0.09	0.12	2.3	<0.2	0.3	11.4	<0.01	0.02	10.0
C303534		45.7	270	2.5	8.0	<0.001	<0.01	0.17	1.7	<0.2	0.3	9.5	<0.01	0.01	10.8
C303535		40.4	330	2.4	10.9	<0.001	<0.01	0.12	1.9	<0.2	0.3	11.0	<0.01	0.02	10.7
C303536		40.0	290	2.2	7.3	<0.001	<0.01	0.14	1.6	<0.2	0.3	8.4	<0.01	0.01	10.1
C303537		40.5	320	5.9	10.7	<0.001	0.04	0.12	2.5	<0.2	0.4	14.5	<0.01	0.03	13.1
C303538		42.7	280	8.9	8.6	<0.001	0.02	0.15	1.7	<0.2	0.3	13.4	<0.01	0.04	10.6
C303539		44.3	290	3.4	8.4	<0.001	0.02	0.11	2.0	<0.2	0.2	11.5	<0.01	0.02	9.8
C303540		43.1	340	9.3	9.1	<0.001	0.08	0.12	2.7	0.2	0.2	12.6	<0.01	0.01	11.2
C303541		45.3	280	5.8	9.2	<0.001	0.05	0.10	2.7	<0.2	0.2	10.9	<0.01	0.01	10.6
C303542		41.5	330	9.7	12.8	<0.001	0.01	0.11	3.2	<0.2	0.4	13.9	<0.01	0.01	13.4
C303543		36.8	310	3.8	8.6	<0.001	0.02	0.07	2.1	<0.2	0.3	9.7	<0.01	<0.01	15.4
C303544		39.3	260	5.0	7.5	<0.001	<0.01	0.08	2.4	<0.2	0.2	9.2	<0.01	0.01	13.7
C303545		25.5	290	5.6	8.2	<0.001	0.13	0.14	2.2	<0.2	0.2	11.1	<0.01	0.01	12.8
C303546		27.3	290	8.1	10.6	<0.001	0.08	0.24	2.3	<0.2	0.3	13.1	<0.01	<0.01	16.2
C303547		29.1	450	5.0	6.9	<0.001	0.03	0.25	2.2	<0.2	0.2	13.9	<0.01	<0.01	14.5
C303548		43.1	730	27.9	12.5	<0.001	0.06	0.11	2.9	<0.2	0.3	14.3	<0.01	0.02	14.5
C303549		34.3	270	103.0	7.6	0.001	0.14	0.18	2.1	<0.2	0.2	8.9	<0.01	0.03	13.7
C303550		42.5	290	78.7	9.8	<0.001	0.26	0.14	2.2	<0.2	0.3	12.0	<0.01	0.04	14.4
C303551		49.0	290	14.2	11.3	<0.001	0.22	0.23	2.6	<0.2	0.5	13.1	<0.01	0.03	12.7
C303552		45.1	360	17.5	12.5	<0.001	0.11	0.16	3.3	0.4	0.3	13.4	<0.01	0.04	14.6
C303553		40.2	410	18.3	8.1	<0.001	0.05	0.17	2.9	0.2	0.2	10.6	<0.01	0.12	13.4
C303554		39.5	270	7.3	10.4	<0.001	0.06	0.12	3.0	0.2	0.2	11.6	<0.01	0.03	13.7
C303555		40.0	430	8.8	7.4	<0.001	0.02	0.11	2.8	0.2	0.2	9.6	<0.01	0.02	15.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C303516		0.03	0.74	23	0.57	3.48	120	5.4	<0.01	
C303517		0.04	0.89	25	0.19	3.76	120	5.9	<0.01	
C303518		0.04	0.85	21	0.23	3.81	115	7.8	<0.01	
C303519		0.04	0.92	19	0.12	4.17	112	7.8	<0.01	
C303520		0.03	1.05	23	0.07	3.64	175	6.0	0.01	
C303521		0.04	0.66	23	0.05	3.21	139	7.0	<0.01	
C303522		0.04	0.65	23	<0.05	2.87	116	5.6	<0.01	
C303523		0.06	0.66	26	<0.05	3.12	110	7.9	<0.01	
C303524		0.04	0.55	29	<0.05	2.77	88	6.3	<0.01	
C303525		0.06	0.59	25	<0.05	2.81	98	4.7	<0.01	
C303526		0.61	1.44	66	0.50	8.97	76	27.0	2.20	
C303527		0.05	0.56	21	<0.05	3.40	152	4.2	0.01	
C303528		0.07	0.63	23	0.06	3.20	114	5.3	<0.01	
C303529		0.04	0.73	25	<0.05	3.51	110	5.7	<0.01	
C303530		0.06	0.70	22	0.10	2.90	148	4.3	<0.01	
C303531		0.05	0.73	25	<0.05	2.63	112	5.2	<0.01	
C303532		<0.02	0.15	1	<0.05	0.61	<2	2.0	<0.01	
C303533		0.07	0.79	29	<0.05	3.00	102	7.7	<0.01	
C303534		0.05	0.69	31	<0.05	2.88	102	9.5	<0.01	
C303535		0.06	0.63	29	<0.05	2.89	103	7.8	<0.01	
C303536		0.04	0.67	28	<0.05	2.59	100	7.6	<0.01	
C303537		0.06	0.74	20	<0.05	3.47	136	6.3	<0.01	
C303538		0.05	0.76	29	<0.05	2.90	105	8.9	<0.01	
C303539		0.05	0.87	25	<0.05	3.02	114	9.3	<0.01	
C303540		0.04	0.93	30	<0.05	3.14	121	6.8	<0.01	
C303541		0.05	1.03	29	<0.05	2.91	106	7.1	<0.01	
C303542		0.07	0.98	29	0.05	3.58	115	5.6	0.01	
C303543		0.04	0.89	17	0.06	3.48	111	5.8	0.03	
C303544		0.04	0.87	21	0.07	3.51	103	5.6	<0.01	
C303545		0.05	1.52	18	0.09	2.65	73	6.8	0.07	
C303546		0.06	1.77	19	0.18	3.75	89	7.6		0.23
C303547		0.04	1.76	18	0.10	3.63	96	8.4	0.10	
C303548		0.08	1.32	21	0.07	4.54	110	7.7	<0.01	
C303549		0.04	1.59	16	0.06	4.17	102	9.1		0.06
C303550		0.06	1.35	16	0.12	4.14	100	9.1		<0.05
C303551		0.07	1.79	19	0.22	3.97	130	7.4		0.68
C303552		0.09	1.57	22	<0.05	4.43	113	7.7	0.01	
C303553		0.05	1.38	21	<0.05	3.77	100	6.2	0.01	
C303554		0.07	1.08	21	<0.05	3.74	106	5.8	<0.01	
C303555		0.05	1.07	20	<0.05	3.83	101	6.8	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303556		6.18	0.04	2.92	26.9	<0.02	<10	30	0.61	0.86	0.37	0.64	46.7	29.4	38	2.37
C303557		0.06	0.14	2.50	351	1.56	<10	90	1.20	0.32	0.20	0.04	60.8	13.1	102	7.51
C303558		4.89	0.13	3.15	33.0	<0.02	<10	30	0.57	0.69	0.08	0.03	55.3	35.7	39	2.81
C303559		5.18	0.05	3.02	22.9	<0.02	<10	30	0.61	0.45	0.29	0.03	49.2	24.8	38	2.62
C303560		5.59	0.02	2.91	20.6	<0.02	<10	40	0.56	0.28	0.23	0.02	76.3	23.4	36	2.24
C303561		6.12	0.10	2.58	24.1	<0.02	<10	30	0.56	0.32	0.25	0.02	54.3	23.6	33	1.97
C303562		4.10	0.03	3.07	23.7	<0.02	<10	40	0.68	0.45	0.15	0.01	47.3	26.3	38	2.32
C303563		3.80	0.03	2.86	16.7	<0.02	<10	30	0.60	0.36	0.14	0.01	39.5	23.3	36	2.21
C303564		4.26	0.02	3.34	21.1	<0.02	<10	40	0.76	0.22	0.15	0.01	66.6	26.0	40	2.55
C303565		0.19	0.01	0.04	0.7	<0.02	<10	10	<0.05	0.01	<0.01	<0.01	3.43	0.4	6	0.06
C303566		2.86	0.01	2.90	26.2	<0.02	<10	30	0.51	0.22	0.15	0.01	61.3	17.8	37	2.42
C303567		4.41	0.02	3.25	29.1	0.15	<10	50	0.85	0.35	0.27	0.01	40.7	22.7	39	3.32
C303568		6.50	0.01	3.01	32.3	<0.02	<10	30	0.64	0.06	0.09	0.02	36.4	21.1	39	3.12
C303569		3.48	0.02	3.54	39.9	<0.02	<10	30	0.70	0.20	0.15	0.01	33.2	26.5	41	3.09
C303570		3.45	0.03	2.61	25.9	<0.02	<10	30	0.61	0.37	0.10	0.02	45.1	18.6	32	2.60
C303571		2.79	0.05	2.66	859	0.49	<10	40	0.77	0.43	0.14	<0.01	56.4	20.2	26	3.05
C303572		1.73	0.10	2.51	236	0.61	<10	30	0.65	0.60	0.23	0.02	59.9	29.2	26	2.70
C303573		1.74	0.06	3.25	40.1	<0.02	<10	40	0.85	0.08	0.26	0.06	61.0	26.6	34	2.80
C303574		3.64	0.02	3.05	32.7	<0.02	<10	30	0.63	0.02	0.14	0.01	92.2	25.2	39	2.42
C303575		5.25	0.17	2.92	27.5	<0.02	<10	40	0.79	1.22	0.29	0.03	65.8	28.2	36	2.31
C303576		4.68	0.16	2.49	252	<0.02	<10	30	0.75	1.13	0.48	0.04	57.3	28.5	33	2.30
C303577		1.84	0.31	2.64	418	0.09	<10	40	0.92	2.24	0.32	0.03	55.6	34.4	34	2.80
C303578		0.06	0.17	2.49	487	2.12	<10	90	1.11	0.33	0.21	0.03	55.7	12.9	98	7.58
C303579		4.27	0.20	2.84	37.6	0.02	<10	30	0.64	1.41	0.25	0.03	58.7	29.2	36	2.23
C303580		5.27	0.03	3.39	30.8	<0.02	<10	30	0.60	0.13	0.24	0.03	74.4	24.2	42	2.05
C303581		3.10	0.05	3.10	37.6	<0.02	<10	40	0.64	0.33	0.31	0.05	60.1	29.1	38	2.01
C303582		2.84	0.03	3.04	335	0.16	<10	50	0.77	0.18	0.27	0.03	77.5	23.7	37	2.25
C303583		3.00	0.01	3.15	31.9	<0.02	<10	30	0.69	0.06	0.23	0.01	84.1	23.2	39	1.97
C303584		6.65	0.05	2.95	26.1	0.03	<10	40	0.74	0.32	0.40	0.04	64.0	21.6	36	1.99
C303585		5.19	0.04	2.81	22.6	<0.02	<10	40	0.81	1.26	0.32	0.01	53.8	26.7	36	2.58
C303586		6.13	0.03	2.91	26.7	<0.02	<10	40	0.88	0.64	0.29	0.01	57.2	27.2	36	2.40
C303587		4.71	0.02	3.02	26.7	<0.02	<10	30	0.86	0.44	0.33	0.01	60.2	25.8	36	2.36
C303588		6.18	0.08	3.12	37.2	<0.02	<10	50	0.94	0.58	0.25	0.02	65.7	32.0	37	2.41
C303589		3.76	0.03	2.70	119.0	<0.02	<10	30	0.75	0.44	0.17	0.01	63.9	24.4	34	1.99
C303590		5.70	0.03	2.91	125.5	0.04	<10	40	0.82	0.57	0.25	0.02	59.0	24.1	35	2.08
C303591		6.38	0.05	2.63	667	0.41	<10	30	0.83	0.64	0.23	0.02	49.4	20.5	30	2.16
C303592		5.70	0.04	2.85	1365	0.30	<10	50	0.87	0.38	0.25	0.01	49.6	23.4	30	2.26
C303593		3.44	0.12	2.29	7630	1.66	<10	30	0.87	1.20	0.16	0.01	35.6	32.5	23	2.58
C303594		2.58	0.12	2.50	7380	2.14	<10	40	0.92	0.63	0.18	0.05	39.6	20.4	26	2.59
C303595		3.27	0.17	2.13	5750	2.88	<10	30	0.84	0.45	0.65	0.03	34.9	22.6	21	2.48



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303556		45.3	5.29	8.19	0.08	0.19	<0.01	0.070	0.17	24.2	93.7	1.12	1480	0.29	0.04
C303557		24.2	3.46	7.76	0.11	0.82	0.01	0.023	1.00	30.0	31.7	1.27	207	0.53	0.07
C303558		50.2	5.67	8.82	0.08	0.24	<0.01	0.021	0.19	29.6	100.5	1.18	1220	0.25	0.05
C303559		38.0	5.39	8.25	0.08	0.18	<0.01	0.023	0.17	25.4	96.4	1.16	1320	0.66	0.04
C303560		26.0	4.96	8.34	0.12	0.12	<0.01	0.021	0.23	38.2	89.6	1.05	998	0.15	0.04
C303561		22.2	4.61	7.19	0.07	0.10	<0.01	0.016	0.17	27.5	79.7	0.98	912	0.19	0.03
C303562		29.1	5.43	8.76	0.08	0.18	0.01	0.022	0.23	24.2	92.2	1.13	1030	0.24	0.04
C303563		22.4	5.13	8.21	0.07	0.14	<0.01	0.018	0.17	20.0	89.5	1.09	932	0.10	0.03
C303564		21.6	5.69	9.77	0.09	0.14	<0.01	0.028	0.25	32.7	104.5	1.20	1000	0.13	0.05
C303565		0.9	0.76	0.25	<0.05	0.09	<0.01	<0.005	0.01	1.7	1.0	<0.01	76	0.34	<0.01
C303566		25.1	5.29	8.37	0.07	0.15	<0.01	0.017	0.16	30.0	92.2	1.11	937	0.12	0.03
C303567		40.5	5.24	8.83	0.07	0.13	<0.01	0.022	0.31	20.4	91.5	1.07	1060	0.17	0.07
C303568		25.8	5.15	8.62	0.07	0.13	<0.01	0.018	0.20	19.1	92.7	1.07	823	<0.05	0.05
C303569		39.9	6.21	9.95	0.07	0.12	<0.01	0.021	0.21	17.6	107.0	1.29	936	0.12	0.05
C303570		39.6	4.78	7.49	0.06	0.14	0.01	0.018	0.19	23.6	79.4	0.96	799	0.67	0.03
C303571		27.4	4.81	7.93	0.08	0.12	<0.01	0.020	0.27	29.7	76.3	0.95	871	0.48	0.04
C303572		42.1	4.62	7.52	0.09	0.12	0.01	0.020	0.16	31.1	83.6	0.98	1110	3.30	0.03
C303573		124.5	5.31	8.95	0.10	0.13	<0.01	0.027	0.24	31.5	97.8	1.20	1280	1.49	0.05
C303574		34.7	5.35	9.37	0.12	0.10	<0.01	0.019	0.16	46.7	100.5	1.20	1180	0.20	0.03
C303575		48.4	4.92	8.50	0.09	0.11	<0.01	0.022	0.23	33.8	87.2	1.09	1320	1.85	0.04
C303576		58.0	4.42	6.72	0.09	0.13	<0.01	0.019	0.18	29.2	74.7	0.93	1320	3.32	0.03
C303577		52.7	4.71	7.49	0.08	0.12	<0.01	0.017	0.25	29.3	75.7	0.95	1330	8.76	0.05
C303578		25.6	3.47	7.68	0.10	0.77	0.01	0.024	0.99	28.5	32.4	1.25	207	0.48	0.07
C303579		57.1	5.11	7.91	0.08	0.10	0.01	0.021	0.18	30.2	88.0	1.09	1250	3.99	0.03
C303580		40.5	5.93	9.58	0.10	0.12	<0.01	0.022	0.19	37.3	102.0	1.31	1320	0.34	0.03
C303581		84.9	5.48	8.68	0.08	0.10	<0.01	0.031	0.20	30.9	92.5	1.18	1270	0.48	0.03
C303582		54.9	5.13	8.73	0.10	0.10	0.01	0.025	0.27	38.6	88.4	1.09	1220	0.79	0.04
C303583		11.8	5.59	8.86	0.11	0.09	<0.01	0.019	0.20	42.7	95.1	1.20	1260	0.13	0.03
C303584		76.8	5.15	7.80	0.09	0.08	<0.01	0.024	0.22	32.8	82.9	1.10	1260	0.30	0.03
C303585		60.2	5.08	7.51	0.08	0.12	<0.01	0.020	0.22	28.2	81.0	1.04	1060	0.59	0.03
C303586		43.1	5.15	8.04	0.08	0.12	<0.01	0.017	0.25	30.2	84.0	1.06	998	0.23	0.03
C303587		31.0	5.50	8.29	0.08	0.11	<0.01	0.017	0.21	31.6	86.3	1.15	1000	0.20	0.02
C303588		50.2	5.47	10.05	0.11	0.14	<0.01	0.026	0.29	35.1	74.0	1.15	1030	0.24	0.03
C303589		35.1	4.94	8.15	0.10	0.10	<0.01	0.017	0.21	32.9	61.0	1.03	935	0.19	0.02
C303590		36.2	5.18	8.96	0.10	0.10	<0.01	0.024	0.28	30.8	59.1	1.09	1020	0.19	0.02
C303591		38.6	5.20	8.39	0.08	0.09	<0.01	0.023	0.20	26.0	53.5	1.09	1020	0.27	0.01
C303592		42.2	5.53	8.40	0.09	0.10	<0.01	0.024	0.29	25.7	48.7	1.14	1080	0.25	0.02
C303593		57.3	5.22	6.98	0.07	0.11	<0.01	0.019	0.21	18.9	45.7	0.97	1020	0.28	0.01
C303594		40.0	5.53	7.61	0.07	0.11	<0.01	0.026	0.29	21.0	48.8	1.03	1020	0.24	0.02
C303595		34.0	4.60	6.64	0.06	0.09	<0.01	0.022	0.19	18.5	47.2	0.93	1430	0.28	0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303556		47.6	390	20.3	8.4	<0.001	0.23	0.22	3.1	0.2	0.3	13.7	<0.01	0.03	14.7
C303557		58.6	510	8.6	94.8	<0.001	0.08	247	6.0	0.3	1.3	16.3	<0.01	0.03	13.3
C303558		38.8	350	68.4	8.9	<0.001	0.19	0.49	3.0	0.3	0.3	14.2	<0.01	0.04	15.7
C303559		41.7	380	23.0	8.3	0.001	0.15	0.25	2.8	0.2	0.4	13.1	<0.01	0.02	15.0
C303560		39.8	520	7.7	11.3	<0.001	0.09	0.17	3.1	0.2	0.3	13.5	<0.01	0.02	13.8
C303561		37.4	480	8.4	8.1	<0.001	0.09	0.19	2.5	0.2	0.2	9.8	<0.01	0.03	12.8
C303562		45.3	280	9.3	11.9	<0.001	0.12	0.18	3.2	0.3	0.2	10.9	<0.01	0.04	13.9
C303563		41.8	310	8.0	8.5	<0.001	0.09	0.21	2.9	0.2	0.2	9.2	<0.01	0.02	13.1
C303564		45.8	420	5.5	13.1	0.001	0.06	0.20	3.7	<0.2	0.3	13.4	<0.01	0.02	14.7
C303565		1.4	10	0.7	0.6	<0.001	<0.01	0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.0
C303566		36.9	410	2.8	7.1	<0.001	0.05	0.17	2.7	<0.2	0.2	9.9	<0.01	0.02	15.1
C303567		48.0	620	4.9	15.4	<0.001	0.12	0.19	3.2	0.3	0.5	20.1	<0.01	0.03	18.2
C303568		44.4	370	1.6	9.8	<0.001	0.01	0.10	2.8	<0.2	0.3	13.3	<0.01	0.01	16.9
C303569		53.4	620	1.8	10.5	<0.001	0.07	0.10	3.1	0.3	0.4	14.2	<0.01	0.02	16.2
C303570		40.7	330	4.4	9.2	0.001	0.15	0.12	2.6	<0.2	0.3	9.9	<0.01	0.02	16.9
C303571		42.2	310	7.4	14.2	<0.001	0.33	0.36	3.0	0.2	0.4	14.2	<0.01	0.02	17.9
C303572		43.8	310	17.4	8.2	0.001	0.16	0.29	2.7	0.3	0.3	11.7	<0.01	0.06	15.7
C303573		44.7	360	5.3	12.6	<0.001	0.03	0.15	3.1	0.4	0.3	17.0	<0.01	0.02	14.8
C303574		44.3	250	2.4	7.9	<0.001	0.01	0.11	3.0	0.2	0.2	11.5	<0.01	0.01	14.2
C303575		44.5	410	51.5	11.7	<0.001	0.16	0.15	3.0	0.3	0.3	14.7	<0.01	0.03	14.9
C303576		38.0	500	44.1	9.1	0.002	0.25	0.24	2.4	0.4	0.3	16.1	<0.01	0.13	14.3
C303577		43.5	300	98.2	13.1	0.004	0.42	0.38	2.8	0.4	0.3	16.8	<0.01	0.07	15.6
C303578		58.8	500	9.3	94.9	<0.001	0.10	338	5.9	0.3	1.3	17.9	<0.01	0.02	12.7
C303579		42.8	300	59.2	8.9	0.002	0.21	0.56	2.7	0.5	0.2	11.8	<0.01	0.05	14.3
C303580		44.9	270	4.8	9.4	<0.001	0.02	0.27	3.3	0.4	0.2	12.1	<0.01	0.03	13.5
C303581		41.9	220	6.5	10.3	<0.001	0.13	0.19	3.0	0.3	0.5	12.7	<0.01	0.07	13.9
C303582		40.3	240	3.9	14.6	<0.001	0.10	0.30	3.3	0.2	0.4	14.9	<0.01	0.03	14.9
C303583		42.1	340	1.8	9.7	<0.001	0.04	0.19	2.9	<0.2	0.3	10.8	<0.01	0.01	13.7
C303584		39.1	250	5.0	10.9	<0.001	0.10	0.19	2.6	0.2	0.5	14.0	<0.01	0.02	13.9
C303585		43.4	300	6.6	10.9	<0.001	0.22	0.32	2.5	0.4	0.2	14.7	<0.01	0.03	16.2
C303586		42.7	270	6.1	12.7	<0.001	0.19	0.24	2.8	0.3	0.2	14.5	<0.01	0.04	15.2
C303587		45.7	620	5.3	10.3	<0.001	0.11	0.20	2.7	0.3	0.2	14.0	<0.01	0.03	15.1
C303588		47.9	400	6.4	15.9	<0.001	0.18	0.30	3.4	0.4	0.3	14.9	<0.01	0.04	15.0
C303589		41.3	270	4.7	10.4	<0.001	0.18	0.28	2.5	0.3	0.3	10.4	<0.01	0.03	13.9
C303590		43.1	290	4.4	14.5	<0.001	0.17	0.27	3.0	<0.2	0.3	13.7	<0.01	0.03	13.5
C303591		43.0	360	5.7	10.5	<0.001	0.28	0.48	2.7	<0.2	0.2	12.8	<0.01	0.04	13.6
C303592		43.7	420	4.9	14.3	0.001	0.40	0.66	3.1	<0.2	0.3	13.8	<0.01	0.04	13.1
C303593		46.0	250	19.9	11.2	0.001	0.84	2.68	2.2	0.4	0.2	9.8	<0.01	0.06	13.2
C303594		43.0	270	18.9	14.7	<0.001	0.81	2.49	2.6	<0.2	0.3	13.8	<0.01	0.05	13.0
C303595		42.0	390	16.7	10.0	<0.001	0.51	2.02	2.1	<0.2	0.2	16.4	<0.01	0.03	11.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C303556		0.06	1.46	21	<0.05	4.09	156	7.7	<0.01	
C303557		0.62	1.55	67	0.44	9.48	75	28.8	1.54	
C303558		0.07	2.12	21	<0.05	3.55	103	9.3	<0.01	
C303559		0.06	1.67	20	0.05	4.24	124	7.2	<0.01	
C303560		0.06	0.99	21	0.10	6.27	105	4.5	<0.01	
C303561		0.05	0.96	18	0.10	4.62	95	4.0	<0.01	
C303562		0.07	1.09	22	0.07	4.84	108	5.4	0.04	
C303563		0.06	0.93	21	<0.05	4.05	105	4.8	0.01	
C303564		0.08	0.99	24	0.05	5.70	116	5.8	0.03	
C303565		<0.02	0.16	1	<0.05	0.64	<2	1.9	<0.01	
C303566		0.05	0.97	20	0.05	4.64	93	6.1	<0.01	
C303567		0.10	1.46	21	0.13	5.02	121	5.6	0.17	
C303568		0.06	1.19	19	<0.05	3.85	108	5.1	0.01	
C303569		0.07	1.42	22	<0.05	4.04	137	5.2	0.01	
C303570		0.06	2.16	17	0.10	4.05	101	4.8	0.07	
C303571		0.08	1.92	18	1.09	5.25	98	5.2		0.31
C303572		0.04	1.70	18	0.28	5.63	95	4.7		0.58
C303573		0.07	1.08	22	0.09	6.06	113	5.5		<0.05
C303574		0.04	0.95	21	0.07	5.94	106	4.2		<0.05
C303575		0.07	1.41	20	0.06	4.92	101	4.7		<0.05
C303576		0.06	1.53	17	0.05	4.70	91	5.7		<0.05
C303577		0.08	1.91	19	0.08	4.61	88	5.2	0.09	
C303578		0.61	1.50	65	0.45	9.30	74	28.1	2.22	
C303579		0.06	1.21	19	<0.05	4.16	100	4.3	<0.01	
C303580		0.06	0.93	24	<0.05	4.07	119	3.5	<0.01	
C303581		0.06	1.10	22	<0.05	4.08	117	3.8	0.01	
C303582		0.08	1.24	21	0.13	4.80	102	4.1	0.12	
C303583		0.06	1.02	21	<0.05	4.87	113	3.6	<0.01	
C303584		0.06	1.20	20	<0.05	4.02	107	3.2	0.01	
C303585		0.06	1.57	17	<0.05	4.39	97	5.0	0.01	
C303586		0.07	1.50	19	0.09	3.89	96	4.5	0.01	
C303587		0.06	1.43	20	<0.05	4.33	103	4.1	0.01	
C303588		0.09	1.47	23	0.10	4.42	109	5.1	0.01	
C303589		0.06	1.27	19	0.08	3.77	100	4.4		<0.05
C303590		0.08	1.20	21	0.13	3.87	105	4.2		0.06
C303591		0.05	1.21	19	0.26	3.56	109	4.0		0.38
C303592		0.08	1.35	21	0.34	3.99	115	4.1	0.33	
C303593		0.06	1.71	15	0.26	3.38	104	4.5		1.98
C303594		0.08	1.28	17	0.38	3.42	116	3.8		2.46
C303595		0.06	2.04	13	0.20	3.69	102	3.9		4.39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C303596		3.05	0.59	2.29	3900	0.84	<10	30	0.88	1.72	0.77	0.05	29.6	20.4	23	2.31
C303597		0.06	0.15	2.64	369	1.55	<10	100	1.11	0.31	0.21	0.03	61.9	13.4	105	7.78
C303598		3.39	0.07	2.76	1160	0.52	<10	40	0.94	0.27	0.33	0.02	37.9	23.7	29	2.47
C303599		4.67	0.22	2.40	136.5	0.07	<10	30	0.84	0.46	0.23	0.06	32.8	28.1	33	2.23
C303600		4.37	0.12	2.93	42.4	0.13	<10	40	0.88	0.35	0.32	0.02	40.3	22.0	37	2.49
C303601		4.16	0.17	3.05	370	0.06	<10	30	0.85	0.51	0.49	0.06	50.1	16.6	38	2.29
C303602		4.54	0.28	2.99	32.8	0.17	<10	50	1.01	0.72	0.45	0.05	45.6	26.7	38	2.81
C303603		4.39	0.15	2.76	475	0.08	<10	30	0.81	0.56	0.34	0.04	42.3	26.2	36	2.26
C303604		3.13	0.14	2.98	24.9	0.02	<10	40	0.82	0.58	0.40	0.03	52.4	25.4	39	2.27
C303605		4.32	0.21	3.15	14.0	0.06	<10	30	0.67	0.89	0.32	0.03	52.6	18.6	41	2.31
C303606		3.88	0.18	3.03	24.7	<0.02	<10	40	0.77	0.87	0.55	0.03	52.9	26.5	38	2.59
C303607		4.43	0.04	2.95	26.8	0.04	<10	30	0.64	0.78	0.63	0.02	40.8	28.9	37	2.13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303596		41.5	5.01	6.72	0.06	0.12	<0.01	0.017	0.20	16.2	45.2	1.02	1670	0.35	0.01	<0.05
C303597		26.9	3.58	8.89	0.11	0.82	0.01	0.027	1.04	31.8	29.2	1.31	228	0.58	0.07	0.28
C303598		45.0	5.49	8.46	0.07	0.11	<0.01	0.024	0.27	20.1	57.3	1.13	1360	0.26	0.02	0.05
C303599		37.4	5.30	7.50	0.06	0.17	<0.01	0.018	0.21	17.5	50.3	0.96	1070	2.19	0.02	<0.05
C303600		34.7	5.73	8.98	0.08	0.16	<0.01	0.021	0.26	21.0	61.9	1.15	1320	1.06	0.03	0.05
C303601		37.6	5.71	9.03	0.08	0.15	<0.01	0.021	0.22	26.9	67.6	1.22	1660	0.13	0.02	<0.05
C303602		33.5	5.45	8.56	0.07	0.18	<0.01	0.021	0.33	24.1	64.4	1.06	1400	2.83	0.04	<0.05
C303603		38.3	5.45	7.98	0.08	0.15	<0.01	0.017	0.21	22.5	65.7	1.09	1360	0.34	0.03	<0.05
C303604		43.7	5.27	8.72	0.09	0.14	<0.01	0.020	0.26	26.7	69.6	1.10	1460	0.24	0.04	<0.05
C303605		36.8	5.83	9.60	0.09	0.10	<0.01	0.022	0.19	27.1	81.6	1.26	1340	0.20	0.03	<0.05
C303606		48.3	5.32	9.20	0.09	0.15	0.01	0.025	0.28	27.5	73.0	1.09	1470	0.22	0.05	<0.05
C303607		52.5	5.71	8.95	0.09	0.13	<0.01	0.023	0.18	21.7	75.9	1.17	1580	0.30	0.03	0.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C303596		39.1	310	147.5	10.3	<0.001	0.74	1.34	2.3	0.2	0.2	15.6	<0.01	0.03	13.7
C303597		63.3	520	8.3	99.0	<0.001	0.09	256	6.1	<0.2	1.4	17.6	<0.01	0.03	12.8
C303598		45.6	370	14.5	13.9	<0.001	0.53	0.85	2.8	<0.2	0.3	14.9	<0.01	0.02	13.7
C303599		49.5	790	228	10.8	0.002	1.08	0.74	2.5	0.2	0.2	11.9	<0.01	0.03	13.5
C303600		48.6	720	95.3	13.4	<0.001	0.66	0.47	2.8	0.2	0.3	15.7	<0.01	0.03	14.7
C303601		47.4	290	136.5	11.3	<0.001	0.31	0.38	2.6	0.2	0.3	22.2	<0.01	0.03	15.2
C303602		44.2	590	283	17.0	0.001	0.70	0.65	3.0	0.3	0.3	23.1	<0.01	0.03	16.0
C303603		43.6	250	99.4	10.2	<0.001	0.65	0.61	2.5	0.2	0.2	16.2	<0.01	0.03	14.5
C303604		46.8	240	72.2	12.9	0.001	0.45	0.51	2.9	0.3	0.3	18.3	<0.01	0.03	13.9
C303605		46.8	640	81.5	9.2	0.001	0.29	0.34	3.0	0.2	0.3	15.8	<0.01	0.08	14.1
C303606		44.3	500	57.6	14.1	<0.001	0.45	0.38	3.2	0.2	0.6	24.4	<0.01	0.03	15.2
C303607		50.0	410	13.8	9.0	<0.001	0.62	0.35	3.0	<0.2	0.5	21.1	<0.01	0.02	15.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C303596		0.07	1.96	15	0.19	3.30	99	5.0	0.76	
C303597		0.62	1.43	69	0.45	10.15	81	32.1	1.58	
C303598		0.08	2.08	19	0.35	3.45	113	4.9	0.40	
C303599		0.07	1.74	18	1.16	3.75	99	6.8	0.12	
C303600		0.07	2.24	21	0.23	3.88	113	6.3	0.28	
C303601		0.06	1.74	20	0.16	4.14	124	5.5	0.10	
C303602		0.10	1.69	20	0.50	4.62	101	6.7	0.04	
C303603		0.06	1.42	19	0.10	3.60	104	5.3	0.14	
C303604		0.08	1.37	21	0.07	3.95	102	5.9	0.03	
C303605		0.05	1.10	23	0.11	4.32	120	4.9	0.13	
C303606		0.09	1.37	21	0.08	4.48	107	6.2	0.01	
C303607		0.05	1.57	21	0.13	3.90	122	5.5	0.24	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-JAN-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH20259875

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41