



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

CERTIFICATE WH20271402

Project: Culvert-NUF

This report is for 144 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20-NOV-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303608		4.06	0.06	2.41	9.0	<0.02	<10	40	0.78	0.49	0.12	0.10	89.2	13.4	31	4.56
C303609		5.32	0.02	2.49	30.7	<0.02	<10	40	0.77	0.33	0.10	0.17	90.6	18.0	32	4.09
C303610		3.60	0.02	2.39	5.0	<0.02	<10	40	0.86	0.18	0.10	0.24	87.5	13.9	32	4.44
C303611		3.43	0.02	2.71	2.8	<0.02	<10	40	0.78	0.17	0.09	0.18	78.8	14.3	36	4.18
C303612		0.15	0.01	0.06	0.4	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.74	0.2	2	0.10
C303613		4.02	0.04	2.67	8.4	<0.02	<10	50	1.09	0.31	0.08	0.51	87.3	41.7	33	6.03
C303614		2.54	0.07	2.37	15.7	<0.02	<10	40	0.80	0.33	0.09	1.13	90.4	32.4	28	4.28
C303615		3.47	0.04	2.84	6.8	<0.02	<10	40	0.97	0.46	0.10	0.30	86.8	17.3	35	4.60
C303616		4.75	0.03	2.47	20.2	<0.02	<10	40	0.83	0.39	0.09	0.57	82.3	17.4	27	4.99
C303617		3.50	0.09	2.85	44.9	<0.02	<10	30	0.81	0.46	0.15	1.01	85.5	17.2	31	3.13
C303618		3.89	0.05	3.25	50.1	<0.02	<10	30	0.74	0.12	0.11	0.68	105.5	6.7	38	4.00
C303619		5.11	0.13	3.44	74.7	<0.02	<10	40	1.16	0.45	0.07	0.79	112.0	29.8	35	5.07
C303620		2.53	0.69	1.94	53.0	<0.02	10	30	1.04	15.85	0.08	0.34	52.6	13.1	18	2.49
C303621		2.06	0.14	2.90	60.4	<0.02	10	50	1.43	2.31	0.06	0.44	123.5	8.9	30	5.08
C303622		3.36	0.39	2.28	745	0.06	10	60	1.50	9.77	0.09	1.40	92.6	9.9	15	6.64
C303623		2.77	0.47	2.63	55.0	<0.02	10	40	0.84	8.68	0.05	0.35	59.7	9.0	25	3.61
C303624		1.72	0.06	0.09	8.9	<0.02	<10	<10	0.11	0.86	0.02	0.37	2.14	5.1	11	0.27
C303625		0.06	0.19	2.58	490	2.10	<10	100	1.30	0.35	0.22	0.04	62.3	12.6	98	7.46
C303626		2.82	0.09	0.33	18.9	<0.02	<10	10	0.27	1.16	0.02	0.10	9.02	3.3	15	0.54
C303627		2.28	0.08	0.15	35.3	<0.02	<10	<10	0.41	1.02	0.03	0.38	1.59	9.8	12	0.20
C303628		2.28	0.02	0.03	5.6	<0.02	<10	<10	0.05	0.18	0.01	0.02	0.39	1.1	14	0.07
C303629		3.77	0.13	1.76	245	<0.02	<10	40	1.42	0.74	0.06	0.92	81.7	12.0	16	4.17
C303630		5.55	0.16	1.22	78.4	<0.02	10	40	1.10	1.90	0.05	0.40	80.3	11.1	15	3.53
C303631		4.21	0.08	2.52	45.8	<0.02	<10	40	1.19	0.76	0.06	0.22	119.0	10.1	30	5.41
C303632		5.50	0.10	2.39	25.2	<0.02	<10	40	0.90	0.70	0.09	0.47	95.1	12.9	29	3.44
C303633		4.00	0.08	3.24	39.0	<0.02	<10	40	0.81	0.33	0.10	0.37	107.5	10.5	37	4.19
C303634		4.40	0.07	2.93	30.3	<0.02	<10	40	0.81	0.06	0.08	0.50	107.0	12.7	37	4.02
C303635		6.37	0.11	2.92	37.2	<0.02	<10	40	0.83	0.35	0.12	0.54	101.0	19.1	35	3.84
C303636		4.01	0.22	2.65	34.9	<0.02	<10	40	0.72	0.35	0.09	0.78	103.0	20.8	33	3.92
C303637		3.39	0.14	2.05	27.3	<0.02	<10	40	0.79	0.55	0.11	0.53	110.5	21.7	27	3.90
C303638		6.10	0.07	2.81	18.8	<0.02	<10	40	0.80	0.34	0.07	0.21	83.8	21.6	33	4.67
C303639		5.17	0.03	2.73	13.3	<0.02	<10	40	0.76	0.19	0.06	0.15	82.3	20.4	34	4.57
C303640		3.42	0.10	2.27	17.6	<0.02	<10	40	0.86	0.37	0.06	0.13	75.3	10.3	29	4.78
C303641		4.05	0.07	2.56	17.6	<0.02	<10	40	0.61	0.27	0.08	0.46	86.2	14.5	32	3.83
C303642		4.05	0.06	2.83	11.5	<0.02	<10	40	0.81	0.29	0.06	0.73	93.8	14.0	37	3.93
C303643		5.74	0.01	2.75	8.3	<0.02	<10	40	0.70	0.15	0.06	0.13	90.5	15.2	35	3.97
C303644		5.10	0.06	2.34	9.4	<0.02	<10	50	0.79	0.33	0.08	0.32	92.0	13.6	31	3.53
C303645		0.14	0.01	0.07	1.1	<0.02	<10	10	<0.05	0.02	0.01	0.01	4.38	0.4	3	0.12
C303646		5.36	0.03	2.47	8.2	<0.02	<10	40	0.93	0.21	0.08	0.11	80.2	13.6	35	3.49
C303647		4.00	0.02	2.40	9.5	<0.02	<10	40	0.69	0.50	0.07	0.89	75.0	19.0	34	3.44



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303608		9.6	4.67	7.11	0.11	0.16	<0.01	0.014	0.16	48.3	59.7	0.80	590	0.08	0.03	<0.05
C303609		19.3	4.81	7.42	0.13	0.17	<0.01	0.015	0.18	48.2	60.3	0.83	692	<0.05	0.03	<0.05
C303610		22.9	4.63	7.52	0.12	0.16	<0.01	0.016	0.19	48.2	58.0	0.76	763	<0.05	0.04	<0.05
C303611		10.4	5.42	8.00	0.10	0.18	<0.01	0.018	0.19	44.1	66.0	0.85	744	<0.05	0.04	<0.05
C303612		0.6	0.28	0.21	<0.05	0.14	<0.01	<0.005	0.01	1.9	0.8	0.01	32	0.20	<0.01	0.06
C303613		15.7	4.91	7.95	0.12	0.21	<0.01	0.018	0.18	48.6	69.2	0.94	1430	0.07	0.04	<0.05
C303614		8.1	3.67	7.44	0.13	0.24	<0.01	0.018	0.16	48.3	65.2	1.09	2100	0.06	0.03	<0.05
C303615		12.4	5.49	8.59	0.12	0.17	<0.01	0.016	0.20	47.1	65.2	0.90	745	<0.05	0.04	<0.05
C303616		17.7	4.39	7.22	0.12	0.20	<0.01	0.024	0.16	44.2	60.2	0.89	940	0.06	0.03	<0.05
C303617		33.2	5.01	8.67	0.12	0.22	<0.01	0.024	0.15	45.2	82.2	1.19	1200	0.38	0.03	<0.05
C303618		26.5	5.42	9.31	0.14	0.20	0.01	0.026	0.16	53.9	97.3	1.37	894	0.19	0.03	<0.05
C303619		34.7	6.13	10.15	0.15	0.30	<0.01	0.045	0.18	58.4	106.0	1.44	1250	0.21	0.04	<0.05
C303620		105.5	4.24	6.53	0.08	0.19	<0.01	0.059	0.12	29.0	55.5	0.74	577	0.28	0.02	<0.05
C303621		85.2	5.89	9.18	0.17	0.28	<0.01	0.061	0.21	68.1	74.1	0.97	727	0.37	0.04	<0.05
C303622		130.0	5.50	7.64	0.13	0.25	<0.01	0.046	0.19	48.0	51.8	0.70	551	0.40	0.04	<0.05
C303623		40.4	5.05	7.77	0.10	0.20	<0.01	0.042	0.15	31.4	71.4	0.99	961	0.11	0.03	<0.05
C303624		13.1	0.34	0.24	<0.05	0.02	<0.01	0.055	0.01	1.0	4.0	0.02	277	0.12	<0.01	<0.05
C303625		25.2	3.50	8.20	0.12	0.80	0.01	0.023	1.02	32.5	32.2	1.29	221	0.54	0.08	0.24
C303626		18.0	0.85	0.91	<0.05	0.04	<0.01	0.024	0.03	4.6	10.9	0.09	108	0.13	<0.01	<0.05
C303627		40.0	0.89	0.30	<0.05	<0.02	<0.01	0.023	<0.01	0.8	7.7	0.02	130	0.19	<0.01	<0.05
C303628		5.0	0.20	0.07	<0.05	<0.02	<0.01	<0.005	<0.01	0.2	1.0	<0.01	32	0.11	<0.01	<0.05
C303629		78.0	3.63	5.76	0.12	0.26	0.01	0.026	0.14	42.7	45.2	0.65	616	0.73	0.03	<0.05
C303630		79.8	3.32	4.41	0.10	0.31	<0.01	0.040	0.15	42.4	27.1	0.35	384	1.29	0.03	<0.05
C303631		38.7	4.37	8.59	0.17	0.33	<0.01	0.039	0.18	64.7	77.1	0.95	773	1.59	0.03	<0.05
C303632		49.9	3.85	7.27	0.12	0.23	<0.01	0.033	0.17	49.7	72.6	0.95	1140	0.56	0.03	<0.05
C303633		42.1	5.30	9.81	0.15	0.22	<0.01	0.034	0.17	56.3	105.0	1.41	1240	0.72	0.04	<0.05
C303634		39.0	4.68	8.98	0.17	0.25	<0.01	0.026	0.17	55.3	97.2	1.26	1280	0.75	0.05	<0.05
C303635		61.1	4.72	8.79	0.13	0.21	<0.01	0.037	0.17	52.1	91.7	1.28	1940	1.57	0.04	<0.05
C303636		60.8	4.28	8.02	0.15	0.24	<0.01	0.030	0.16	50.0	87.5	1.16	1620	3.33	0.04	<0.05
C303637		88.4	3.18	6.30	0.15	0.22	<0.01	0.028	0.16	54.9	62.7	0.84	1160	0.44	0.03	<0.05
C303638		66.4	4.58	8.19	0.12	0.18	<0.01	0.024	0.15	42.2	95.7	1.27	1160	0.10	0.04	<0.05
C303639		29.1	4.46	7.88	0.13	0.22	<0.01	0.015	0.15	43.0	93.9	1.22	964	0.07	0.04	<0.05
C303640		51.3	3.48	6.35	0.11	0.29	<0.01	0.016	0.18	39.6	73.0	0.95	561	0.05	0.04	<0.05
C303641		44.0	4.16	7.30	0.12	0.26	<0.01	0.015	0.16	42.5	86.5	1.14	726	0.05	0.03	<0.05
C303642		54.3	5.59	8.43	0.15	0.20	<0.01	0.018	0.17	46.7	91.5	1.05	677	0.18	0.03	<0.05
C303643		19.0	5.48	8.41	0.15	0.16	<0.01	0.016	0.17	47.7	88.2	0.85	579	0.07	0.03	<0.05
C303644		18.6	4.59	7.11	0.12	0.18	<0.01	0.016	0.21	46.1	68.3	0.66	433	0.09	0.03	<0.05
C303645		1.2	0.34	0.28	<0.05	0.14	<0.01	<0.005	0.01	2.2	1.0	0.01	37	0.26	<0.01	0.07
C303646		7.5	5.12	7.98	0.11	0.13	<0.01	0.017	0.18	40.0	54.8	0.70	451	0.06	0.03	<0.05
C303647		17.6	4.78	7.56	0.12	0.19	<0.01	0.017	0.17	39.2	56.7	0.73	591	0.10	0.03	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303608		34.3	360	5.6	8.1	0.001	<0.01	0.06	2.4	<0.2	0.2	12.1	<0.01	0.01	13.8
C303609		37.1	380	4.6	9.0	0.001	<0.01	0.06	2.5	<0.2	0.3	11.4	<0.01	<0.01	13.6
C303610		29.2	410	2.9	9.6	0.001	0.01	0.09	2.6	<0.2	0.2	17.0	<0.01	<0.01	13.4
C303611		33.9	370	4.0	9.3	0.001	0.09	0.10	2.8	<0.2	0.2	12.2	<0.01	<0.01	12.6
C303612		0.7	10	0.7	0.7	0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.3
C303613		47.9	300	7.5	9.2	0.001	<0.01	0.08	2.6	<0.2	0.2	16.0	<0.01	0.01	14.4
C303614		60.0	310	11.4	8.6	0.002	<0.01	0.06	2.3	<0.2	0.2	13.9	<0.01	0.01	15.2
C303615		36.8	350	6.4	9.7	0.001	<0.01	0.11	3.1	<0.2	0.3	13.1	<0.01	0.01	14.9
C303616		39.3	330	3.9	8.1	<0.001	<0.01	<0.05	2.5	<0.2	0.2	11.2	<0.01	0.01	14.0
C303617		37.3	360	3.5	7.2	0.001	<0.01	<0.05	2.8	<0.2	0.7	14.4	<0.01	0.01	15.7
C303618		34.5	280	1.8	7.6	0.002	<0.01	<0.05	2.6	<0.2	0.4	12.0	<0.01	<0.01	19.0
C303619		52.0	310	10.3	8.8	0.001	<0.01	0.05	3.4	<0.2	1.7	13.8	<0.01	0.01	24.6
C303620		25.4	290	40.1	6.1	0.001	0.01	0.18	2.2	<0.2	1.7	12.0	<0.01	0.13	10.5
C303621		33.0	250	22.4	10.3	0.001	0.01	0.07	2.6	0.2	2.7	16.5	<0.01	0.03	25.7
C303622		24.2	320	38.4	9.4	0.001	0.03	0.37	2.7	0.2	2.4	34.7	<0.01	0.10	20.9
C303623		29.9	280	15.0	7.5	0.001	0.06	0.09	2.2	<0.2	1.7	11.1	<0.01	0.05	16.6
C303624		5.6	30	2.2	0.5	0.001	<0.01	0.05	0.2	<0.2	<0.2	1.4	<0.01	<0.01	0.5
C303625		59.8	500	9.0	94.5	<0.001	0.11	354	5.8	<0.2	1.4	18.1	<0.01	0.02	12.8
C303626		7.3	110	3.8	1.4	<0.001	0.04	0.39	0.4	<0.2	0.3	3.6	<0.01	0.01	1.7
C303627		10.4	190	7.1	0.1	0.001	0.06	0.15	0.4	<0.2	0.2	5.9	<0.01	0.03	0.3
C303628		2.0	60	1.0	0.1	0.001	<0.01	0.06	0.1	<0.2	<0.2	0.9	<0.01	<0.01	<0.2
C303629		23.7	260	13.5	7.2	0.001	0.01	0.16	2.2	0.3	1.2	17.9	<0.01	0.01	14.7
C303630		22.3	280	8.2	7.4	0.002	0.01	0.17	1.6	<0.2	2.2	16.9	<0.01	0.02	14.6
C303631		37.5	250	4.9	9.3	0.002	<0.01	0.09	2.4	<0.2	2.2	13.4	<0.01	0.01	22.3
C303632		35.7	340	6.6	8.0	0.001	0.02	0.06	2.3	<0.2	1.6	10.8	<0.01	<0.01	16.6
C303633		42.8	320	30.0	8.4	0.001	<0.01	0.05	2.7	<0.2	1.2	12.1	<0.01	<0.01	18.5
C303634		39.0	280	18.0	8.5	<0.001	<0.01	<0.05	2.6	<0.2	0.7	13.5	<0.01	<0.01	17.2
C303635		42.9	350	10.2	8.2	0.001	<0.01	0.07	2.7	<0.2	1.0	13.6	<0.01	<0.01	16.0
C303636		40.2	350	25.0	8.4	0.001	<0.01	0.48	2.7	<0.2	0.7	12.7	<0.01	0.02	16.2
C303637		32.2	380	8.8	8.5	<0.001	<0.01	0.17	2.1	<0.2	0.6	12.6	<0.01	0.01	16.4
C303638		42.5	270	5.2	7.9	<0.001	0.03	0.15	2.6	<0.2	0.2	13.0	<0.01	0.03	15.8
C303639		40.0	250	3.7	7.7	<0.001	0.02	0.14	2.5	<0.2	0.2	12.1	<0.01	0.02	15.6
C303640		31.1	230	4.8	9.3	<0.001	0.03	0.10	2.2	0.2	0.2	13.2	<0.01	0.04	15.7
C303641		39.9	350	5.6	8.1	<0.001	0.03	0.09	2.5	<0.2	0.2	10.6	<0.01	0.02	14.8
C303642		28.9	390	5.1	8.6	<0.001	0.02	0.14	2.9	<0.2	0.3	9.4	<0.01	0.02	17.2
C303643		36.2	260	2.0	9.4	<0.001	<0.01	0.08	2.9	<0.2	0.3	9.6	<0.01	0.01	16.5
C303644		30.8	420	3.7	11.3	<0.001	0.02	0.11	2.8	<0.2	0.3	14.4	<0.01	0.03	15.4
C303645		1.0	30	1.2	0.9	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.6	<0.01	<0.01	1.5
C303646		33.7	350	4.9	9.0	<0.001	0.01	0.11	3.2	<0.2	0.2	12.7	<0.01	0.01	14.8
C303647		43.8	300	5.9	9.0	<0.001	0.01	0.09	2.8	<0.2	0.2	9.5	<0.01	0.01	15.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01
C303608		0.06	0.87	22	0.11	3.47	99	6.7	0.01
C303609		0.07	0.77	22	<0.05	3.59	104	7.2	<0.01
C303610		0.07	0.98	23	<0.05	3.82	107	6.7	<0.01
C303611		0.06	0.92	27	<0.05	3.40	110	6.4	<0.01
C303612		<0.02	0.17	1	<0.05	0.69	2	2.9	<0.01
C303613		0.07	2.27	21	<0.05	3.94	157	8.3	<0.01
C303614		0.06	1.04	14	<0.05	5.10	199	9.5	<0.01
C303615		0.06	1.31	26	0.11	4.14	162	7.1	<0.01
C303616		0.06	1.12	18	0.06	4.33	156	8.5	<0.01
C303617		0.05	1.37	20	0.30	4.97	163	9.1	<0.01
C303618		0.05	1.17	19	0.19	4.81	126	8.4	<0.01
C303619		0.07	2.21	21	0.22	6.12	192	12.9	<0.01
C303620		0.04	1.73	14	0.24	3.43	187	7.4	<0.01
C303621		0.07	2.48	17	0.18	5.36	158	10.8	<0.01
C303622		0.07	3.14	16	0.29	5.13	161	10.1	0.03
C303623		0.05	1.86	16	0.22	3.12	115	8.2	<0.01
C303624		<0.02	0.30	1	0.16	0.51	72	0.5	<0.01
C303625		0.60	1.48	65	0.47	9.55	78	28.7	2.23
C303626		<0.02	0.72	2	0.28	0.84	38	1.4	<0.01
C303627		<0.02	1.36	1	0.12	1.14	62	<0.5	<0.01
C303628		<0.02	0.27	<1	0.07	0.19	6	<0.5	<0.01
C303629		0.05	3.03	12	0.39	4.72	130	10.4	0.01
C303630		0.05	1.89	8	0.41	4.17	121	11.6	<0.01
C303631		0.05	2.02	14	0.30	6.10	116	12.8	<0.01
C303632		0.05	0.94	14	0.12	5.30	115	9.8	<0.01
C303633		0.06	0.82	19	0.11	5.55	140	9.8	<0.01
C303634		0.06	0.71	17	0.10	5.27	131	10.0	<0.01
C303635		0.05	0.68	18	<0.05	5.95	217	8.2	<0.01
C303636		0.05	0.77	17	0.14	5.58	135	10.0	<0.01
C303637		0.06	0.94	13	0.09	6.48	115	9.1	<0.01
C303638		0.05	0.84	16	0.05	5.44	162	8.7	<0.01
C303639		0.05	0.95	15	0.06	4.41	133	10.0	<0.01
C303640		0.06	1.61	12	0.05	4.84	85	13.3	<0.01
C303641		0.05	1.03	17	0.06	4.65	101	10.9	<0.01
C303642		0.06	1.86	22	0.05	4.14	122	7.5	<0.01
C303643		0.06	1.54	22	<0.05	3.51	98	7.0	<0.01
C303644		0.07	1.54	24	0.89	4.27	89	8.2	<0.01
C303645		<0.02	0.24	1	<0.05	0.90	2	3.3	<0.01
C303646		0.06	1.65	27	0.12	3.57	113	5.4	<0.01
C303647		0.06	1.32	25	0.14	3.51	108	7.6	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303648		6.23	0.01	2.46	8.9	<0.02	<10	40	0.82	0.69	0.10	0.14	96.8	16.0	32	3.60
C303649		3.97	0.01	2.38	7.0	<0.02	<10	50	1.08	0.46	0.10	0.35	84.7	26.0	31	3.92
C303650		5.86	0.01	2.35	20.7	<0.02	<10	40	1.22	0.26	0.09	0.13	86.5	22.3	32	4.73
C303651		5.58	0.02	2.41	21.5	<0.02	<10	40	1.08	0.39	0.10	0.33	74.2	29.0	33	4.17
C303652		0.06	0.13	2.56	351	1.52	<10	100	1.32	0.34	0.20	0.04	63.8	12.8	99	7.87
C303653		2.80	0.04	2.30	4.7	<0.02	<10	40	1.13	0.40	0.09	0.20	88.3	19.9	32	3.84
C303654		5.89	0.04	2.47	18.7	<0.02	<10	40	1.16	0.46	0.10	0.36	103.0	22.5	32	3.86
C303655		3.25	0.03	2.42	33.3	<0.02	<10	40	0.83	0.29	0.13	0.24	106.0	20.7	31	2.90
C303656		2.50	0.01	2.46	43.8	<0.02	<10	40	0.78	0.21	0.10	0.09	113.5	11.2	29	3.29
C303657		4.70	0.03	2.72	55.1	<0.02	<10	40	1.25	0.40	0.17	0.17	117.0	24.5	31	5.08
C303658		5.82	0.05	2.40	41.8	0.07	<10	50	1.09	1.53	0.12	0.12	115.5	10.0	27	5.12
C303659		2.80	0.05	0.30	58.6	<0.02	<10	<10	0.21	0.08	0.02	0.05	7.80	6.5	14	0.41
C303660		2.68	0.18	2.01	54.7	0.05	<10	60	1.49	3.02	0.11	0.13	126.5	19.7	20	7.25
C303661		2.49	0.11	2.43	108.0	0.07	<10	50	1.37	1.15	0.18	0.04	102.5	14.3	24	4.36
C303662		1.54	0.06	2.47	157.5	<0.02	<10	50	1.36	0.68	0.14	0.01	103.5	13.0	28	7.73
C303663		2.76	0.02	2.58	283	0.02	<10	40	1.12	0.35	0.15	0.02	97.1	13.9	29	10.30
C303664		1.53	0.04	1.42	435	0.06	<10	30	0.74	0.41	0.06	0.03	61.4	11.1	17	3.16
C303665		2.64	0.07	2.14	411	0.13	<10	40	1.08	0.42	0.07	0.04	100.0	11.7	22	5.80
C303666		4.48	0.05	2.15	1275	0.12	<10	40	0.90	0.62	0.08	0.03	69.4	9.4	21	6.37
C303667		2.64	0.08	2.11	520	0.22	<10	40	1.24	0.48	0.11	0.04	93.1	17.0	22	5.21
C303668		4.41	0.08	2.38	79.5	0.33	<10	40	0.91	0.48	0.10	0.01	97.1	12.0	25	3.44
C303669		6.16	0.05	2.41	36.0	0.35	<10	40	0.88	0.32	0.09	0.01	96.5	8.4	25	3.99
C303670		4.80	0.10	2.11	19.6	1.32	<10	40	1.22	0.53	0.08	0.01	85.6	7.1	19	4.76
C303671		4.53	0.15	2.49	109.5	1.12	<10	40	1.49	0.38	0.09	0.03	93.8	15.5	20	5.28
C303672		5.42	0.03	2.45	24.8	<0.02	<10	30	0.57	0.15	0.08	0.03	60.0	10.0	29	2.93
C303673		4.89	0.05	2.42	18.2	<0.02	<10	30	0.67	0.26	0.08	0.02	77.4	11.2	32	4.06
C303674		6.36	0.05	2.65	15.8	<0.02	<10	30	0.71	0.31	0.08	0.02	51.2	13.8	34	3.34
C303675		3.46	0.03	2.30	30.2	<0.02	<10	30	0.78	0.34	0.07	0.02	62.1	11.0	32	3.48
C303676		6.30	0.05	2.36	19.9	<0.02	<10	30	0.78	0.28	0.08	0.02	47.8	15.3	35	3.36
C303677		4.09	0.03	2.27	3.6	<0.02	<10	30	0.68	0.34	0.09	0.02	38.3	15.4	32	3.32
C303678		0.07	0.17	2.30	461	1.96	<10	90	1.03	0.37	0.20	0.03	48.2	11.4	93	6.90
C303679		5.08	0.01	2.35	6.2	<0.02	<10	30	0.84	0.24	0.12	0.03	52.6	17.2	35	3.64
C303680		4.50	0.01	2.22	9.1	<0.02	<10	30	0.86	0.29	0.11	0.04	47.9	16.2	32	4.54
C303681		3.60	<0.01	2.38	5.9	<0.02	<10	30	0.84	0.32	0.08	0.02	40.9	17.3	33	4.02
C303682		4.89	<0.01	2.39	1.2	<0.02	<10	40	0.87	0.37	0.14	0.01	35.4	15.5	33	4.28
C303683		2.25	<0.01	2.11	3.1	<0.02	<10	30	0.83	0.48	0.08	0.01	52.5	17.3	29	4.23
C303684		4.95	0.03	3.15	2.8	<0.02	<10	30	0.74	0.84	0.38	0.06	27.1	33.7	37	3.18
C303685		3.84	0.02	2.65	3.7	<0.02	<10	30	0.74	0.28	0.10	0.01	74.8	23.6	35	4.40
C303686		2.96	0.02	2.42	1.6	<0.02	<10	40	0.79	0.38	0.11	0.01	80.2	18.4	33	4.07
C303687		4.82	0.03	2.52	0.7	<0.02	<10	30	0.73	0.31	0.09	0.01	81.1	20.0	32	4.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303648		15.7	4.92	7.33	0.14	0.21	<0.01	0.019	0.19	49.4	54.0	0.70	750	0.12	0.03
C303649		6.4	4.63	7.23	0.12	0.21	<0.01	0.016	0.19	41.4	52.4	0.71	1020	0.09	0.03
C303650		6.7	4.91	8.08	0.13	0.23	<0.01	0.016	0.18	43.2	60.5	0.64	793	0.08	0.03
C303651		4.7	5.00	7.86	0.11	0.20	<0.01	0.016	0.19	38.7	57.9	0.67	924	0.10	0.03
C303652		25.9	3.47	8.28	0.12	0.82	0.01	0.022	1.02	32.0	33.9	1.28	213	0.59	0.07
C303653		1.7	4.72	7.31	0.12	0.19	<0.01	0.015	0.17	45.5	58.9	0.65	787	<0.05	0.02
C303654		2.8	4.97	8.21	0.14	0.20	<0.01	0.017	0.19	51.7	67.0	0.69	996	0.05	0.02
C303655		7.3	4.66	7.27	0.14	0.23	<0.01	0.017	0.17	53.6	65.4	0.72	736	0.08	0.02
C303656		2.3	4.84	8.39	0.14	0.19	<0.01	0.019	0.18	56.9	69.6	0.67	830	0.10	0.02
C303657		5.1	5.08	8.82	0.16	0.13	<0.01	0.020	0.19	59.7	73.5	0.78	925	0.13	0.03
C303658		35.3	5.31	8.16	0.15	0.21	<0.01	0.024	0.23	56.4	49.1	0.57	726	0.33	0.03
C303659		8.2	0.91	1.03	<0.05	0.04	<0.01	<0.005	0.01	4.0	10.7	0.09	163	0.81	<0.01
C303660		54.0	5.09	6.71	0.17	0.20	0.01	0.029	0.24	66.0	47.7	0.50	708	0.68	0.03
C303661		8.7	4.65	7.41	0.14	0.11	<0.01	0.018	0.19	54.3	64.5	0.74	949	0.41	0.03
C303662		12.6	4.73	7.58	0.14	0.16	<0.01	0.016	0.21	53.4	70.1	0.73	692	0.21	0.03
C303663		17.3	5.26	7.42	0.13	0.16	<0.01	0.016	0.18	50.2	69.3	0.79	597	0.19	0.02
C303664		27.3	3.49	4.53	0.09	0.21	<0.01	0.013	0.12	31.5	43.4	0.44	431	0.27	0.02
C303665		25.3	4.58	6.91	0.13	0.22	<0.01	0.018	0.18	52.2	72.1	0.66	607	0.28	0.02
C303666		18.8	4.49	6.84	0.13	0.20	<0.01	0.018	0.16	36.5	75.5	0.67	566	0.18	0.02
C303667		18.9	4.26	6.69	0.11	0.18	<0.01	0.013	0.18	48.4	65.7	0.62	509	0.33	0.02
C303668		12.9	4.60	7.14	0.13	0.16	<0.01	0.016	0.19	50.6	74.3	0.73	666	0.14	0.02
C303669		13.0	4.67	6.96	0.13	0.18	<0.01	0.017	0.19	49.8	75.8	0.74	606	0.14	0.03
C303670		32.5	4.72	6.50	0.13	0.24	<0.01	0.016	0.19	45.5	64.7	0.64	489	0.30	0.02
C303671		73.5	4.91	7.58	0.15	0.22	<0.01	0.019	0.20	47.8	77.5	0.87	771	0.42	0.03
C303672		20.3	4.44	6.73	0.09	0.23	<0.01	0.014	0.15	30.1	73.7	0.91	758	0.06	0.02
C303673		23.9	4.24	7.13	0.12	0.25	<0.01	0.014	0.16	40.5	78.5	0.93	628	0.07	0.03
C303674		17.9	5.49	7.69	0.10	0.21	<0.01	0.014	0.15	25.6	81.9	0.81	648	0.09	0.02
C303675		10.3	4.64	7.17	0.09	0.20	<0.01	0.013	0.15	30.7	69.5	0.71	467	0.08	0.02
C303676		7.7	4.82	7.84	0.08	0.18	<0.01	0.013	0.15	23.7	73.5	0.71	456	0.06	0.02
C303677		6.3	4.61	7.30	0.08	0.17	<0.01	0.011	0.16	18.6	61.3	0.71	504	0.06	0.03
C303678		24.0	3.25	7.62	0.11	0.78	0.01	0.020	0.94	24.7	30.1	1.20	205	0.52	0.06
C303679		5.4	4.91	7.89	0.10	0.20	<0.01	0.013	0.15	25.0	56.0	0.75	506	0.07	0.02
C303680		3.5	4.53	6.87	0.08	0.25	<0.01	0.009	0.16	23.8	53.3	0.67	403	0.10	0.03
C303681		3.5	4.70	6.91	0.07	0.22	<0.01	0.009	0.16	20.7	58.3	0.76	465	0.07	0.03
C303682		6.1	4.92	7.52	0.07	0.22	<0.01	0.012	0.16	17.9	60.3	0.76	512	0.06	0.03
C303683		9.8	3.80	6.67	0.09	0.27	<0.01	0.011	0.17	26.4	53.3	0.76	530	0.07	0.03
C303684		50.7	5.94	10.10	0.07	0.26	<0.01	0.016	0.14	13.8	93.0	1.56	1840	0.06	0.02
C303685		49.6	4.46	8.00	0.11	0.23	<0.01	0.014	0.16	37.3	74.4	1.16	1110	0.08	0.03
C303686		11.1	4.22	8.04	0.11	0.20	<0.01	0.011	0.16	39.7	70.6	0.92	910	<0.05	0.03
C303687		24.7	4.43	8.38	0.12	0.20	<0.01	0.013	0.16	41.7	77.8	0.97	818	<0.05	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303648		40.3	380	3.8	9.5	<0.001	<0.01	0.08	2.7	<0.2	0.5	9.0	<0.01	0.02	15.9
C303649		45.5	370	5.3	10.3	<0.001	0.01	0.08	2.7	<0.2	0.3	9.7	<0.01	0.04	16.2
C303650		43.9	340	5.9	10.6	<0.001	0.02	0.11	3.2	<0.2	0.2	10.3	<0.01	0.02	17.3
C303651		50.0	310	10.3	10.8	<0.001	0.07	0.12	3.1	<0.2	0.2	9.9	<0.01	0.01	17.2
C303652		56.3	490	8.9	94.9	<0.001	0.08	251	6.4	0.2	1.4	17.0	<0.01	0.02	13.4
C303653		42.0	300	12.6	9.3	<0.001	<0.01	0.46	2.7	<0.2	0.2	8.9	<0.01	0.01	16.5
C303654		47.5	350	9.6	10.6	<0.001	<0.01	0.14	2.9	<0.2	0.2	9.9	<0.01	0.02	16.7
C303655		44.0	400	6.3	9.3	<0.001	<0.01	0.09	2.5	<0.2	0.3	9.0	<0.01	0.02	16.3
C303656		38.9	340	3.3	9.5	<0.001	<0.01	0.10	2.9	<0.2	0.3	10.4	<0.01	0.01	17.2
C303657		51.2	350	7.2	9.9	<0.001	<0.01	0.10	3.2	<0.2	0.2	12.0	<0.01	0.02	17.3
C303658		25.4	420	5.7	12.0	<0.001	0.01	0.16	3.1	0.2	0.7	28.4	<0.01	0.03	18.7
C303659		11.0	90	1.2	0.9	<0.001	<0.01	0.12	0.5	<0.2	0.2	3.6	<0.01	<0.01	1.3
C303660		34.1	360	11.8	13.0	<0.001	0.02	0.49	2.4	<0.2	1.4	27.3	<0.01	0.03	20.3
C303661		38.2	310	14.9	10.3	<0.001	0.01	0.23	2.4	<0.2	0.5	21.5	<0.01	0.03	16.4
C303662		33.0	320	6.5	11.4	<0.001	0.01	0.15	2.6	0.2	0.5	27.8	<0.01	0.02	16.3
C303663		38.8	290	5.2	9.0	<0.001	<0.01	0.24	2.4	<0.2	0.6	22.2	<0.01	0.02	17.7
C303664		23.6	210	9.0	6.3	<0.001	<0.01	0.30	1.4	<0.2	0.2	16.2	<0.01	0.01	10.8
C303665		28.4	250	6.3	9.0	<0.001	0.01	0.19	2.2	<0.2	0.3	26.9	<0.01	0.01	17.5
C303666		23.6	290	10.8	8.0	<0.001	0.04	0.42	2.2	0.3	0.2	27.0	<0.01	0.03	16.0
C303667		30.5	280	12.1	8.7	<0.001	<0.01	0.22	2.1	<0.2	0.3	21.6	<0.01	0.02	16.6
C303668		30.4	300	12.9	9.0	<0.001	0.01	0.10	2.4	0.4	0.2	18.5	<0.01	0.01	16.6
C303669		27.4	320	8.1	9.4	<0.001	0.02	0.11	2.3	0.2	0.2	29.3	<0.01	0.01	17.6
C303670		18.5	340	8.9	9.1	<0.001	0.02	0.23	2.0	0.3	0.2	29.1	<0.01	0.01	19.8
C303671		36.0	310	10.3	10.7	<0.001	0.01	0.24	2.6	0.3	0.4	20.0	0.01	0.02	17.0
C303672		31.8	280	3.7	6.5	<0.001	0.01	0.09	1.9	<0.2	0.4	7.0	<0.01	0.01	15.0
C303673		35.2	270	2.3	7.6	<0.001	<0.01	0.06	2.0	<0.2	0.3	9.1	<0.01	0.03	17.9
C303674		33.8	270	5.9	7.0	<0.001	0.05	0.09	2.4	<0.2	0.2	7.7	<0.01	0.01	16.7
C303675		34.8	280	3.9	7.4	<0.001	0.01	0.10	2.2	<0.2	0.2	9.0	<0.01	0.01	16.1
C303676		37.2	340	7.8	7.8	<0.001	0.02	0.11	2.6	<0.2	0.2	8.6	<0.01	0.01	14.3
C303677		36.6	300	4.4	7.9	<0.001	0.07	0.10	2.5	<0.2	<0.2	8.2	<0.01	0.01	13.2
C303678		52.6	470	8.7	83.8	<0.001	0.10	351	5.3	0.2	1.3	15.5	<0.01	0.02	12.0
C303679		39.3	430	1.8	7.6	<0.001	0.08	0.63	2.8	<0.2	<0.2	9.6	<0.01	0.01	15.3
C303680		39.5	390	2.0	8.0	<0.001	<0.01	0.19	2.3	<0.2	<0.2	9.9	<0.01	0.02	12.7
C303681		40.7	290	2.3	7.7	<0.001	<0.01	0.11	2.2	<0.2	<0.2	8.7	<0.01	0.01	11.6
C303682		40.4	260	2.3	7.8	<0.001	0.04	0.14	2.5	<0.2	<0.2	10.7	<0.01	0.01	13.4
C303683		38.8	250	1.4	8.4	<0.001	0.02	0.08	2.1	<0.2	<0.2	10.2	<0.01	0.03	16.4
C303684		66.5	280	4.8	7.8	<0.001	0.29	0.10	3.2	0.2	<0.2	13.6	<0.01	0.03	18.0
C303685		45.3	280	2.3	7.5	<0.001	<0.01	0.06	2.1	<0.2	0.2	9.2	<0.01	0.01	16.9
C303686		40.6	280	2.6	7.9	<0.001	<0.01	<0.05	2.4	<0.2	0.2	10.4	<0.01	0.04	17.5
C303687		43.5	290	2.3	7.8	<0.001	<0.01	0.06	2.4	<0.2	0.2	9.5	<0.01	0.02	18.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303648		0.06	1.17	21	0.05	4.91	106	8.5	<0.01
C303649		0.06	0.85	20	<0.05	4.78	124	8.6	<0.01
C303650		0.07	1.58	22	0.05	5.05	133	9.2	0.01
C303651		0.06	1.29	23	<0.05	4.85	154	8.9	<0.01
C303652		0.61	1.63	66	0.45	10.00	79	30.6	1.56
C303653		0.06	1.23	24	<0.05	4.33	135	7.9	<0.01
C303654		0.07	1.32	24	<0.05	5.22	178	8.5	<0.01
C303655		0.06	1.22	21	<0.05	5.52	140	8.9	<0.01
C303656		0.06	1.39	18	0.05	5.08	116	7.8	0.01
C303657		0.06	1.80	20	0.09	6.02	170	6.3	0.02
C303658		0.08	2.60	20	0.22	4.61	133	8.8	0.24
C303659		<0.02	1.35	2	0.49	0.83	32	1.2	<0.01
C303660		0.09	4.20	13	0.97	5.16	165	9.0	0.08
C303661		0.07	3.22	15	0.31	4.35	111	4.9	0.03
C303662		0.07	2.70	18	0.18	4.52	100	6.7	0.02
C303663		0.06	3.78	18	0.19	4.52	123	7.6	0.04
C303664		0.04	4.89	10	0.16	3.51	93	8.4	0.01
C303665		0.07	4.51	15	0.18	4.20	109	8.8	0.10
C303666		0.07	4.17	15	0.15	3.13	87	8.4	0.29
C303667		0.06	6.70	15	0.29	4.94	102	7.2	0.28
C303668		0.06	2.41	18	0.15	3.73	86	7.4	0.32
C303669		0.06	3.29	17	0.17	3.55	74	7.4	0.39
C303670		0.06	2.77	15	0.28	2.98	77	8.5	1.31
C303671		0.06	4.97	17	0.37	5.25	131	9.6	0.61
C303672		0.04	0.87	17	0.06	3.16	93	9.6	<0.01
C303673		0.04	0.77	17	<0.05	3.67	89	10.5	<0.01
C303674		0.04	1.09	23	0.06	3.20	96	8.7	<0.01
C303675		0.04	1.47	23	<0.05	3.24	88	7.7	<0.01
C303676		0.04	1.30	27	<0.05	3.09	98	8.1	<0.01
C303677		0.05	0.75	27	<0.05	3.04	99	6.7	<0.01
C303678		0.55	1.44	61	0.44	8.36	74	26.4	2.20
C303679		0.05	1.23	31	<0.05	3.99	115	8.7	<0.01
C303680		0.05	1.17	27	<0.05	4.05	113	10.2	<0.01
C303681		0.04	0.75	28	<0.05	3.11	112	9.5	<0.01
C303682		0.05	1.10	27	<0.05	3.28	98	10.0	<0.01
C303683		0.05	0.70	19	<0.05	3.20	106	9.4	<0.01
C303684		0.04	1.15	26	<0.05	6.36	202	10.7	<0.01
C303685		0.04	0.59	19	<0.05	3.75	137	9.3	<0.01
C303686		0.05	0.54	20	<0.05	3.86	107	9.0	<0.01
C303687		0.05	0.65	18	<0.05	3.93	107	8.7	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303688		5.85	0.07	2.68	2.4	<0.02	<10	30	0.66	0.29	0.08	0.01	75.7	21.4	32	4.03
C303689		0.17	0.01	0.04	0.7	<0.02	<10	10	<0.05	0.01	0.05	<0.01	3.63	0.3	2	0.07
C303690		4.17	0.20	3.13	3.6	<0.02	<10	30	0.59	1.23	0.11	0.02	73.3	24.8	36	3.65
C303691		3.41	0.06	2.38	15.0	<0.02	<10	30	0.59	0.34	0.21	0.03	69.3	14.6	30	5.94
C303692		1.78	0.13	2.72	37.3	<0.02	<10	20	0.56	0.99	0.10	0.05	60.7	21.5	31	2.60
C303693		3.35	0.02	2.44	23.2	<0.02	<10	30	0.53	0.11	0.12	0.03	82.8	16.4	30	4.03
C303694		3.96	0.02	2.21	14.8	<0.02	<10	30	0.56	0.08	0.26	0.01	63.9	15.6	29	3.24
C303695		4.53	0.06	2.48	11.1	0.05	<10	30	0.64	0.27	0.31	0.01	40.6	20.2	31	3.83
C303696		6.81	0.01	2.03	2.3	<0.02	<10	30	0.56	0.07	0.15	<0.01	72.1	13.6	26	3.93
C303697		5.78	0.05	2.12	3.0	<0.02	<10	30	0.60	0.51	0.25	0.02	78.2	16.6	27	3.42
C303698		4.22	0.01	2.22	3.4	<0.02	<10	30	0.68	0.11	0.12	0.01	90.3	18.6	28	3.75
C303699		3.19	0.01	2.51	3.0	<0.02	<10	30	0.71	0.11	0.38	0.01	69.9	18.7	29	3.29
C303700		3.73	0.05	2.94	5.9	<0.02	<10	30	0.69	0.44	0.86	0.03	46.3	23.0	36	2.84
C303701		2.80	0.01	2.10	10.5	<0.02	<10	30	0.72	0.06	0.09	0.02	84.6	15.4	25	4.13
C303702		3.48	0.24	2.13	20.5	<0.02	<10	30	0.53	0.17	0.08	0.08	65.1	13.6	30	3.07
C303703		2.58	0.08	2.46	40.3	<0.02	<10	30	0.74	0.24	0.10	0.04	79.0	12.4	28	4.82
C303704		4.17	0.14	2.53	37.4	<0.02	<10	30	0.66	0.79	0.15	0.18	78.9	12.6	31	5.62
C303705		1.52	0.23	2.28	57.8	<0.02	<10	30	0.71	0.15	2.67	0.03	61.1	34.3	25	10.05
C303706		4.74	0.02	2.54	17.5	<0.02	<10	30	0.64	0.15	0.12	0.01	74.6	9.8	32	3.35
C303707		5.89	0.09	2.40	16.1	<0.02	<10	30	0.66	1.03	0.11	0.04	78.7	13.0	31	3.79
C303708		5.01	0.07	2.58	11.3	<0.02	<10	30	0.67	0.25	0.10	0.03	71.7	15.4	33	3.27
C303709		2.56	0.03	2.37	14.4	<0.02	<10	30	0.71	0.31	0.08	0.01	72.2	17.8	31	3.33
C303710		3.84	0.15	2.56	51.5	<0.02	<10	30	0.75	1.52	0.20	0.07	46.5	19.2	34	2.77
C303711		3.49	0.06	2.57	29.3	<0.02	<10	30	0.70	0.39	0.12	0.01	64.7	13.8	32	3.09
C303712		4.96	0.02	2.26	34.4	<0.02	<10	30	0.71	0.25	0.11	0.01	50.3	8.6	28	3.69
C303713		3.24	0.03	2.34	89.1	<0.02	<10	30	0.58	0.45	0.08	0.02	55.2	8.3	29	3.16
C303714		0.06	0.16	2.43	466	2.23	<10	90	1.11	0.28	0.21	0.03	52.4	12.3	98	6.99
C303715		2.56	0.06	2.42	47.7	<0.02	<10	30	0.60	0.24	0.09	0.01	49.2	15.0	30	3.39
C303716		3.44	0.09	2.89	37.1	<0.02	<10	30	0.62	0.38	0.27	0.02	42.6	22.9	35	2.84
C303717		2.38	0.02	2.53	35.3	0.11	<10	30	0.62	0.16	0.07	0.02	41.7	16.8	29	3.34
C303718		1.95	0.07	2.34	43.7	0.02	<10	30	0.77	0.84	0.08	0.01	36.3	15.9	29	3.10
C303719		3.87	0.16	2.76	65.8	0.09	<10	20	0.67	0.87	0.38	0.06	28.4	23.9	33	2.91
C303720		4.15	0.11	2.95	32.0	0.05	<10	30	0.60	0.79	0.63	0.03	28.5	26.7	35	2.39
C303721		1.67	0.09	2.55	28.3	0.03	<10	30	1.10	0.40	0.32	0.02	41.2	25.1	29	4.27
C303722		5.63	0.02	2.72	14.8	<0.02	<10	30	0.75	0.18	0.14	0.03	41.2	17.6	33	3.36
C303723		2.20	0.02	2.35	11.1	<0.02	<10	30	0.76	0.15	0.17	0.02	40.2	15.2	33	3.86
C303724		4.40	0.02	2.53	17.0	<0.02	<10	30	0.68	0.18	0.17	0.01	42.9	16.5	33	4.18
C303725		6.67	0.01	2.54	4.1	<0.02	<10	30	0.69	0.12	0.09	0.01	46.5	17.8	33	3.75
C303726		5.80	0.01	2.71	9.2	<0.02	<10	30	0.69	0.13	0.13	0.01	45.5	20.6	32	3.99
C303727		0.07	0.13	2.49	342	1.56	<10	90	1.15	0.27	0.20	0.04	57.0	12.5	100	7.42



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303688		53.3	4.66	8.66	0.11	0.25	<0.01	0.018	0.14	37.6	87.8	1.07	1020	0.05	0.03	<0.05
C303689		0.8	0.28	0.20	<0.05	0.10	<0.01	<0.005	0.01	1.7	0.7	0.01	36	0.21	<0.01	0.09
C303690		66.1	5.50	10.20	0.12	0.32	<0.01	0.020	0.14	36.4	96.2	1.25	1320	0.20	0.04	<0.05
C303691		31.2	4.08	7.72	0.11	0.23	<0.01	0.016	0.15	34.4	74.3	0.91	1040	0.05	0.03	<0.05
C303692		67.4	5.09	9.48	0.09	0.23	<0.01	0.027	0.12	28.7	88.7	1.11	1220	0.21	0.03	<0.05
C303693		15.6	4.30	7.72	0.11	0.28	<0.01	0.017	0.15	40.4	75.7	0.92	1060	0.08	0.03	<0.05
C303694		12.7	3.94	7.26	0.10	0.22	<0.01	0.012	0.14	32.4	74.8	0.83	878	0.06	0.03	<0.05
C303695		28.2	4.63	7.84	0.08	0.28	<0.01	0.017	0.15	20.2	81.6	0.94	1110	0.06	0.04	<0.05
C303696		6.2	3.36	6.39	0.10	0.18	<0.01	0.012	0.16	34.5	60.1	0.76	888	<0.05	0.03	<0.05
C303697		36.1	3.49	6.79	0.11	0.18	<0.01	0.016	0.16	38.5	61.1	0.84	1280	<0.05	0.03	<0.05
C303698		16.5	3.71	7.38	0.13	0.19	<0.01	0.015	0.17	43.9	60.7	0.89	1260	<0.05	0.03	<0.05
C303699		9.8	4.31	8.27	0.12	0.21	<0.01	0.018	0.16	32.9	68.0	1.05	1860	0.05	0.03	<0.05
C303700		49.8	5.29	10.80	0.10	0.20	<0.01	0.030	0.15	21.9	84.7	1.38	2790	<0.05	0.03	<0.05
C303701		3.8	3.44	6.68	0.12	0.24	<0.01	0.013	0.18	41.9	56.9	0.80	1080	0.05	0.03	<0.05
C303702		13.0	3.68	7.20	0.10	0.23	<0.01	0.014	0.15	31.5	60.6	0.85	955	0.06	0.03	0.07
C303703		32.1	4.27	7.48	0.12	0.23	<0.01	0.016	0.17	40.1	73.1	0.90	858	0.08	0.04	<0.05
C303704		54.4	4.43	8.14	0.12	0.22	<0.01	0.028	0.14	39.9	80.0	1.01	1080	0.11	0.03	<0.05
C303705		8.1	4.08	6.59	0.10	0.18	<0.01	0.013	0.14	30.4	63.2	0.86	2890	0.07	0.02	<0.05
C303706		5.3	4.60	8.23	0.12	0.19	<0.01	0.012	0.15	38.0	79.2	0.96	903	<0.05	0.02	<0.05
C303707		45.7	4.15	7.86	0.13	0.19	<0.01	0.024	0.17	40.4	77.2	0.92	855	<0.05	0.03	<0.05
C303708		18.1	4.58	7.13	0.11	0.14	0.01	0.019	0.15	37.7	83.2	1.00	881	0.36	0.03	<0.05
C303709		4.9	4.21	6.55	0.13	0.21	0.01	0.015	0.17	38.5	72.2	0.85	756	0.08	0.03	<0.05
C303710		73.9	5.37	7.87	0.12	0.18	<0.01	0.036	0.15	23.4	81.4	0.93	1140	0.14	0.02	<0.05
C303711		27.4	4.51	7.17	0.11	0.15	<0.01	0.017	0.17	33.2	81.6	0.95	901	0.08	0.03	<0.05
C303712		12.6	3.99	6.00	0.12	0.17	<0.01	0.018	0.17	26.6	68.7	0.78	676	0.08	0.03	<0.05
C303713		23.6	4.21	6.36	0.10	0.18	<0.01	0.017	0.16	28.9	75.5	0.88	842	0.10	0.02	<0.05
C303714		23.7	3.41	7.11	0.14	0.72	0.01	0.023	0.97	27.5	32.1	1.26	209	0.50	0.07	0.25
C303715		31.9	4.36	6.39	0.11	0.20	<0.01	0.019	0.16	26.0	72.9	0.95	838	0.09	0.02	<0.05
C303716		37.9	5.45	8.06	0.11	0.21	<0.01	0.021	0.17	22.3	88.4	1.16	1060	0.07	0.03	<0.05
C303717		17.2	4.77	6.68	0.11	0.19	0.01	0.014	0.15	21.6	80.4	1.00	714	0.09	0.03	<0.05
C303718		43.3	4.61	6.18	0.10	0.19	<0.01	0.020	0.16	19.1	67.8	0.88	762	0.11	0.05	<0.05
C303719		72.1	5.47	8.24	0.10	0.23	<0.01	0.025	0.14	14.7	87.7	1.22	1220	0.10	0.04	<0.05
C303720		81.4	6.02	9.01	0.10	0.16	<0.01	0.028	0.14	15.1	96.1	1.30	1430	0.07	0.04	<0.05
C303721		28.5	4.65	7.82	0.09	0.18	<0.01	0.023	0.15	21.8	83.7	0.97	1020	0.05	0.03	<0.05
C303722		2.0	5.22	7.74	0.09	0.18	0.01	0.019	0.17	22.1	78.6	0.98	753	<0.05	0.03	<0.05
C303723		0.7	4.51	6.50	0.11	0.20	<0.01	0.014	0.18	22.0	63.7	0.80	560	<0.05	0.03	<0.05
C303724		1.4	4.79	6.86	0.09	0.15	<0.01	0.015	0.19	23.3	71.0	0.88	627	<0.05	0.03	<0.05
C303725		1.1	4.95	6.93	0.12	0.14	<0.01	0.015	0.18	25.0	70.8	0.81	625	<0.05	0.03	<0.05
C303726		2.6	5.01	7.21	0.11	0.16	<0.01	0.015	0.18	25.1	77.2	0.99	723	<0.05	0.03	<0.05
C303727		23.7	3.42	7.45	0.16	0.74	0.01	0.025	0.99	30.0	33.2	1.27	206	0.47	0.07	0.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303688		44.1	300	3.3	6.7	<0.001	<0.01	0.08	2.5	<0.2	0.2	10.1	<0.01	0.01	18.3
C303689		0.6	10	0.7	0.5	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.4	<0.01	0.01	1.1
C303690		48.1	320	5.6	6.7	<0.001	<0.01	<0.05	2.8	<0.2	0.2	10.5	<0.01	0.03	17.4
C303691		35.0	300	3.5	7.2	<0.001	0.01	0.07	2.2	<0.2	0.3	10.5	<0.01	0.02	17.7
C303692		33.9	270	7.6	5.8	<0.001	0.03	0.21	3.1	<0.2	0.4	8.8	<0.01	0.03	16.6
C303693		36.4	300	3.0	7.4	<0.001	<0.01	0.08	2.3	<0.2	0.3	9.1	<0.01	<0.01	17.3
C303694		35.4	320	2.4	7.5	<0.001	0.05	0.21	2.4	<0.2	0.3	11.8	<0.01	<0.01	18.2
C303695		41.6	300	5.4	7.7	<0.001	0.26	0.09	2.5	<0.2	0.4	13.8	<0.01	0.02	17.6
C303696		29.4	290	1.5	7.7	<0.001	0.02	0.05	2.0	<0.2	0.2	10.4	<0.01	<0.01	17.9
C303697		30.9	290	2.8	8.6	<0.001	<0.01	0.06	2.1	<0.2	0.4	11.1	<0.01	0.01	18.6
C303698		34.4	290	1.9	8.7	<0.001	<0.01	<0.05	2.3	<0.2	0.3	9.3	<0.01	<0.01	18.4
C303699		40.1	350	1.9	8.6	<0.001	0.01	<0.05	2.9	<0.2	0.3	12.5	<0.01	0.01	18.0
C303700		49.9	370	4.9	8.5	<0.001	0.07	0.08	4.5	<0.2	0.3	19.9	<0.01	0.05	18.1
C303701		33.6	280	1.7	9.1	<0.001	<0.01	<0.05	2.1	<0.2	0.2	10.0	<0.01	<0.01	17.6
C303702		36.0	280	2.9	7.9	<0.001	0.03	<0.05	2.2	<0.2	0.2	8.0	<0.01	0.01	16.4
C303703		36.0	290	3.4	8.0	<0.001	<0.01	0.14	2.2	<0.2	0.3	10.9	<0.01	0.02	18.5
C303704		38.5	360	5.8	6.9	<0.001	<0.01	0.12	2.3	<0.2	0.5	11.0	<0.01	0.02	19.1
C303705		39.0	270	2.7	6.8	<0.001	0.01	0.15	2.0	<0.2	0.4	25.4	<0.01	0.01	15.4
C303706		36.5	280	2.0	7.5	<0.001	0.02	<0.05	2.3	<0.2	0.2	8.3	<0.01	0.01	18.2
C303707		37.0	300	4.9	8.8	<0.001	<0.01	0.05	2.4	<0.2	0.5	9.0	<0.01	0.03	19.2
C303708		45.5	300	4.9	7.1	<0.001	<0.01	0.18	2.3	<0.2	0.3	7.8	0.01	0.02	18.6
C303709		39.8	270	4.1	7.6	<0.001	<0.01	0.06	2.3	<0.2	0.2	8.5	<0.01	0.01	18.2
C303710		33.2	310	12.5	7.3	<0.001	0.25	0.20	3.1	0.2	0.7	8.7	<0.01	0.04	17.0
C303711		38.3	270	3.6	8.3	<0.001	0.02	0.06	2.3	<0.2	0.3	10.7	<0.01	0.02	17.5
C303712		24.0	270	2.5	8.1	<0.001	0.09	0.11	2.1	<0.2	0.3	9.1	<0.01	0.01	16.5
C303713		22.8	270	3.6	7.7	<0.001	0.05	0.11	2.0	<0.2	0.5	8.3	<0.01	0.01	17.8
C303714		57.4	500	9.2	86.6	<0.001	0.10	364	5.5	<0.2	1.3	16.7	<0.01	0.02	12.8
C303715		28.9	280	2.9	7.3	<0.001	0.09	0.34	2.2	<0.2	0.3	7.4	<0.01	0.01	17.8
C303716		47.5	290	10.2	7.8	<0.001	0.19	0.21	3.0	<0.2	0.2	9.6	<0.01	0.03	17.4
C303717		37.7	290	2.7	7.2	<0.001	0.13	0.21	2.3	<0.2	0.2	6.8	<0.01	0.01	16.9
C303718		32.3	320	6.4	7.2	<0.001	0.31	0.14	2.1	<0.2	0.4	7.1	<0.01	0.01	17.9
C303719		45.2	270	19.1	7.1	<0.001	0.53	0.20	3.3	0.4	0.4	12.1	<0.01	0.03	18.2
C303720		40.5	290	12.3	6.9	<0.001	0.67	0.22	3.8	0.3	0.5	14.2	<0.01	0.01	16.7
C303721		49.4	270	13.3	7.6	<0.001	0.19	0.09	3.2	0.3	0.3	12.5	<0.01	0.01	16.7
C303722		43.5	290	5.3	8.3	<0.001	0.23	0.08	2.7	<0.2	0.2	9.4	<0.01	<0.01	18.1
C303723		38.1	270	5.8	8.5	<0.001	0.43	0.10	2.3	<0.2	0.2	9.7	<0.01	<0.01	17.3
C303724		39.7	270	4.9	8.8	<0.001	0.26	0.11	2.5	<0.2	0.2	10.9	<0.01	0.02	17.4
C303725		39.7	290	2.2	8.0	<0.001	0.21	0.07	2.6	<0.2	0.2	8.2	0.01	0.01	17.5
C303726		44.8	280	4.8	8.4	<0.001	0.14	0.13	2.6	<0.2	0.2	10.0	<0.01	0.02	17.0
C303727		59.7	500	8.2	93.7	<0.001	0.08	260	5.7	0.2	1.4	16.7	<0.01	0.01	12.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
C303688		0.04	0.59	19	<0.05	3.87	115	10.0
C303689		<0.02	0.16	1	<0.05	0.68	<2	2.6
C303690		0.05	0.55	24	<0.05	4.18	131	12.8
C303691		0.04	0.54	16	<0.05	4.03	103	11.9
C303692		0.04	1.03	25	0.06	3.82	147	10.2
C303693		0.05	0.70	18	0.06	4.45	117	11.9
C303694		0.05	1.28	15	<0.05	4.21	91	9.8
C303695		0.05	1.84	18	0.06	4.15	105	12.5
C303696		0.04	0.64	15	<0.05	3.64	82	7.7
C303697		0.05	0.51	15	<0.05	3.89	91	8.0
C303698		0.05	0.49	15	<0.05	4.09	94	8.1
C303699		0.05	0.58	19	<0.05	4.16	113	8.6
C303700		0.05	0.73	30	<0.05	4.18	142	7.9
C303701		0.05	0.55	13	0.11	3.98	85	9.4
C303702		0.05	0.70	15	1.61	3.58	96	9.7
C303703		0.05	0.85	16	0.49	4.34	103	10.7
C303704		0.04	0.80	19	0.24	4.44	122	9.3
C303705		0.04	0.87	16	1.25	4.28	154	7.2
C303706		0.04	0.81	17	0.10	3.69	100	8.3
C303707		0.06	0.79	16	0.05	3.87	101	8.0
C303708		0.04	0.73	19	0.06	3.33	100	6.0
C303709		0.05	0.71	19	<0.05	3.48	93	7.1
C303710		0.05	2.40	27	0.07	3.89	145	8.1
C303711		0.06	0.74	19	<0.05	3.68	94	6.4
C303712		0.05	0.84	16	<0.05	3.07	84	7.1
C303713		0.06	1.23	15	0.05	3.38	102	8.3
C303714		0.58	1.37	64	0.42	9.19	75	26.9
C303715		0.04	0.90	17	0.06	3.10	94	8.3
C303716		0.06	1.34	23	0.26	3.39	138	8.7
C303717		0.05	1.09	17	0.13	2.78	105	7.9
C303718		0.05	1.66	16	0.12	3.18	110	8.3
C303719		0.05	1.80	24	0.20	3.89	157	9.5
C303720		0.05	2.13	27	0.11	3.54	157	6.2
C303721		0.05	1.07	22	0.12	3.81	126	7.2
C303722		0.06	1.18	21	0.05	3.23	106	7.7
C303723		0.05	0.63	18	<0.05	3.13	93	7.4
C303724		0.06	0.72	18	<0.05	3.13	99	6.3
C303725		0.05	1.52	19	<0.05	2.94	94	5.8
C303726		0.05	1.54	17	<0.05	2.87	128	6.2
C303727		0.58	1.39	66	0.37	9.76	75	28.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C303728		3.97	0.02	2.47	16.9	<0.02	<10	30	0.62	0.13	0.07	0.02	42.7	16.0	31	4.20
C303729		3.35	0.02	2.50	11.1	<0.02	<10	30	0.69	0.18	0.12	0.01	44.1	21.4	34	4.14
C303730		2.40	0.32	2.22	5.7	0.13	<10	30	0.75	1.26	0.19	2.19	46.2	15.8	28	4.27
C303731		5.71	0.03	2.64	6.1	<0.02	<10	40	0.74	0.27	0.34	0.01	45.1	20.6	34	4.11
C303732		6.01	0.04	2.81	7.5	<0.02	<10	30	0.67	0.44	0.60	0.02	37.3	25.2	39	3.29
C303733		6.32	0.08	2.91	9.7	1.60	<10	30	0.70	0.45	0.48	0.01	43.5	25.4	38	3.44
C303734		5.55	0.01	2.53	5.7	<0.02	<10	30	0.79	0.15	0.10	<0.01	50.5	17.4	35	4.21
C303735		4.72	0.02	2.34	1.6	<0.02	<10	30	0.74	0.03	0.09	0.01	73.4	15.7	33	4.13
C303736		5.00	0.01	2.03	0.2	<0.02	<10	30	0.75	0.05	0.10	0.01	65.1	14.0	28	4.17
C303737		5.05	<0.01	2.15	0.1	<0.02	<10	40	0.81	0.04	0.08	<0.01	72.5	15.2	30	4.40
C303738		3.43	0.01	2.69	<0.1	<0.02	<10	40	0.85	0.08	0.10	<0.01	54.7	18.2	35	4.74
C303739		5.36	0.01	2.38	0.3	<0.02	<10	30	0.75	0.23	0.10	0.01	45.3	18.7	33	4.01
C303740		2.60	0.01	2.27	1.2	<0.02	<10	30	0.77	0.14	0.08	<0.01	53.1	20.1	32	5.88
C303741		5.06	0.05	2.78	0.8	<0.02	<10	30	0.73	0.61	0.14	0.02	47.6	27.9	35	3.70
C303742		3.58	0.03	2.49	0.1	<0.02	<10	30	0.69	0.34	0.11	0.01	58.7	22.3	34	3.73
C303743		4.24	0.06	2.68	0.4	<0.02	<10	30	0.63	0.24	0.10	0.02	66.2	24.0	34	3.82
C303744		5.23	0.06	2.43	1.1	<0.02	<10	30	0.63	0.26	0.12	0.02	56.2	20.0	30	3.70
C303745		0.06	0.18	2.50	483	2.08	<10	90	1.10	0.29	0.22	0.03	61.0	12.4	94	6.91
C303746		6.20	0.06	2.41	1.9	<0.02	<10	30	0.61	0.30	0.17	0.03	79.2	20.9	30	3.57
C303747		5.63	0.12	2.47	3.5	<0.02	<10	30	0.66	0.85	0.11	0.08	88.2	22.3	30	3.69
C303748		4.28	0.10	2.42	8.3	<0.02	<10	30	0.60	0.53	0.13	0.04	92.5	20.6	30	3.60
C303749		3.22	0.05	2.08	8.4	<0.02	<10	30	0.53	0.32	0.45	<0.01	59.1	13.2	27	2.52
C303750		5.18	0.01	2.61	9.1	<0.02	<10	30	0.58	0.18	0.13	0.01	61.0	20.2	32	3.04
C303751		5.67	0.01	2.73	8.3	<0.02	<10	30	0.57	0.24	0.16	0.01	52.3	21.1	33	3.56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303728		3.6	4.65	6.70	0.11	0.19	<0.01	0.017	0.17	23.0	72.2	0.90	632	0.08	0.03
C303729		2.0	4.71	6.96	0.10	0.16	<0.01	0.017	0.17	24.0	71.9	0.91	682	0.05	0.03
C303730		4.2	4.00	6.13	0.10	0.16	<0.01	0.199	0.18	25.3	61.3	0.80	629	<0.05	0.03
C303731		24.9	4.92	7.88	0.09	0.15	<0.01	0.021	0.20	25.1	69.2	0.99	841	<0.05	0.04
C303732		2.8	5.52	8.82	0.10	0.14	<0.01	0.023	0.17	19.9	73.6	1.08	997	<0.05	0.04
C303733		2.5	5.56	9.13	0.13	0.18	<0.01	0.021	0.18	22.6	76.6	1.11	965	<0.05	0.04
C303734		2.8	4.74	7.16	0.09	0.14	<0.01	0.017	0.17	27.2	69.2	0.87	664	<0.05	0.04
C303735		4.5	4.19	6.68	0.13	0.16	<0.01	0.014	0.18	40.7	60.9	0.76	563	0.31	0.05
C303736		1.4	3.59	5.83	0.12	0.16	<0.01	0.014	0.17	36.0	53.6	0.67	491	<0.05	0.04
C303737		0.8	3.67	6.33	0.13	0.14	<0.01	0.012	0.21	39.3	53.2	0.65	455	<0.05	0.05
C303738		1.2	4.96	7.57	0.11	0.17	<0.01	0.017	0.22	29.7	66.7	0.83	581	<0.05	0.05
C303739		4.5	4.48	6.81	0.11	0.16	<0.01	0.015	0.16	24.8	54.4	0.85	576	<0.05	0.04
C303740		13.9	4.03	6.34	0.10	0.20	<0.01	0.013	0.16	27.7	47.2	0.87	526	0.05	0.04
C303741		79.3	5.02	7.58	0.11	0.14	<0.01	0.018	0.16	25.1	55.9	1.17	733	<0.05	0.04
C303742		49.0	4.42	6.87	0.12	0.16	<0.01	0.016	0.16	31.7	50.5	0.98	651	<0.05	0.04
C303743		77.1	4.75	7.31	0.14	0.15	0.01	0.020	0.15	35.3	62.8	1.08	668	<0.05	0.03
C303744		42.5	4.35	6.63	0.11	0.18	<0.01	0.022	0.15	31.0	62.4	0.87	603	0.51	0.03
C303745		25.7	3.38	7.29	0.13	0.74	<0.01	0.028	0.97	30.4	32.6	1.25	213	0.71	0.07
C303746		72.1	4.23	6.74	0.12	0.16	<0.01	0.022	0.15	42.2	65.5	0.91	662	0.14	0.03
C303747		110.0	4.29	7.08	0.13	0.15	<0.01	0.030	0.16	46.6	70.6	0.91	705	0.12	0.04
C303748		35.6	4.39	6.84	0.15	0.16	<0.01	0.029	0.14	49.3	70.7	0.85	716	0.10	0.03
C303749		23.8	3.86	5.69	0.10	0.17	<0.01	0.029	0.15	30.8	57.4	0.71	787	0.13	0.03
C303750		5.6	4.95	7.40	0.10	0.15	<0.01	0.022	0.17	31.7	75.7	0.85	717	0.05	0.03
C303751		10.0	5.33	7.33	0.12	0.19	<0.01	0.020	0.17	27.8	75.1	0.91	792	0.12	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303728		35.6	270	3.7	7.6	<0.001	0.14	0.28	2.4	<0.2	0.2	9.2	<0.01	0.01	17.7
C303729		44.7	280	3.9	7.9	<0.001	0.19	0.10	2.8	<0.2	0.2	9.5	<0.01	0.01	18.1
C303730		35.0	290	151.5	8.3	<0.001	0.17	0.08	2.4	0.3	0.2	12.1	<0.01	0.03	18.0
C303731		42.6	280	6.2	9.8	<0.001	0.29	0.08	3.3	<0.2	0.2	14.8	<0.01	0.03	18.2
C303732		54.2	290	9.0	8.3	<0.001	0.34	0.09	3.6	<0.2	0.2	17.3	<0.01	0.05	19.3
C303733		56.1	280	8.0	9.0	<0.001	0.23	0.09	3.7	0.2	0.2	15.2	<0.01	0.05	19.9
C303734		43.1	270	2.2	7.8	<0.001	0.08	0.08	2.8	<0.2	0.2	9.4	<0.01	0.01	17.8
C303735		39.9	320	3.7	8.4	<0.001	<0.01	0.17	2.6	<0.2	0.2	9.9	<0.01	<0.01	17.6
C303736		33.4	290	2.4	7.8	<0.001	<0.01	0.06	2.3	<0.2	0.2	9.6	<0.01	<0.01	17.1
C303737		32.7	290	1.8	10.4	<0.001	<0.01	0.06	2.6	<0.2	0.2	11.1	<0.01	<0.01	17.3
C303738		41.8	260	2.5	10.7	<0.001	0.07	0.06	3.0	<0.2	0.2	12.6	<0.01	0.01	18.1
C303739		43.4	280	3.0	7.3	<0.001	0.15	0.05	2.5	<0.2	0.2	9.4	<0.01	0.03	18.1
C303740		39.3	280	2.7	7.8	0.001	0.09	0.07	2.4	<0.2	0.5	8.4	<0.01	0.01	17.4
C303741		50.7	270	2.6	7.3	<0.001	0.11	0.07	2.6	<0.2	0.2	9.2	<0.01	0.05	18.8
C303742		39.9	310	1.7	7.4	<0.001	0.06	0.08	2.5	<0.2	0.2	8.9	<0.01	0.01	17.7
C303743		43.7	320	1.8	6.6	<0.001	<0.01	0.05	2.6	<0.2	0.2	7.4	<0.01	0.01	17.2
C303744		41.4	260	4.6	7.7	<0.001	<0.01	0.29	2.5	<0.2	0.2	9.9	<0.01	0.03	15.3
C303745		57.9	490	9.7	90.4	<0.001	0.09	339	5.7	<0.2	1.3	18.9	<0.01	0.03	13.2
C303746		37.6	300	3.2	7.5	<0.001	<0.01	0.42	2.5	<0.2	0.3	10.5	<0.01	0.03	17.4
C303747		46.6	300	3.9	8.3	<0.001	<0.01	0.22	2.6	<0.2	0.5	10.9	<0.01	0.09	20.5
C303748		43.9	260	5.6	6.7	<0.001	<0.01	0.10	2.3	<0.2	0.6	8.3	<0.01	0.03	19.0
C303749		34.8	250	5.9	7.2	<0.001	0.04	0.12	2.1	<0.2	0.8	14.0	<0.01	0.02	15.8
C303750		42.6	280	2.4	8.6	<0.001	0.15	0.09	2.7	<0.2	0.4	9.8	<0.01	0.02	18.9
C303751		41.3	300	1.9	8.2	<0.001	0.25	0.09	2.6	0.4	0.4	11.6	<0.01	0.02	17.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303728		0.05	1.07	17	0.05	2.73	99	7.3	0.02
C303729		0.05	1.48	18	<0.05	3.07	126	6.7	0.01
C303730		0.06	1.44	15	<0.05	2.94	626	5.8	0.14
C303731		0.06	1.71	21	<0.05	3.25	126	6.3	0.02
C303732		0.05	2.23	26	<0.05	3.17	132	6.3	0.01
C303733		0.06	2.23	25	<0.05	3.50	129	7.4	0.14
C303734		0.05	1.42	21	<0.05	3.15	103	6.6	0.01
C303735		0.05	0.69	20	<0.05	3.65	88	6.9	0.01
C303736		0.05	1.12	17	<0.05	3.42	82	6.1	<0.01
C303737		0.06	0.89	19	<0.05	3.56	78	5.6	0.01
C303738		0.07	1.03	25	<0.05	3.36	99	6.4	<0.01
C303739		0.04	1.00	20	<0.05	3.00	105	6.9	0.01
C303740		0.05	0.81	19	<0.05	3.46	117	8.5	0.01
C303741		0.05	1.02	22	<0.05	3.08	152	6.5	0.01
C303742		0.05	0.91	20	<0.05	3.23	128	7.3	<0.01
C303743		0.04	0.71	20	<0.05	3.39	136	6.6	<0.01
C303744		0.04	0.68	18	<0.05	3.38	112	7.6	0.01
C303745		0.57	1.40	65	0.48	9.97	76	28.5	2.20
C303746		0.05	0.95	19	<0.05	3.86	115	7.5	<0.01
C303747		0.05	0.90	17	<0.05	3.97	121	7.2	0.01
C303748		0.04	0.77	17	<0.05	3.99	117	7.5	<0.01
C303749		0.03	0.62	14	<0.05	3.93	99	7.5	<0.01
C303750		0.05	1.69	19	<0.05	3.42	115	6.7	<0.01
C303751		0.05	2.05	19	0.08	3.51	121	8.0	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20271402

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41