



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

CERTIFICATE WH20274590

Project: Culvert-NUF

This report is for 109 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-NOV-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303752		3.79	0.34	3.23	15.2	0.03	<10	30	0.95	0.65	0.40	0.04	40.7	29.6	44	7.89
C303753		7.05	0.16	3.45	10.6	0.10	<10	30	0.86	0.97	0.61	0.02	41.1	24.4	44	4.05
C303754		6.57	0.05	2.84	10.3	<0.02	<10	30	0.62	0.11	0.30	0.01	51.1	18.5	37	4.58
C303755		4.33	0.05	2.86	6.9	<0.02	<10	40	0.70	0.16	0.37	0.01	39.5	21.6	42	7.67
C303756		0.15	0.01	0.04	0.4	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.41	0.4	5	0.08
C303757		5.18	0.09	3.20	5.4	0.05	<10	30	0.67	0.45	0.39	0.03	38.8	23.1	38	4.53
C303758		6.37	0.13	3.14	6.3	<0.02	<10	30	0.62	0.25	0.24	0.03	55.3	18.9	41	3.68
C303759		2.80	8.22	2.80	9.3	<0.02	<10	60	0.46	0.16	0.25	<0.01	28.4	20.8	52	3.38
C303760		4.40	5.18	3.02	12.7	<0.02	<10	60	0.59	0.20	0.21	<0.01	43.8	22.1	49	3.56
C303761		5.61	0.24	2.73	15.3	<0.02	<10	40	0.61	0.50	0.24	0.01	40.5	21.6	36	3.88
C303762		7.65	0.15	2.79	17.6	<0.02	<10	30	0.58	0.62	0.73	0.01	40.0	20.9	37	3.33
C303763		4.64	0.14	3.06	20.0	<0.02	<10	40	0.55	0.67	0.31	0.01	39.6	24.2	41	3.15
C303764		4.73	0.86	2.97	5.2	<0.02	<10	40	0.59	0.84	0.22	0.02	50.1	20.4	39	3.67
C303765		3.65	0.06	2.94	5.8	<0.02	<10	40	0.62	0.60	0.28	0.02	46.0	20.5	39	3.75
C303766		4.17	0.11	2.94	9.0	<0.02	<10	40	0.61	0.49	0.35	0.02	38.0	21.5	38	2.79
C303767		3.46	0.03	3.07	4.5	<0.02	<10	40	0.58	0.23	0.24	0.02	50.9	19.8	38	2.80
C303768		2.58	0.08	2.67	7.8	<0.02	<10	30	0.60	1.86	0.26	0.02	39.2	24.1	34	2.84
C303769		1.96	0.03	3.07	5.9	<0.02	<10	50	0.64	0.22	0.31	0.02	57.8	19.2	37	2.93
C303770		1.00	0.38	2.73	27.3	0.16	<10	20	0.98	20.9	1.15	0.11	10.90	24.4	30	2.12
C303771		4.47	0.07	3.72	9.6	<0.02	<10	40	0.62	2.09	0.30	0.04	43.3	29.6	43	3.07
C303772		3.96	0.10	3.22	6.0	<0.02	<10	30	0.58	1.56	0.35	0.01	42.8	26.4	43	2.88
C303773		5.49	0.08	3.17	5.1	<0.02	<10	40	0.69	0.79	0.48	0.01	45.3	28.4	41	3.38
C303774		3.67	0.11	3.10	4.5	<0.02	<10	40	0.67	0.64	0.31	0.03	46.2	23.4	38	3.37
C303775		3.65	0.09	3.45	8.1	0.05	<10	40	0.78	1.08	0.65	0.04	49.8	35.1	40	3.55
C303776		4.70	0.07	2.90	4.8	<0.02	<10	30	0.63	0.26	0.24	0.01	63.8	21.5	35	3.62
C303777		0.06	0.14	2.55	352	1.50	<10	100	1.32	0.31	0.20	0.03	62.0	13.2	103	8.52
C303778		4.31	0.06	2.95	6.9	<0.02	<10	40	0.65	1.11	0.56	0.01	53.2	23.3	38	2.82
C303779		2.38	0.07	2.95	6.6	<0.02	<10	30	0.62	0.84	0.71	0.02	49.5	20.1	38	2.79
C303780		2.52	0.05	2.92	4.1	<0.02	<10	40	0.65	0.59	0.63	0.02	47.5	21.1	38	2.97
C303781		3.45	0.07	3.05	12.2	<0.02	<10	30	0.65	0.71	0.36	0.03	68.7	29.4	38	3.25
C303782		3.19	0.04	3.11	4.2	<0.02	<10	40	0.65	0.29	0.23	0.02	76.6	21.4	38	3.11
C303783		4.20	0.02	2.95	10.3	<0.02	<10	30	0.61	0.30	0.18	0.01	79.2	22.5	37	3.22
C303784		4.23	0.03	3.08	9.5	<0.02	<10	40	0.69	0.50	0.22	0.02	80.5	22.5	38	3.23
C303785		3.38	0.04	2.94	11.6	<0.02	<10	30	0.67	0.58	0.36	0.01	64.2	22.1	37	2.96
C303786		2.75	0.05	2.96	31.5	<0.02	<10	40	0.70	1.21	0.79	0.02	35.5	24.7	39	2.87
C303787		2.88	0.04	2.83	18.5	<0.02	<10	30	0.59	0.52	0.29	0.02	72.7	19.2	38	3.22
C303788		3.22	0.26	2.91	39.8	<0.02	<10	40	0.64	1.35	0.23	0.02	54.0	28.6	38	2.70
C303789		3.39	0.08	3.20	24.1	<0.02	<10	30	0.61	0.39	0.29	0.02	55.1	22.2	41	2.90
C303790		4.34	0.03	3.14	2.1	<0.02	<10	30	0.61	0.16	0.20	0.02	92.0	10.5	40	2.74
C303791		0.16	0.01	0.06	0.9	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.90	0.6	7	0.09



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303752		67.5	6.23	10.70	0.10	0.23	<0.01	0.027	0.12	21.3	97.4	1.20	1230	0.56	0.04
C303753		80.0	6.20	10.80	0.11	0.19	<0.01	0.029	0.19	20.8	103.5	1.29	1260	0.94	0.06
C303754		14.7	4.94	8.27	0.11	0.16	<0.01	0.021	0.17	27.1	81.5	1.07	864	<0.05	0.04
C303755		26.1	4.89	7.82	0.09	0.20	<0.01	0.023	0.21	20.5	77.0	1.05	942	0.06	0.05
C303756		0.9	0.60	0.23	<0.05	0.08	<0.01	<0.005	0.01	1.7	0.7	0.01	73	0.26	<0.01
C303757		59.4	5.74	9.10	0.10	0.17	<0.01	0.024	0.17	20.6	89.7	1.23	995	0.08	0.04
C303758		23.7	5.47	9.23	0.12	0.12	0.01	0.019	0.17	29.1	94.2	1.20	967	0.29	0.04
C303759		185.0	5.63	8.15	0.08	0.13	0.01	0.015	0.10	15.1	86.0	1.14	952	6.35	0.03
C303760		101.0	5.61	8.58	0.10	0.15	0.01	0.022	0.17	23.4	86.9	1.17	958	4.57	0.05
C303761		27.7	4.80	7.99	0.10	0.12	<0.01	0.020	0.18	21.3	78.7	1.00	923	0.66	0.05
C303762		24.7	4.94	7.82	0.11	0.10	<0.01	0.024	0.15	21.7	79.3	1.05	1190	0.50	0.05
C303763		30.3	5.43	8.54	0.10	0.11	<0.01	0.025	0.18	21.1	84.1	1.14	1020	0.64	0.05
C303764		42.7	5.14	8.38	0.11	0.11	<0.01	0.024	0.18	26.7	82.2	1.11	832	0.50	0.06
C303765		30.7	5.15	8.34	0.11	0.11	<0.01	0.021	0.18	24.5	80.2	1.08	827	0.17	0.06
C303766		32.4	5.51	8.17	0.08	0.12	<0.01	0.023	0.15	19.9	78.0	1.13	973	0.27	0.04
C303767		19.1	5.29	8.19	0.12	0.11	<0.01	0.017	0.19	26.5	80.9	1.15	977	0.18	0.04
C303768		55.8	4.78	7.47	0.10	0.10	<0.01	0.023	0.16	20.6	78.8	1.02	897	0.24	0.04
C303769		22.7	5.20	7.96	0.11	0.08	<0.01	0.026	0.23	29.5	82.7	1.13	1070	0.14	0.05
C303770		266	8.45	7.44	0.08	0.10	<0.01	0.038	0.11	5.1	79.3	1.04	1420	0.26	0.04
C303771		90.6	6.88	10.35	0.11	0.09	<0.01	0.031	0.18	22.1	118.0	1.46	1240	0.30	0.04
C303772		43.3	5.90	8.91	0.10	0.11	<0.01	0.031	0.15	21.4	99.9	1.30	1460	0.73	0.04
C303773		42.7	5.68	8.86	0.10	0.09	<0.01	0.027	0.19	23.8	95.5	1.24	1460	0.43	0.05
C303774		35.5	5.53	8.84	0.11	0.11	<0.01	0.025	0.18	24.2	93.4	1.22	1180	0.13	0.04
C303775		83.8	6.08	10.50	0.11	0.12	<0.01	0.036	0.20	25.4	109.0	1.33	1210	0.44	0.05
C303776		25.7	5.17	8.26	0.13	0.09	<0.01	0.026	0.17	33.2	85.9	1.10	889	0.14	0.04
C303777		24.4	3.51	7.89	0.13	0.73	0.01	0.025	1.01	31.1	35.0	1.29	212	0.51	0.07
C303778		54.3	5.07	8.08	0.12	0.11	<0.01	0.025	0.19	26.9	83.6	1.10	1040	0.55	0.05
C303779		48.4	5.20	8.74	0.12	0.12	<0.01	0.026	0.17	25.2	89.6	1.14	1110	0.10	0.04
C303780		26.7	5.11	8.73	0.11	0.14	<0.01	0.028	0.19	24.8	84.7	1.10	1110	0.10	0.05
C303781		72.9	5.37	9.12	0.14	0.12	<0.01	0.030	0.17	35.6	92.8	1.16	935	0.17	0.04
C303782		23.9	5.32	8.62	0.14	0.09	<0.01	0.024	0.19	40.2	87.7	1.16	879	0.15	0.04
C303783		22.8	5.16	8.09	0.14	0.09	<0.01	0.021	0.17	41.3	84.8	1.12	849	0.11	0.04
C303784		44.8	5.23	8.69	0.13	0.11	<0.01	0.028	0.20	41.5	88.0	1.15	914	0.12	0.04
C303785		28.0	5.14	8.26	0.12	0.09	<0.01	0.025	0.17	33.5	84.7	1.14	980	0.28	0.04
C303786		46.1	5.53	7.74	0.10	0.10	<0.01	0.029	0.20	18.2	79.8	1.13	1270	0.46	0.04
C303787		21.1	4.93	7.98	0.14	0.09	<0.01	0.023	0.17	37.7	75.8	1.08	883	0.15	0.04
C303788		43.1	5.27	8.01	0.11	0.11	<0.01	0.022	0.19	27.7	74.7	1.12	938	0.24	0.04
C303789		39.7	5.86	9.84	0.13	0.10	<0.01	0.025	0.15	28.6	96.2	1.30	1100	0.09	0.03
C303790		11.5	5.48	8.97	0.15	0.09	<0.01	0.019	0.17	47.8	85.7	1.25	1000	<0.05	0.04
C303791		1.5	0.94	0.33	<0.05	0.09	<0.01	<0.005	0.01	1.9	1.3	0.01	98	0.42	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303752		55.4	380	23.9	6.1	<0.001	0.17	0.12	4.5	0.3	0.4	21.7	<0.01	0.01	18.3
C303753		46.1	420	19.1	8.9	<0.001	0.35	0.12	4.5	0.4	0.2	25.8	<0.01	0.05	17.4
C303754		42.9	350	6.2	7.7	<0.001	0.07	<0.05	2.9	0.4	0.2	19.5	<0.01	0.01	16.9
C303755		42.0	310	6.2	9.7	<0.001	0.26	0.06	2.8	<0.2	0.3	19.7	<0.01	0.01	15.7
C303756		1.2	20	0.7	0.4	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	0.9
C303757		49.7	840	10.7	7.9	0.001	0.22	0.09	3.0	0.2	0.2	22.6	<0.01	0.02	16.3
C303758		51.5	440	5.1	8.0	<0.001	0.05	<0.05	3.1	<0.2	0.3	18.7	<0.01	0.03	15.5
C303759		62.5	440	8.8	4.5	0.001	0.20	0.07	2.6	0.2	3.4	11.0	<0.01	<0.01	14.3
C303760		52.1	380	8.4	7.3	0.001	0.17	0.05	2.9	0.2	3.9	14.7	<0.01	0.01	15.1
C303761		40.7	300	27.2	8.7	<0.001	0.25	<0.05	2.8	0.2	0.4	17.4	<0.01	0.01	16.4
C303762		40.9	340	21.2	6.9	<0.001	0.10	<0.05	2.7	0.2	0.3	21.3	<0.01	0.02	16.7
C303763		41.2	320	19.5	8.2	0.001	0.19	<0.05	2.9	<0.2	0.3	14.9	<0.01	0.02	16.0
C303764		41.5	390	6.9	7.9	<0.001	0.10	<0.05	2.9	0.4	1.0	15.1	<0.01	0.03	16.6
C303765		40.4	350	6.5	8.3	<0.001	0.13	<0.05	3.0	<0.2	0.2	15.8	<0.01	0.01	16.6
C303766		41.3	400	7.5	6.7	<0.001	0.27	<0.05	2.9	0.2	0.2	14.3	<0.01	0.02	14.7
C303767		39.3	310	3.9	8.3	<0.001	0.06	<0.05	2.9	0.3	0.2	13.9	<0.01	0.01	14.1
C303768		40.1	320	10.6	7.6	<0.001	0.21	<0.05	2.7	0.4	0.2	14.2	<0.01	0.03	15.9
C303769		41.4	270	4.6	9.9	<0.001	0.06	<0.05	2.9	0.3	0.5	14.9	<0.01	<0.01	16.2
C303770		33.4	580	33.2	5.4	<0.001	3.55	0.62	3.8	0.5	1.5	29.8	<0.01	0.25	11.8
C303771		55.9	770	7.7	8.7	<0.001	0.32	0.16	3.8	<0.2	0.9	14.1	<0.01	0.04	17.0
C303772		43.7	260	16.6	7.2	<0.001	0.32	0.10	3.7	<0.2	0.4	14.5	<0.01	0.04	14.9
C303773		45.6	310	22.2	10.0	<0.001	0.35	0.11	3.5	<0.2	0.3	18.3	<0.01	0.03	15.0
C303774		42.7	260	30.5	8.3	<0.001	0.28	0.21	3.3	<0.2	0.2	15.4	<0.01	0.03	15.7
C303775		52.9	1060	16.0	10.7	<0.001	0.28	0.07	4.1	<0.2	0.3	21.4	<0.01	0.06	16.8
C303776		41.2	340	4.1	7.8	<0.001	0.08	<0.05	3.1	<0.2	0.2	12.2	<0.01	0.02	15.6
C303777		60.1	510	8.0	94.6	0.001	0.08	269	5.9	<0.2	1.2	17.4	<0.01	0.02	13.4
C303778		42.7	350	7.7	9.2	<0.001	0.19	0.30	3.2	<0.2	0.3	17.1	<0.01	0.04	16.5
C303779		42.5	400	7.5	8.3	<0.001	0.17	0.08	3.5	<0.2	0.4	20.0	<0.01	0.05	18.2
C303780		45.5	260	7.4	9.4	<0.001	0.22	<0.05	3.4	<0.2	0.3	18.9	<0.01	0.02	16.9
C303781		51.5	380	5.8	8.5	<0.001	0.07	0.05	3.3	<0.2	0.3	15.9	<0.01	0.05	17.6
C303782		45.4	420	3.4	8.8	<0.001	0.04	<0.05	3.1	<0.2	0.3	13.7	0.01	0.02	16.5
C303783		42.6	320	2.0	7.5	<0.001	0.03	<0.05	2.9	<0.2	0.2	12.3	<0.01	0.03	16.3
C303784		45.9	340	3.4	9.8	<0.001	0.05	<0.05	3.2	<0.2	0.3	14.7	<0.01	0.05	16.6
C303785		45.1	390	4.5	8.3	<0.001	0.09	<0.05	3.0	0.2	0.4	14.5	<0.01	0.04	16.6
C303786		42.5	710	8.2	9.3	<0.001	0.64	<0.05	3.2	0.3	0.5	22.9	0.01	0.04	16.7
C303787		41.5	390	5.9	8.0	<0.001	0.08	<0.05	3.1	<0.2	0.3	14.8	<0.01	0.02	16.4
C303788		41.5	270	77.9	9.1	<0.001	0.36	<0.05	3.2	0.3	0.3	15.3	<0.01	0.05	14.5
C303789		50.3	700	23.5	7.7	<0.001	0.26	<0.05	3.7	<0.2	0.2	15.7	<0.01	0.04	15.7
C303790		40.0	290	3.2	7.9	<0.001	0.02	<0.05	3.4	<0.2	0.3	16.2	<0.01	0.01	15.8
C303791		1.9	20	0.9	0.8	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303752		0.04	2.57	30	0.98	4.28	150	9.8	<0.01
C303753		0.05	1.07	27	0.15	4.34	128	8.9	0.02
C303754		0.04	0.75	19	0.16	3.37	110	7.2	<0.01
C303755		0.06	1.36	18	0.20	3.12	110	7.3	0.01
C303756		<0.02	0.15	1	<0.05	0.61	<2	2.0	<0.01
C303757		0.06	1.26	21	0.15	3.91	119	7.4	<0.01
C303758		0.05	0.78	21	1.01	3.55	111	5.6	0.01
C303759		0.04	1.16	18	125.5	2.68	145	5.5	<0.01
C303760		0.05	1.29	19	58.3	3.09	129	6.0	<0.01
C303761		0.05	1.15	17	1.14	2.91	99	5.3	<0.01
C303762		0.04	1.56	17	0.35	3.52	108	4.1	<0.01
C303763		0.04	1.40	21	0.25	2.76	115	4.7	<0.01
C303764		0.05	1.67	19	0.28	3.05	115	4.5	<0.01
C303765		0.05	1.77	20	0.05	2.95	116	4.5	<0.01
C303766		0.04	1.30	20	0.24	2.90	114	4.7	<0.01
C303767		0.05	1.41	19	0.05	2.91	103	4.1	<0.01
C303768		0.05	1.39	17	0.09	2.73	94	4.3	<0.01
C303769		0.06	1.34	20	0.10	3.04	116	3.5	<0.01
C303770		0.04	6.93	20	7.28	6.29	109	4.2	0.17
C303771		0.06	1.72	25	0.16	3.51	156	3.9	0.03
C303772		0.05	1.74	23	0.11	2.87	124	4.1	0.02
C303773		0.05	1.62	22	0.07	3.13	109	4.5	<0.01
C303774		0.05	2.25	21	0.06	3.16	107	4.4	<0.01
C303775		0.08	2.08	24	0.09	4.56	119	5.1	<0.01
C303776		0.04	1.23	19	0.16	3.47	101	3.9	<0.01
C303777		0.60	1.42	67	0.42	10.20	77	29.0	1.60
C303778		0.06	2.17	21	0.05	3.45	101	5.2	<0.01
C303779		0.05	2.31	21	0.10	3.36	112	5.4	<0.01
C303780		0.05	1.80	21	0.05	3.19	111	6.0	<0.01
C303781		0.05	1.53	20	0.05	3.80	112	5.3	<0.01
C303782		0.05	1.58	19	0.06	3.64	109	4.1	<0.01
C303783		0.05	1.26	19	<0.05	3.53	106	3.8	<0.01
C303784		0.07	1.78	19	<0.05	3.78	110	4.7	<0.01
C303785		0.05	1.69	18	<0.05	3.45	115	3.7	<0.01
C303786		0.06	1.38	20	0.05	3.91	113	5.0	0.01
C303787		0.05	1.22	19	0.05	3.60	103	4.1	<0.01
C303788		0.06	1.47	20	0.06	3.10	101	4.4	0.01
C303789		0.05	1.38	22	0.06	3.85	114	4.8	<0.01
C303790		0.05	1.16	21	<0.05	3.79	112	3.5	<0.01
C303791		<0.02	0.16	1	0.07	0.80	2	2.3	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303792		3.91	0.06	3.62	25.9	<0.02	<10	30	0.65	0.67	0.39	0.01	58.9	30.2	44	2.95
C303793		4.18	0.05	3.11	28.3	<0.02	<10	30	0.67	0.48	0.23	0.01	53.4	26.6	39	3.11
C303794		2.97	0.08	2.72	36.1	<0.02	<10	30	0.63	0.71	0.27	0.01	70.4	29.4	35	2.84
C303795		2.70	0.18	2.76	28.2	<0.02	<10	30	0.56	0.69	0.22	0.02	65.2	29.6	36	2.82
C303796		2.34	0.17	2.87	18.0	<0.02	<10	30	0.59	0.67	0.20	0.02	50.2	27.4	37	2.80
C303797		2.68	0.08	2.17	21.4	<0.02	<10	30	0.70	0.19	0.19	0.02	59.4	17.7	28	3.19
C303798		4.09	0.04	3.00	6.5	<0.02	<10	30	0.51	0.13	0.16	0.01	86.3	13.3	38	2.68
C303799		4.23	0.14	3.03	12.1	<0.02	<10	40	0.67	0.71	0.46	0.02	58.0	25.9	39	3.23
C303800		3.67	0.15	3.09	8.4	<0.02	<10	30	0.61	0.69	0.31	0.02	53.9	22.9	40	2.74
C303801		3.44	0.14	3.16	10.2	<0.02	<10	40	0.61	0.54	0.63	0.01	53.4	20.1	41	2.80
C303802		3.94	0.06	3.18	7.7	<0.02	<10	30	0.63	0.45	0.27	<0.01	54.1	21.3	39	3.24
C303803		3.63	0.04	3.01	12.0	<0.02	<10	30	0.60	0.48	0.43	0.01	57.2	19.3	38	2.67
C303804		3.35	0.07	2.68	28.7	<0.02	<10	30	0.58	1.04	0.31	0.01	47.8	32.9	35	3.10
C303805		0.06	0.18	2.48	474	2.09	<10	90	1.26	0.34	0.21	0.03	61.7	12.6	98	7.42
C303806		2.84	0.09	2.91	22.6	<0.02	<10	30	0.67	1.12	0.78	0.02	39.5	26.7	39	2.63
C303807		3.33	0.04	3.16	15.6	<0.02	<10	30	0.60	0.42	0.35	0.01	63.9	22.6	39	2.42
C303808		3.53	0.07	3.29	14.1	0.03	<10	40	0.65	3.00	0.44	0.01	47.8	26.1	40	2.35
C303809		4.18	0.05	3.12	22.2	<0.02	<10	30	0.68	1.11	0.51	<0.01	44.8	23.0	39	2.47
C303810		3.93	0.07	3.22	35.9	<0.02	<10	40	0.65	1.26	0.60	0.01	54.5	25.6	38	2.49
C303811		1.70	0.03	2.25	28.7	<0.02	<10	30	0.69	0.43	1.05	0.01	43.8	20.8	31	2.62
C303812		1.66	0.07	2.20	36.0	<0.02	<10	30	0.98	0.86	0.67	0.01	34.0	24.3	35	8.76
C303813		1.71	0.10	3.00	32.6	<0.02	<10	30	0.62	0.93	0.22	0.01	33.9	24.2	35	3.08
C303814		2.16	0.06	3.21	42.7	<0.02	<10	30	0.62	0.83	0.21	0.01	42.2	29.8	38	2.43
C303815		3.43	0.03	3.11	25.7	<0.02	<10	30	0.57	0.53	0.14	0.01	49.7	21.2	39	2.35
C303816		3.19	0.04	3.26	25.1	<0.02	<10	30	0.58	0.49	0.27	0.01	44.8	21.7	40	2.35
C303817		2.45	0.05	2.79	14.6	<0.02	<10	30	0.54	0.52	0.59	0.01	69.5	17.0	36	2.24
C303818		3.19	0.12	3.06	18.7	<0.02	<10	30	0.63	2.93	1.07	0.02	36.7	21.4	40	2.52
C303819		3.62	0.25	2.73	30.9	<0.02	<10	30	0.56	1.78	0.68	0.02	41.4	30.4	35	2.55
C303820		5.15	0.23	3.29	29.2	<0.02	<10	30	0.55	0.96	0.35	0.02	54.4	26.5	42	2.22
C303821		4.26	0.11	2.74	25.9	<0.02	<10	30	0.47	0.62	0.26	0.01	66.6	20.1	36	2.08
C303822		2.96	0.09	3.36	42.8	<0.02	<10	30	0.55	0.17	0.41	0.03	77.7	26.7	42	2.02
C303823		1.27	0.09	3.09	43.3	<0.02	<10	30	0.52	0.22	0.87	0.03	48.5	26.3	34	1.94
C303824		0.06	0.15	2.60	370	1.61	<10	100	1.21	0.29	0.21	0.03	58.4	13.4	104	7.62
C303825		3.14	0.08	3.15	39.1	<0.02	<10	30	0.57	0.25	0.51	0.03	67.1	25.7	38	1.95
C303826		2.25	0.06	2.55	37.8	<0.02	<10	30	0.58	0.52	0.30	0.03	55.3	23.9	35	2.14
C303827		1.60	0.12	0.92	42.2	<0.02	<10	30	0.59	2.11	0.54	0.03	23.5	19.4	15	2.15
C303828		3.65	0.02	2.77	39.5	<0.02	<10	30	0.56	0.13	0.17	0.02	44.9	22.6	35	2.09
C303829		3.30	0.02	3.37	36.4	<0.02	<10	30	0.50	0.08	0.29	0.02	85.2	22.5	42	1.98
C303830		3.07	0.06	3.11	27.6	<0.02	<10	20	0.41	0.17	0.17	0.05	68.6	20.3	40	1.72
C303831		4.52	0.05	2.91	22.6	<0.02	<10	20	0.43	0.17	0.38	0.03	49.4	21.7	37	1.65



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303792		38.9	6.50	10.80	0.13	0.10	<0.01	0.029	0.17	30.5	106.0	1.48	1280	0.18	0.04
C303793		42.7	5.85	9.41	0.12	0.10	<0.01	0.026	0.16	28.0	89.7	1.25	1050	0.33	0.04
C303794		35.7	4.95	8.21	0.13	0.09	<0.01	0.024	0.16	36.1	78.9	1.10	999	0.40	0.03
C303795		46.9	4.94	8.08	0.11	0.11	<0.01	0.022	0.17	33.5	76.0	1.10	1080	0.24	0.04
C303796		45.8	5.42	8.24	0.12	0.10	<0.01	0.021	0.16	26.4	70.4	1.18	1070	0.13	0.04
C303797		26.2	4.83	6.42	0.12	0.09	<0.01	0.022	0.18	31.0	48.5	0.85	1160	0.11	0.06
C303798		18.8	5.46	8.36	0.14	0.09	0.01	0.022	0.17	44.4	66.1	1.18	947	0.06	0.04
C303799		44.8	5.40	8.48	0.12	0.12	<0.01	0.025	0.20	29.9	74.6	1.19	1260	1.58	0.05
C303800		45.3	5.53	8.84	0.12	0.10	0.01	0.023	0.16	28.0	85.3	1.24	1160	0.40	0.04
C303801		33.4	5.67	8.89	0.11	0.10	<0.01	0.025	0.18	28.0	87.0	1.26	1300	0.07	0.04
C303802		32.8	5.72	8.97	0.12	0.11	<0.01	0.019	0.16	28.8	91.8	1.26	1000	0.07	0.04
C303803		38.7	5.48	8.29	0.11	0.10	<0.01	0.023	0.18	30.5	84.7	1.18	1060	0.11	0.04
C303804		49.3	4.98	7.30	0.11	0.11	<0.01	0.023	0.17	25.2	77.9	1.06	944	0.81	0.04
C303805		25.2	3.41	7.81	0.15	0.74	0.01	0.025	0.97	32.0	35.2	1.24	212	0.49	0.07
C303806		43.3	5.25	8.08	0.10	0.14	<0.01	0.023	0.18	20.6	75.6	1.16	1310	3.84	0.04
C303807		27.6	5.54	9.04	0.14	0.09	<0.01	0.024	0.17	32.8	86.5	1.26	1090	0.17	0.03
C303808		68.6	5.95	9.32	0.11	0.10	<0.01	0.028	0.19	24.6	88.4	1.30	1190	0.27	0.03
C303809		65.2	5.55	8.88	0.11	0.10	<0.01	0.025	0.17	23.1	79.5	1.26	1180	0.26	0.04
C303810		65.7	5.89	9.46	0.13	0.12	<0.01	0.026	0.18	27.4	85.8	1.31	1180	0.28	0.03
C303811		38.5	5.53	6.72	0.10	0.16	<0.01	0.030	0.16	22.2	38.2	0.96	2000	0.16	0.03
C303812		39.1	5.62	6.98	0.08	0.17	<0.01	0.031	0.13	17.2	41.0	0.77	1350	0.52	0.03
C303813		35.2	5.98	8.33	0.11	0.14	<0.01	0.024	0.18	17.1	78.0	1.16	938	0.19	0.04
C303814		38.2	5.87	9.13	0.11	0.09	<0.01	0.021	0.17	21.6	89.5	1.26	931	0.24	0.04
C303815		29.5	5.59	8.63	0.12	0.11	<0.01	0.026	0.16	25.5	81.8	1.23	967	0.11	0.03
C303816		37.0	5.86	9.22	0.13	0.10	<0.01	0.022	0.18	23.0	89.7	1.29	1030	0.17	0.04
C303817		24.5	4.79	8.24	0.14	0.10	<0.01	0.028	0.16	35.1	77.5	1.14	1180	0.16	0.04
C303818		60.3	5.59	8.88	0.10	0.11	<0.01	0.025	0.16	18.2	81.8	1.31	1660	7.60	0.04
C303819		52.7	4.90	7.45	0.10	0.11	<0.01	0.024	0.16	21.3	72.6	1.13	1360	2.02	0.04
C303820		61.6	5.95	9.20	0.13	0.11	<0.01	0.025	0.17	27.9	85.7	1.33	1310	0.22	0.04
C303821		32.8	4.91	7.82	0.13	0.09	<0.01	0.023	0.16	33.0	67.7	1.09	1090	0.29	0.03
C303822		63.4	5.92	9.50	0.15	0.10	<0.01	0.027	0.18	39.5	76.9	1.42	1240	0.46	0.04
C303823		66.2	5.98	8.94	0.13	0.09	<0.01	0.026	0.14	23.7	70.4	1.43	1700	0.62	0.03
C303824		26.3	3.55	8.14	0.17	0.73	<0.01	0.026	1.02	29.1	32.8	1.31	215	0.56	0.07
C303825		81.8	5.58	8.87	0.15	0.09	<0.01	0.024	0.18	33.4	71.2	1.34	1190	0.37	0.04
C303826		59.3	4.80	7.30	0.12	0.11	<0.01	0.025	0.17	27.7	54.9	1.08	1060	0.45	0.04
C303827		59.2	3.66	2.68	0.07	0.08	<0.01	0.028	0.13	12.0	22.3	0.65	1200	0.19	0.04
C303828		30.8	5.70	7.74	0.11	0.09	<0.01	0.024	0.17	23.3	59.4	1.17	1120	0.35	0.04
C303829		29.9	5.92	9.38	0.15	0.08	<0.01	0.024	0.18	42.8	75.7	1.34	1070	0.33	0.04
C303830		69.1	5.62	8.25	0.15	0.10	<0.01	0.025	0.12	34.6	72.4	1.30	1040	0.45	0.03
C303831		58.3	5.33	7.64	0.12	0.07	<0.01	0.025	0.12	24.8	71.3	1.27	1270	0.79	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C303792		57.4	870	8.4	8.4	<0.001	0.20	<0.05	4.0	<0.2	0.4	19.4	<0.01	0.04	15.4
C303793		49.3	290	9.6	8.3	<0.001	0.30	<0.05	3.5	<0.2	0.3	16.2	<0.01	0.02	16.2
C303794		45.1	250	10.5	7.9	0.001	0.16	<0.05	3.1	<0.2	0.2	17.0	<0.01	0.04	16.6
C303795		43.3	260	29.3	8.4	<0.001	0.22	<0.05	3.3	<0.2	0.2	16.0	<0.01	0.02	14.9
C303796		43.0	230	37.3	7.5	<0.001	0.40	<0.05	3.3	<0.2	0.2	14.5	<0.01	0.03	14.8
C303797		45.0	330	11.7	8.8	<0.001	0.06	0.10	3.9	<0.2	0.2	17.3	<0.01	0.01	12.6
C303798		38.7	380	10.9	7.7	<0.001	0.02	<0.05	3.3	<0.2	0.2	12.9	<0.01	0.01	14.8
C303799		43.4	420	45.8	9.6	0.001	0.25	<0.05	3.6	<0.2	0.3	21.0	<0.01	0.03	16.3
C303800		42.5	270	48.9	7.6	<0.001	0.23	<0.05	3.4	<0.2	0.2	18.7	<0.01	0.03	16.9
C303801		41.1	320	34.3	8.7	<0.001	0.28	<0.05	3.4	<0.2	0.2	22.5	<0.01	0.01	15.5
C303802		43.8	390	8.0	7.7	<0.001	0.23	<0.05	3.2	<0.2	0.2	17.0	<0.01	0.02	17.0
C303803		42.4	280	9.2	8.3	<0.001	0.22	<0.05	3.0	0.2	0.4	19.2	<0.01	0.02	15.8
C303804		42.3	240	11.1	8.3	<0.001	0.49	0.07	2.8	<0.2	0.3	18.1	<0.01	0.02	16.6
C303805		60.1	500	8.8	93.0	<0.001	0.10	367	5.7	<0.2	1.2	18.5	<0.01	0.02	12.8
C303806		39.2	410	17.3	8.0	0.004	0.45	0.19	3.3	0.2	0.5	22.6	<0.01	0.02	15.6
C303807		43.9	330	3.5	7.8	<0.001	0.10	0.06	3.2	0.2	0.5	16.0	<0.01	0.01	16.3
C303808		45.8	550	8.7	9.1	<0.001	0.41	0.11	3.5	0.2	0.6	18.6	<0.01	0.10	16.2
C303809		42.7	460	6.8	8.2	<0.001	0.31	0.07	3.7	<0.2	0.4	21.5	<0.01	0.03	15.4
C303810		45.0	770	7.2	8.6	<0.001	0.25	0.05	3.9	0.2	0.4	23.9	<0.01	0.02	15.9
C303811		42.7	390	2.1	7.4	<0.001	0.27	0.15	2.7	<0.2	0.7	25.8	<0.01	0.02	15.7
C303812		41.9	380	10.5	7.1	<0.001	0.91	0.20	4.1	0.4	1.0	23.5	<0.01	0.03	15.2
C303813		37.9	390	17.4	8.6	<0.001	0.81	0.11	3.2	0.4	0.3	13.9	<0.01	0.02	16.1
C303814		43.1	250	9.7	8.2	<0.001	0.48	0.13	3.4	0.2	0.6	16.1	<0.01	0.02	16.5
C303815		41.3	270	5.6	7.1	<0.001	0.30	0.07	2.9	<0.2	0.6	11.9	<0.01	0.01	16.1
C303816		42.2	300	7.8	8.4	<0.001	0.32	0.09	3.3	0.3	0.4	16.6	<0.01	0.01	15.1
C303817		38.0	290	9.8	7.6	<0.001	0.08	<0.05	3.2	<0.2	0.6	20.1	<0.01	0.01	16.3
C303818		39.9	570	24.7	7.8	0.003	0.53	0.09	4.2	<0.2	0.6	26.9	<0.01	0.04	16.8
C303819		40.3	420	50.0	7.9	0.002	0.39	0.11	3.1	0.2	0.4	21.9	<0.01	0.02	16.4
C303820		45.7	540	52.8	8.0	<0.001	0.21	0.06	3.7	0.2	0.3	15.5	<0.01	0.04	14.6
C303821		38.2	290	15.7	7.6	<0.001	0.09	0.06	3.1	0.3	0.3	13.8	<0.01	0.02	14.2
C303822		43.4	260	6.4	8.5	<0.001	0.06	<0.05	3.8	<0.2	0.3	19.1	<0.01	0.01	15.1
C303823		42.3	850	7.5	6.7	<0.001	0.15	0.12	3.6	<0.2	0.3	23.8	<0.01	0.01	13.8
C303824		60.2	520	8.3	94.9	<0.001	0.09	237	6.0	<0.2	1.4	16.4	<0.01	0.02	13.3
C303825		41.4	790	6.0	8.6	<0.001	0.10	0.23	3.8	0.2	0.3	17.9	<0.01	0.02	14.3
C303826		40.1	240	5.3	8.3	<0.001	0.20	0.10	3.4	0.2	0.4	14.6	<0.01	0.01	14.3
C303827		35.2	170	9.7	6.5	<0.001	0.19	0.45	3.2	0.2	0.8	19.2	<0.01	0.04	8.8
C303828		42.8	260	2.4	7.7	<0.001	0.21	0.16	3.6	<0.2	0.4	12.1	<0.01	<0.01	12.3
C303829		42.9	520	1.7	8.3	<0.001	0.02	<0.05	3.5	<0.2	0.3	13.6	<0.01	0.01	14.9
C303830		39.9	260	3.2	5.1	<0.001	0.05	0.05	3.1	<0.2	0.2	7.7	<0.01	0.01	13.9
C303831		37.7	240	3.5	5.6	<0.001	0.17	0.05	3.2	<0.2	0.3	12.3	<0.01	0.01	13.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303792		0.05	1.68	23	0.05	4.63	146	4.1	<0.01
C303793		0.04	2.49	21	0.07	3.75	115	4.5	<0.01
C303794		0.05	1.44	18	0.33	3.84	95	3.9	<0.01
C303795		0.06	1.29	19	0.32	3.48	95	4.2	<0.01
C303796		0.04	1.45	20	0.20	2.99	98	4.2	<0.01
C303797		0.05	1.83	17	0.34	3.68	110	4.7	<0.01
C303798		0.05	0.87	20	0.05	3.62	109	3.9	<0.01
C303799		0.06	1.41	20	<0.05	3.77	110	4.7	<0.01
C303800		0.05	1.61	20	0.07	3.24	113	4.1	<0.01
C303801		0.06	1.25	22	0.05	3.42	112	4.2	<0.01
C303802		0.05	1.65	20	0.09	3.38	111	4.9	<0.01
C303803		0.05	1.86	19	0.06	3.66	111	4.3	<0.01
C303804		0.05	1.79	16	0.06	2.93	99	5.4	<0.01
C303805		0.59	1.39	65	0.45	10.15	75	30.0	2.21
C303806		0.05	1.80	20	0.09	3.20	109	5.0	0.01
C303807		0.05	1.54	20	0.07	3.30	117	3.8	0.05
C303808		0.06	1.84	21	0.09	3.56	123	4.6	0.20
C303809		0.05	1.26	22	0.08	3.46	110	4.4	0.01
C303810		0.05	1.04	22	0.09	4.37	112	5.0	<0.01
C303811		0.08	8.22	17	0.12	5.76	106	7.2	<0.01
C303812		0.12	9.04	21	0.28	4.72	106	7.7	0.01
C303813		0.07	1.12	19	0.24	2.81	106	6.4	<0.01
C303814		0.05	1.18	21	0.10	2.86	123	4.2	<0.01
C303815		0.04	0.84	19	0.08	2.85	131	4.9	<0.01
C303816		0.05	1.34	20	0.09	3.16	116	4.3	<0.01
C303817		0.05	1.33	18	0.09	3.31	115	3.9	<0.01
C303818		0.05	2.01	24	3.88	3.22	127	4.7	0.76
C303819		0.05	1.63	18	0.09	3.09	101	5.3	0.01
C303820		0.04	0.99	22	0.08	3.29	122	4.6	<0.01
C303821		0.05	1.03	19	0.12	3.04	98	4.3	0.13
C303822		0.06	0.90	24	0.11	4.09	119	4.4	<0.01
C303823		0.05	1.00	23	0.11	5.05	109	3.7	<0.01
C303824		0.60	1.49	68	0.45	10.05	78	30.8	1.60
C303825		0.05	1.13	22	0.07	4.21	114	4.3	<0.01
C303826		0.06	1.13	18	0.07	3.32	105	5.3	<0.01
C303827		0.05	1.74	9	0.20	3.40	103	3.4	0.02
C303828		0.05	1.35	19	0.10	3.17	124	4.5	<0.01
C303829		0.05	0.83	23	0.07	4.21	114	4.1	<0.01
C303830		0.03	0.66	21	0.07	2.81	121	3.4	<0.01
C303831		0.03	0.91	20	0.06	2.68	115	3.6	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C303832		2.34	0.05	2.91	14.5	<0.02	<10	30	0.50	0.16	0.35	0.03	61.2	21.2	38	1.76
C303833		4.08	0.05	2.55	19.4	<0.02	<10	40	0.46	0.05	0.28	0.04	76.4	18.4	34	1.92
C303834		3.23	0.08	2.51	14.7	<0.02	<10	30	0.45	0.09	0.25	0.03	70.3	16.9	35	1.79
C303835		3.21	0.06	2.89	22.4	<0.02	<10	30	0.53	0.15	0.28	0.03	71.1	20.8	37	1.85
C303836		3.00	0.05	2.89	27.8	0.02	<10	30	0.49	0.07	0.31	0.02	76.0	20.2	37	1.79
C303837		0.06	0.17	2.52	498	2.05	<10	90	1.12	0.28	0.21	0.03	53.9	11.9	100	6.72
C303838		2.57	0.03	3.72	22.1	<0.02	<10	40	0.64	0.11	0.49	0.03	71.3	21.7	47	2.02
C303839		5.23	0.05	2.90	20.0	<0.02	<10	30	0.51	0.82	0.19	0.02	65.0	19.5	38	1.80
C303840		2.11	0.09	2.86	26.1	<0.02	<10	30	0.64	1.15	0.36	0.01	35.1	33.2	39	1.64
C303841		3.35	0.09	3.16	22.2	<0.02	<10	30	0.63	1.20	0.36	0.01	45.7	21.9	41	1.93
C303842		2.08	0.05	3.09	20.3	<0.02	<10	30	0.59	0.53	0.31	0.01	56.1	24.2	38	1.91
C303843		4.34	0.16	3.00	28.0	<0.02	<10	30	0.61	0.53	0.40	0.02	43.5	22.3	40	1.84
C303844		3.54	0.09	2.91	23.5	<0.02	<10	30	0.62	0.36	0.17	0.01	47.2	20.0	39	1.74
C303845		3.29	0.33	2.80	43.0	<0.02	<10	30	0.61	1.19	0.26	0.02	40.6	24.7	36	1.69
C303846		1.78	0.20	2.79	43.4	<0.02	<10	30	0.80	0.97	1.30	0.05	21.2	27.3	33	1.59
C303847		2.48	0.14	2.16	28.5	<0.02	<10	30	0.59	1.64	0.54	0.02	34.7	21.4	29	1.44
C303848		2.71	0.06	2.50	21.5	<0.02	<10	30	0.93	0.39	0.43	0.02	56.1	23.2	33	5.75
C303849		2.45	0.01	2.85	14.6	<0.02	<10	30	0.58	0.05	0.09	<0.01	79.7	23.0	36	1.63
C303850		3.23	<0.01	2.99	16.8	<0.02	<10	30	0.55	0.02	0.06	<0.01	76.6	21.1	36	1.35
C303851		2.16	0.01	2.77	18.8	<0.02	<10	30	0.63	0.04	0.06	<0.01	85.7	24.6	35	1.43
C303852		0.15	<0.01	0.05	0.7	<0.02	<10	10	<0.05	0.01	0.02	<0.01	3.62	0.4	8	0.08
C303853		2.13	0.01	2.83	10.7	<0.02	<10	30	0.56	0.31	0.10	0.01	73.7	24.1	35	1.58
C303854		1.84	0.01	2.80	19.0	<0.02	<10	40	0.53	0.09	0.06	<0.01	83.2	20.4	34	1.38
C303855		3.74	14.20	2.44	22.3	<0.02	<10	30	0.55	0.26	0.09	0.02	76.9	21.3	32	1.70
C303856		2.76	0.25	2.77	28.7	<0.02	<10	30	0.62	0.84	0.09	0.02	59.7	22.0	35	2.49
C303857		2.93	0.26	3.02	25.1	<0.02	<10	30	0.58	0.54	0.09	0.01	47.2	26.6	39	1.30
C303858		1.04	0.07	2.86	14.6	<0.02	<10	30	0.55	0.40	0.07	0.01	66.6	20.6	39	1.16
C303859		3.47	0.13	2.10	14.1	<0.02	<10	40	0.69	0.55	0.15	0.01	61.0	20.0	29	2.96
C303860		1.46	0.10	2.50	14.7	<0.02	<10	60	0.73	0.36	0.22	0.01	91.2	18.4	32	2.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303832		49.2	5.17	7.80	0.14	0.11	<0.01	0.026	0.17	30.1	71.9	1.21	1310	0.46	0.04
C303833		69.1	4.25	6.61	0.16	0.09	<0.01	0.025	0.20	37.9	59.7	0.98	970	0.45	0.04
C303834		108.5	4.32	6.76	0.14	0.08	<0.01	0.027	0.17	35.1	64.2	1.01	974	0.33	0.04
C303835		47.7	4.98	8.07	0.15	0.09	<0.01	0.021	0.18	36.5	73.3	1.18	1100	0.30	0.03
C303836		39.5	5.01	8.27	0.15	0.08	<0.01	0.024	0.17	38.4	75.1	1.19	1100	0.21	0.03
C303837		25.4	3.47	7.45	0.15	0.70	<0.01	0.025	0.99	26.9	31.3	1.28	212	0.49	0.07
C303838		21.8	6.17	11.10	0.16	0.11	<0.01	0.029	0.17	36.1	87.4	1.59	1540	0.21	0.04
C303839		36.4	5.19	7.88	0.15	0.10	<0.01	0.024	0.16	32.9	74.8	1.15	1160	0.30	0.03
C303840		115.0	5.71	8.46	0.13	0.12	<0.01	0.028	0.14	18.0	79.6	1.15	1120	1.90	0.04
C303841		68.8	5.92	9.50	0.13	0.10	<0.01	0.032	0.17	23.1	87.8	1.29	1160	1.54	0.04
C303842		34.0	5.50	8.16	0.12	0.09	0.01	0.021	0.16	29.5	89.6	1.24	1040	0.21	0.03
C303843		30.4	5.44	8.02	0.10	0.11	<0.01	0.024	0.15	22.6	82.8	1.22	1330	2.13	0.03
C303844		35.8	5.27	7.95	0.12	0.09	<0.01	0.024	0.16	25.2	79.7	1.14	891	0.23	0.03
C303845		45.7	5.26	7.39	0.10	0.10	<0.01	0.021	0.14	21.3	69.4	1.11	846	3.68	0.03
C303846		67.3	6.33	7.53	0.10	0.12	<0.01	0.033	0.14	11.6	59.3	1.26	1840	2.87	0.03
C303847		60.0	4.80	6.11	0.09	0.11	0.01	0.025	0.16	18.2	44.1	0.88	1560	1.43	0.03
C303848		24.6	5.11	7.02	0.12	0.09	<0.01	0.027	0.13	28.4	54.4	1.04	1260	0.30	0.02
C303849		0.9	4.95	7.81	0.14	0.05	<0.01	0.013	0.16	42.6	80.3	1.19	621	0.05	0.02
C303850		<0.2	5.19	7.94	0.13	0.05	<0.01	0.015	0.17	40.1	84.3	1.21	568	<0.05	0.02
C303851		0.5	4.81	7.73	0.14	0.10	<0.01	0.015	0.17	46.1	74.5	1.11	668	<0.05	0.03
C303852		0.9	0.87	0.28	<0.05	0.08	<0.01	<0.005	0.01	1.8	1.3	0.01	93	0.34	<0.01
C303853		9.6	5.02	7.80	0.12	0.05	0.01	0.016	0.17	38.2	68.8	1.13	636	0.06	0.03
C303854		0.4	4.93	7.36	0.14	0.05	<0.01	0.014	0.19	42.9	65.7	1.08	545	<0.05	0.03
C303855		112.5	3.97	6.41	0.13	0.13	0.01	0.012	0.16	42.1	64.5	0.97	477	<0.05	0.03
C303856		44.8	4.71	7.17	0.12	0.11	<0.01	0.017	0.17	32.7	73.0	1.07	559	0.22	0.04
C303857		41.2	5.53	8.37	0.11	0.12	<0.01	0.025	0.15	25.1	85.1	1.17	762	0.44	0.03
C303858		39.0	5.18	8.04	0.13	0.13	0.01	0.022	0.17	34.5	76.4	1.07	819	0.15	0.03
C303859		29.8	4.49	6.47	0.11	0.15	<0.01	0.024	0.14	31.5	41.0	0.62	492	0.33	0.02
C303860		14.1	4.85	7.36	0.14	0.13	<0.01	0.020	0.17	43.7	62.8	0.83	598	0.12	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
C303832		38.0	240	2.8	7.6	<0.001	0.13	0.07	3.3	<0.2	0.4	13.4	<0.01	<0.01	14.4	<0.005
C303833		31.1	250	1.7	9.1	<0.001	0.07	<0.05	3.0	0.2	0.3	13.6	<0.01	<0.01	14.6	<0.005
C303834		31.5	260	2.4	7.9	<0.001	0.10	0.07	3.0	0.2	0.2	11.8	<0.01	<0.01	14.2	<0.005
C303835		38.3	240	4.4	8.7	<0.001	0.08	0.06	3.3	<0.2	0.2	13.2	<0.01	0.01	15.3	<0.005
C303836		38.3	280	3.3	7.7	<0.001	0.05	<0.05	3.3	<0.2	0.2	13.0	<0.01	<0.01	14.1	<0.005
C303837		56.0	510	8.2	88.3	<0.001	0.11	336	5.6	0.2	1.4	16.7	<0.01	0.02	11.9	0.140
C303838		41.5	450	6.4	7.4	<0.001	0.07	0.18	4.8	0.3	0.2	18.7	<0.01	<0.01	14.1	<0.005
C303839		38.1	280	7.5	7.3	<0.001	0.11	0.11	3.1	0.2	0.4	10.5	<0.01	0.02	15.1	<0.005
C303840		42.5	700	19.6	7.3	0.001	0.67	0.16	3.6	0.3	0.6	15.7	<0.01	0.02	15.3	<0.005
C303841		41.2	270	24.4	8.6	0.001	0.52	0.09	4.4	0.3	0.6	17.8	<0.01	0.01	17.1	<0.005
C303842		41.8	530	10.4	7.7	<0.001	0.11	<0.05	3.1	<0.2	0.3	13.6	<0.01	0.02	15.2	<0.005
C303843		40.3	460	48.6	7.4	0.001	0.29	<0.05	3.2	<0.2	0.3	16.0	0.01	0.01	16.2	<0.005
C303844		38.3	250	24.7	8.0	<0.001	0.26	<0.05	3.2	<0.2	0.3	12.2	<0.01	0.01	14.5	<0.005
C303845		41.4	530	47.5	7.3	0.002	0.31	<0.05	2.8	<0.2	0.3	11.9	<0.01	0.02	15.5	<0.005
C303846		39.8	230	22.8	7.4	0.002	0.68	<0.05	3.4	0.4	0.4	35.8	<0.01	0.03	15.3	<0.005
C303847		36.7	220	20.9	7.6	0.001	0.46	<0.05	3.2	0.2	0.4	18.5	<0.01	0.05	15.2	<0.005
C303848		40.0	240	4.4	7.0	<0.001	0.09	<0.05	3.2	0.2	0.5	16.8	<0.01	0.01	13.6	<0.005
C303849		41.2	250	1.3	7.7	<0.001	0.01	<0.05	2.6	<0.2	<0.2	7.9	<0.01	<0.01	15.1	<0.005
C303850		40.1	260	0.5	8.0	<0.001	0.01	<0.05	2.6	<0.2	0.2	7.0	<0.01	<0.01	14.9	<0.005
C303851		44.2	250	0.7	8.2	<0.001	0.01	<0.05	2.6	<0.2	0.2	7.2	<0.01	<0.01	15.5	<0.005
C303852		1.5	10	0.4	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.0	<0.005
C303853		43.9	290	1.4	8.2	<0.001	0.03	<0.05	2.8	<0.2	0.2	8.5	<0.01	0.02	15.2	<0.005
C303854		37.9	270	0.6	9.6	<0.001	0.01	<0.05	2.6	<0.2	0.2	6.7	<0.01	0.03	14.6	<0.005
C303855		44.4	240	1.1	7.8	0.001	0.01	<0.05	2.2	<0.2	0.2	11.7	<0.01	<0.01	16.3	<0.005
C303856		46.4	280	3.4	8.1	<0.001	0.06	<0.05	2.5	<0.2	0.2	11.7	<0.01	0.01	16.0	<0.005
C303857		44.1	350	5.6	7.9	0.001	0.24	<0.05	3.1	<0.2	0.2	9.8	<0.01	0.02	14.4	<0.005
C303858		41.5	300	5.2	8.4	<0.001	0.10	<0.05	3.2	0.2	0.2	9.7	<0.01	0.02	14.2	<0.005
C303859		39.8	340	8.8	7.8	<0.001	0.20	<0.05	2.9	<0.2	0.4	17.2	<0.01	0.02	17.1	<0.005
C303860		39.4	430	6.4	10.2	<0.001	0.10	<0.05	2.7	<0.2	0.3	20.2	<0.01	0.01	19.1	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303832		0.04	0.93	20	<0.05	3.02	118	3.7	<0.01
C303833		0.06	0.81	17	<0.05	3.33	92	3.9	<0.01
C303834		0.05	0.85	18	<0.05	3.18	90	3.7	<0.01
C303835		0.06	1.28	20	<0.05	3.20	100	4.2	<0.01
C303836		0.05	0.94	20	<0.05	3.25	102	3.4	<0.01
C303837		0.54	1.36	66	0.44	9.12	76	28.5	2.16
C303838		0.04	1.24	31	<0.05	3.59	125	3.8	<0.01
C303839		0.04	0.84	19	0.07	3.16	115	4.4	<0.01
C303840		0.06	1.18	22	0.14	3.43	112	5.6	<0.01
C303841		0.06	1.33	24	0.26	3.34	131	4.9	<0.01
C303842		0.04	1.21	19	<0.05	3.20	111	4.0	<0.01
C303843		0.05	1.26	22	0.08	3.03	110	3.6	<0.01
C303844		0.05	1.02	21	0.09	3.02	108	4.2	<0.01
C303845		0.05	0.91	18	0.06	3.09	103	4.3	0.01
C303846		0.08	4.97	20	0.10	5.79	120	5.0	0.01
C303847		0.06	0.82	17	0.08	3.19	114	4.9	<0.01
C303848		0.04	3.40	19	0.83	4.00	106	4.2	<0.01
C303849		0.04	0.63	17	0.16	2.86	114	2.0	<0.01
C303850		0.04	0.53	18	0.07	2.85	115	2.5	<0.01
C303851		0.05	0.77	18	0.08	3.36	118	4.1	<0.01
C303852		<0.02	0.17	1	0.12	0.64	2	1.8	<0.01
C303853		0.05	0.90	17	0.07	3.05	119	2.7	<0.01
C303854		0.05	0.51	16	0.16	2.92	105	1.9	<0.01
C303855		0.06	1.09	14	136.5	3.20	106	5.2	<0.01
C303856		0.05	0.90	17	2.45	3.11	106	5.3	<0.01
C303857		0.06	0.84	21	2.07	2.99	112	5.4	<0.01
C303858		0.06	0.80	21	0.34	3.45	109	5.8	<0.01
C303859		0.06	1.86	19	1.26	4.11	105	6.6	<0.01
C303860		0.06	1.63	23	0.74	5.30	95	5.6	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20274590

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41