



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

CERTIFICATE WH20277455

Project: Culvert- NUF

This report is for 107 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-NOV-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303861		3.86	0.01	2.01	1.8	<0.02	<10	30	0.48	0.25	0.07	0.01	78.4	20.2	33	3.01
C303862		4.74	0.02	1.73	0.6	<0.02	<10	20	0.45	1.05	0.08	0.01	82.3	19.6	34	3.09
C303863		4.90	0.03	2.06	0.6	<0.02	<10	50	0.58	0.82	0.07	<0.01	87.8	21.2	34	3.14
C303864		2.09	0.01	2.37	0.7	<0.02	<10	30	0.55	0.41	0.08	<0.01	94.8	19.8	38	2.74
C303865		1.99	0.01	2.35	0.6	<0.02	<10	30	0.53	0.41	0.09	<0.01	90.9	21.3	36	2.83
C303866		5.37	0.01	1.97	0.6	<0.02	<10	30	0.66	0.35	0.09	0.01	97.6	21.2	36	3.18
C303867		0.06	0.17	2.39	477	2.07	<10	90	1.17	0.31	0.20	0.04	54.5	12.9	96	7.72
C303868		4.25	0.01	1.81	1.3	<0.02	<10	30	0.65	0.10	0.09	0.01	103.0	20.2	34	2.99
C303869		4.22	0.01	1.90	0.6	<0.02	<10	30	0.66	0.12	0.08	<0.01	106.0	22.8	35	3.57
C303870		2.50	0.05	2.06	1.5	<0.02	<10	40	0.72	0.53	0.10	0.01	96.3	22.0	36	3.76
C303871		1.88	0.01	2.70	0.8	<0.02	<10	30	0.62	0.12	0.08	<0.01	99.8	21.8	39	3.07
C303872		5.39	0.01	2.61	1.5	<0.02	<10	30	0.82	0.22	0.07	0.01	89.5	22.1	35	3.36
C303873		2.19	0.03	2.71	4.3	<0.02	<10	50	0.67	0.84	0.07	0.01	65.9	19.2	32	2.64
C303874		1.77	0.03	2.50	1.1	<0.02	<10	40	0.76	0.16	0.09	0.01	73.9	22.7	29	3.12
C303875		3.34	0.05	2.80	3.7	<0.02	<10	50	0.94	0.36	0.10	0.03	83.5	22.9	36	3.19
C303876		4.00	0.05	2.51	1.4	<0.02	<10	40	0.93	0.31	0.10	0.01	74.7	22.1	33	3.17
C303877		2.79	<0.01	2.73	0.3	<0.02	<10	30	0.80	0.06	0.09	0.01	110.0	24.6	39	3.55
C303878		2.19	0.02	2.79	0.9	<0.02	<10	30	0.86	0.33	0.10	0.01	123.5	24.5	42	3.97
C303879		4.83	0.04	2.34	0.5	<0.02	<10	110	0.75	0.46	0.11	0.01	96.2	22.8	38	3.19
C303880		4.67	0.01	1.96	0.4	<0.02	<10	40	0.76	0.16	0.10	<0.01	111.0	21.3	38	3.50
C303881		2.98	0.03	1.99	1.7	<0.02	<10	40	0.69	0.69	0.08	0.03	77.8	19.6	31	2.66
C303882		2.08	0.01	2.46	1.1	<0.02	<10	50	0.87	0.30	0.09	0.01	111.5	20.2	39	3.95
C303883		1.98	0.01	2.23	1.9	<0.02	<10	40	0.82	0.12	0.07	0.01	109.0	16.4	33	3.38
C303884		4.21	0.06	2.34	10.6	0.28	<10	30	0.54	0.39	0.02	0.01	35.3	17.0	25	3.25
C303885		3.22	0.06	2.43	12.7	0.59	<10	40	0.56	0.77	0.01	<0.01	47.4	14.1	29	2.98
C303886		3.35	0.02	2.29	1.0	0.05	<10	30	0.50	0.22	0.04	0.01	57.1	18.0	32	3.21
C303887		0.16	0.02	0.06	0.5	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.11	0.3	2	0.08
C303888		4.97	0.03	2.93	1.1	<0.02	<10	60	0.79	0.13	0.08	0.01	82.6	24.3	36	3.18
C303889		4.27	0.11	3.17	1.3	<0.02	<10	90	0.73	0.28	0.11	0.02	69.3	24.9	39	2.89
C303890		2.88	0.03	2.64	0.6	<0.02	<10	40	0.79	0.11	0.13	0.02	70.8	19.3	36	3.34
C303891		3.49	0.07	2.69	0.8	<0.02	<10	50	0.76	0.21	0.13	0.01	76.3	19.5	37	3.32
C303892		2.77	0.05	3.57	1.8	<0.02	<10	40	0.73	0.36	0.10	0.01	93.3	28.4	43	3.82
C303893		4.98	0.03	3.00	1.0	<0.02	<10	40	0.68	0.25	0.09	0.01	102.5	23.9	40	3.74
C303894		0.06	0.13	2.68	367	1.53	<10	100	1.22	0.29	0.21	0.03	62.5	12.7	104	7.71
C303895		2.17	0.03	3.02	0.9	0.02	<10	40	0.60	0.21	0.09	0.01	74.5	22.9	38	3.16
C303896		2.60	0.01	2.47	3.2	<0.02	<10	40	0.71	0.05	0.12	0.02	89.5	19.1	30	5.63
C303897		5.68	0.04	2.76	0.9	<0.02	<10	90	0.71	0.38	0.12	<0.01	72.4	23.1	38	3.54
C303898		5.88	0.04	2.77	0.9	<0.02	<10	40	0.67	0.80	0.25	0.05	66.1	22.6	37	2.65
C303899		2.08	<0.01	2.50	1.4	<0.02	<10	40	0.77	0.09	0.11	0.01	90.5	21.1	39	3.91
C303900		5.40	<0.01	2.84	0.8	<0.02	<10	40	0.79	0.13	0.11	0.01	76.1	23.2	37	3.53



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C303861		12.3	4.57	5.84	0.12	0.13	0.01	0.009	0.12	45.2	75.3	0.90	700	0.13	0.05	<0.05
C303862		14.3	4.73	5.18	0.13	0.09	<0.01	0.009	0.10	47.6	67.0	0.80	545	<0.05	0.03	<0.05
C303863		29.2	4.72	6.63	0.15	0.13	<0.01	0.012	0.13	51.6	80.9	0.85	652	0.08	0.05	<0.05
C303864		17.9	4.75	7.43	0.14	0.13	<0.01	0.018	0.12	52.7	84.7	0.92	808	0.05	0.05	<0.05
C303865		18.4	4.86	7.60	0.15	0.11	0.01	0.018	0.12	51.2	91.9	0.96	878	0.05	0.04	<0.05
C303866		12.9	5.06	5.98	0.14	0.12	<0.01	0.012	0.15	53.5	74.1	0.86	727	0.05	0.06	<0.05
C303867		24.9	3.32	7.61	0.14	0.71	0.01	0.027	0.94	28.9	33.8	1.22	203	0.47	0.06	0.30
C303868		12.3	4.62	5.69	0.14	0.11	<0.01	0.010	0.15	56.9	71.7	0.80	655	0.11	0.06	<0.05
C303869		12.1	5.16	6.05	0.15	0.12	<0.01	0.010	0.13	60.0	73.7	0.86	680	<0.05	0.05	<0.05
C303870		24.8	4.68	6.58	0.15	0.14	<0.01	0.013	0.18	53.8	75.2	0.86	756	0.11	0.06	<0.05
C303871		20.9	5.11	8.12	0.17	0.14	<0.01	0.013	0.16	58.5	88.4	0.95	863	0.17	0.05	<0.05
C303872		35.1	4.97	8.45	0.14	0.16	<0.01	0.025	0.13	54.6	92.7	0.83	817	0.06	0.05	<0.05
C303873		56.5	5.23	8.11	0.13	0.12	<0.01	0.033	0.17	36.7	95.3	0.84	898	0.10	0.05	<0.05
C303874		11.7	4.55	7.43	0.13	0.10	<0.01	0.026	0.13	40.3	96.3	0.94	1120	0.28	0.04	<0.05
C303875		42.4	5.28	8.20	0.17	0.10	<0.01	0.028	0.14	44.8	99.5	0.97	1480	0.33	0.04	<0.05
C303876		28.9	4.45	7.25	0.12	0.07	<0.01	0.021	0.15	39.2	84.1	0.89	993	0.19	0.04	<0.05
C303877		9.1	4.82	7.86	0.15	0.09	<0.01	0.017	0.13	60.0	89.3	1.01	932	0.42	0.05	<0.05
C303878		47.2	4.94	8.55	0.19	0.11	<0.01	0.016	0.14	66.5	91.3	1.03	994	0.24	0.05	<0.05
C303879		33.5	4.55	7.22	0.16	0.14	<0.01	0.014	0.14	52.2	77.3	0.95	962	0.08	0.05	<0.05
C303880		3.7	4.78	5.88	0.17	0.12	<0.01	0.011	0.17	58.3	63.3	0.80	748	<0.05	0.06	<0.05
C303881		32.9	4.33	6.16	0.13	0.09	<0.01	0.012	0.14	40.0	63.0	0.72	953	0.19	0.05	<0.05
C303882		37.5	5.64	7.44	0.16	0.11	<0.01	0.017	0.16	58.3	74.1	0.85	823	0.20	0.06	<0.05
C303883		19.4	5.01	6.34	0.16	0.09	0.01	0.012	0.18	57.9	64.7	0.69	669	0.25	0.05	<0.05
C303884		29.2	4.47	6.38	0.09	0.11	<0.01	0.015	0.15	18.6	65.6	1.08	875	0.28	0.04	<0.05
C303885		15.5	5.12	7.26	0.09	0.12	0.01	0.015	0.16	26.5	65.6	0.86	726	0.25	0.04	<0.05
C303886		7.8	4.97	6.32	0.09	0.14	<0.01	0.013	0.13	31.5	71.2	0.78	659	0.10	0.04	<0.05
C303887		0.6	0.24	0.23	<0.05	0.12	<0.01	<0.005	0.01	2.0	1.1	0.01	30	0.17	<0.01	0.06
C303888		41.1	4.46	7.74	0.13	0.09	<0.01	0.016	0.20	42.2	92.2	1.28	1390	0.21	0.06	<0.05
C303889		35.7	4.73	8.79	0.13	0.09	<0.01	0.017	0.18	34.8	100.0	1.50	1680	0.23	0.05	<0.05
C303890		26.7	3.82	7.37	0.13	0.06	0.01	0.014	0.17	34.5	86.5	1.24	1170	0.09	0.06	<0.05
C303891		55.5	3.86	7.93	0.13	0.07	<0.01	0.019	0.17	36.8	90.5	1.23	1180	0.10	0.06	<0.05
C303892		97.3	5.43	10.40	0.17	0.10	<0.01	0.023	0.14	47.6	115.0	1.73	1860	0.17	0.06	<0.05
C303893		71.9	4.46	9.40	0.17	0.11	0.01	0.031	0.14	54.5	100.5	1.41	1420	0.07	0.06	<0.05
C303894		23.8	3.49	7.76	0.14	0.71	0.01	0.021	1.02	31.4	33.3	1.30	216	0.54	0.07	0.23
C303895		52.1	4.49	8.20	0.14	0.08	<0.01	0.020	0.14	37.4	94.2	1.42	1360	0.15	0.06	<0.05
C303896		16.8	3.74	7.06	0.13	0.10	<0.01	0.019	0.13	45.1	80.7	1.13	1440	0.59	0.04	<0.05
C303897		16.4	5.12	7.46	0.12	0.08	0.01	0.016	0.16	35.9	85.0	1.10	1260	0.08	0.04	<0.05
C303898		42.5	5.28	8.83	0.12	0.08	<0.01	0.018	0.12	33.1	94.4	1.17	2450	0.20	0.04	<0.05
C303899		16.2	4.96	6.84	0.14	0.08	<0.01	0.013	0.15	47.8	75.6	0.98	987	0.20	0.04	<0.05
C303900		6.0	4.43	7.78	0.12	0.08	<0.01	0.014	0.18	39.1	90.6	1.21	1060	0.08	0.05	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303861		45.6	320	3.1	5.9	<0.001	0.01	0.08	1.9	<0.2	0.5	10.2	<0.01	0.01	13.4
C303862		44.4	370	2.5	5.0	<0.001	<0.01	0.11	1.8	<0.2	0.5	7.7	<0.01	<0.01	13.2
C303863		48.9	300	3.2	6.8	<0.001	<0.01	0.11	2.3	<0.2	0.6	10.7	<0.01	0.02	14.2
C303864		43.6	330	2.3	6.2	<0.001	<0.01	<0.05	2.9	<0.2	0.7	9.5	<0.01	0.02	13.4
C303865		45.7	350	2.7	6.2	<0.001	<0.01	<0.05	2.9	<0.2	0.5	9.8	<0.01	0.02	13.3
C303866		46.3	380	3.3	7.4	<0.001	<0.01	0.11	2.2	<0.2	0.4	11.2	<0.01	0.01	14.2
C303867		58.7	480	8.3	97.4	<0.001	0.11	328	5.8	<0.2	1.2	17.6	<0.01	0.01	12.0
C303868		47.3	390	2.9	7.5	<0.001	<0.01	0.47	2.1	<0.2	0.4	11.2	<0.01	0.02	13.7
C303869		50.5	340	3.1	7.0	<0.001	<0.01	0.17	2.1	<0.2	0.4	11.2	<0.01	0.02	15.4
C303870		50.2	390	3.5	9.7	<0.001	<0.01	0.16	2.4	<0.2	0.4	13.7	<0.01	0.03	14.3
C303871		47.2	320	2.4	6.8	<0.001	<0.01	<0.05	2.8	<0.2	0.3	10.5	<0.01	0.01	15.7
C303872		50.1	290	3.2	6.9	<0.001	0.02	<0.05	3.0	<0.2	0.6	12.8	<0.01	0.01	15.8
C303873		45.7	320	10.9	8.5	<0.001	0.02	<0.05	2.8	<0.2	1.3	11.4	<0.01	0.01	15.0
C303874		45.4	370	4.4	6.7	<0.001	0.01	<0.05	2.8	<0.2	0.5	10.6	<0.01	<0.01	13.8
C303875		50.1	460	5.6	7.2	<0.001	0.01	<0.05	3.0	<0.2	0.5	10.9	<0.01	0.01	17.0
C303876		46.3	390	7.7	7.2	<0.001	0.05	0.11	2.6	<0.2	0.4	11.8	<0.01	0.01	16.7
C303877		55.1	400	2.2	6.3	0.001	0.01	0.07	2.7	<0.2	0.3	11.6	<0.01	0.01	16.7
C303878		54.0	400	3.5	6.7	<0.001	0.01	0.12	2.9	<0.2	0.2	12.3	<0.01	0.03	17.8
C303879		47.2	390	2.9	6.8	<0.001	0.01	0.18	2.5	<0.2	0.3	12.7	<0.01	0.01	17.4
C303880		46.3	470	3.2	7.8	<0.001	0.01	0.17	2.1	<0.2	0.4	14.3	<0.01	0.04	16.4
C303881		39.7	340	2.8	6.8	<0.001	0.01	0.14	2.3	<0.2	0.3	12.4	<0.01	0.03	12.8
C303882		52.4	360	3.8	7.9	<0.001	0.01	0.13	2.5	<0.2	0.3	14.7	<0.01	0.02	18.1
C303883		38.7	330	3.0	7.9	<0.001	0.01	0.10	2.2	<0.2	0.2	13.1	<0.01	0.01	17.2
C303884		37.1	290	10.0	7.0	<0.001	0.64	0.15	2.3	<0.2	0.2	10.7	<0.01	0.02	14.1
C303885		42.8	240	7.1	7.6	<0.001	0.59	0.15	2.8	<0.2	0.2	13.9	<0.01	0.02	12.4
C303886		42.2	300	2.6	5.6	<0.001	0.09	0.09	2.2	<0.2	0.2	9.9	<0.01	0.02	13.3
C303887		0.6	10	1.1	0.7	<0.001	0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.1
C303888		38.9	410	3.0	9.1	<0.001	0.01	0.14	2.8	<0.2	0.2	16.1	<0.01	<0.01	17.8
C303889		40.1	520	9.8	8.4	<0.001	0.03	0.14	3.3	<0.2	0.2	16.0	<0.01	0.02	16.7
C303890		35.1	540	3.1	8.1	<0.001	0.04	0.11	2.6	<0.2	<0.2	14.5	<0.01	0.02	16.2
C303891		37.1	580	3.7	8.0	<0.001	0.03	0.15	2.9	<0.2	0.2	16.5	<0.01	0.01	17.0
C303892		46.3	420	4.6	6.4	<0.001	0.01	0.10	3.5	<0.2	0.2	15.7	<0.01	0.03	19.3
C303893		40.0	380	3.3	7.3	<0.001	0.01	0.11	3.1	<0.2	0.5	15.9	<0.01	0.01	19.4
C303894		59.1	520	8.1	93.0	<0.001	0.09	231	5.7	0.2	1.2	17.1	<0.01	0.02	12.7
C303895		39.2	380	4.1	6.5	<0.001	0.01	0.18	2.8	<0.2	0.4	13.0	<0.01	0.02	16.2
C303896		34.5	490	2.0	6.3	<0.001	0.01	0.13	2.4	<0.2	0.4	12.8	<0.01	<0.01	15.8
C303897		50.3	470	2.3	7.3	<0.001	0.01	0.14	2.8	<0.2	0.2	12.5	<0.01	0.03	16.4
C303898		45.6	470	2.1	6.1	<0.001	0.01	0.12	3.7	<0.2	0.3	14.0	<0.01	0.05	14.8
C303899		43.3	450	2.2	7.0	<0.001	0.01	0.12	2.3	<0.2	0.2	10.7	<0.01	<0.01	15.9
C303900		43.2	460	2.1	8.4	<0.001	0.01	0.08	2.5	<0.2	0.2	12.7	<0.01	0.01	16.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303861		0.03	0.72	28	0.08	2.59	106	5.6	<0.01
C303862		0.03	0.63	33	<0.05	2.47	99	3.8	0.02
C303863		0.04	0.79	32	0.05	2.84	107	5.6	<0.01
C303864		0.03	0.74	32	<0.05	3.22	123	5.4	<0.01
C303865		0.03	0.60	32	<0.05	3.04	126	4.6	<0.01
C303866		0.04	0.71	41	<0.05	3.27	108	4.8	<0.01
C303867		0.59	1.40	63	0.47	9.87	72	28.7	2.21
C303868		0.04	0.64	38	0.05	3.15	99	4.5	<0.01
C303869		0.04	0.72	39	0.06	3.21	107	4.8	<0.01
C303870		0.05	0.77	36	0.05	3.48	109	5.4	<0.01
C303871		0.05	0.84	28	0.05	3.44	127	6.2	<0.01
C303872		0.05	1.15	24	<0.05	3.52	120	7.2	<0.01
C303873		0.05	1.05	22	<0.05	2.87	128	5.3	<0.01
C303874		0.04	0.47	20	<0.05	2.94	131	3.7	<0.01
C303875		0.05	1.17	23	<0.05	3.68	138	4.0	0.01
C303876		0.05	0.74	21	<0.05	3.22	123	3.3	<0.01
C303877		0.04	0.73	24	<0.05	3.37	135	4.6	<0.01
C303878		0.04	0.85	28	<0.05	3.89	136	5.4	<0.01
C303879		0.04	0.82	31	<0.05	3.57	119	5.9	<0.01
C303880		0.05	0.76	37	0.05	3.36	103	5.2	0.01
C303881		0.04	0.85	27	<0.05	2.86	95	4.5	<0.01
C303882		0.06	1.14	33	<0.05	3.69	111	4.9	<0.01
C303883		0.05	1.11	29	<0.05	3.12	92	4.1	<0.01
C303884		0.05	1.20	16	0.28	1.70	133	4.5	0.50
C303885		0.04	1.36	21	0.21	1.66	105	5.7	0.73
C303886		0.04	0.91	27	0.05	1.92	97	5.4	0.17
C303887		<0.02	0.17	1	<0.05	0.77	2	3.0	0.01
C303888		0.06	1.04	25	<0.05	3.42	141	4.8	<0.01
C303889		0.05	0.88	26	<0.05	3.55	151	3.9	0.12
C303890		0.06	0.88	21	<0.05	3.86	122	3.4	0.01
C303891		0.05	0.83	21	<0.05	3.52	116	3.8	<0.01
C303892		0.04	1.14	26	<0.05	3.97	157	5.4	0.02
C303893		0.05	0.96	22	<0.05	3.78	136	5.5	0.03
C303894		0.62	1.40	68	0.39	9.72	79	28.9	1.58
C303895		0.04	0.67	22	<0.05	2.97	148	4.2	0.06
C303896		0.05	1.03	18	<0.05	3.79	124	4.2	<0.01
C303897		0.05	0.64	30	<0.05	3.31	119	4.2	0.01
C303898		0.04	0.67	30	<0.05	3.50	137	3.9	<0.01
C303899		0.04	0.71	29	<0.05	2.93	115	4.0	0.01
C303900		0.06	0.58	24	<0.05	2.91	124	4.1	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303901		3.19	<0.01	2.96	0.9	<0.02	<10	40	0.66	0.12	0.09	0.01	65.7	18.1	38	3.11
C303902		3.07	0.02	2.65	9.4	0.42	<10	40	0.80	1.10	0.09	0.01	61.5	9.3	33	3.65
C303903		2.87	0.01	2.64	3.4	0.04	<10	60	0.60	0.21	0.08	0.01	64.0	13.6	33	2.83
C303904		4.48	0.09	2.36	8.3	2.60	<10	40	0.72	0.44	0.07	0.01	31.7	16.7	27	3.03
C303905		3.79	0.07	2.71	1.3	0.05	<10	40	1.02	0.17	0.07	0.04	78.1	23.6	31	2.99
C303906		5.74	0.17	3.06	5.3	0.19	<10	30	0.89	0.51	0.11	0.06	40.6	22.9	34	3.04
C303907		3.66	0.04	3.10	0.9	<0.02	<10	30	0.81	0.06	0.08	0.03	62.0	20.1	37	2.59
C303908		5.59	0.04	3.56	0.8	<0.02	<10	30	0.80	0.22	0.08	0.02	46.6	24.8	43	3.16
C303909		0.07	0.18	2.68	511	2.27	<10	100	1.31	0.32	0.23	0.03	63.0	12.9	103	8.04
C303910		3.29	0.04	3.50	0.9	<0.02	<10	30	0.82	0.26	0.23	0.03	44.4	24.6	42	3.52
C303911		2.87	0.04	3.33	0.9	<0.02	<10	20	0.73	0.26	0.23	0.03	37.1	23.2	44	3.31
C303912		3.26	0.07	3.03	0.4	<0.02	<10	30	0.61	0.32	0.30	0.02	26.3	20.8	40	3.42
C303913		3.58	0.10	3.23	0.2	<0.02	<10	20	0.59	0.70	0.19	0.05	28.2	23.4	40	3.04
C303914		2.43	0.09	3.03	0.8	<0.02	<10	30	0.68	0.75	0.28	0.03	24.9	22.8	35	2.92
C303915		1.98	0.05	2.90	0.4	<0.02	<10	30	0.55	0.12	0.14	0.02	42.9	17.7	36	2.91
C303916		2.09	0.17	2.74	4.6	<0.02	<10	20	0.65	0.30	0.30	0.06	44.6	19.8	32	8.78
C303917		2.60	0.09	2.45	0.2	<0.02	<10	30	0.61	0.20	0.12	0.03	61.3	21.8	34	4.00
C303918		3.63	0.04	2.52	0.6	<0.02	<10	20	0.48	0.10	0.28	0.03	58.5	25.0	34	2.93
C303919		3.90	0.08	2.86	0.4	<0.02	<10	30	0.58	0.25	0.25	0.03	57.3	25.8	37	2.71
C303920		2.03	0.05	3.14	<0.1	<0.02	<10	20	0.58	0.22	0.16	0.02	67.4	27.1	40	2.89
C303921		5.57	0.03	2.86	0.2	<0.02	<10	30	0.54	0.31	0.13	0.01	42.8	18.8	36	2.60
C303922		0.14	0.01	0.07	0.2	<0.02	<10	10	<0.05	0.01	0.01	0.01	3.38	0.4	2	0.11
C303923		2.42	<0.01	2.74	0.6	<0.02	<10	40	0.61	0.08	0.11	0.01	48.3	16.4	36	4.36
C303924		3.51	<0.01	2.48	<0.1	<0.02	<10	40	0.59	0.46	0.14	0.01	51.3	19.7	32	2.96
C303925		3.48	<0.01	2.60	0.3	<0.02	<10	30	0.60	0.59	0.16	0.01	43.8	19.4	35	3.24
C303926		3.78	0.04	2.77	0.3	<0.02	<10	30	0.60	0.41	0.17	0.01	54.4	18.9	37	2.16
C303927		5.59	0.03	2.75	0.7	<0.02	<10	30	0.53	0.12	0.14	0.01	66.3	19.5	36	2.32
C303928		4.07	0.05	2.81	1.2	<0.02	<10	30	0.51	0.21	0.14	0.01	76.7	19.4	38	2.17
C303929		3.01	0.02	2.79	0.2	<0.02	<10	40	0.53	0.12	0.12	0.01	74.6	20.2	37	2.46
C303930		3.21	0.05	2.85	0.1	<0.02	<10	30	0.78	0.44	0.14	<0.01	81.0	19.5	40	2.93
C303931		1.65	0.06	3.25	0.3	<0.02	<10	30	1.14	0.46	0.23	0.02	59.5	23.6	42	3.38
C303932		3.34	0.02	2.65	<0.1	<0.02	<10	30	0.54	0.06	0.11	<0.01	70.0	17.2	34	2.89
C303933		3.96	0.03	2.42	0.3	<0.02	<10	30	0.59	0.13	0.24	0.02	36.7	23.0	30	2.94
C303934		5.07	<0.01	2.45	0.9	<0.02	<10	40	0.77	0.13	0.12	0.01	54.1	20.8	32	3.23
C303935		2.73	<0.01	2.52	<0.1	<0.02	<10	40	0.89	0.24	0.13	0.01	44.1	22.3	37	3.95
C303936		0.07	0.18	2.61	517	2.26	<10	100	1.29	0.34	0.22	0.03	54.2	13.5	104	8.14
C303937		3.07	0.01	2.82	0.3	<0.02	<10	50	1.03	0.35	0.32	0.02	68.5	22.4	38	2.72
C303938		3.81	0.02	2.42	0.1	<0.02	<10	40	0.70	0.32	0.16	0.01	47.9	21.1	35	2.86
C303939		5.60	<0.01	2.52	0.1	<0.02	<10	60	0.84	0.54	0.19	0.01	63.3	21.7	37	3.25
C303940		4.20	0.01	2.52	0.2	<0.02	<10	40	0.90	0.62	0.14	<0.01	48.6	22.0	34	2.77



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303901		6.7	5.07	7.35	0.12	0.06	<0.01	0.014	0.18	34.8	87.4	1.12	967	0.10	0.04
C303902		17.6	5.40	7.51	0.12	0.09	<0.01	0.013	0.15	32.7	65.9	1.01	849	0.67	0.03
C303903		6.1	4.72	7.64	0.11	0.06	<0.01	0.017	0.19	31.8	61.4	1.00	973	0.26	0.04
C303904		14.6	4.51	6.34	0.08	0.10	<0.01	0.015	0.16	15.9	64.3	0.99	1020	0.14	0.04
C303905		93.6	4.02	7.56	0.13	0.18	<0.01	0.021	0.17	40.1	78.0	1.22	1520	2.72	0.05
C303906		111.0	5.08	8.37	0.09	0.13	<0.01	0.022	0.14	21.1	98.8	1.54	1160	4.26	0.04
C303907		43.9	4.79	8.66	0.11	0.07	<0.01	0.015	0.15	32.2	97.1	1.49	956	0.64	0.04
C303908		74.9	5.73	9.64	0.10	0.06	<0.01	0.021	0.14	24.9	121.5	1.78	1000	0.23	0.04
C303909		25.8	3.53	8.04	0.13	0.69	0.01	0.024	1.02	31.5	33.9	1.31	219	0.53	0.07
C303910		83.1	5.55	9.60	0.11	0.07	<0.01	0.018	0.15	23.6	120.5	1.78	982	0.14	0.05
C303911		109.5	5.28	9.58	0.10	0.08	0.01	0.020	0.12	19.6	115.5	1.73	1000	<0.05	0.04
C303912		125.0	4.90	8.33	0.07	0.09	<0.01	0.019	0.12	14.8	106.5	1.57	985	0.32	0.05
C303913		273	5.29	8.94	0.10	0.06	<0.01	0.023	0.12	15.3	119.5	1.71	989	0.53	0.04
C303914		113.0	5.10	8.08	0.08	0.05	<0.01	0.016	0.13	13.6	116.0	1.58	1060	0.55	0.04
C303915		114.0	4.44	8.11	0.10	0.06	<0.01	0.015	0.12	22.9	110.0	1.48	952	0.42	0.04
C303916		172.0	4.50	7.14	0.09	0.10	<0.01	0.022	0.11	23.6	89.9	1.34	1020	0.21	0.03
C303917		116.5	3.62	7.13	0.12	0.12	<0.01	0.017	0.12	33.8	82.8	1.14	1080	7.33	0.05
C303918		64.3	3.92	7.52	0.12	0.12	<0.01	0.018	0.07	31.5	89.9	1.23	1580	9.37	0.03
C303919		60.0	4.44	8.00	0.11	0.10	<0.01	0.022	0.11	30.8	92.4	1.34	1580	0.51	0.05
C303920		45.3	5.00	9.19	0.12	0.07	0.01	0.023	0.10	37.1	112.5	1.47	1800	0.53	0.04
C303921		15.0	4.86	8.01	0.11	0.05	<0.01	0.016	0.14	22.5	93.3	1.25	1180	1.02	0.03
C303922		1.4	0.25	0.25	<0.05	0.08	<0.01	<0.005	0.01	1.7	1.2	0.02	28	0.13	<0.01
C303923		0.3	4.97	7.39	0.09	0.05	<0.01	0.017	0.18	24.8	83.9	1.05	917	0.11	0.04
C303924		0.3	4.67	6.86	0.13	0.06	<0.01	0.015	0.15	27.8	74.7	0.93	1160	0.10	0.03
C303925		0.8	4.92	6.70	0.10	0.06	<0.01	0.014	0.13	23.1	76.4	0.93	1280	0.13	0.03
C303926		1.4	5.06	7.57	0.10	0.06	<0.01	0.017	0.14	29.2	75.5	0.99	1420	0.10	0.03
C303927		1.7	4.49	7.75	0.12	0.05	<0.01	0.014	0.14	36.8	87.8	1.17	1170	0.06	0.04
C303928		3.5	4.46	8.10	0.14	0.05	<0.01	0.014	0.13	40.1	94.0	1.24	1260	0.07	0.04
C303929		5.0	4.57	7.77	0.13	0.06	<0.01	0.014	0.14	42.6	91.6	1.16	1100	0.05	0.04
C303930		3.2	5.11	8.23	0.14	0.06	<0.01	0.015	0.14	49.0	91.3	0.94	872	0.08	0.04
C303931		25.4	5.57	9.62	0.11	0.06	<0.01	0.023	0.12	32.4	98.3	1.13	1040	0.09	0.03
C303932		5.7	4.42	7.20	0.12	0.05	<0.01	0.012	0.14	42.2	82.2	1.08	858	0.07	0.04
C303933		1.0	4.09	6.64	0.09	0.07	<0.01	0.012	0.13	21.3	78.9	1.13	1190	0.05	0.04
C303934		2.5	4.55	6.83	0.10	0.08	<0.01	0.016	0.15	33.1	76.8	0.88	1180	0.06	0.04
C303935		4.4	4.83	7.61	0.09	0.09	0.01	0.015	0.16	24.9	81.5	0.88	954	0.06	0.04
C303936		26.7	3.59	7.92	0.14	0.79	0.01	0.025	1.02	30.0	33.4	1.32	219	0.56	0.07
C303937		59.3	4.68	8.27	0.14	0.07	0.01	0.016	0.21	38.5	90.6	1.05	1160	0.10	0.04
C303938		17.7	4.44	6.89	0.13	0.06	<0.01	0.015	0.18	26.4	80.3	0.80	836	0.11	0.03
C303939		15.2	5.06	6.60	0.11	0.10	<0.01	0.014	0.21	38.3	73.2	0.90	755	0.07	0.05
C303940		14.8	4.84	7.26	0.10	0.08	0.01	0.014	0.16	29.0	63.0	0.83	699	0.10	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C303901		39.0	360	1.7	7.7	<0.001	0.01	0.07	2.5	<0.2	0.2	11.8	<0.01	0.01	14.9
C303902		32.5	330	4.4	7.3	<0.001	0.04	0.21	2.4	<0.2	0.2	15.8	<0.01	0.10	14.0
C303903		31.8	360	5.9	8.8	<0.001	0.13	0.10	3.0	<0.2	0.2	12.2	<0.01	<0.01	15.2
C303904		36.3	300	11.5	7.3	<0.001	0.68	0.16	2.3	<0.2	0.2	11.6	<0.01	0.03	13.1
C303905		45.2	270	9.9	7.7	0.001	0.02	0.11	2.9	<0.2	0.2	14.2	<0.01	<0.01	17.6
C303906		45.5	260	30.3	6.7	0.001	0.42	0.20	3.4	<0.2	0.2	11.8	<0.01	0.02	17.4
C303907		42.5	250	4.2	7.1	<0.001	0.07	0.09	2.8	<0.2	0.2	12.3	<0.01	0.01	15.7
C303908		49.6	270	2.4	6.3	<0.001	0.22	0.11	3.0	<0.2	0.2	11.2	<0.01	0.02	16.3
C303909		63.5	540	9.5	94.2	0.001	0.12	332	5.8	0.5	1.2	19.4	<0.01	0.02	14.2
C303910		51.1	280	2.0	7.0	<0.001	0.36	0.27	3.2	<0.2	0.2	15.4	<0.01	0.01	16.3
C303911		50.2	240	2.1	5.6	<0.001	0.31	0.11	3.2	<0.2	<0.2	12.4	<0.01	0.02	16.2
C303912		42.4	220	3.5	5.4	<0.001	0.40	0.23	2.6	<0.2	0.2	12.9	<0.01	0.03	14.7
C303913		42.9	360	2.4	5.2	<0.001	0.47	0.14	2.9	<0.2	<0.2	11.2	<0.01	0.03	14.6
C303914		39.4	320	2.9	5.8	<0.001	0.62	0.12	2.8	<0.2	<0.2	13.3	<0.01	0.04	14.4
C303915		37.2	340	2.0	5.6	<0.001	0.07	0.08	2.6	<0.2	<0.2	11.0	<0.01	<0.01	15.1
C303916		37.7	310	10.2	5.2	<0.001	0.13	0.20	2.6	<0.2	0.3	11.0	<0.01	0.01	14.2
C303917		44.1	260	4.8	5.4	0.004	0.01	0.11	2.4	<0.2	0.2	12.8	<0.01	0.01	16.7
C303918		37.4	270	4.7	3.4	0.002	0.01	0.31	2.7	<0.2	<0.2	12.1	<0.01	0.01	16.3
C303919		35.1	340	11.7	4.7	<0.001	0.01	0.14	3.0	<0.2	0.2	14.6	<0.01	0.01	14.6
C303920		37.8	290	4.4	4.7	<0.001	<0.01	0.08	3.2	<0.2	0.2	12.7	<0.01	0.02	16.0
C303921		31.7	370	2.8	6.6	0.001	0.14	0.08	2.9	<0.2	<0.2	9.9	<0.01	0.03	14.0
C303922		0.9	20	0.9	0.8	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.2
C303923		31.6	390	2.1	8.7	<0.001	0.07	0.20	2.8	<0.2	0.2	10.1	<0.01	0.01	14.0
C303924		35.4	390	2.0	7.5	<0.001	0.04	0.17	2.5	<0.2	0.2	10.0	<0.01	0.02	15.1
C303925		36.3	460	3.0	6.1	<0.001	0.13	0.06	2.6	<0.2	<0.2	8.7	<0.01	0.01	15.2
C303926		38.8	440	9.5	6.4	<0.001	0.05	<0.05	3.0	<0.2	0.2	10.1	<0.01	0.03	15.6
C303927		39.2	400	8.8	6.4	<0.001	0.01	<0.05	2.6	<0.2	<0.2	11.1	<0.01	0.01	15.9
C303928		34.8	510	8.5	6.1	<0.001	<0.01	0.05	2.9	<0.2	0.2	11.2	<0.01	0.01	16.4
C303929		40.3	440	4.9	6.5	<0.001	<0.01	0.05	2.6	0.2	0.2	10.9	<0.01	<0.01	15.2
C303930		41.5	420	7.6	6.8	<0.001	<0.01	0.06	2.9	<0.2	0.2	12.6	<0.01	0.01	13.7
C303931		47.2	510	10.6	5.9	<0.001	0.04	0.07	3.9	<0.2	0.2	15.6	<0.01	0.04	16.4
C303932		33.1	390	4.1	6.4	<0.001	0.01	<0.05	2.3	<0.2	<0.2	11.7	<0.01	<0.01	13.5
C303933		42.5	360	8.5	6.7	<0.001	0.27	0.05	2.1	<0.2	<0.2	14.8	<0.01	<0.01	14.6
C303934		41.9	360	2.3	7.7	<0.001	0.10	0.14	2.3	<0.2	0.2	14.0	<0.01	0.01	13.4
C303935		47.3	360	4.0	8.5	<0.001	0.12	0.08	2.7	<0.2	0.2	16.2	<0.01	0.02	15.7
C303936		61.2	530	9.3	96.7	<0.001	0.11	365	5.9	<0.2	1.4	19.0	<0.01	0.03	13.8
C303937		46.6	400	3.1	12.2	<0.001	0.05	0.34	3.1	<0.2	0.2	25.4	<0.01	0.04	18.0
C303938		44.2	440	2.0	9.4	<0.001	0.08	0.09	2.6	<0.2	0.2	14.3	<0.01	0.03	15.3
C303939		46.4	340	2.7	10.8	<0.001	0.02	0.08	2.3	<0.2	0.3	19.8	<0.01	0.02	14.0
C303940		45.0	340	3.3	8.0	<0.001	0.12	0.06	2.6	0.2	0.2	16.4	<0.01	0.01	10.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303901		0.05	0.77	26	<0.05	2.44	112	2.8	0.01
C303902		0.06	2.75	22	0.10	2.30	101	4.0	0.51
C303903		0.06	1.82	22	0.14	2.41	108	3.0	0.12
C303904		0.05	1.15	17	0.31	1.78	101	4.0	1.27
C303905		0.06	2.64	18	0.29	4.62	121	8.8	0.16
C303906		0.04	1.68	20	0.16	3.58	145	6.5	0.86
C303907		0.05	1.07	17	0.08	3.62	139	2.5	0.01
C303908		0.04	0.77	21	0.05	3.14	171	3.1	0.01
C303909		0.65	1.49	68	0.47	10.40	80	29.8	2.27
C303910		0.05	0.64	22	0.06	3.26	172	4.2	0.01
C303911		0.04	0.68	24	<0.05	2.73	168	3.4	0.01
C303912		0.03	0.65	22	<0.05	2.54	152	3.3	0.01
C303913		0.04	0.81	22	<0.05	2.40	166	2.5	0.01
C303914		0.04	0.69	21	0.05	2.48	153	2.3	0.05
C303915		0.04	0.57	18	<0.05	2.63	148	2.4	<0.01
C303916		0.07	1.84	19	0.07	3.02	145	3.7	0.01
C303917		0.04	0.87	16	<0.05	3.49	113	5.4	0.01
C303918		0.02	0.92	18	<0.05	3.22	116	5.1	<0.01
C303919		0.03	0.85	22	<0.05	3.11	122	3.9	0.01
C303920		0.03	0.71	22	<0.05	3.10	128	3.4	<0.01
C303921		0.04	0.75	22	<0.05	2.41	108	2.1	<0.01
C303922		<0.02	0.16	1	<0.05	0.67	5	1.8	<0.01
C303923		0.08	2.03	26	<0.05	2.77	92	2.3	<0.01
C303924		0.06	1.84	22	<0.05	2.76	86	2.5	<0.01
C303925		0.05	0.90	24	<0.05	2.30	92	2.1	<0.01
C303926		0.04	0.99	26	<0.05	2.56	93	2.1	<0.01
C303927		0.04	0.99	21	<0.05	2.91	109	2.5	<0.01
C303928		0.04	0.88	23	<0.05	3.18	121	2.3	<0.01
C303929		0.04	0.75	23	<0.05	2.86	121	2.5	<0.01
C303930		0.04	0.75	30	<0.05	2.82	106	2.3	<0.01
C303931		0.04	1.48	34	<0.05	2.98	125	2.4	<0.01
C303932		0.04	0.85	20	<0.05	2.55	102	2.2	<0.01
C303933		0.04	0.98	16	<0.05	2.29	116	2.9	<0.01
C303934		0.13	3.32	23	0.06	2.88	101	3.4	<0.01
C303935		0.06	1.47	29	<0.05	2.53	109	3.9	<0.01
C303936		0.64	1.54	69	0.57	9.92	80	31.0	2.20
C303937		0.07	0.97	24	<0.05	3.38	120	3.2	<0.01
C303938		0.06	1.15	26	<0.05	2.57	105	2.1	<0.01
C303939		0.06	1.17	31	<0.05	2.88	115	4.2	<0.01
C303940		0.05	1.07	27	<0.05	2.63	103	3.6	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C303941		3.53	0.02	2.79	<0.1	<0.02	<10	40	0.83	0.32	0.19	0.01	59.8	21.5	37	2.87
C303942		2.71	0.04	2.85	3.4	<0.02	<10	40	0.84	0.41	0.16	0.01	80.2	21.0	37	2.73
C303943		2.96	0.03	2.86	7.2	<0.02	<10	30	0.99	0.26	0.15	0.02	107.5	22.5	39	3.09
C303944		3.41	0.04	2.98	13.8	<0.02	<10	40	0.92	0.30	0.17	0.02	104.0	21.5	39	2.84
C303945		2.43	0.06	2.69	17.7	<0.02	<10	30	0.95	0.91	0.20	0.02	93.8	18.3	36	2.49
C303946		2.90	0.02	2.78	12.4	<0.02	<10	30	0.92	0.10	0.14	0.02	107.5	20.3	36	2.93
C303947		2.46	0.04	2.68	5.3	<0.02	<10	30	0.77	0.76	0.19	0.01	100.5	20.7	37	4.05
C303948		2.05	0.05	2.34	0.8	<0.02	<10	30	0.85	0.22	0.16	0.02	80.6	21.6	32	1.97
C303949		2.23	0.06	2.74	2.8	<0.02	<10	30	0.98	0.38	0.12	0.02	66.0	22.9	32	1.92
C303950		2.66	0.05	1.57	6.7	<0.02	<10	30	0.98	0.21	0.13	0.01	71.9	17.6	22	2.34
C303951		3.20	0.03	2.56	3.3	<0.02	<10	30	0.90	0.58	0.13	0.01	56.6	20.2	31	2.38
C303952		2.39	0.01	2.33	7.3	<0.02	<10	30	0.66	0.23	0.18	0.01	71.3	19.0	29	2.32
C303953		0.06	0.13	2.56	345	1.51	<10	90	1.26	0.30	0.20	0.04	57.4	13.1	100	7.36
C303954		4.39	0.02	2.65	10.9	<0.02	<10	40	0.90	0.25	0.13	<0.01	59.7	20.0	34	2.31
C303955		4.09	0.09	2.95	20.3	<0.02	<10	40	0.99	1.36	0.14	0.03	94.9	23.2	36	2.07
C303956		3.85	0.07	2.69	25.2	0.02	<10	40	0.89	0.42	0.14	0.04	90.5	22.6	32	2.03
C303957		3.10	0.05	2.81	19.5	<0.02	<10	40	0.86	0.61	0.16	0.02	66.2	21.3	34	1.96
C303958		2.58	0.05	2.60	20.9	<0.02	<10	40	0.84	0.56	0.22	0.04	65.5	22.8	32	1.80
C303959		2.75	0.05	2.21	30.3	<0.02	<10	30	0.60	0.33	0.11	0.03	61.4	18.8	23	1.30
C303960		1.14	0.04	2.42	25.0	<0.02	<10	40	0.97	0.34	0.19	0.02	53.9	19.8	30	7.97
C303961		0.96	0.01	2.59	7.2	<0.02	<10	50	1.07	0.24	0.25	0.01	76.5	20.9	34	6.90
C303962		2.39	0.03	2.21	0.2	0.02	<10	40	0.76	0.10	0.23	0.01	84.6	24.9	27	2.22
C303963		3.53	0.01	2.19	0.9	<0.02	<10	40	0.72	0.23	0.19	0.01	86.2	24.9	27	2.38
C303964		4.52	0.01	2.25	<0.1	<0.02	<10	30	0.63	0.15	0.14	0.01	70.4	24.9	28	2.18
C303965		2.37	0.09	2.24	0.2	<0.02	<10	40	0.72	0.67	0.30	0.03	56.6	20.3	32	1.78
C303966		4.51	0.02	2.49	13.0	<0.02	<10	40	0.77	0.36	0.15	0.02	42.4	19.7	30	2.28
C303967		1.33	0.01	2.66	1.0	<0.02	<10	40	0.67	0.07	0.11	0.01	91.8	19.2	31	2.13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C303941		22.0	5.01	7.67	0.12	0.07	<0.01	0.017	0.15	35.3	60.4	0.96	1020	0.12	0.03
C303942		11.1	4.89	7.89	0.13	0.08	<0.01	0.017	0.16	47.4	76.5	0.99	860	0.26	0.03
C303943		17.0	5.04	8.57	0.17	0.09	<0.01	0.014	0.14	65.3	85.8	0.99	668	0.16	0.04
C303944		45.9	5.17	8.56	0.15	0.09	<0.01	0.018	0.15	62.1	84.2	1.00	807	0.21	0.04
C303945		28.5	4.59	7.57	0.15	0.09	<0.01	0.018	0.13	55.5	72.7	0.89	865	0.14	0.03
C303946		13.6	4.88	8.07	0.16	0.08	<0.01	0.016	0.13	63.8	84.7	0.94	822	0.09	0.03
C303947		7.1	4.99	8.02	0.15	0.11	<0.01	0.016	0.13	59.2	76.8	0.90	928	0.18	0.02
C303948		17.6	4.63	7.16	0.13	0.10	<0.01	0.017	0.11	42.0	48.4	0.80	1000	0.54	0.02
C303949		24.0	5.41	8.86	0.12	0.10	<0.01	0.023	0.11	33.6	54.8	0.95	1020	0.20	0.02
C303950		59.5	4.02	5.54	0.11	0.09	0.01	0.022	0.12	36.3	19.0	0.33	2140	0.24	0.02
C303951		6.9	4.89	6.64	0.10	0.09	<0.01	0.015	0.15	31.6	55.2	0.91	748	0.06	0.03
C303952		21.6	4.37	6.18	0.12	0.10	<0.01	0.013	0.15	38.5	48.7	0.85	815	0.13	0.03
C303953		25.1	3.42	7.60	0.13	0.78	<0.01	0.023	0.98	29.5	34.9	1.27	209	0.51	0.06
C303954		5.8	5.03	7.34	0.12	0.08	<0.01	0.017	0.15	32.0	57.9	0.92	788	0.12	0.03
C303955		22.0	5.20	8.68	0.14	0.08	<0.01	0.022	0.17	51.6	83.5	0.98	859	0.22	0.03
C303956		46.8	4.59	7.39	0.14	0.10	<0.01	0.022	0.16	47.3	72.3	0.95	787	0.11	0.02
C303957		18.8	5.10	7.76	0.12	0.07	<0.01	0.022	0.16	33.6	79.1	1.02	889	0.13	0.02
C303958		57.2	4.89	7.21	0.11	0.10	<0.01	0.023	0.15	32.0	69.1	0.92	1040	0.12	0.02
C303959		23.6	4.23	6.37	0.12	0.07	<0.01	0.022	0.11	31.2	52.8	0.72	749	0.19	0.01
C303960		21.1	5.14	7.05	0.11	0.08	<0.01	0.025	0.13	27.1	49.3	0.77	740	0.15	0.02
C303961		3.3	4.98	7.86	0.14	0.08	<0.01	0.022	0.13	37.3	52.7	0.86	817	0.12	0.02
C303962		31.3	3.54	6.53	0.13	0.09	<0.01	0.016	0.15	43.3	56.3	0.98	919	0.07	0.03
C303963		22.7	3.32	5.84	0.14	0.08	<0.01	0.012	0.16	45.2	59.9	0.98	817	0.11	0.03
C303964		9.9	3.50	5.67	0.12	0.05	<0.01	0.013	0.14	36.3	73.8	1.01	892	0.08	0.03
C303965		209	4.75	5.74	0.11	0.08	<0.01	0.015	0.15	27.5	61.4	0.89	1020	0.12	0.02
C303966		32.8	5.39	6.60	0.11	0.04	<0.01	0.018	0.13	20.4	42.3	0.77	681	0.12	0.02
C303967		13.5	5.12	7.41	0.15	0.06	<0.01	0.020	0.13	47.3	53.2	0.85	877	0.14	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C303941		44.4	340	5.7	7.2	<0.001	0.04	0.06	2.7	<0.2	0.4	20.5	<0.01	0.03	13.0
C303942		41.4	380	8.9	7.5	<0.001	0.02	0.06	2.7	<0.2	0.2	25.1	<0.01	0.02	13.0
C303943		50.5	340	6.9	6.7	<0.001	0.01	0.05	2.8	<0.2	0.2	27.7	<0.01	0.01	17.2
C303944		45.8	330	7.0	6.7	<0.001	0.01	0.10	3.0	<0.2	0.2	29.9	<0.01	0.02	15.6
C303945		38.3	330	9.7	5.9	<0.001	0.01	0.06	2.5	<0.2	0.3	33.7	<0.01	0.01	14.5
C303946		43.3	320	5.5	6.3	<0.001	0.01	0.06	2.7	<0.2	0.2	29.5	<0.01	0.01	16.0
C303947		42.3	370	12.9	6.2	<0.001	0.01	<0.05	2.9	<0.2	0.2	25.8	<0.01	0.05	15.1
C303948		40.1	410	9.6	5.9	<0.001	0.02	0.21	2.9	<0.2	<0.2	12.9	<0.01	0.02	14.6
C303949		42.7	370	13.8	5.8	<0.001	0.08	0.19	3.5	0.2	<0.2	15.4	<0.01	0.02	15.7
C303950		32.3	390	9.6	5.8	<0.001	0.02	0.10	3.4	0.2	0.3	16.1	<0.01	0.01	14.2
C303951		42.5	290	10.8	7.4	<0.001	0.32	0.06	2.4	0.2	0.2	22.4	<0.01	0.01	13.7
C303952		41.0	350	4.0	7.6	<0.001	0.13	0.06	2.3	<0.2	<0.2	16.9	<0.01	0.01	14.4
C303953		62.9	500	8.3	97.4	<0.001	0.08	257	6.0	0.5	1.3	16.7	<0.01	0.02	12.8
C303954		42.9	380	8.3	7.7	<0.001	0.24	0.22	2.8	<0.2	0.2	17.5	<0.01	0.02	11.5
C303955		46.2	400	16.1	8.5	<0.001	0.01	0.09	3.2	0.2	0.3	23.2	<0.01	0.03	15.5
C303956		42.5	350	9.9	8.1	<0.001	0.02	0.07	2.6	<0.2	0.2	23.2	<0.01	0.01	15.7
C303957		43.1	400	9.8	8.2	<0.001	0.11	0.07	2.8	<0.2	0.3	18.7	<0.01	0.01	16.3
C303958		40.1	470	11.1	7.9	<0.001	0.08	0.05	2.9	<0.2	0.2	19.4	<0.01	0.01	15.1
C303959		34.1	360	6.7	5.3	<0.001	0.02	<0.05	2.4	<0.2	0.2	13.4	<0.01	0.02	13.6
C303960		40.6	430	8.3	7.1	0.001	0.24	0.54	3.1	0.2	0.2	26.2	<0.01	0.03	14.1
C303961		40.4	450	5.7	7.1	<0.001	0.05	0.05	3.5	<0.2	0.2	33.2	<0.01	0.01	15.5
C303962		56.0	360	5.9	8.1	<0.001	0.02	<0.05	2.3	<0.2	<0.2	23.2	<0.01	0.01	16.3
C303963		53.2	330	2.6	8.1	<0.001	0.01	<0.05	2.1	<0.2	<0.2	22.0	<0.01	0.02	16.5
C303964		51.9	300	1.7	6.5	<0.001	0.01	0.05	2.0	0.2	0.2	16.3	<0.01	0.02	15.1
C303965		39.4	520	2.9	7.2	<0.001	0.08	0.09	2.3	<0.2	0.2	24.9	<0.01	0.02	13.8
C303966		34.5	520	6.3	6.7	<0.001	0.48	0.13	3.5	0.2	<0.2	16.5	<0.01	0.01	13.0
C303967		37.3	410	2.8	6.2	<0.001	0.04	<0.05	2.9	<0.2	0.2	16.7	<0.01	<0.01	16.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C303941		0.05	1.29	27	<0.05	2.85	123	3.4	<0.01
C303942		0.05	0.76	28	<0.05	3.27	116	3.4	<0.01
C303943		0.05	1.03	28	<0.05	3.40	120	4.2	<0.01
C303944		0.05	1.19	30	<0.05	3.55	121	4.0	<0.01
C303945		0.05	1.10	26	<0.05	3.15	101	3.5	0.01
C303946		0.04	1.24	30	<0.05	3.52	111	3.7	<0.01
C303947		0.04	1.40	30	<0.05	3.71	119	3.7	<0.01
C303948		0.05	1.67	23	0.07	3.63	112	3.6	<0.01
C303949		0.06	1.12	25	0.08	3.02	120	4.3	<0.01
C303950		0.07	2.00	19	0.12	4.16	99	4.0	0.01
C303951		0.05	1.27	23	0.05	2.54	109	3.3	<0.01
C303952		0.04	1.11	22	<0.05	2.99	104	3.8	<0.01
C303953		0.59	1.39	66	0.43	9.86	76	29.4	1.55
C303954		0.05	0.80	29	<0.05	3.01	111	3.2	<0.01
C303955		0.05	0.88	29	<0.05	4.54	114	4.5	<0.01
C303956		0.06	1.05	23	<0.05	4.29	106	3.9	<0.01
C303957		0.05	1.04	24	0.18	3.34	115	3.0	<0.01
C303958		0.06	0.88	25	0.05	3.46	109	3.4	<0.01
C303959		0.03	0.79	15	0.05	2.76	103	3.2	<0.01
C303960		0.16	8.05	20	0.07	3.97	101	3.2	<0.01
C303961		0.04	1.04	27	0.06	3.88	97	3.1	<0.01
C303962		0.05	1.03	17	0.06	3.58	113	3.2	<0.01
C303963		0.05	1.11	15	<0.05	3.27	110	2.3	<0.01
C303964		0.05	1.15	15	<0.05	2.73	112	2.2	<0.01
C303965		0.05	0.96	30	<0.05	3.11	97	2.7	<0.01
C303966		0.05	0.66	22	0.05	3.21	93	1.9	<0.01
C303967		0.04	0.76	19	<0.05	3.88	99	2.5	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20277455

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41