



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

CERTIFICATE WH20278419

Project: Culvert -NUF

This report is for 82 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 27-NOV-2020.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305501		6.16	0.03	2.86	0.4	<0.02	<10	40	0.74	0.41	0.08	0.01	94.9	21.1	39	2.63
C305502		3.85	0.02	2.77	1.1	<0.02	<10	40	0.68	0.62	0.07	0.01	70.9	19.8	40	3.03
C305503		5.61	0.03	2.41	1.4	<0.02	<10	50	0.69	0.87	0.08	<0.01	83.7	19.7	36	3.03
C305504		6.25	0.03	2.27	0.9	<0.02	<10	30	0.67	0.57	0.07	<0.01	71.5	21.0	36	3.17
C305505		5.95	0.01	2.77	0.5	<0.02	<10	30	0.66	0.43	0.08	0.01	87.5	22.2	42	2.97
C305506		6.05	0.03	2.66	0.1	<0.02	<10	40	0.69	0.40	0.09	<0.01	101.5	22.4	40	3.19
C305507		7.23	0.02	2.43	2.2	<0.02	<10	30	0.77	0.50	0.09	0.01	82.1	22.5	38	3.91
C305508		6.56	0.01	2.33	0.9	<0.02	<10	40	0.70	0.18	0.10	<0.01	86.7	20.3	34	3.22
C305509		0.15	0.01	0.07	0.8	<0.02	<10	10	<0.05	0.01	0.05	0.01	3.86	0.3	2	0.07
C305510		6.64	0.02	2.64	1.2	<0.02	<10	30	0.63	0.18	0.11	0.02	54.8	22.5	33	3.45
C305511		5.28	0.04	3.05	0.5	<0.02	<10	30	0.51	0.33	0.09	0.01	67.0	21.3	37	3.11
C305512		3.41	0.08	2.94	3.9	<0.02	<10	30	0.53	0.24	0.11	0.03	73.3	19.3	36	3.44
C305513		3.95	0.06	3.04	5.2	<0.02	<10	20	0.52	0.34	0.08	0.03	75.2	21.1	37	3.50
C305514		6.90	0.05	3.09	3.0	<0.02	<10	30	0.50	0.49	0.11	0.02	74.1	19.8	39	3.11
C305515		3.20	0.01	3.02	5.0	<0.02	<10	40	0.59	0.11	0.12	0.01	56.5	20.0	37	2.73
C305516		2.96	0.02	2.79	4.4	<0.02	<10	40	0.67	0.18	0.11	0.01	63.3	19.2	34	2.39
C305517		2.49	0.05	2.80	7.8	<0.02	<10	40	0.71	0.36	0.21	0.03	55.9	31.4	31	2.54
C305518		4.14	0.04	2.70	2.9	<0.02	<10	40	0.78	0.65	0.30	3.99	49.8	24.6	31	2.51
C305519		5.03	0.03	2.63	1.0	<0.02	<10	40	0.84	0.52	0.19	0.02	54.4	21.4	33	2.28
C305520		4.78	0.02	2.57	0.3	<0.02	<10	40	0.77	0.23	0.08	0.01	78.1	19.6	30	2.36
C305521		2.82	0.05	2.82	1.6	0.17	<10	50	0.91	0.27	0.14	0.02	68.3	21.9	30	2.72
C305522		4.32	0.56	2.82	4.3	0.17	<10	40	0.75	0.43	0.09	0.01	51.3	30.4	28	2.75
C305523		4.06	0.08	2.89	2.6	<0.02	<10	50	0.85	0.32	0.11	0.02	70.8	20.0	35	2.62
C305524		3.49	0.02	2.73	1.6	<0.02	<10	30	0.87	0.32	0.39	0.01	53.0	20.6	33	2.78
C305525		3.87	0.03	2.61	2.7	<0.02	<10	40	0.83	0.30	0.30	0.01	55.1	19.8	30	6.25
C305526		0.06	0.18	2.53	495	2.13	<10	90	1.23	0.31	0.22	0.03	56.3	13.6	94	7.15
C305527		5.47	0.01	2.88	10.2	<0.02	<10	40	0.86	0.27	0.12	0.02	74.3	19.6	33	2.49
C305528		5.05	0.05	2.93	28.6	<0.02	<10	40	0.71	0.42	0.28	0.02	83.1	23.5	32	2.13
C305529		3.68	0.06	3.00	28.4	<0.02	<10	40	0.74	0.46	0.16	0.03	57.6	20.4	33	2.29
C305530		3.23	0.03	2.89	233	0.03	<10	40	0.91	0.30	0.19	0.02	65.3	20.7	30	3.07
C305531		3.08	0.02	2.88	30.6	0.03	<10	40	0.80	0.31	0.15	<0.01	50.6	21.2	29	2.39
C305532		2.70	0.01	2.40	34.4	<0.02	<10	40	0.70	0.20	0.28	0.05	73.0	20.8	29	2.03
C305533		4.39	0.01	2.71	31.5	<0.02	<10	40	0.93	0.14	0.11	<0.01	59.2	21.3	33	2.52
C305534		6.66	0.06	2.75	30.5	<0.02	<10	40	0.84	0.47	0.22	0.04	74.6	26.4	31	2.75
C305535		4.59	0.03	2.73	5.9	<0.02	<10	40	0.70	0.46	0.14	<0.01	36.0	18.3	35	2.27
C305536		3.79	0.01	3.07	13.9	<0.02	<10	40	0.70	0.12	0.09	<0.01	62.8	20.8	36	2.58
C305537		4.98	0.09	2.96	21.6	<0.02	<10	20	0.55	1.60	0.17	0.03	43.0	19.8	34	2.86
C305538		3.89	0.07	3.06	14.0	<0.02	<10	30	0.59	0.84	0.31	0.01	44.8	21.3	38	2.74
C305539		4.15	0.03	3.22	19.0	<0.02	<10	30	0.65	0.79	0.11	0.01	96.9	20.1	38	3.06
C305540		4.89	0.05	3.18	19.6	<0.02	<10	30	0.62	0.73	0.12	0.02	65.8	22.2	39	2.65



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C305501		9.4	5.63	8.03	0.13	0.11	<0.01	0.019	0.15	51.2	96.6	0.91	920	0.09	0.04
C305502		3.8	5.46	7.75	0.10	0.13	<0.01	0.016	0.18	40.2	93.5	0.84	691	0.17	0.05
C305503		8.8	5.19	7.41	0.11	0.11	<0.01	0.018	0.15	45.4	86.7	0.82	612	0.13	0.04
C305504		5.6	5.03	6.41	0.11	0.15	<0.01	0.012	0.16	38.7	82.8	0.77	572	0.13	0.04
C305505		13.6	5.32	8.39	0.12	0.15	<0.01	0.018	0.15	48.1	96.9	0.89	770	0.12	0.05
C305506		23.7	4.93	8.15	0.13	0.13	<0.01	0.020	0.15	54.1	95.4	0.91	839	0.10	0.05
C305507		31.3	4.77	7.06	0.10	0.17	<0.01	0.016	0.15	46.8	90.9	0.88	703	0.17	0.05
C305508		10.6	4.76	6.49	0.13	0.12	<0.01	0.013	0.16	48.0	76.7	0.88	699	0.12	0.05
C305509		1.3	0.35	0.29	<0.05	0.13	<0.01	<0.005	0.01	1.9	1.1	0.01	47	0.21	<0.01
C305510		10.7	4.67	7.49	0.14	0.11	<0.01	0.015	0.15	30.8	84.1	1.11	987	0.22	0.05
C305511		25.8	4.93	9.19	0.15	0.10	<0.01	0.020	0.13	34.1	99.7	1.38	1300	0.19	0.05
C305512		38.3	4.70	9.11	0.13	0.08	<0.01	0.022	0.12	38.4	91.9	1.28	1240	0.27	0.05
C305513		64.0	4.98	9.07	0.16	0.12	<0.01	0.021	0.12	39.7	94.7	1.32	1140	0.75	0.06
C305514		78.6	4.89	8.16	0.15	0.10	<0.01	0.020	0.13	37.9	86.8	1.40	1210	0.29	0.06
C305515		5.7	5.34	8.06	0.13	0.08	<0.01	0.015	0.16	29.2	80.7	1.27	953	0.18	0.04
C305516		1.6	4.64	7.28	0.13	0.08	<0.01	0.016	0.19	32.5	79.6	1.13	936	0.08	0.04
C305517		11.8	4.81	7.44	0.12	0.09	<0.01	0.017	0.16	27.3	86.0	1.21	2060	1.51	0.03
C305518		18.4	4.78	7.97	0.12	0.14	<0.01	0.407	0.17	25.4	86.3	1.06	1640	0.19	0.03
C305519		9.2	5.09	7.53	0.11	0.12	<0.01	0.019	0.18	28.2	73.9	0.80	1060	0.13	0.03
C305520		3.8	5.00	7.00	0.15	0.11	<0.01	0.015	0.18	41.5	70.0	0.72	702	0.08	0.03
C305521		5.3	5.48	7.54	0.15	0.12	<0.01	0.013	0.21	35.4	73.9	0.80	945	0.08	0.04
C305522		15.2	5.37	6.97	0.13	0.13	<0.01	0.013	0.21	26.8	72.0	0.88	811	0.12	0.04
C305523		25.8	5.40	8.29	0.14	0.10	<0.01	0.019	0.23	36.9	67.1	0.87	746	0.09	0.05
C305524		8.6	5.15	7.18	0.11	0.10	<0.01	0.013	0.21	27.2	56.9	1.04	1030	0.07	0.04
C305525		26.3	4.52	7.28	0.12	0.14	<0.01	0.016	0.18	29.4	67.0	1.00	960	0.09	0.04
C305526		25.7	3.46	7.74	0.16	0.68	0.01	0.024	0.98	29.9	32.8	1.28	216	0.53	0.07
C305527		17.3	5.12	7.99	0.16	0.08	<0.01	0.018	0.20	40.5	83.7	0.93	768	0.09	0.05
C305528		16.4	4.87	8.08	0.16	0.08	<0.01	0.018	0.20	43.7	83.4	1.19	1070	0.08	0.04
C305529		48.7	5.29	8.04	0.13	0.09	<0.01	0.024	0.19	29.0	85.9	1.21	897	0.09	0.04
C305530		41.4	4.97	7.47	0.14	0.11	<0.01	0.028	0.21	34.5	84.7	1.18	883	0.11	0.04
C305531		15.8	5.53	7.63	0.13	0.08	<0.01	0.019	0.21	26.4	78.4	1.03	859	0.07	0.04
C305532		7.5	4.26	6.75	0.14	0.08	<0.01	0.056	0.19	37.7	69.7	0.88	1040	0.09	0.03
C305533		8.2	4.98	7.48	0.13	0.12	<0.01	0.020	0.21	31.7	76.8	0.88	890	0.10	0.04
C305534		65.5	4.58	7.45	0.14	0.11	<0.01	0.021	0.20	40.9	78.1	1.04	1220	0.09	0.04
C305535		1.6	5.75	7.91	0.11	0.11	<0.01	0.018	0.20	19.5	69.5	0.74	658	0.06	0.04
C305536		1.1	5.45	8.04	0.15	0.08	<0.01	0.019	0.21	33.5	78.6	1.02	819	0.06	0.05
C305537		102.5	5.32	7.84	0.13	0.09	<0.01	0.025	0.12	23.3	84.1	1.18	922	2.32	0.04
C305538		52.5	5.53	8.98	0.12	0.10	<0.01	0.025	0.16	23.9	81.4	1.24	994	0.17	0.06
C305539		32.8	5.37	8.45	0.18	0.12	<0.01	0.021	0.19	52.6	84.8	1.20	904	1.09	0.06
C305540		45.7	5.52	8.60	0.15	0.10	<0.01	0.025	0.15	34.9	86.3	1.22	928	0.74	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C305501		47.0	370	4.4	6.8	<0.001	<0.01	0.10	2.9	<0.2	0.3	10.5	<0.01	0.03	14.4
C305502		47.2	330	4.5	8.8	<0.001	0.13	0.11	2.9	0.2	0.2	13.1	<0.01	0.03	12.2
C305503		47.6	350	5.3	7.1	<0.001	0.02	0.11	2.6	0.3	0.6	10.9	<0.01	0.02	12.9
C305504		46.5	340	6.1	7.9	<0.001	0.05	0.26	2.3	<0.2	0.4	11.2	<0.01	0.01	12.3
C305505		47.9	350	3.6	7.4	<0.001	0.01	0.11	3.3	0.3	0.4	11.5	<0.01	0.03	14.1
C305506		48.6	410	2.6	7.3	<0.001	<0.01	0.09	3.0	<0.2	0.3	11.6	<0.01	0.03	14.9
C305507		48.4	370	3.4	7.3	<0.001	0.04	0.12	2.4	0.3	0.2	12.1	<0.01	0.02	14.0
C305508		41.5	420	2.4	7.6	<0.001	<0.01	0.15	2.3	<0.2	0.3	12.3	<0.01	0.01	13.5
C305509		0.8	20	1.5	0.8	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.7	<0.01	<0.01	1.3
C305510		40.4	340	7.9	7.0	0.001	0.14	0.11	2.5	<0.2	0.2	12.2	<0.01	<0.01	13.7
C305511		39.1	380	6.2	5.8	<0.001	0.02	0.07	3.2	<0.2	0.2	12.8	<0.01	0.01	14.5
C305512		36.5	370	9.7	5.6	<0.001	<0.01	0.09	3.4	<0.2	0.2	13.3	<0.01	0.01	15.0
C305513		37.6	290	7.0	5.3	<0.001	<0.01	0.06	3.1	0.2	0.2	13.2	<0.01	<0.01	16.6
C305514		35.2	420	7.6	5.5	<0.001	0.01	0.07	2.8	0.2	0.2	11.8	<0.01	<0.01	16.2
C305515		41.9	450	5.4	6.7	<0.001	0.06	0.10	2.8	0.2	0.2	10.2	0.01	0.02	14.8
C305516		36.2	460	3.6	8.2	<0.001	0.06	0.10	2.6	<0.2	0.2	10.1	<0.01	0.02	15.2
C305517		36.6	370	14.7	6.9	<0.001	0.07	0.10	2.9	<0.2	0.2	11.5	<0.01	0.01	14.3
C305518		41.3	350	9.3	8.3	<0.001	0.18	0.10	3.1	<0.2	0.3	14.2	<0.01	0.02	14.8
C305519		44.2	340	8.1	8.1	<0.001	0.15	0.10	2.8	<0.2	0.3	11.5	<0.01	0.03	15.6
C305520		45.4	330	5.5	8.5	<0.001	0.03	0.08	2.4	0.3	0.3	9.8	<0.01	0.02	15.2
C305521		49.9	370	8.4	9.8	<0.001	0.18	0.08	2.7	<0.2	0.3	12.1	<0.01	0.03	15.6
C305522		51.1	360	10.8	9.1	<0.001	0.24	0.11	2.6	<0.2	1.4	10.7	<0.01	0.02	14.8
C305523		41.3	350	4.2	10.6	<0.001	0.13	0.08	3.1	<0.2	0.3	12.1	<0.01	0.02	15.8
C305524		39.2	340	7.3	7.9	<0.001	0.22	0.09	2.4	<0.2	0.2	12.8	<0.01	0.01	16.0
C305525		38.4	290	5.7	8.4	<0.001	0.15	0.08	2.4	0.2	0.2	14.2	<0.01	<0.01	17.0
C305526		61.0	500	8.7	93.2	0.001	0.10	348	5.7	0.4	1.4	18.1	<0.01	0.02	12.9
C305527		40.1	290	3.0	8.8	0.001	<0.01	0.30	2.7	<0.2	0.2	13.5	<0.01	0.02	15.4
C305528		41.9	340	11.4	9.3	0.001	0.02	0.13	2.6	0.2	0.2	17.5	<0.01	0.01	17.3
C305529		39.6	340	4.7	8.5	<0.001	0.19	0.14	2.6	<0.2	0.3	14.6	<0.01	0.02	17.2
C305530		39.4	320	3.3	8.8	<0.001	0.11	0.16	2.5	<0.2	0.5	17.5	<0.01	0.02	17.8
C305531		39.3	340	2.8	9.5	<0.001	0.49	0.14	2.6	<0.2	0.4	17.4	<0.01	0.01	17.9
C305532		38.3	270	1.8	9.0	<0.001	0.05	0.10	2.4	<0.2	0.3	20.0	<0.01	0.02	18.3
C305533		41.8	310	2.0	9.7	<0.001	0.22	0.20	2.6	<0.2	0.2	14.6	<0.01	<0.01	18.0
C305534		47.0	310	4.7	9.1	<0.001	0.02	0.12	2.7	<0.2	0.2	16.9	<0.01	0.02	17.9
C305535		40.1	290	5.8	9.3	<0.001	0.50	0.19	3.1	<0.2	0.2	12.7	<0.01	0.01	12.7
C305536		42.7	320	1.6	9.0	0.001	0.05	0.10	2.8	<0.2	0.2	12.0	<0.01	0.03	14.6
C305537		40.5	380	5.8	5.3	0.002	0.12	0.14	2.7	<0.2	0.2	11.9	<0.01	0.03	15.6
C305538		42.3	320	8.8	6.9	<0.001	0.36	0.14	3.3	0.3	0.2	17.4	<0.01	0.03	17.5
C305539		40.7	420	2.3	7.8	<0.001	0.01	0.07	2.8	<0.2	0.2	14.3	<0.01	0.02	18.6
C305540		43.5	380	5.0	6.4	0.001	0.09	0.10	2.8	<0.2	0.2	12.2	<0.01	0.02	16.9



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C305501		0.04	0.63	28	<0.05	3.21	115	4.9	<0.01	
C305502		0.06	0.95	32	0.07	2.75	106	4.6	<0.01	
C305503		0.04	0.89	29	<0.05	3.25	105	4.6	<0.01	
C305504		0.05	0.86	33	0.05	2.86	101	5.2	<0.01	
C305505		0.04	0.81	32	<0.05	3.12	121	5.6	0.01	
C305506		0.04	0.79	31	0.35	3.56	121	5.1	<0.01	
C305507		0.04	1.18	29	<0.05	3.29	111	6.7	<0.01	
C305508		0.05	0.69	28	0.13	3.13	97	5.6	<0.01	
C305509		<0.02	0.21	1	<0.05	1.04	2	3.6	<0.01	
C305510		0.04	0.91	20	<0.05	2.86	111	5.5	<0.01	
C305511		0.03	0.55	21	<0.05	3.08	118	3.7	<0.01	
C305512		0.03	0.55	20	<0.05	3.33	115	3.8	<0.01	
C305513		0.03	0.65	21	0.05	3.50	127	5.7	<0.01	
C305514		0.03	0.86	21	<0.05	3.43	128	4.5	<0.01	
C305515		0.04	1.01	25	<0.05	2.87	128	4.0	<0.01	
C305516		0.05	0.56	21	<0.05	2.88	125	3.4	<0.01	
C305517		0.05	1.32	20	0.16	3.61	139	4.4	0.01	
C305518		0.05	0.69	23	<0.05	3.32	255	5.3	0.01	
C305519		0.05	0.95	24	<0.05	3.36	112	5.3	0.03	
C305520		0.05	0.58	20	<0.05	3.55	101	5.6	<0.01	
C305521		0.06	0.67	21	0.10	3.86	109	5.1	0.01	
C305522		0.06	0.72	21	3.83	2.97	113	5.5	0.17	
C305523		0.06	0.53	26	0.27	3.49	115	5.9	0.01	
C305524		0.05	0.71	24	0.06	3.40	124	4.3	<0.01	
C305525		0.05	0.92	21	0.12	3.34	112	5.0	<0.01	
C305526		0.60	1.37	66	0.47	9.73	76	29.8	2.18	
C305527		0.06	1.38	21	0.05	3.68	98	4.4	<0.01	
C305528		0.06	1.48	20	<0.05	3.87	133	3.7	<0.01	
C305529		0.06	1.30	24	0.06	3.50	120	3.9	<0.01	
C305530		0.05	1.60	20	0.09	3.92	129	4.7	0.09	
C305531		0.06	1.29	22	0.17	3.39	118	3.8	0.04	
C305532		0.06	1.52	19	0.09	3.92	326	4.1	<0.01	
C305533		0.06	1.54	22	0.10	3.49	107	3.9	0.01	
C305534		0.05	1.61	21	0.05	4.11	129	5.0	<0.01	
C305535		0.06	1.59	32	0.05	3.00	88	3.7	<0.01	
C305536		0.06	1.19	26	<0.05	3.34	118	3.7	<0.01	
C305537		0.04	1.36	21	<0.05	2.98	129	4.3	<0.01	
C305538		0.04	1.58	25	<0.05	3.30	124	5.0	<0.01	
C305539		0.04	1.29	21	<0.05	4.26	122	4.9	<0.01	
C305540		0.04	1.24	22	<0.05	3.49	124	5.1	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305541		4.58	0.06	3.19	23.6	<0.02	<10	30	0.59	0.41	0.28	0.03	49.4	23.3	37	2.39
C305542		0.06	0.15	2.60	360	1.48	<10	100	1.18	0.28	0.21	0.03	55.7	12.8	97	7.07
C305543		2.99	0.19	2.96	27.2	<0.02	<10	30	0.57	0.76	0.67	0.04	49.9	26.0	35	2.10
C305544		6.75	0.14	3.23	15.2	<0.02	<10	40	0.63	0.48	0.41	0.04	53.9	22.4	37	2.09
C305545		3.12	0.12	3.05	16.2	<0.02	<10	40	0.68	0.64	0.43	0.02	62.6	26.3	37	2.17
C305546		4.05	0.06	3.21	11.1	<0.02	<10	30	0.60	0.57	0.92	0.08	41.7	21.2	40	1.77
C305547		0.20	0.01	0.06	0.5	<0.02	<10	10	<0.05	0.01	0.03	<0.01	3.73	0.4	3	0.06
C305548		4.78	0.32	2.70	36.3	<0.02	<10	40	0.70	1.60	0.64	0.05	48.1	41.1	34	2.21
C305549		4.49	0.03	3.27	21.6	<0.02	<10	40	0.64	0.10	0.43	0.04	85.8	23.0	39	1.92
C305550		5.85	0.03	2.99	22.7	<0.02	<10	30	0.64	0.10	0.29	0.04	79.9	22.0	36	2.06
C305551		7.28	0.04	2.88	22.4	<0.02	<10	40	0.62	0.18	0.42	0.03	81.7	21.1	35	1.79
C305552		6.66	0.02	3.23	20.2	<0.02	<10	30	0.59	0.06	0.31	0.02	82.2	23.1	38	1.70
C305553		6.68	0.05	3.06	14.5	<0.02	<10	30	0.62	0.16	0.40	0.04	82.8	21.0	37	1.56
C305554		5.24	0.04	3.08	25.2	<0.02	<10	30	0.58	0.12	0.38	0.06	84.7	22.6	37	1.48
C305555		4.74	0.05	3.20	37.7	<0.02	<10	30	0.60	0.11	0.35	0.06	89.0	25.4	38	1.53
C305556		4.25	0.01	2.90	55.1	0.03	<10	30	0.64	0.12	0.34	0.02	87.2	26.8	35	1.68
C305557		6.62	0.06	3.10	86.2	<0.02	<10	40	0.61	1.51	0.64	0.06	75.3	27.2	37	1.55
C305558		4.73	0.06	2.93	28.5	0.08	<10	40	0.63	1.39	0.84	0.03	68.3	28.0	36	1.43
C305559		2.42	0.08	2.82	58.4	1.75	<10	30	0.57	0.65	0.88	0.01	41.1	28.7	29	1.49
C305560		7.69	0.01	2.72	3.8	0.48	<10	40	0.68	0.09	0.51	0.01	78.2	23.7	33	1.42
C305561		6.49	0.01	2.62	13.4	<0.02	<10	30	0.64	0.13	0.59	0.02	82.9	23.2	31	1.36
C305562		3.01	0.22	3.13	347	0.03	<10	40	0.55	7.23	0.78	0.24	63.9	24.1	37	1.22
C305563		4.73	0.11	3.09	269	0.03	<10	40	0.79	1.24	0.48	0.07	88.1	24.5	36	8.13
C305564		0.06	0.16	2.88	536	2.11	<10	110	1.23	0.30	0.25	0.03	62.3	11.9	103	7.03
C305565		3.25	0.67	2.72	2.9	<0.02	<10	50	0.76	0.24	0.49	0.02	68.3	18.6	36	1.71
C305566		3.45	0.04	2.74	9.3	0.04	<10	50	0.70	0.19	0.61	0.01	69.8	19.9	35	1.08
C305567		6.92	0.08	3.04	25.7	<0.02	<10	40	0.65	2.42	0.50	0.03	57.7	19.9	36	1.35
C305568		3.92	0.13	3.12	431	0.12	<10	40	0.66	0.99	0.57	0.02	61.8	22.2	38	1.44
C305569		3.27	0.11	3.51	23.7	<0.02	<10	30	0.51	0.40	0.37	0.03	49.3	21.7	43	1.37
C305570		5.84	0.06	3.28	27.9	<0.02	<10	40	0.68	0.59	0.75	0.05	61.1	25.3	41	1.23
C305571		5.73	0.01	3.10	15.4	<0.02	<10	50	0.56	0.35	0.31	0.01	76.1	23.2	36	1.20
C305572		4.03	0.04	2.85	16.9	<0.02	<10	40	0.57	1.14	0.89	0.04	65.8	24.4	35	1.09
C305573		3.83	0.04	2.92	49.5	<0.02	<10	40	0.57	1.98	0.94	0.02	42.0	54.0	36	1.16
C305574		6.74	0.03	3.44	25.7	<0.02	<10	40	0.68	0.93	0.49	0.03	61.2	30.9	40	1.10
C305575		5.45	0.03	3.17	32.2	<0.02	<10	40	0.63	0.10	0.44	0.03	88.2	22.4	37	0.91
C305576		7.77	0.07	3.11	43.6	<0.02	<10	50	0.77	1.13	0.44	0.05	85.0	23.6	36	0.94
C305577		4.31	0.01	3.26	113.0	<0.02	<10	40	0.62	0.31	0.27	0.02	70.8	23.7	37	0.77
C305578		0.94	0.02	2.72	1480	0.22	<10	50	0.89	0.30	0.88	0.02	39.8	24.4	30	1.03
C305579		4.77	0.02	2.95	17.3	<0.02	<10	70	0.41	0.24	0.59	0.01	41.7	18.8	37	1.52
C305580		7.15	0.04	2.90	19.4	<0.02	<10	30	0.59	1.02	0.84	0.01	34.9	30.7	39	1.31



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C305541		43.0	5.78	8.43	0.12	0.11	<0.01	0.021	0.16	26.1	88.3	1.24	1200	0.53	0.04
C305542		23.4	3.50	7.51	0.17	0.69	0.01	0.027	1.01	29.2	31.1	1.30	215	0.52	0.07
C305543		40.3	5.39	8.66	0.14	0.09	<0.01	0.024	0.16	25.9	91.7	1.17	1820	0.32	0.04
C305544		37.7	5.71	8.23	0.09	0.09	<0.01	0.023	0.20	27.4	90.3	1.26	1480	0.54	0.05
C305545		37.2	5.28	8.00	0.11	0.10	0.01	0.019	0.20	31.6	91.2	1.19	1530	0.35	0.05
C305546		55.8	5.97	8.73	0.08	0.08	<0.01	0.039	0.17	21.0	101.5	1.30	2530	0.36	0.05
C305547		1.2	0.39	0.20	<0.05	0.12	<0.01	<0.005	0.01	1.8	1.0	0.01	39	0.25	<0.01
C305548		71.6	4.89	6.95	0.09	0.10	<0.01	0.021	0.20	24.9	80.1	1.03	1870	3.59	0.05
C305549		37.5	5.50	8.65	0.12	0.08	<0.01	0.025	0.21	43.6	96.8	1.29	1580	0.18	0.05
C305550		40.6	5.09	7.99	0.12	0.08	<0.01	0.023	0.18	41.8	91.5	1.18	1440	0.43	0.04
C305551		29.3	4.82	7.66	0.12	0.07	<0.01	0.026	0.19	42.0	85.6	1.13	1450	0.42	0.04
C305552		21.8	5.54	8.49	0.11	0.09	<0.01	0.020	0.18	42.5	92.3	1.30	1460	0.24	0.04
C305553		106.5	5.20	7.76	0.11	0.07	<0.01	0.025	0.18	41.7	84.3	1.21	1450	0.57	0.04
C305554		88.3	5.30	8.36	0.11	0.09	<0.01	0.031	0.17	42.1	87.5	1.23	1440	0.47	0.03
C305555		84.3	5.49	8.28	0.13	0.08	<0.01	0.023	0.18	44.8	87.3	1.28	1480	<0.05	0.04
C305556		12.0	4.84	7.87	0.13	0.08	<0.01	0.017	0.19	44.0	81.5	1.13	1310	0.10	0.03
C305557		122.5	5.38	8.59	0.10	0.07	<0.01	0.024	0.19	37.7	87.5	1.28	1640	<0.05	0.04
C305558		77.0	5.24	8.54	0.09	0.05	<0.01	0.026	0.20	34.0	68.3	1.24	1320	0.05	0.03
C305559		19.0	5.43	7.44	0.08	0.05	<0.01	0.019	0.18	20.1	60.0	1.22	1350	0.06	0.03
C305560		2.2	4.61	6.94	0.10	0.05	<0.01	0.018	0.22	38.3	48.7	1.10	1200	<0.05	0.03
C305561		11.4	4.45	6.87	0.12	0.07	<0.01	0.017	0.19	40.7	58.1	1.07	1140	0.05	0.03
C305562		335	5.99	7.85	0.12	0.07	<0.01	0.069	0.18	32.0	84.2	1.30	1530	<0.05	0.03
C305563		113.0	5.47	7.31	0.12	0.07	0.01	0.028	0.19	44.4	78.1	1.19	1300	0.06	0.03
C305564		26.0	3.79	7.57	0.12	0.67	0.01	0.023	1.09	31.4	33.4	1.40	237	0.51	0.08
C305565		11.8	5.81	6.77	0.10	0.05	<0.01	0.014	0.23	34.5	52.9	0.74	985	0.08	0.03
C305566		4.7	5.32	7.03	0.11	0.07	<0.01	0.017	0.24	34.2	50.4	0.80	1150	0.11	0.03
C305567		28.6	5.38	7.29	0.08	0.07	<0.01	0.021	0.20	29.0	81.6	1.18	1300	0.18	0.04
C305568		39.6	5.48	7.80	0.11	0.09	<0.01	0.021	0.21	31.5	86.1	1.21	1400	0.19	0.05
C305569		51.6	6.50	8.96	0.09	0.10	<0.01	0.026	0.15	25.3	102.0	1.44	1470	0.19	0.04
C305570		59.2	5.81	8.48	0.12	0.10	<0.01	0.031	0.21	31.1	92.1	1.28	1460	0.23	0.05
C305571		6.6	5.39	7.56	0.12	0.08	<0.01	0.019	0.23	38.3	77.9	1.12	978	<0.05	0.04
C305572		49.0	4.86	7.46	0.11	0.08	<0.01	0.024	0.20	33.1	78.2	1.05	1340	<0.05	0.04
C305573		57.7	5.52	7.01	0.10	0.10	<0.01	0.021	0.20	21.2	78.2	1.12	1860	0.83	0.05
C305574		53.3	6.09	8.37	0.11	0.09	<0.01	0.020	0.20	31.3	93.1	1.37	1680	0.46	0.05
C305575		33.4	5.31	7.62	0.13	0.07	<0.01	0.021	0.20	45.2	86.6	1.24	1460	0.17	0.04
C305576		86.1	5.10	7.23	0.13	0.07	<0.01	0.026	0.25	41.7	78.9	1.19	1450	0.07	0.04
C305577		10.9	5.87	7.52	0.11	0.05	<0.01	0.015	0.21	34.3	82.0	1.35	1340	<0.05	0.02
C305578		6.2	5.29	6.38	0.08	0.13	<0.01	0.016	0.27	20.1	63.8	1.06	1350	0.05	0.03
C305579		20.5	5.26	7.19	0.09	0.17	<0.01	0.020	0.12	21.7	80.7	1.22	1260	0.14	0.04
C305580		55.1	5.76	8.64	0.09	0.16	<0.01	0.029	0.17	17.9	94.1	1.10	1220	0.42	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C305541		43.5	410	14.0	6.2	<0.001	0.27	0.11	2.8	0.2	0.2	14.0	<0.01	0.04	15.7
C305542		59.1	500	7.9	90.0	<0.001	0.08	252	5.6	<0.2	1.3	16.7	<0.01	0.01	12.5
C305543		39.8	600	100.0	7.6	0.001	0.23	0.30	3.3	0.2	0.2	22.8	<0.01	0.03	14.4
C305544		42.5	940	113.5	8.8	<0.001	0.35	0.24	3.2	0.2	0.2	15.6	<0.01	0.04	14.7
C305545		40.7	430	50.8	8.7	<0.001	0.21	0.22	3.2	<0.2	0.3	15.1	<0.01	0.04	14.6
C305546		39.3	300	24.2	7.9	<0.001	0.56	0.19	4.0	0.2	0.5	21.1	<0.01	0.03	13.5
C305547		1.0	20	1.2	0.6	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.0
C305548		43.1	490	127.5	9.1	0.001	0.60	0.18	3.1	0.5	0.4	18.0	<0.01	0.05	15.1
C305549		40.7	250	6.0	9.3	<0.001	0.02	0.08	3.2	<0.2	0.3	16.2	<0.01	0.01	14.6
C305550		39.9	260	3.1	8.1	<0.001	0.04	0.09	2.8	<0.2	0.3	11.4	<0.01	0.01	15.5
C305551		38.3	320	5.9	8.4	<0.001	0.03	0.11	2.7	<0.2	0.4	13.6	<0.01	0.02	14.8
C305552		40.6	410	2.6	8.0	<0.001	0.02	0.05	2.9	<0.2	0.2	14.0	<0.01	0.01	15.1
C305553		37.1	260	2.8	7.8	<0.001	0.02	<0.05	2.8	0.2	0.2	13.3	<0.01	0.06	14.8
C305554		39.1	350	3.9	7.7	<0.001	0.06	0.07	3.1	<0.2	0.2	13.8	<0.01	0.03	15.3
C305555		40.2	340	3.8	8.0	<0.001	0.02	0.06	2.9	<0.2	0.2	12.8	<0.01	0.03	15.4
C305556		39.9	290	2.2	8.7	<0.001	0.04	0.07	2.9	<0.2	0.2	13.4	<0.01	0.01	15.9
C305557		40.5	240	7.4	8.4	<0.001	0.14	0.12	3.4	0.2	0.2	16.3	<0.01	0.06	14.5
C305558		38.2	950	7.5	8.9	<0.001	0.33	0.10	3.6	<0.2	0.2	20.8	<0.01	0.03	14.0
C305559		42.9	1550	5.8	8.3	<0.001	0.87	0.11	2.9	<0.2	0.3	21.3	<0.01	0.04	11.7
C305560		35.7	290	1.6	9.2	<0.001	0.14	0.07	2.7	<0.2	0.2	16.1	<0.01	0.02	13.9
C305561		36.7	1240	2.2	8.6	<0.001	0.12	0.07	2.6	<0.2	0.2	15.7	<0.01	0.02	13.5
C305562		37.4	400	13.4	7.3	<0.001	0.49	0.20	3.2	0.3	0.8	16.7	<0.01	0.19	13.3
C305563		37.5	350	5.6	8.3	<0.001	0.22	0.26	2.6	<0.2	0.3	16.5	<0.01	0.06	15.6
C305564		60.3	550	8.8	91.3	0.001	0.12	384	5.8	<0.2	1.3	18.6	<0.01	0.03	13.3
C305565		38.0	300	1.4	9.7	<0.001	0.13	0.35	2.7	<0.2	0.2	12.6	<0.01	0.02	14.6
C305566		37.6	400	2.7	11.7	<0.001	0.16	0.10	2.9	<0.2	0.3	13.1	<0.01	0.04	14.3
C305567		37.2	540	59.3	8.2	<0.001	0.23	0.22	2.7	<0.2	0.3	13.4	<0.01	0.02	15.1
C305568		38.8	290	42.2	8.9	<0.001	0.24	0.28	3.0	<0.2	0.3	15.8	<0.01	0.04	14.7
C305569		45.2	410	29.1	6.2	<0.001	0.30	0.21	3.3	<0.2	0.2	12.7	<0.01	0.03	14.8
C305570		44.0	430	12.0	8.5	<0.001	0.28	0.16	3.4	<0.2	0.3	18.9	<0.01	0.03	14.5
C305571		40.8	300	2.6	9.4	<0.001	0.06	0.13	2.7	<0.2	0.3	12.9	<0.01	0.02	14.5
C305572		37.9	460	5.1	8.9	<0.001	0.10	0.13	3.0	<0.2	0.3	17.6	<0.01	0.04	14.2
C305573		44.2	220	10.9	8.2	<0.001	0.65	0.30	2.8	<0.2	0.3	20.2	<0.01	0.05	14.2
C305574		42.1	440	6.0	8.5	<0.001	0.22	0.19	3.0	<0.2	0.2	14.7	<0.01	0.05	14.6
C305575		37.6	300	2.9	8.1	<0.001	0.01	0.08	2.6	<0.2	0.2	14.3	<0.01	0.01	14.3
C305576		36.0	530	2.8	9.8	<0.001	0.03	0.13	2.6	<0.2	0.3	16.3	<0.01	0.06	14.0
C305577		35.9	330	2.3	7.9	<0.001	0.07	0.11	2.7	<0.2	0.2	11.1	<0.01	0.09	13.6
C305578		41.1	770	4.2	13.0	<0.001	0.58	0.33	2.6	<0.2	0.3	20.8	<0.01	0.03	12.9
C305579		37.2	290	7.1	4.6	<0.001	0.25	0.13	2.6	0.2	0.2	104.5	<0.01	0.02	14.2
C305580		49.7	320	11.1	7.8	<0.001	0.87	0.20	3.6	0.3	0.4	24.6	<0.01	0.02	16.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C305541		0.04	1.35	21	<0.05	3.33	124	4.6	<0.01	
C305542		0.60	1.31	67	0.40	9.58	76	28.4	1.60	
C305543		0.05	1.15	22	0.05	4.25	113	3.7	<0.01	
C305544		0.05	1.06	24	<0.05	4.11	111	4.1	<0.01	
C305545		0.05	1.18	22	<0.05	3.95	104	4.3	<0.01	
C305546		0.05	1.08	27	0.30	3.36	129	3.4	<0.01	
C305547		<0.02	0.15	1	<0.05	0.81	2	2.8	<0.01	
C305548		0.06	1.32	20	<0.05	3.95	94	5.4	<0.01	
C305549		0.06	0.96	24	<0.05	4.41	114	3.9	<0.01	
C305550		0.05	0.97	20	<0.05	3.73	102	3.6	<0.01	
C305551		0.04	0.96	20	<0.05	3.95	106	3.8	<0.01	
C305552		0.04	0.95	22	<0.05	3.97	113	3.7	<0.01	
C305553		0.05	0.75	22	<0.05	3.70	108	3.2	<0.01	
C305554		0.05	0.80	22	<0.05	4.29	111	3.2	<0.01	
C305555		0.05	1.00	21	<0.05	4.89	117	3.2	<0.01	
C305556		0.05	0.92	19	0.08	6.75	103	3.1	0.04	
C305557		0.05	0.98	24	<0.05	6.14	118	2.8	<0.01	
C305558		0.05	0.73	25	0.07	7.92	118	2.0	0.01	
C305559		0.05	0.82	21	0.27	7.95	114	2.8	5.36	
C305560		0.05	0.73	20	0.05	6.88	104	2.2	0.07	
C305561		0.05	0.99	18	<0.05	9.71	101	2.6	<0.01	
C305562		0.05	0.90	24	0.39	7.40	162	3.4	0.08	
C305563		0.06	3.02	21	0.07	8.59	122	2.8	0.05	
C305564		0.56	1.40	72	0.43	9.73	83	30.0	2.14	
C305565		0.05	1.01	28	19.05	3.38	86	2.0	0.01	
C305566		0.06	0.79	24	0.35	3.82	83	2.3	0.06	
C305567		0.05	1.15	20	0.10	3.80	122	3.1	0.01	
C305568		0.05	1.33	22	0.44	3.84	114	4.1		0.10
C305569		0.03	0.99	25	0.17	3.44	132	4.1	<0.01	
C305570		0.06	1.33	25	0.10	4.37	126	4.8	0.01	
C305571		0.06	0.97	21	0.06	3.44	111	2.3	0.01	
C305572		0.06	1.02	21	<0.05	4.01	100	3.3	0.04	
C305573		0.05	0.97	19	0.09	3.71	100	4.6	0.01	
C305574		0.05	0.93	23	0.06	4.76	121	3.8	0.03	
C305575		0.05	0.65	20	0.12	4.15	112	2.9	0.01	
C305576		0.07	0.72	20	0.06	4.31	109	2.6	0.02	
C305577		0.05	0.68	21	0.07	2.98	120	1.7	0.09	
C305578		0.07	0.79	20	0.30	3.32	107	2.6		0.27
C305579		0.03	1.97	20	0.06	3.21	128	5.9	0.01	
C305580		0.06	1.50	20	0.08	3.15	123	5.7	0.02	

***** See Appendix Page for comments regarding this certificate *****

***** See Appendix Page for comments regarding this certificate *****

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C305581		0.05	1.02	19	0.67	3.21	111	4.7	0.01	
C305582		0.05	1.51	16	<0.05	3.08	100	4.4	0.02	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31-JAN-2021
Account: NUF

Project: Culvert -NUF

CERTIFICATE OF ANALYSIS WH20278419

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41