



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

CERTIFICATE WH20280827

Project: Culvert-NUF

This report is for 58 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-NOV-2020.

The following have access to data associated with this certificate:

TERRENCE BYBERG

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305583		3.33	0.01	2.49	0.4	0.02	<10	30	0.51	0.48	0.06	0.01	81.6	20.3	36	2.32
C305584		0.05	0.14	2.57	348	1.47	<10	90	1.14	0.29	0.20	0.03	54.6	12.7	100	7.81
C305585		3.59	0.01	2.08	1.0	<0.02	<10	40	0.66	0.45	0.08	0.01	87.8	19.9	35	3.18
C305586		3.49	0.01	2.05	0.1	<0.02	<10	30	0.73	0.23	0.08	<0.01	91.4	20.9	32	3.83
C305587		4.25	<0.01	2.30	1.3	<0.02	<10	40	0.93	0.88	0.09	<0.01	95.8	21.3	35	3.82
C305588		3.84	<0.01	2.16	1.4	<0.02	<10	30	0.74	0.11	0.08	0.01	87.3	18.9	32	3.23
C305589		2.73	0.03	2.37	5.2	0.21	<10	50	1.05	0.88	0.04	<0.01	73.2	10.7	27	4.26
C305590		2.22	0.01	2.68	0.9	0.03	<10	40	0.95	0.21	0.06	0.01	61.3	18.6	36	3.62
C305591		3.67	0.01	2.64	0.4	<0.02	<10	50	0.88	0.33	0.09	0.01	57.6	22.2	36	2.92
C305592		5.22	0.11	2.80	3.8	0.05	<10	40	0.88	0.45	0.07	0.02	49.1	25.0	28	3.78
C305593		4.22	0.27	2.52	1.9	<0.02	<10	30	0.80	1.90	0.18	0.09	59.6	19.3	30	3.04
C305594		5.66	0.13	2.96	2.1	0.02	<10	40	0.69	0.62	0.10	0.04	60.8	20.0	34	2.83
C305595		3.09	0.16	2.84	2.7	0.02	<10	30	0.55	0.58	0.16	0.04	56.2	21.8	35	3.01
C305596		4.40	0.04	2.00	2.9	<0.02	<10	30	0.62	0.26	0.10	0.03	39.4	21.6	32	3.29
C305597		6.38	<0.01	1.62	<0.1	<0.02	<10	30	0.63	0.21	0.11	0.01	53.7	19.0	31	2.76
C305598		4.85	<0.01	1.77	<0.1	<0.02	<10	30	0.70	0.23	0.09	<0.01	53.1	20.9	32	2.85
C305599		6.74	0.03	2.04	0.1	<0.02	<10	60	0.86	0.26	0.10	<0.01	66.0	19.0	35	3.39
C305600		3.23	<0.01	1.56	<0.1	<0.02	<10	30	0.53	0.20	0.10	<0.01	42.1	19.2	31	3.14
C305601		0.15	0.01	0.09	0.2	<0.02	<10	10	<0.05	0.02	0.04	<0.01	4.60	0.4	4	0.13
C305602		3.97	<0.01	1.76	<0.1	<0.02	<10	40	0.61	0.15	0.10	<0.01	55.2	18.4	33	2.94
C305603		3.91	<0.01	2.26	0.2	<0.02	<10	30	0.63	0.07	0.07	0.01	49.8	19.7	33	2.89
C305604		5.36	0.06	3.06	<0.1	<0.02	<10	30	0.50	0.20	0.08	0.02	48.4	20.7	37	2.76
C305605		4.55	0.05	3.29	<0.1	<0.02	<10	50	0.74	0.18	0.09	0.03	87.0	25.5	40	3.27
C305606		5.98	0.06	2.91	<0.1	<0.02	<10	20	0.44	0.44	0.18	0.03	73.4	23.1	37	2.54
C305607		1.93	0.04	3.09	<0.1	<0.02	<10	30	0.56	0.18	0.46	0.07	75.4	20.9	35	2.04
C305608		4.56	0.02	3.37	0.1	<0.02	<10	50	0.73	0.11	0.11	0.01	90.5	19.2	38	2.36
C305609		0.06	0.14	2.57	336	1.48	<10	90	1.20	0.28	0.20	0.04	61.6	12.9	97	7.19
C305610		2.68	<0.01	2.48	0.3	<0.02	<10	40	0.63	0.25	0.09	0.01	76.0	17.8	34	2.58
C305611		4.76	<0.01	1.98	0.2	<0.02	<10	30	0.63	0.22	0.12	0.01	66.7	17.9	31	2.31
C305612		5.21	<0.01	2.45	0.3	<0.02	<10	30	0.67	0.23	0.14	0.01	56.0	21.4	34	2.60
C305613		3.50	0.02	2.82	0.7	<0.02	<10	40	0.62	0.17	0.14	0.01	44.2	18.1	37	2.66
C305614		4.61	0.01	2.66	0.5	<0.02	<10	40	0.58	0.13	0.20	0.01	52.8	17.7	35	2.78
C305615		4.59	<0.01	2.68	1.3	<0.02	<10	30	0.58	0.17	0.09	<0.01	46.7	20.2	36	3.29
C305616		3.03	0.18	3.35	0.6	<0.02	<10	30	0.68	0.66	0.20	0.02	31.3	24.7	39	3.36
C305617		3.07	0.03	2.31	0.3	<0.02	<10	30	0.58	0.25	0.11	<0.01	56.8	18.4	33	3.09
C305618		2.03	0.03	2.03	0.2	<0.02	<10	30	0.49	0.18	0.09	<0.01	60.0	16.2	28	2.21
C305619		1.78	<0.01	2.17	0.2	<0.02	<10	30	0.64	0.25	0.11	0.01	63.0	17.8	30	2.79
C305620		3.92	0.05	1.91	8.4	<0.02	<10	30	0.75	0.25	0.11	<0.01	43.0	19.5	29	5.59
C305621		2.14	0.01	3.39	1.1	<0.02	<10	50	1.86	0.15	0.37	<0.01	75.9	21.0	41	2.61
C305622		4.02	0.01	2.74	19.8	<0.02	<10	30	0.89	0.18	0.13	0.01	95.3	19.0	36	2.96



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C305583		7.7	4.90	7.44	0.11	0.11	<0.01	0.015	0.13	45.8	83.5	0.91	801	0.07	0.03	<0.05
C305584		23.7	3.46	7.32	0.15	0.73	0.01	0.021	0.99	28.6	32.3	1.28	209	0.50	0.07	0.25
C305585		3.4	4.99	5.99	0.14	0.13	<0.01	0.011	0.14	49.2	69.3	0.81	696	0.07	0.04	<0.05
C305586		1.9	4.66	5.60	0.13	0.16	<0.01	0.011	0.14	52.8	71.6	0.84	670	0.08	0.04	<0.05
C305587		2.3	5.13	6.74	0.14	0.15	<0.01	0.012	0.16	53.5	75.2	0.82	716	0.14	0.04	<0.05
C305588		3.9	4.74	6.11	0.12	0.13	<0.01	0.010	0.12	48.6	73.8	0.79	651	0.12	0.03	<0.05
C305589		10.4	4.86	6.84	0.13	0.12	<0.01	0.014	0.16	41.9	69.8	0.78	654	0.11	0.04	<0.05
C305590		9.8	5.11	7.52	0.12	0.09	<0.01	0.016	0.13	33.8	87.5	0.96	830	0.10	0.03	<0.05
C305591		5.6	5.02	7.37	0.12	0.15	<0.01	0.013	0.15	31.5	82.4	0.92	969	0.08	0.03	<0.05
C305592		65.3	4.60	7.37	0.11	0.16	<0.01	0.019	0.16	25.3	87.7	1.16	1340	3.06	0.04	<0.05
C305593		227	3.75	7.29	0.12	0.10	<0.01	0.019	0.16	29.4	85.5	1.13	1100	0.59	0.04	<0.05
C305594		148.5	4.41	7.53	0.11	0.07	<0.01	0.020	0.16	31.0	91.9	1.39	1220	0.57	0.04	<0.05
C305595		70.9	4.61	7.98	0.12	0.10	<0.01	0.019	0.13	28.6	94.2	1.29	1140	0.84	0.04	<0.05
C305596		19.7	4.66	5.89	0.10	0.14	<0.01	0.011	0.16	21.0	65.4	0.82	890	0.18	0.04	<0.05
C305597		2.6	4.59	4.49	0.11	0.09	<0.01	0.007	0.17	27.5	51.6	0.66	538	0.05	0.04	<0.05
C305598		2.6	4.81	4.51	0.09	0.10	<0.01	0.012	0.17	28.7	55.9	0.71	554	0.06	0.04	<0.05
C305599		1.4	5.00	5.31	0.09	0.10	<0.01	0.014	0.31	34.2	49.6	0.66	496	0.06	0.08	<0.05
C305600		1.0	4.60	4.43	0.08	0.09	<0.01	0.008	0.12	21.5	53.7	0.71	442	0.06	0.03	<0.05
C305601		1.5	0.43	0.30	<0.05	0.12	<0.01	<0.005	0.02	2.2	1.2	0.01	51	0.34	<0.01	0.07
C305602		0.6	5.02	4.95	0.10	0.13	<0.01	0.010	0.17	27.3	55.7	0.70	483	<0.05	0.04	<0.05
C305603		0.4	5.20	5.87	0.10	0.09	<0.01	0.012	0.15	27.0	68.2	0.87	598	<0.05	0.04	<0.05
C305604		46.8	4.78	7.82	0.10	0.10	<0.01	0.015	0.13	23.5	105.0	1.44	883	0.21	0.04	<0.05
C305605		96.6	4.49	9.01	0.14	0.11	<0.01	0.024	0.20	43.9	104.5	1.35	1480	1.10	0.10	<0.05
C305606		81.1	4.59	8.17	0.11	0.08	<0.01	0.028	0.10	36.3	105.5	1.31	1860	0.43	0.04	<0.05
C305607		19.8	5.03	8.62	0.13	0.06	<0.01	0.030	0.11	36.6	116.0	1.38	2380	0.37	0.04	<0.05
C305608		4.4	5.23	9.03	0.14	0.05	<0.01	0.019	0.21	42.9	107.5	1.34	1100	0.10	0.05	<0.05
C305609		24.1	3.34	7.63	0.14	0.72	0.01	0.024	0.97	31.1	35.0	1.23	205	0.59	0.06	0.26
C305610		0.4	5.10	6.57	0.12	0.05	<0.01	0.014	0.16	37.3	81.9	0.97	956	0.22	0.04	<0.05
C305611		0.3	4.50	5.32	0.12	0.05	<0.01	0.011	0.13	32.9	64.7	0.77	960	0.22	0.03	<0.05
C305612		0.5	4.65	6.58	0.11	0.05	<0.01	0.012	0.12	28.1	81.7	0.99	1160	0.08	0.03	<0.05
C305613		3.2	4.57	7.97	0.07	0.08	<0.01	0.025	0.14	23.2	109.5	1.25	1300	0.07	0.04	<0.05
C305614		4.4	4.45	7.78	0.07	0.06	<0.01	0.020	0.15	26.9	110.0	1.15	1240	0.06	0.05	<0.05
C305615		2.5	4.83	7.39	0.08	0.06	<0.01	0.018	0.14	24.2	101.5	1.06	1200	0.07	0.05	<0.05
C305616		192.0	5.59	10.25	0.07	0.08	<0.01	0.030	0.12	16.3	140.0	1.57	1500	0.08	0.05	<0.05
C305617		12.9	4.62	6.95	0.08	0.06	<0.01	0.016	0.15	29.1	86.2	0.85	817	0.09	0.04	<0.05
C305618		16.8	3.85	6.20	0.09	0.05	<0.01	0.015	0.13	31.0	80.4	0.76	750	0.32	0.03	<0.05
C305619		10.6	4.46	6.36	0.08	0.07	<0.01	0.016	0.13	34.2	81.9	0.84	932	0.14	0.04	<0.05
C305620		11.2	4.36	5.88	0.06	0.11	0.01	0.017	0.12	23.4	69.4	0.73	677	0.05	0.04	<0.05
C305621		12.6	5.27	9.92	0.10	0.08	<0.01	0.021	0.13	42.4	85.9	1.13	982	0.08	0.03	<0.05
C305622		27.3	4.93	8.55	0.11	0.10	<0.01	0.024	0.14	53.1	93.9	0.93	840	0.07	0.04	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C305583		46.7	320	2.7	6.2	<0.001	0.01	0.10	2.7	0.2	0.2	8.5	<0.01	0.02	13.2
C305584		59.7	500	8.0	93.6	<0.001	0.08	254	5.6	0.2	1.2	15.7	<0.01	0.01	13.1
C305585		43.7	350	2.9	6.7	<0.001	<0.01	0.40	2.1	<0.2	0.3	9.5	<0.01	0.02	13.0
C305586		47.0	340	2.6	6.5	<0.001	<0.01	0.24	1.8	<0.2	0.3	9.7	<0.01	0.01	14.5
C305587		41.6	340	3.5	7.6	<0.001	<0.01	0.21	2.5	0.2	0.3	11.5	<0.01	0.02	14.5
C305588		41.5	370	2.8	5.8	<0.001	<0.01	0.19	2.0	<0.2	0.3	7.7	<0.01	<0.01	13.1
C305589		32.5	290	6.0	7.6	0.001	0.02	0.16	2.4	0.2	0.2	13.0	<0.01	0.03	12.3
C305590		45.8	300	2.8	6.4	<0.001	0.01	0.12	2.7	<0.2	0.2	12.4	<0.01	0.01	14.9
C305591		44.2	350	2.8	7.5	<0.001	0.08	0.10	2.8	<0.2	0.2	9.5	<0.01	0.01	12.8
C305592		45.8	260	15.0	7.8	<0.001	0.17	0.16	2.7	<0.2	0.3	14.5	<0.01	0.02	15.4
C305593		41.6	400	12.8	7.9	<0.001	0.10	0.15	2.6	0.2	0.2	14.9	<0.01	0.04	15.8
C305594		39.6	370	5.6	7.2	<0.001	0.04	0.14	2.6	<0.2	0.2	13.3	<0.01	0.02	15.3
C305595		40.3	330	23.0	6.2	<0.001	0.10	0.12	3.0	<0.2	0.2	12.2	<0.01	0.03	15.8
C305596		48.6	340	30.5	8.1	<0.001	0.07	0.20	2.3	<0.2	0.4	11.8	<0.01	0.02	11.5
C305597		46.7	380	2.5	7.9	<0.001	<0.01	0.19	1.6	<0.2	0.4	10.1	<0.01	0.02	13.9
C305598		47.7	270	2.8	7.6	<0.001	0.01	0.21	1.6	<0.2	0.5	9.9	<0.01	0.03	12.2
C305599		44.5	300	3.6	14.9	<0.001	0.01	0.22	2.2	<0.2	0.6	16.9	<0.01	0.01	14.0
C305600		49.0	330	2.4	5.7	<0.001	0.01	0.24	1.5	<0.2	0.4	7.8	<0.01	0.02	12.1
C305601		1.3	10	1.0	1.1	<0.001	0.01	<0.05	0.2	<0.2	<0.2	1.8	<0.01	<0.01	1.4
C305602		42.5	390	2.6	8.0	<0.001	0.01	0.24	1.9	<0.2	0.4	9.9	<0.01	0.03	13.9
C305603		46.6	270	2.0	6.7	<0.001	<0.01	0.14	2.1	<0.2	0.3	9.4	<0.01	0.01	12.4
C305604		41.9	350	4.0	5.5	<0.001	0.04	0.09	2.7	<0.2	0.2	9.2	<0.01	0.01	15.2
C305605		40.6	310	4.4	8.7	<0.001	0.01	0.08	3.5	<0.2	0.2	20.3	<0.01	0.01	16.8
C305606		34.3	350	4.9	4.4	<0.001	0.01	0.10	3.2	<0.2	0.2	11.0	<0.01	0.05	15.2
C305607		32.5	350	5.5	5.0	<0.001	0.01	0.09	3.5	<0.2	0.4	14.8	<0.01	0.01	16.2
C305608		31.5	390	4.2	10.8	<0.001	0.01	0.09	3.4	<0.2	0.3	13.4	<0.01	0.03	15.4
C305609		59.8	480	8.0	92.4	<0.001	0.09	260	5.8	<0.2	1.3	17.1	<0.01	0.01	13.1
C305610		35.0	340	2.2	7.3	<0.001	0.01	0.30	2.4	<0.2	0.3	10.1	<0.01	0.02	16.0
C305611		32.7	420	2.0	6.0	<0.001	0.01	0.16	2.0	<0.2	0.3	8.1	<0.01	0.01	15.4
C305612		41.8	380	2.2	5.6	<0.001	0.02	0.09	2.3	<0.2	0.2	9.2	<0.01	0.02	16.5
C305613		38.1	410	3.5	6.7	<0.001	0.05	0.06	2.6	0.4	0.2	11.4	<0.01	0.02	14.8
C305614		35.6	470	3.5	7.1	<0.001	0.02	0.08	2.7	0.4	0.2	12.3	<0.01	0.01	14.9
C305615		38.2	300	2.1	6.9	<0.001	0.02	0.12	2.4	<0.2	<0.2	12.3	<0.01	<0.01	16.4
C305616		46.4	360	9.4	5.9	<0.001	0.20	0.08	3.4	0.4	0.3	17.4	<0.01	0.04	15.6
C305617		40.6	410	3.7	7.3	<0.001	0.04	0.10	2.3	0.5	0.2	12.1	<0.01	0.03	14.9
C305618		34.9	320	1.4	6.4	<0.001	0.01	0.08	2.1	0.4	0.2	10.0	<0.01	0.02	12.9
C305619		40.3	340	1.6	6.6	<0.001	0.01	0.08	2.1	<0.2	0.2	11.9	<0.01	0.01	15.9
C305620		42.5	320	7.2	6.6	<0.001	0.14	0.23	2.0	0.2	0.4	17.7	<0.01	0.03	15.1
C305621		43.0	380	9.4	6.8	0.001	0.02	0.08	3.9	<0.2	<0.2	107.0	<0.01	0.01	14.1
C305622		42.7	310	4.5	6.5	<0.001	0.02	0.08	2.7	0.2	0.2	37.4	<0.01	0.01	14.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C305583		0.05	0.64	30	0.07	2.40	107	4.5	0.04
C305584		0.60	1.35	66	0.41	9.50	76	27.9	1.55
C305585		0.05	0.67	37	0.06	2.70	100	5.0	<0.01
C305586		0.04	0.85	32	0.05	2.86	102	6.0	<0.01
C305587		0.05	0.90	32	0.06	3.27	100	6.2	0.02
C305588		0.04	1.03	27	0.06	2.66	95	5.7	<0.01
C305589		0.04	0.93	22	0.24	2.04	91	4.4	0.47
C305590		0.04	1.02	27	0.05	2.25	113	4.1	0.01
C305591		0.04	0.81	27	0.18	2.80	109	4.5	<0.01
C305592		0.05	1.35	18	0.65	3.13	117	7.6	1.41
C305593		0.05	0.88	17	0.06	3.38	112	4.1	0.12
C305594		0.04	1.02	19	0.07	3.04	139	3.4	0.03
C305595		0.03	0.72	21	0.06	2.91	133	4.0	0.08
C305596		0.05	0.71	31	<0.05	2.75	96	5.6	<0.01
C305597		0.05	0.54	34	0.05	2.43	90	3.7	<0.01
C305598		0.05	0.50	34	<0.05	2.21	98	4.0	<0.01
C305599		0.10	0.58	38	1.16	2.74	89	4.9	<0.01
C305600		0.03	0.54	30	0.06	2.12	91	3.8	<0.01
C305601		<0.02	0.22	1	0.05	0.75	2	2.8	<0.01
C305602		0.05	0.65	39	0.05	2.65	82	5.3	<0.01
C305603		0.05	0.49	28	<0.05	2.36	95	4.0	<0.01
C305604		0.03	0.67	22	<0.05	2.84	142	3.7	<0.01
C305605		0.05	0.75	23	<0.05	3.87	123	5.6	<0.01
C305606		0.03	0.61	21	<0.05	3.19	117	3.8	<0.01
C305607		0.03	0.63	21	<0.05	3.49	127	2.9	<0.01
C305608		0.07	0.48	24	<0.05	3.49	114	1.9	<0.01
C305609		0.59	1.48	64	0.43	9.69	74	30.6	1.53
C305610		0.05	0.64	26	<0.05	2.83	84	2.4	<0.01
C305611		0.04	0.66	25	<0.05	2.51	75	2.3	<0.01
C305612		0.04	0.80	23	<0.05	2.43	94	2.4	<0.01
C305613		0.04	0.83	22	<0.05	2.50	119	2.4	<0.01
C305614		0.04	0.77	24	<0.05	2.71	112	2.2	<0.01
C305615		0.04	1.01	25	<0.05	2.27	123	2.4	<0.01
C305616		0.03	0.94	25	<0.05	2.43	154	2.5	<0.01
C305617		0.05	1.16	24	0.42	2.63	98	2.1	<0.01
C305618		0.04	0.86	18	0.61	2.44	95	1.9	<0.01
C305619		0.05	1.01	23	0.05	2.76	106	2.7	<0.01
C305620		0.06	2.80	24	0.12	2.65	111	3.9	0.01
C305621		0.08	1.07	30	<0.05	3.15	118	2.9	<0.01
C305622		0.05	1.12	29	<0.05	3.22	116	4.1	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C305623		3.76	0.06	2.52	15.1	<0.02	<10	30	0.76	0.43	0.16	0.03	77.8	18.1	31	3.16
C305624		4.94	0.04	2.81	2.6	<0.02	<10	40	0.93	0.40	0.15	0.01	99.1	19.1	36	3.32
C305625		0.06	0.18	2.45	487	2.14	<10	90	1.15	0.31	0.21	0.02	51.0	11.6	97	7.56
C305626		4.15	0.07	2.58	0.8	<0.02	<10	40	1.04	0.83	0.22	0.01	82.8	19.2	33	3.06
C305627		6.82	<0.01	2.39	0.3	<0.02	<10	50	0.84	0.42	0.13	0.01	74.4	19.1	30	2.64
C305628		5.10	0.04	2.17	0.3	<0.02	<10	50	0.74	0.57	0.11	<0.01	75.4	19.2	31	2.46
C305629		4.07	0.01	2.30	0.2	<0.02	<10	40	0.76	0.20	0.12	<0.01	94.3	21.4	33	3.05
C305630		2.55	0.03	2.10	0.4	<0.02	<10	30	0.70	0.39	0.10	0.01	94.2	19.8	32	3.23
C305631		4.99	0.06	2.32	23.4	<0.02	<10	30	0.77	0.35	0.12	0.01	91.6	19.4	31	3.09
C305632		5.84	0.07	2.21	20.4	<0.02	<10	20	0.59	0.40	0.09	0.01	48.2	17.9	30	2.64
C305633		4.42	0.04	2.66	30.5	<0.02	<10	40	0.74	0.25	0.09	0.01	80.3	19.9	37	2.38
C305634		2.24	0.14	2.69	31.4	<0.02	<10	30	0.79	0.62	0.10	0.01	83.2	19.8	35	2.53
C305635		2.67	0.08	2.29	30.6	<0.02	<10	30	0.82	0.63	0.15	0.02	62.1	18.5	30	2.35
C305636		5.82	0.07	2.63	29.8	<0.02	<10	40	0.70	1.26	0.10	0.02	63.0	17.9	33	2.30
C305637		2.25	0.04	2.54	22.3	<0.02	<10	50	0.66	0.32	0.19	0.02	62.3	22.1	33	2.12
C305638		8.19	0.02	2.60	16.1	<0.02	<10	60	0.62	0.51	0.18	0.01	62.1	21.2	31	1.94
C305639		6.41	0.02	2.60	18.3	<0.02	<10	40	0.66	0.13	0.20	<0.01	79.4	22.0	32	2.40
C305640		2.09	0.02	2.49	1.5	<0.02	<10	60	0.77	0.31	0.16	0.01	89.9	22.5	32	2.50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C305623		105.5	4.50	7.73	0.10	0.11	<0.01	0.023	0.12	42.9	89.5	0.90	984	0.12	0.03	<0.05
C305624		16.5	4.93	8.86	0.12	0.09	<0.01	0.020	0.17	54.7	107.0	0.93	780	0.06	0.04	<0.05
C305625		25.0	3.36	7.79	0.10	0.79	0.01	0.028	0.96	26.6	38.7	1.24	210	0.46	0.07	0.27
C305626		71.1	4.47	8.03	0.10	0.09	<0.01	0.026	0.12	46.0	96.9	0.94	1020	0.21	0.03	<0.05
C305627		28.0	4.38	7.42	0.10	0.11	<0.01	0.022	0.20	38.5	85.1	0.81	1240	0.14	0.04	<0.05
C305628		53.9	4.91	6.44	0.11	0.09	<0.01	0.016	0.17	39.6	88.6	0.84	732	0.16	0.03	<0.05
C305629		9.6	4.87	7.19	0.11	0.10	<0.01	0.014	0.17	49.3	80.0	0.98	960	0.05	0.04	<0.05
C305630		27.9	4.86	6.78	0.12	0.11	<0.01	0.016	0.14	50.9	93.2	0.91	675	0.05	0.03	<0.05
C305631		13.5	4.87	7.57	0.12	0.13	<0.01	0.024	0.12	50.9	67.4	0.74	952	0.16	0.02	<0.05
C305632		84.2	4.66	6.69	0.07	0.12	<0.01	0.017	0.10	26.7	56.7	0.81	742	0.05	0.02	<0.05
C305633		8.3	4.99	8.43	0.11	0.13	<0.01	0.020	0.18	44.4	77.1	0.88	735	0.12	0.03	<0.05
C305634		25.2	5.50	8.62	0.11	0.13	<0.01	0.027	0.14	46.0	78.6	0.87	795	0.15	0.02	<0.05
C305635		22.4	5.06	7.06	0.09	0.10	<0.01	0.028	0.16	33.2	60.0	0.68	873	0.15	0.03	<0.05
C305636		20.1	5.25	7.77	0.10	0.11	0.01	0.023	0.17	34.4	71.8	0.85	722	0.09	0.03	<0.05
C305637		34.0	4.69	7.71	0.08	0.09	<0.01	0.024	0.17	31.5	77.6	0.94	842	0.08	0.02	<0.05
C305638		16.7	4.94	7.63	0.10	0.07	<0.01	0.021	0.17	31.6	78.1	0.89	805	0.05	0.02	<0.05
C305639		6.8	4.66	8.06	0.12	0.07	<0.01	0.019	0.14	40.6	86.0	1.06	704	0.09	0.02	<0.05
C305640		16.4	3.97	7.44	0.12	0.06	0.01	0.018	0.21	44.7	72.3	1.00	756	0.09	0.04	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C305623		40.6	340	7.4	6.0	<0.001	0.02	0.07	2.5	0.3	0.2	34.9	<0.01	0.03	14.9
C305624		43.8	360	11.6	8.2	<0.001	0.01	0.07	2.8	0.2	0.2	42.1	<0.01	0.01	16.2
C305625		55.9	490	9.2	94.1	<0.001	0.11	352	5.7	0.4	1.3	16.7	<0.01	0.02	12.4
C305626		42.1	340	9.3	5.9	<0.001	0.02	0.40	2.6	0.3	0.2	62.4	<0.01	0.02	14.5
C305627		36.7	420	3.5	10.4	<0.001	0.03	0.16	2.7	0.3	0.4	19.1	<0.01	0.02	14.3
C305628		37.5	440	2.8	8.2	<0.001	0.02	0.15	2.1	0.2	0.7	15.6	<0.01	0.01	14.3
C305629		43.8	500	2.8	8.7	<0.001	0.01	0.10	2.2	0.3	0.3	16.7	<0.01	0.01	14.5
C305630		44.7	390	3.2	7.3	0.001	0.01	0.16	2.1	<0.2	0.3	17.4	<0.01	0.01	15.0
C305631		42.1	350	12.4	6.1	<0.001	0.03	0.08	2.8	<0.2	0.3	16.6	<0.01	0.01	14.4
C305632		42.6	310	6.0	5.2	0.001	0.26	0.09	2.4	0.3	<0.2	12.2	<0.01	0.06	13.2
C305633		43.1	370	10.1	8.8	<0.001	0.06	0.11	3.0	<0.2	0.2	16.6	<0.01	0.03	14.3
C305634		45.2	340	18.0	7.0	0.001	0.05	0.10	2.8	0.4	0.3	16.5	<0.01	0.02	14.6
C305635		41.1	410	9.0	7.8	<0.001	0.16	0.07	2.9	0.4	0.4	18.4	<0.01	0.03	12.0
C305636		42.5	350	9.8	8.0	<0.001	0.19	0.09	2.7	0.2	0.3	18.6	<0.01	0.02	12.8
C305637		42.5	420	8.4	9.0	<0.001	0.17	0.06	2.5	0.3	0.2	20.0	<0.01	0.02	15.1
C305638		43.8	430	5.4	8.5	<0.001	0.10	0.05	2.6	0.2	0.3	15.8	<0.01	0.03	14.3
C305639		40.8	380	5.4	7.2	<0.001	0.01	<0.05	2.7	0.4	0.2	19.9	<0.01	0.01	13.8
C305640		42.7	500	2.8	10.2	0.001	0.01	<0.05	2.5	0.3	0.2	17.8	<0.01	0.03	15.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C305623		0.05	1.24	24	<0.05	3.18	110	4.0	<0.01
C305624		0.06	0.95	30	<0.05	3.40	115	3.6	<0.01
C305625		0.59	1.47	64	0.51	9.03	77	26.0	2.20
C305626		0.04	1.32	25	<0.05	3.41	119	3.9	<0.01
C305627		0.08	1.25	20	0.09	3.79	107	4.1	<0.01
C305628		0.06	1.17	27	0.07	3.06	103	3.2	<0.01
C305629		0.05	0.92	31	0.06	3.16	122	3.2	<0.01
C305630		0.04	0.93	35	0.36	3.07	118	4.0	<0.01
C305631		0.04	1.31	24	0.08	3.24	118	5.0	<0.01
C305632		0.04	1.16	23	0.07	2.53	106	4.3	<0.01
C305633		0.07	1.11	31	0.08	3.56	112	4.8	<0.01
C305634		0.05	1.09	28	0.06	3.30	122	4.5	<0.01
C305635		0.06	1.69	23	0.07	3.74	101	3.9	<0.01
C305636		0.06	0.86	25	0.07	3.21	107	4.1	<0.01
C305637		0.06	0.87	19	0.06	3.59	108	3.1	<0.01
C305638		0.06	0.96	19	0.05	3.66	97	2.9	0.01
C305639		0.04	0.71	18	<0.05	3.69	99	2.7	0.05
C305640		0.06	0.90	20	<0.05	4.07	112	2.7	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20280827

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41