



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

CERTIFICATE WH20283303

Project: Culvert-NUF

This report is for 73 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-DEC-2020.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305741		0.76	0.45	2.67	1.0	<0.02	<10	130	0.65	0.23	0.10	0.02	90.0	19.6	33	2.69
C305742		2.35	0.04	2.87	4.5	<0.02	<10	30	0.84	0.26	0.11	0.02	65.1	14.2	34	2.83
C305743		3.22	0.02	2.79	2.1	<0.02	<10	30	0.67	0.43	0.10	0.01	55.2	18.7	34	2.84
C305744		1.06	0.05	2.87	5.7	<0.02	<10	40	0.94	0.24	0.15	0.02	69.2	23.4	34	7.07
C305745		3.55	0.04	2.84	4.1	<0.02	<10	30	0.78	0.32	0.09	0.03	89.8	21.3	33	3.95
C305746		3.88	0.06	2.90	6.3	<0.02	<10	30	0.74	0.39	0.11	0.05	95.9	18.6	32	3.64
C305747		0.15	0.01	0.05	0.5	<0.02	<10	10	<0.05	0.01	0.03	<0.01	3.30	0.3	1	0.06
C305748		5.55	0.04	2.88	6.2	<0.02	<10	30	0.71	0.38	0.12	0.17	86.8	17.5	33	9.11
C305749		2.69	0.07	2.78	11.6	0.03	<10	40	0.94	1.31	0.16	0.43	91.3	18.2	31	24.7
C305750		2.14	0.05	2.84	13.6	<0.02	<10	30	0.53	0.27	0.08	0.23	84.3	11.7	33	3.54
C305751		4.47	0.06	3.01	17.1	<0.02	<10	30	0.55	0.17	0.09	0.16	81.5	15.6	33	3.60
C305752		3.00	0.04	2.65	10.6	<0.02	<10	30	0.50	0.15	0.09	0.25	86.4	13.3	31	3.57
C305753		1.98	0.09	3.33	28.2	<0.02	<10	30	0.57	0.30	0.10	0.53	84.8	25.6	35	2.75
C305754		1.60	0.16	2.41	25.4	<0.02	<10	30	0.78	0.45	0.10	1.72	54.6	42.5	31	2.00
C305755		1.64	0.26	2.71	33.6	<0.02	<10	30	0.79	2.00	0.09	0.97	78.8	40.8	32	2.85
C305756		2.19	0.57	2.69	35.0	<0.02	<10	20	0.56	1.41	0.08	0.62	80.9	30.2	31	2.65
C305757		4.79	0.42	3.51	29.7	<0.02	<10	20	0.52	0.72	0.09	0.26	78.7	18.2	40	3.02
C305758		4.85	0.16	2.41	22.4	<0.02	<10	20	0.55	0.51	0.07	0.22	73.6	23.9	32	4.36
C305759		4.96	0.08	3.48	13.2	<0.02	<10	30	0.50	0.98	0.14	0.16	71.8	31.3	42	3.43
C305760		1.94	0.06	2.83	11.5	<0.02	<10	30	0.52	0.85	0.11	0.11	84.2	22.8	35	3.69
C305761		0.06	0.20	2.71	519	2.13	<10	100	1.20	0.32	0.23	0.03	64.1	13.3	100	7.25
C305762		2.20	0.03	2.49	6.0	<0.02	<10	40	0.54	0.37	0.10	0.09	90.7	20.0	32	4.07
C305763		1.66	0.25	2.98	12.6	<0.02	<10	120	0.67	1.49	0.12	0.38	46.2	27.5	37	2.70
C305764		4.24	0.03	2.46	1.1	<0.02	<10	50	0.50	0.09	0.10	0.10	99.0	21.2	33	3.40
C305765		2.27	0.04	2.29	2.9	<0.02	<10	40	0.53	0.94	0.10	0.18	62.3	21.0	29	3.17
C305766		4.50	0.08	3.30	15.5	<0.02	<10	30	0.70	1.07	0.09	0.22	78.1	23.7	34	2.77
C305767		2.71	0.03	2.71	6.1	<0.02	<10	30	0.56	0.31	0.10	0.17	66.2	15.4	35	3.59
C305768		3.41	0.03	2.73	8.2	0.05	<10	30	0.78	0.35	0.07	0.13	44.0	14.9	33	4.21
C305769		3.45	0.01	2.60	5.4	0.03	<10	30	0.59	0.22	0.08	0.30	35.3	13.7	31	3.68
C305770		3.66	0.01	2.63	8.9	0.06	<10	40	0.64	0.22	0.06	1.27	47.5	12.4	32	4.11
C305771		2.87	0.01	2.47	2.5	0.02	<10	30	0.67	0.31	0.05	0.11	71.9	9.3	31	4.29
C305772		3.59	0.04	2.88	21.5	<0.02	<10	30	0.60	0.17	0.06	0.16	61.3	11.9	35	4.30
C305773		4.49	0.10	2.80	21.0	<0.02	<10	30	0.67	0.23	0.07	0.21	41.0	12.3	35	4.46
C305774		3.91	0.04	2.96	18.3	<0.02	<10	30	0.53	0.12	0.07	0.15	54.5	9.4	35	4.17
C305775		1.77	0.06	2.55	32.5	0.16	<10	30	0.68	0.29	0.05	0.14	71.8	6.3	30	4.23
C305776		2.10	0.09	2.71	28.7	<0.02	<10	30	0.58	0.33	0.06	0.09	70.3	6.1	32	3.78
C305777		0.06	0.14	2.55	346	1.60	<10	100	1.22	0.32	0.20	0.03	57.5	12.3	103	7.50
C305778		2.25	0.10	2.72	31.6	0.04	<10	30	0.63	0.29	0.05	0.09	70.0	6.7	32	3.51
C305779		3.29	0.05	2.08	114.0	0.23	<10	40	1.00	0.78	0.02	0.06	81.0	3.7	23	4.30
C305780		3.03	0.09	2.46	80.3	0.34	<10	40	0.65	0.31	0.04	0.03	72.1	4.7	27	4.38



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C305741		8.8	4.44	7.19	0.12	0.20	<0.01	0.018	0.15	45.7	69.1	1.09	938	1.13	0.04	<0.05
C305742		1.7	5.38	7.73	0.11	0.17	<0.01	0.018	0.17	34.7	70.7	0.94	635	0.06	0.04	<0.05
C305743		2.7	5.17	7.21	0.10	0.20	<0.01	0.017	0.17	31.7	69.4	0.93	516	<0.05	0.04	<0.05
C305744		10.6	4.99	7.46	0.11	0.17	<0.01	0.020	0.18	37.9	69.6	0.98	738	0.06	0.04	<0.05
C305745		12.3	4.81	7.60	0.13	0.20	<0.01	0.020	0.16	47.4	79.5	1.09	966	<0.05	0.04	<0.05
C305746		29.0	4.85	7.89	0.14	0.18	<0.01	0.022	0.17	49.9	80.7	1.11	1240	0.06	0.04	<0.05
C305747		1.1	0.18	0.18	<0.05	0.07	<0.01	<0.005	0.01	1.6	1.1	0.01	24	0.07	<0.01	0.05
C305748		30.9	4.89	7.58	0.14	0.15	<0.01	0.069	0.17	45.4	77.3	1.06	1020	0.06	0.04	<0.05
C305749		71.8	4.59	7.38	0.13	0.14	<0.01	0.226	0.17	48.1	71.7	1.02	886	0.09	0.04	<0.05
C305750		39.3	4.66	7.70	0.14	0.19	<0.01	0.027	0.14	44.8	89.6	1.25	957	0.05	0.04	<0.05
C305751		52.9	4.89	8.19	0.13	0.20	<0.01	0.034	0.14	41.6	92.7	1.32	1080	0.06	0.04	<0.05
C305752		22.9	4.17	7.36	0.13	0.18	<0.01	0.024	0.15	44.1	81.4	1.11	1010	0.19	0.04	<0.05
C305753		51.6	5.68	9.49	0.13	0.19	<0.01	0.022	0.14	42.1	108.5	1.50	1540	0.14	0.03	<0.05
C305754		87.9	4.13	7.16	0.10	0.19	<0.01	0.089	0.08	25.9	75.1	1.05	1780	3.36	0.04	<0.05
C305755		65.0	4.73	8.53	0.14	0.21	<0.01	0.032	0.12	38.3	82.3	1.13	1700	0.82	0.04	<0.05
C305756		64.6	4.59	8.01	0.13	0.23	<0.01	0.026	0.11	40.4	81.0	1.12	1680	1.96	0.04	<0.05
C305757		56.0	6.09	10.55	0.13	0.23	<0.01	0.029	0.13	38.9	103.0	1.50	1490	3.91	0.05	<0.05
C305758		50.1	4.30	7.08	0.13	0.28	<0.01	0.019	0.10	37.9	71.8	1.00	1020	2.79	0.04	<0.05
C305759		77.9	5.96	9.79	0.13	0.22	<0.01	0.028	0.13	36.2	99.6	1.51	1780	7.12	0.05	<0.05
C305760		45.6	4.69	8.10	0.14	0.19	<0.01	0.023	0.15	43.0	84.3	1.19	1340	2.20	0.05	<0.05
C305761		26.1	3.63	7.77	0.17	0.71	0.01	0.029	1.04	32.8	34.4	1.35	232	0.50	0.08	0.28
C305762		21.2	3.91	7.26	0.16	0.16	<0.01	0.020	0.16	45.3	73.4	0.98	1270	1.02	0.05	<0.05
C305763		65.0	6.24	10.85	0.11	0.20	<0.01	0.042	0.11	22.4	88.7	1.47	3560	4.00	0.05	0.05
C305764		17.1	3.78	6.75	0.14	0.17	<0.01	0.020	0.19	47.9	61.6	0.95	1260	0.14	0.05	<0.05
C305765		40.0	3.91	6.56	0.10	0.19	<0.01	0.022	0.16	30.5	62.2	0.91	1350	0.14	0.04	<0.05
C305766		67.1	5.81	9.88	0.15	0.19	<0.01	0.026	0.16	37.5	93.1	1.42	1650	0.40	0.04	<0.05
C305767		27.8	4.59	7.97	0.12	0.23	0.01	0.025	0.14	33.1	85.5	1.15	893	0.07	0.04	<0.05
C305768		28.6	4.83	8.32	0.07	0.21	<0.01	0.032	0.17	22.4	88.1	1.16	835	0.07	0.03	<0.05
C305769		25.2	4.60	7.38	0.07	0.21	<0.01	0.029	0.16	18.2	81.1	1.10	784	0.05	0.03	<0.05
C305770		12.7	4.47	7.59	0.08	0.20	0.01	0.026	0.18	24.4	83.3	1.08	799	0.05	0.04	<0.05
C305771		9.0	4.31	7.11	0.12	0.20	<0.01	0.024	0.17	37.0	80.0	0.98	710	<0.05	0.04	<0.05
C305772		29.7	4.84	8.51	0.10	0.25	<0.01	0.031	0.14	31.6	104.5	1.31	807	0.07	0.03	<0.05
C305773		43.8	4.59	7.98	0.08	0.25	<0.01	0.036	0.16	21.7	106.0	1.25	811	0.05	0.04	<0.05
C305774		24.1	4.81	8.37	0.09	0.24	0.01	0.024	0.16	28.7	104.5	1.31	852	<0.05	0.04	<0.05
C305775		40.4	4.16	7.29	0.11	0.23	<0.01	0.032	0.18	38.3	91.5	1.08	710	0.12	0.04	<0.05
C305776		25.0	4.48	7.91	0.11	0.21	<0.01	0.031	0.17	35.0	100.5	1.18	777	<0.05	0.03	<0.05
C305777		23.6	3.52	7.75	0.11	0.76	0.01	0.033	1.02	28.8	32.4	1.30	211	0.53	0.07	0.22
C305778		24.7	4.63	8.01	0.11	0.22	<0.01	0.038	0.16	35.5	102.5	1.19	832	<0.05	0.03	<0.05
C305779		33.8	4.51	7.15	0.12	0.24	0.01	0.027	0.20	41.5	61.9	0.67	674	0.06	0.04	<0.05
C305780		26.6	4.09	7.43	0.11	0.18	0.01	0.030	0.20	37.5	85.4	0.99	746	<0.05	0.04	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C305741		40.6	320	4.1	7.4	<0.001	<0.01	0.13	2.4	0.2	0.3	10.6	<0.01	0.01	18.8
C305742		35.2	350	8.6	8.0	<0.001	0.01	0.17	3.0	<0.2	0.2	10.4	<0.01	0.01	16.8
C305743		42.1	290	3.8	8.0	<0.001	0.01	0.36	2.7	0.2	0.2	10.4	<0.01	0.01	14.4
C305744		44.1	290	7.8	8.6	<0.001	<0.01	0.41	2.7	<0.2	0.2	13.5	<0.01	0.01	16.6
C305745		42.3	300	5.8	7.8	<0.001	<0.01	0.12	2.6	<0.2	0.2	10.1	<0.01	0.01	20.1
C305746		41.2	290	6.8	8.1	<0.001	<0.01	0.11	2.6	0.3	0.3	11.2	<0.01	0.02	19.1
C305747		0.6	10	0.8	0.5	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.1
C305748		41.6	290	5.3	8.0	<0.001	<0.01	0.09	2.7	<0.2	0.7	12.5	<0.01	0.02	18.7
C305749		43.5	280	7.7	8.7	<0.001	<0.01	0.13	2.7	0.3	1.9	15.2	<0.01	0.03	18.2
C305750		38.7	290	2.0	6.4	<0.001	<0.01	0.17	2.5	<0.2	0.6	10.9	<0.01	0.01	18.5
C305751		43.2	350	3.8	6.7	<0.001	<0.01	0.09	2.8	0.2	0.5	11.9	<0.01	0.01	18.4
C305752		41.0	330	33.4	7.0	<0.001	<0.01	0.16	2.5	0.3	0.3	12.1	<0.01	0.01	18.7
C305753		50.2	410	9.7	6.6	<0.001	<0.01	0.26	2.9	0.2	0.4	10.3	<0.01	0.01	18.3
C305754		34.6	320	47.0	4.4	<0.001	0.03	0.15	3.1	0.2	0.7	12.7	<0.01	0.01	14.0
C305755		43.9	360	326	6.3	<0.001	<0.01	0.13	3.2	<0.2	0.6	12.6	<0.01	0.03	17.5
C305756		41.3	320	698	5.7	<0.001	<0.01	0.18	2.9	0.2	0.3	10.3	<0.01	0.04	17.6
C305757		51.1	370	400	6.2	0.001	<0.01	0.14	3.7	<0.2	0.2	11.5	<0.01	0.02	19.8
C305758		39.2	280	158.0	4.6	<0.001	<0.01	0.08	2.9	0.3	<0.2	8.3	<0.01	0.01	18.1
C305759		51.2	410	67.8	6.3	0.001	<0.01	0.08	3.8	0.2	0.2	12.5	<0.01	0.03	17.4
C305760		42.1	400	36.8	7.1	<0.001	<0.01	0.11	3.0	<0.2	0.2	12.9	<0.01	0.02	19.4
C305761		60.8	530	9.2	96.7	<0.001	0.10	353	6.1	0.3	1.4	19.2	<0.01	0.02	14.0
C305762		35.2	400	32.8	8.3	<0.001	<0.01	0.88	2.7	0.2	0.2	12.9	<0.01	0.01	19.3
C305763		46.2	470	72.7	6.1	0.003	0.22	0.22	6.1	0.5	0.4	17.5	<0.01	0.06	18.0
C305764		31.8	390	28.9	8.9	<0.001	<0.01	0.09	2.6	0.3	0.2	11.7	<0.01	<0.01	18.7
C305765		36.3	430	8.6	8.4	<0.001	0.09	0.38	2.3	0.4	0.2	11.7	<0.01	0.04	19.3
C305766		45.0	390	6.9	8.4	<0.001	<0.01	0.20	4.1	0.4	0.3	12.1	<0.01	0.04	17.3
C305767		39.7	370	2.3	6.8	<0.001	0.02	0.10	2.4	<0.2	0.2	10.3	<0.01	0.02	16.5
C305768		35.2	320	3.2	8.8	<0.001	0.16	0.13	2.6	<0.2	0.2	11.1	<0.01	0.03	18.7
C305769		31.9	330	2.7	7.8	<0.001	0.27	0.13	2.3	<0.2	0.2	9.1	<0.01	0.01	16.9
C305770		34.0	300	2.2	9.0	0.001	0.13	0.13	2.3	<0.2	0.2	11.6	<0.01	0.01	16.6
C305771		25.0	280	2.8	8.1	<0.001	0.03	0.14	2.1	<0.2	0.2	13.9	<0.01	0.04	16.4
C305772		39.8	290	3.3	6.6	<0.001	0.03	0.12	2.4	<0.2	0.2	9.8	<0.01	<0.01	16.8
C305773		36.9	290	3.4	7.8	<0.001	0.07	0.15	2.5	0.3	0.3	11.6	<0.01	0.02	14.8
C305774		37.9	280	1.6	7.6	<0.001	0.02	0.12	2.4	<0.2	0.3	11.2	<0.01	0.01	13.8
C305775		29.0	270	2.3	8.8	<0.001	0.02	0.14	2.2	<0.2	0.5	12.6	<0.01	0.02	16.7
C305776		31.7	300	3.1	8.6	<0.001	0.02	0.28	2.3	<0.2	0.4	12.9	<0.01	0.03	18.1
C305777		58.1	510	8.3	93.9	<0.001	0.10	263	5.7	<0.2	1.3	16.5	<0.01	0.02	12.8
C305778		33.1	290	4.8	8.0	<0.001	0.03	0.43	2.4	<0.2	0.5	11.2	<0.01	0.02	19.0
C305779		10.6	350	3.9	10.2	<0.001	0.05	0.30	2.5	<0.2	0.3	25.1	<0.01	0.01	19.1
C305780		18.8	320	2.7	10.0	<0.001	0.04	0.17	2.6	<0.2	0.2	13.3	<0.01	0.02	17.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C305741		0.04	0.53	20	0.49	3.87	125	8.7	<0.01	
C305742		0.04	0.86	25	<0.05	3.36	106	8.8	<0.01	
C305743		0.06	0.69	24	<0.05	3.29	96	8.1	<0.01	
C305744		0.06	1.00	23	0.13	3.97	126	7.2	<0.01	
C305745		0.04	0.70	19	<0.05	4.42	115	9.2	<0.01	
C305746		0.05	0.68	18	<0.05	4.51	117	8.3	0.01	
C305747		<0.02	0.15	1	<0.05	0.63	2	2.0	<0.01	
C305748		0.05	0.74	20	0.06	4.19	143	7.8	<0.01	
C305749		0.05	1.31	20	0.14	5.12	232	6.6	0.06	
C305750		0.04	0.68	20	0.05	3.69	96	8.5	<0.01	
C305751		0.04	0.87	22	0.16	4.24	111	9.5	<0.01	
C305752		0.04	0.71	19	0.09	4.14	112	8.5	<0.01	
C305753		0.04	1.12	25	0.16	4.96	165	8.4	<0.01	
C305754		0.03	1.87	23	0.15	4.50	235	7.7	<0.01	
C305755		0.04	2.67	22	0.20	5.60	248	9.4	<0.01	
C305756		0.04	1.80	21	0.15	4.81	193	10.3	<0.01	
C305757		0.04	1.07	27	0.05	3.91	147	11.5	<0.01	
C305758		0.02	1.15	18	<0.05	4.29	141	12.5	0.01	
C305759		0.04	1.06	29	<0.05	4.63	156	11.4	<0.01	
C305760		0.05	0.87	20	<0.05	4.67	107	9.2	<0.01	
C305761		0.59	1.43	70	0.46	10.35	80	29.2	2.18	
C305762		0.05	0.77	19	<0.05	4.47	90	7.7	0.01	
C305763		0.04	2.06	42	0.06	5.36	196	8.3	0.02	
C305764		0.05	0.72	20	<0.05	4.44	91	8.0	<0.01	
C305765		0.05	1.07	19	<0.05	4.30	113	9.4	<0.01	
C305766		0.04	2.12	32	<0.05	4.84	168	9.1	0.01	
C305767		0.05	0.82	20	<0.05	3.55	94	9.2	0.12	
C305768		0.06	1.66	20	0.13	3.26	108	8.8	0.03	
C305769		0.06	1.44	18	<0.05	2.71	87	7.6	0.08	
C305770		0.06	1.40	17	<0.05	3.07	91	8.6	0.15	
C305771		0.05	1.17	17	<0.05	3.48	89	7.9	0.02	
C305772		0.05	1.28	19	0.08	3.69	101	10.9	<0.01	
C305773		0.04	1.55	19	0.08	3.98	88	10.8	<0.01	
C305774		0.04	1.34	20	0.07	3.79	85	11.1	0.02	
C305775		0.07	1.77	17	0.11	3.62	79	10.0	0.57	
C305776		0.05	1.54	19	0.08	3.45	76	8.9	0.03	
C305777		0.57	1.53	68	0.42	9.33	77	27.5	1.50	
C305778		0.05	1.46	19	6.71	3.37	81	9.6	0.02	
C305779		0.08	2.08	17	0.46	3.03	65	10.0	0.39	
C305780		0.06	1.51	19	0.14	3.23	63	7.7	0.24	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305781		4.66	0.07	2.65	26.5	<0.02	<10	40	0.57	0.18	0.07	0.03	57.7	7.2	34	3.64
C305782		4.99	0.08	2.68	29.8	<0.02	<10	30	0.56	0.31	0.06	0.06	54.3	10.6	33	3.03
C305783		2.92	0.07	2.54	46.1	0.31	<10	30	0.62	0.44	0.04	0.04	78.7	6.4	30	3.48
C305784		2.58	0.02	2.66	23.0	<0.02	<10	30	0.69	0.27	0.05	0.13	57.5	21.6	32	3.89
C305785		4.23	0.03	2.77	27.6	<0.02	<10	40	0.64	0.13	0.05	0.06	80.3	6.2	33	3.74
C305786		1.81	0.10	1.82	148.0	<0.02	<10	40	0.85	1.05	<0.01	0.09	77.5	5.1	21	3.99
C305787		1.96	0.08	2.09	403	0.14	<10	30	0.91	0.48	0.01	0.04	61.6	7.4	22	3.06
C305788		2.20	0.13	1.83	3020	0.17	<10	40	1.16	1.27	0.01	0.79	69.4	9.3	21	7.08
C305789		1.48	0.10	1.86	515	0.59	<10	30	0.79	1.73	0.01	0.03	61.6	4.5	18	3.30
C305790		2.04	0.13	1.46	796	0.57	<10	40	0.92	2.31	0.01	0.68	61.4	21.2	20	4.54
C305791		0.15	<0.01	0.05	2.6	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.58	0.2	2	0.08
C305792		2.09	0.04	2.04	145.0	0.03	<10	40	0.90	0.44	<0.01	0.01	70.2	9.3	22	3.45
C305793		5.94	0.02	2.10	29.7	0.05	<10	40	0.76	0.31	0.03	0.04	67.2	10.4	26	2.94
C305794		3.65	0.10	2.03	9.7	0.40	<10	40	1.03	0.77	0.02	0.04	62.7	10.2	22	3.81
C305795		2.16	0.09	1.89	14.5	0.81	<10	30	0.92	0.77	0.02	0.03	60.9	8.3	19	4.41
C305796		1.92	0.02	2.56	15.0	<0.02	<10	40	1.02	0.22	0.02	0.01	72.5	10.3	29	4.52
C305797		3.18	0.02	2.42	33.3	0.02	<10	30	0.77	0.16	0.05	0.01	79.9	12.6	26	3.56
C305798		3.05	0.05	2.29	13.1	0.06	<10	40	0.76	0.45	0.04	0.01	73.5	11.6	24	4.28
C305799		2.84	0.02	2.38	14.6	<0.02	<10	30	0.66	0.31	0.04	0.01	72.0	15.0	26	3.14
C305800		4.10	0.02	2.49	11.1	0.02	<10	40	0.72	0.37	0.07	0.01	59.4	17.3	28	3.50
C305801		2.24	0.05	2.41	167.5	<0.02	<10	30	1.10	0.34	0.05	0.16	95.6	10.0	27	4.52
C305802		3.40	0.09	2.68	133.5	<0.02	<10	40	1.15	0.35	0.07	0.34	103.0	24.4	32	3.85
C305803		4.50	0.11	2.44	91.5	<0.02	<10	30	0.90	0.36	0.06	0.11	79.0	12.8	29	4.72
C305804		4.05	0.07	2.58	50.1	<0.02	<10	30	0.76	0.82	0.06	0.08	86.8	15.4	34	3.25
C305805		0.07	0.18	2.46	489	2.17	<10	90	1.23	0.30	0.21	0.03	56.0	12.7	99	7.97
C305806		4.35	0.08	2.50	48.6	<0.02	<10	50	0.84	0.48	0.08	0.17	90.2	38.3	32	3.16
C305807		3.62	0.04	2.53	52.4	<0.02	<10	40	0.80	0.37	0.11	0.11	85.0	25.4	33	3.09
C305808		2.94	0.04	2.36	28.4	<0.02	<10	40	0.77	0.40	0.12	0.15	92.8	22.3	29	3.90
C305809		3.72	0.04	2.62	17.8	<0.02	<10	30	0.65	0.55	0.08	0.09	73.8	15.9	35	2.92
C305810		0.79	0.05	1.00	37.6	<0.02	<10	10	0.35	0.80	0.03	0.05	4.97	8.8	8	0.40
C305811		2.70	0.17	2.90	17.2	<0.02	<10	30	0.89	2.36	0.07	0.10	89.1	14.8	32	3.82
C305812		2.18	0.05	2.60	5.0	<0.02	<10	40	0.81	0.38	0.09	0.10	75.9	16.8	36	2.42
C305813		2.49	1.98	2.57	7.2	<0.02	<10	40	0.73	0.25	0.09	0.09	70.3	19.3	39	2.98



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C305781		57.1	4.45	7.72	0.11	0.22	<0.01	0.028	0.18	28.8	92.9	1.09	844	0.06	0.03	<0.05
C305782		31.5	4.72	8.09	0.10	0.23	0.01	0.028	0.15	26.8	97.3	1.12	990	0.06	0.03	<0.05
C305783		16.1	4.26	7.51	0.12	0.28	<0.01	0.036	0.17	40.9	88.5	1.03	806	0.08	0.03	<0.05
C305784		12.0	4.69	7.80	0.10	0.22	0.02	0.030	0.18	29.6	92.7	1.01	831	<0.05	0.03	<0.05
C305785		6.9	4.73	7.93	0.12	0.22	0.01	0.032	0.19	41.3	94.5	1.05	841	<0.05	0.03	<0.05
C305786		37.8	4.59	6.04	0.11	0.28	0.01	0.038	0.17	41.2	51.6	0.54	488	0.12	0.03	<0.05
C305787		30.2	5.31	6.46	0.10	0.23	<0.01	0.036	0.15	31.3	62.4	0.68	741	0.12	0.03	<0.05
C305788		62.6	5.16	6.68	0.11	0.28	<0.01	0.040	0.18	35.1	56.5	0.54	596	0.10	0.03	<0.05
C305789		21.8	4.48	6.09	0.09	0.20	0.01	0.037	0.15	32.0	52.3	0.62	628	0.06	0.02	<0.05
C305790		96.5	3.66	4.94	0.09	0.22	0.01	0.042	0.18	31.6	36.4	0.40	493	0.12	0.03	<0.05
C305791		1.7	0.33	0.22	<0.05	0.12	0.02	0.005	0.01	1.8	0.7	<0.01	35	0.15	<0.01	0.06
C305792		16.5	5.14	6.64	0.11	0.27	<0.01	0.028	0.18	37.8	54.8	0.56	776	0.08	0.03	<0.05
C305793		4.6	4.40	6.81	0.11	0.19	0.02	0.022	0.18	34.7	58.3	0.56	769	<0.05	0.03	<0.05
C305794		8.0	4.46	6.39	0.11	0.20	0.01	0.031	0.21	32.8	53.7	0.58	782	0.05	0.02	<0.05
C305795		18.1	4.22	6.04	0.10	0.23	0.01	0.028	0.17	31.9	51.6	0.61	721	0.05	0.02	<0.05
C305796		16.6	5.21	7.92	0.12	0.22	0.02	0.026	0.19	36.8	76.4	0.86	1040	0.06	0.03	<0.05
C305797		6.9	4.35	7.13	0.15	0.23	<0.01	0.020	0.17	41.2	73.9	0.96	907	0.05	0.02	<0.05
C305798		9.5	4.33	7.06	0.13	0.18	0.01	0.022	0.21	38.6	59.6	0.72	615	0.07	0.03	<0.05
C305799		7.6	4.67	6.94	0.12	0.16	0.01	0.022	0.18	36.4	62.2	0.73	563	0.08	0.02	<0.05
C305800		11.0	4.98	7.47	0.12	0.20	0.01	0.025	0.18	31.3	62.7	0.76	629	0.07	0.03	<0.05
C305801		20.2	4.75	7.91	0.14	0.23	<0.01	0.025	0.17	47.9	72.6	0.74	941	0.22	0.03	<0.05
C305802		30.2	5.15	9.24	0.16	0.24	0.02	0.040	0.18	52.8	86.4	0.93	1600	0.27	0.03	<0.05
C305803		28.0	4.79	7.02	0.12	0.22	<0.01	0.021	0.16	41.5	80.1	0.75	906	0.45	0.03	<0.05
C305804		29.5	5.05	8.16	0.12	0.18	<0.01	0.021	0.16	44.4	81.7	0.77	524	0.17	0.03	<0.05
C305805		24.5	3.38	7.34	0.12	0.73	<0.01	0.026	0.96	28.3	31.4	1.23	217	0.53	0.07	0.27
C305806		34.5	4.53	7.05	0.12	0.21	<0.01	0.022	0.16	46.5	75.6	0.89	1160	0.37	0.03	<0.05
C305807		19.5	4.70	7.06	0.11	0.16	<0.01	0.019	0.16	42.9	68.1	0.87	886	0.26	0.03	<0.05
C305808		24.0	4.05	6.81	0.12	0.17	<0.01	0.031	0.16	47.1	68.7	0.82	1100	0.15	0.03	<0.05
C305809		22.0	5.01	7.22	0.10	0.17	<0.01	0.022	0.17	39.7	77.9	0.80	740	0.09	0.03	<0.05
C305810		20.2	2.10	2.94	<0.05	0.02	<0.01	0.012	0.02	2.6	35.0	0.46	325	0.24	<0.01	<0.05
C305811		33.1	5.75	8.34	0.12	0.16	<0.01	0.033	0.15	45.8	91.5	0.99	875	0.23	0.03	<0.05
C305812		23.1	4.92	7.51	0.10	0.15	<0.01	0.022	0.17	40.3	79.1	0.83	722	0.09	0.03	<0.05
C305813		22.6	4.70	7.35	0.10	0.17	<0.01	0.020	0.16	38.5	75.1	0.87	828	3.22	0.03	<0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
C305781		27.7	400	2.5	9.0	<0.001	0.07	0.13	2.5	<0.2	0.2	10.9	<0.01	0.02	17.1	<0.005
C305782		34.3	380	5.1	7.7	<0.001	0.08	0.11	2.6	<0.2	0.2	9.1	0.01	0.01	15.6	<0.005
C305783		33.3	300	3.5	8.7	0.001	0.03	0.11	2.2	<0.2	0.8	10.4	<0.01	0.01	18.4	<0.005
C305784		39.6	290	2.3	9.0	<0.001	0.12	0.09	2.3	<0.2	0.7	9.9	<0.01	0.01	17.4	<0.005
C305785		35.1	320	3.2	9.7	<0.001	0.03	0.09	2.4	<0.2	0.5	12.6	<0.01	0.02	18.1	<0.005
C305786		21.1	280	10.9	8.8	<0.001	0.06	0.25	1.9	<0.2	0.8	17.5	<0.01	0.03	17.0	<0.005
C305787		28.8	350	11.0	8.0	<0.001	0.05	0.15	2.5	<0.2	0.5	13.9	<0.01	0.03	16.6	<0.005
C305788		23.0	320	14.4	9.5	<0.001	0.14	0.72	2.5	0.2	0.7	32.1	<0.01	0.04	19.7	<0.005
C305789		9.1	310	5.5	7.3	0.001	0.09	0.20	2.4	<0.2	0.7	15.5	<0.01	0.02	16.1	<0.005
C305790		20.1	240	7.7	9.2	<0.001	0.20	0.27	1.7	<0.2	0.7	16.6	<0.01	0.06	17.3	<0.005
C305791		0.7	20	0.8	0.5	<0.001	0.02	<0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.2	<0.005
C305792		21.3	360	5.0	9.5	<0.001	0.07	0.12	2.3	<0.2	0.3	14.7	<0.01	0.03	17.7	<0.005
C305793		28.0	360	3.4	9.0	0.001	0.08	0.14	2.5	<0.2	0.2	13.1	<0.01	0.02	16.1	<0.005
C305794		21.2	320	10.2	10.8	0.002	0.09	0.15	2.4	<0.2	0.4	16.0	<0.01	0.03	14.9	<0.005
C305795		21.2	310	11.3	9.2	<0.001	0.10	0.13	2.1	<0.2	0.3	16.9	<0.01	0.02	16.3	<0.005
C305796		29.3	370	2.9	9.6	<0.001	0.08	0.14	2.5	<0.2	0.3	21.1	<0.01	0.02	19.8	<0.005
C305797		43.3	330	5.3	9.0	<0.001	0.03	0.07	2.4	0.3	0.2	8.1	<0.01	0.01	18.0	<0.005
C305798		32.1	320	7.0	10.1	<0.001	0.07	0.13	2.3	<0.2	0.2	14.1	<0.01	0.03	16.7	<0.005
C305799		42.5	310	4.1	9.0	<0.001	0.06	0.08	2.4	<0.2	0.2	8.8	<0.01	0.02	15.6	<0.005
C305800		41.3	390	8.4	9.6	<0.001	0.19	0.08	2.5	0.3	0.2	11.5	<0.01	0.02	16.4	<0.005
C305801		34.7	330	6.8	9.0	0.001	0.02	0.15	2.5	0.4	0.3	13.1	<0.01	<0.01	16.6	<0.005
C305802		64.2	370	12.5	10.0	0.001	0.02	0.16	3.7	<0.2	0.4	10.6	<0.01	0.02	18.9	<0.005
C305803		44.2	280	7.5	7.8	<0.001	0.02	0.26	2.6	<0.2	0.2	9.1	<0.01	0.04	17.1	<0.005
C305804		38.5	270	7.0	8.4	<0.001	<0.01	0.20	2.8	0.2	0.2	9.4	<0.01	0.04	17.6	<0.005
C305805		58.5	510	9.2	89.1	<0.001	0.10	340	5.6	<0.2	1.3	18.0	<0.01	0.02	13.4	0.140
C305806		57.1	330	7.5	8.3	0.001	<0.01	0.43	2.3	<0.2	0.2	9.6	<0.01	0.02	18.3	<0.005
C305807		49.0	330	5.4	7.6	<0.001	<0.01	0.21	2.5	0.2	0.2	10.3	<0.01	0.02	16.8	<0.005
C305808		43.6	340	4.7	8.0	<0.001	<0.01	0.09	2.2	<0.2	0.4	11.2	<0.01	0.01	17.5	<0.005
C305809		37.7	320	4.1	7.7	<0.001	<0.01	0.09	2.4	<0.2	0.2	9.2	<0.01	0.02	14.5	<0.005
C305810		19.4	120	6.1	1.1	<0.001	<0.01	0.19	0.7	<0.2	0.2	3.8	<0.01	0.02	0.8	<0.005
C305811		42.2	320	7.3	7.1	<0.001	<0.01	0.10	2.6	<0.2	0.7	10.8	<0.01	0.05	19.2	<0.005
C305812		43.7	350	4.7	8.1	<0.001	<0.01	0.08	2.6	<0.2	0.2	9.0	<0.01	0.01	14.5	<0.005
C305813		44.8	300	3.4	7.7	0.001	<0.01	0.06	2.4	<0.2	0.4	10.2	<0.01	0.02	13.7	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JAN-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C305781		0.06	1.16	20	0.06	3.15	76	7.4	0.02	
C305782		0.05	1.22	22	<0.05	3.38	97	9.5	<0.01	
C305783		0.06	1.14	17	0.08	3.75	80	10.0	0.77	
C305784		0.05	1.49	19	<0.05	3.42	114	8.9	<0.01	
C305785		0.07	1.17	19	<0.05	3.60	81	9.4	<0.01	
C305786		0.05	1.33	12	0.14	3.40	73	11.0		0.06
C305787		0.06	1.98	16	2.06	3.89	111	10.0		0.06
C305788		0.08	2.38	12	0.47	4.69	80	10.5		0.13
C305789		0.05	1.43	13	3.33	2.89	63	8.5		0.77
C305790		0.05	2.08	10	0.25	2.97	59	8.5		0.22
C305791		<0.02	0.17	1	<0.05	0.81	2	3.0	<0.01	
C305792		0.06	1.32	14	0.28	3.27	67	10.5		0.21
C305793		0.06	1.26	16	0.17	3.34	67	7.3	0.09	
C305794		0.09	1.38	16	92.0	3.03	76	8.9	0.70	
C305795		0.06	1.22	13	0.64	2.65	66	8.9	0.90	
C305796		0.07	1.35	16	0.22	3.33	77	9.1	0.16	
C305797		0.06	1.02	15	0.53	3.85	91	9.9	0.05	
C305798		0.07	1.50	17	0.27	3.22	67	7.3	0.05	
C305799		0.06	1.16	18	0.25	3.18	77	6.6	0.02	
C305800		0.06	1.55	18	0.10	2.85	79	6.7	0.06	
C305801		0.04	3.92	16	0.41	5.33	106	8.3	0.01	
C305802		0.07	3.58	22	4.25	6.48	190	9.5	0.01	
C305803		0.06	2.38	17	0.43	4.24	120	10.0	0.03	
C305804		0.06	1.45	24	0.06	4.08	105	7.8	0.01	
C305805		0.59	1.43	65	0.46	9.50	77	27.9	2.22	
C305806		0.06	1.61	21	0.05	4.73	130	9.1	<0.01	
C305807		0.05	1.31	22	0.09	4.29	132	6.9	<0.01	
C305808		0.05	0.81	17	0.10	4.59	127	7.1	0.52	
C305809		0.05	0.93	23	<0.05	3.28	100	7.1	<0.01	
C305810		<0.02	0.87	6	0.22	0.74	71	0.8		<0.05
C305811		0.04	1.01	22	0.47	3.95	130	6.8	0.01	
C305812		0.05	0.98	30	0.07	3.92	102	6.9	<0.01	
C305813		0.05	0.76	23	3.93	3.56	111	7.1	<0.01	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JAN-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20283303

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41