



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

CERTIFICATE WH20283524

Project: Culvert- NUF

This report is for 100 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 2-DEC-2020.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305641		2.62	0.04	2.52	16.6	0.02	<10	30	0.64	0.77	0.06	0.02	48.4	13.1	33	1.57
C305642		3.88	0.10	2.56	9.9	0.17	<10	30	0.58	0.26	0.07	0.01	64.3	9.4	32	2.02
C305643		2.90	0.07	2.67	22.2	2.26	<10	30	0.68	0.33	0.06	0.01	77.7	8.1	31	2.56
C305644		3.56	<0.01	2.73	17.9	<0.02	<10	30	0.64	0.13	0.06	0.03	78.7	9.7	35	2.48
C305645		0.16	0.01	0.07	0.7	<0.02	<10	10	<0.05	0.02	0.01	0.01	4.18	0.3	2	0.10
C305646		2.63	0.04	2.58	16.4	<0.02	<10	30	0.59	0.20	0.08	<0.01	79.2	6.5	32	2.15
C305647		4.41	0.18	2.80	31.9	0.04	<10	30	0.72	1.43	0.16	0.05	58.7	17.8	32	2.79
C305648		1.80	0.09	2.22	48.3	<0.02	<10	30	0.81	0.95	0.07	0.03	64.3	24.3	27	2.12
C305649		2.31	0.02	2.62	14.4	<0.02	<10	30	0.50	0.06	0.08	0.01	87.9	8.4	34	2.06
C305650		4.15	0.08	2.82	19.9	<0.02	<10	30	0.65	0.54	0.08	0.03	62.0	16.4	36	2.10
C305651		2.99	0.01	3.05	12.2	<0.02	<10	30	0.75	0.18	0.07	0.01	67.7	19.6	38	2.14
C305652		2.88	0.02	2.90	16.2	<0.02	<10	30	0.63	0.42	0.08	0.01	52.7	18.7	35	1.96
C305653		4.31	0.02	3.02	9.1	<0.02	<10	30	0.68	0.24	0.15	0.02	60.4	19.0	37	1.98
C305654		6.22	0.08	2.96	17.6	<0.02	<10	30	0.62	0.60	0.36	0.02	49.1	26.0	37	2.05
C305655		3.78	0.10	2.73	19.3	<0.02	<10	30	0.67	0.38	0.18	0.02	51.8	24.2	35	2.32
C305656		7.04	0.07	3.19	45.1	0.06	<10	40	0.76	0.32	0.34	0.02	44.3	24.5	38	1.90
C305657		3.14	0.03	3.01	22.8	<0.02	<10	30	0.71	0.12	0.72	0.03	49.8	22.8	41	1.73
C305658		5.62	0.04	2.79	19.2	<0.02	<10	30	0.59	0.32	0.71	0.01	48.2	26.2	38	1.67
C305659		4.36	0.09	2.88	15.4	<0.02	<10	30	0.56	0.46	0.23	0.02	48.0	26.9	38	1.72
C305660		7.43	0.04	2.98	9.5	<0.02	<10	30	0.59	0.35	0.27	0.02	48.9	24.0	39	1.57
C305661		0.06														
C305662		5.23	0.12	3.33	9.5	<0.02	<10	30	0.59	0.40	0.28	0.04	55.6	21.3	41	1.48
C305663		4.00	0.22	2.64	47.6	0.02	<10	30	0.77	0.57	0.68	0.06	68.9	27.3	34	14.80
C305664		1.39	0.31	2.77	1105	0.19	<10	30	0.61	0.18	0.42	0.03	65.0	22.8	34	1.44
C305665		3.25	3.59	2.88	68.7	<0.02	<10	40	0.63	0.14	0.35	0.04	54.7	22.7	36	1.52
C305666		3.35	2.63	2.95	45.0	<0.02	<10	40	0.67	0.66	0.47	0.06	61.3	26.4	37	1.62
C305667		1.68	0.09	2.68	28.0	<0.02	<10	30	0.59	1.61	0.27	0.01	33.4	25.8	36	1.53
C305668		3.95	0.04	3.25	26.5	<0.02	<10	40	0.63	0.62	0.21	0.01	45.0	23.9	40	1.62
C305669		1.10	0.07	2.57	1520	0.51	<10	40	0.62	1.05	0.38	0.02	39.1	27.7	29	1.59
C305670		6.80	0.07	2.93	14.1	<0.02	<10	30	0.55	0.40	0.27	0.01	35.0	18.5	37	1.39
C305671		6.14	0.04	3.02	22.3	<0.02	<10	30	0.58	0.39	0.18	0.01	73.5	21.4	37	1.19
C305672		1.35	0.01	2.75	262	0.04	<10	40	0.61	0.29	0.12	0.01	74.8	12.4	34	1.60
C305673		1.65	0.15	3.35	19.6	<0.02	<10	30	0.56	0.94	0.42	0.02	50.5	27.1	42	1.37
C305674		2.49	0.18	3.39	20.5	<0.02	<10	30	0.63	0.96	0.46	0.03	84.9	26.2	42	1.14
C305675		3.11	0.08	2.86	430	0.06	<10	30	0.81	0.54	0.85	0.03	79.4	22.5	35	5.11
C305676		1.49	0.02	2.24	6.4	0.02	<10	40	0.89	0.36	0.70	0.02	72.0	22.5	31	1.35
C305677		3.83	<0.01	2.20	0.5	<0.02	<10	30	0.94	0.70	0.19	0.01	61.5	20.5	32	1.35
C305678		4.44	<0.01	2.36	0.9	<0.02	<10	40	0.78	0.08	0.14	0.01	66.0	22.4	31	1.51
C305679		0.15	0.01	0.05	0.8	<0.02	<10	10	<0.05	0.02	<0.01	<0.01	3.44	0.3	2	0.07
C305680		4.18	0.03	2.74	0.7	<0.02	<10	30	0.66	0.80	0.07	0.01	63.4	22.0	36	1.72



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C305641		21.1	4.81	7.21	0.07	0.12	<0.01	0.014	0.18	25.6	66.9	0.74	594	0.22	0.04
C305642		8.7	4.48	7.27	0.09	0.14	<0.01	0.015	0.18	34.3	72.4	0.85	641	0.10	0.04
C305643		6.6	5.17	7.82	0.09	0.14	<0.01	0.017	0.17	41.4	74.6	0.76	626	0.17	0.04
C305644		5.9	5.06	8.64	0.10	0.17	<0.01	0.015	0.18	41.9	74.1	0.81	684	0.11	0.05
C305645		0.7	0.25	0.25	<0.05	0.15	0.01	<0.005	0.02	2.0	0.9	0.01	32	0.19	0.01
C305646		18.3	4.40	7.57	0.10	0.13	0.01	0.019	0.16	42.2	74.4	0.90	668	0.29	0.05
C305647		199.0	4.88	8.31	0.08	0.19	<0.01	0.038	0.15	30.7	88.3	1.04	965	0.37	0.05
C305648		64.9	3.88	7.16	0.08	0.17	<0.01	0.020	0.13	34.1	74.1	0.76	898	0.66	0.05
C305649		11.3	4.54	7.64	0.12	0.13	0.01	0.016	0.14	46.6	78.3	0.93	694	0.09	0.05
C305650		42.5	4.84	7.93	0.10	0.15	0.01	0.017	0.16	32.5	83.8	1.02	969	0.70	0.05
C305651		18.1	5.20	9.01	0.09	0.13	0.01	0.020	0.16	35.2	96.3	1.12	1040	0.08	0.05
C305652		24.5	5.01	8.43	0.06	0.09	<0.01	0.024	0.16	27.1	93.0	1.07	1020	0.12	0.04
C305653		24.0	5.12	8.89	0.10	0.09	<0.01	0.017	0.17	31.8	96.1	1.11	1040	0.12	0.05
C305654		40.9	5.13	8.55	0.07	0.10	0.01	0.022	0.16	25.9	92.2	1.10	1600	0.23	0.05
C305655		27.2	4.64	7.96	0.08	0.11	0.01	0.016	0.15	27.0	81.2	1.00	1350	1.71	0.05
C305656		31.6	5.54	8.86	0.08	0.09	0.01	0.023	0.22	24.0	93.8	1.17	1770	0.20	0.05
C305657		42.7	5.11	9.53	0.08	0.12	0.01	0.026	0.16	25.5	99.0	1.14	2100	0.28	0.05
C305658		30.6	4.79	8.30	0.07	0.13	0.01	0.022	0.16	24.9	82.8	1.05	1890	0.26	0.05
C305659		37.8	5.12	8.73	0.07	0.09	0.01	0.021	0.16	24.9	88.9	1.09	1480	0.27	0.05
C305660		36.8	5.17	8.26	0.06	0.08	0.01	0.018	0.18	25.3	83.2	1.13	1470	0.22	0.05
C305661															
C305662		35.8	5.79	9.38	0.07	0.10	<0.01	0.022	0.18	28.6	94.8	1.25	1490	0.19	0.05
C305663		66.4	4.51	7.27	0.10	0.10	<0.01	0.019	0.16	35.9	74.4	0.97	1640	2.83	0.04
C305664		74.0	4.78	7.88	0.08	0.06	<0.01	0.023	0.18	32.9	74.7	1.06	1410	0.22	0.04
C305665		78.1	4.78	7.73	0.08	0.08	0.01	0.020	0.19	28.3	76.1	1.07	1350	0.09	0.05
C305666		129.0	4.87	8.80	0.10	0.10	0.01	0.034	0.20	31.2	86.4	1.10	1480	1.88	0.05
C305667		72.2	4.64	7.21	0.05	0.11	<0.01	0.017	0.17	17.7	72.2	1.01	1410	7.77	0.05
C305668		34.7	5.63	9.58	0.08	0.12	<0.01	0.018	0.18	23.5	94.7	1.22	1190	0.28	0.05
C305669		37.8	4.63	7.68	0.07	0.11	<0.01	0.016	0.18	20.3	74.2	1.01	976	0.59	0.04
C305670		22.5	4.94	7.88	0.05	0.09	<0.01	0.013	0.19	19.2	75.9	1.09	1040	0.12	0.05
C305671		32.8	5.20	8.34	0.10	0.08	0.01	0.018	0.18	38.8	76.8	1.11	970	0.17	0.04
C305672		20.7	4.59	8.18	0.12	0.10	<0.01	0.015	0.19	39.0	76.1	1.00	929	0.06	0.05
C305673		49.3	5.87	10.55	0.08	0.13	<0.01	0.021	0.15	25.6	108.0	1.27	1390	0.27	0.05
C305674		39.0	5.83	10.50	0.13	0.14	<0.01	0.022	0.16	42.7	106.0	1.31	1530	0.14	0.05
C305675		31.8	5.02	8.55	0.10	0.10	<0.01	0.021	0.15	40.4	81.1	1.11	1510	0.19	0.03
C305676		5.8	4.34	6.64	0.09	0.07	<0.01	0.014	0.20	35.7	65.4	0.68	1040	0.54	0.04
C305677		1.0	5.19	6.06	0.07	0.09	0.01	0.011	0.19	31.0	65.8	0.69	582	0.12	0.03
C305678		0.7	3.94	6.43	0.08	0.08	0.01	0.009	0.20	34.5	57.4	0.85	667	0.09	0.04
C305679		1.1	0.24	0.18	<0.05	0.17	<0.01	<0.005	0.01	1.6	0.7	<0.01	26	0.22	0.01
C305680		45.8	4.54	7.08	0.08	0.08	0.01	0.013	0.18	33.1	75.6	1.04	797	0.06	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
															Ti %
															0.005
C305641		26.0	300	5.3	7.8	<0.001	0.03	0.14	2.6	<0.2	0.2	10.0	<0.01	0.02	11.8
C305642		36.7	280	2.0	7.6	<0.001	<0.01	0.07	2.3	<0.2	0.2	10.6	<0.01	0.01	13.2
C305643		25.9	270	2.6	7.5	<0.001	0.01	0.14	2.6	<0.2	0.2	11.7	<0.01	0.02	14.4
C305644		33.5	280	1.7	7.8	<0.001	0.02	0.17	2.9	<0.2	0.3	12.3	<0.01	0.01	16.1
C305645		0.8	10	0.9	0.8	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.0
C305646		38.3	310	2.6	7.1	<0.001	<0.01	0.07	2.3	<0.2	0.4	11.9	<0.01	0.02	14.5
C305647		41.4	310	7.5	6.6	0.001	0.09	0.11	2.6	<0.2	0.3	14.5	<0.01	0.02	17.7
C305648		41.4	290	7.6	6.2	<0.001	0.03	0.19	2.3	0.2	0.3	12.7	<0.01	0.01	15.2
C305649		35.7	340	1.9	5.9	<0.001	0.01	0.06	2.3	<0.2	0.2	9.7	<0.01	<0.01	15.0
C305650		40.3	320	23.5	6.7	0.001	0.10	0.11	2.5	<0.2	0.2	10.6	<0.01	0.02	14.0
C305651		39.7	270	3.1	7.2	<0.001	0.06	0.07	2.9	<0.2	0.3	9.9	<0.01	0.03	14.3
C305652		35.2	250	5.8	7.2	<0.001	0.16	0.14	2.6	<0.2	0.4	9.3	<0.01	0.03	13.9
C305653		42.8	530	5.5	7.6	0.001	0.11	0.13	2.8	<0.2	0.3	11.4	<0.01	0.01	14.4
C305654		42.4	300	20.0	7.2	<0.001	0.25	0.26	3.0	<0.2	0.2	14.2	<0.01	0.03	15.1
C305655		39.5	350	91.4	6.6	<0.001	0.16	0.29	2.6	<0.2	0.2	11.9	<0.01	0.01	13.9
C305656		43.9	260	35.4	9.0	<0.001	0.35	0.25	3.0	<0.2	0.3	15.0	<0.01	0.03	13.4
C305657		45.8	770	18.4	7.3	0.001	0.17	0.14	4.0	<0.2	0.3	18.3	<0.01	<0.01	13.8
C305658		43.3	450	14.5	7.3	<0.001	0.23	0.20	3.3	<0.2	0.4	16.1	<0.01	0.01	13.3
C305659		47.3	250	30.8	7.7	<0.001	0.31	0.19	2.9	<0.2	0.3	11.4	<0.01	0.02	13.5
C305660		42.3	330	29.2	7.6	<0.001	0.30	0.47	2.7	<0.2	0.2	12.1	<0.01	0.01	13.5
C305661		42.8	340	126.0	7.7	<0.001	0.31	0.42	3.1	0.2	0.2	13.0	<0.01	0.02	13.5
C305662		38.8	430	169.5	7.9	0.001	0.47	0.75	2.4	0.3	0.3	24.1	<0.01	0.05	13.7
C305663		37.3	260	14.0	7.8	0.001	0.16	0.33	2.6	<0.2	0.3	13.7	<0.01	0.02	13.6
C305664		38.3	340	3.5	8.0	0.001	0.06	0.08	2.5	<0.2	0.3	13.0	<0.01	0.03	13.3
C305665		41.4	360	7.1	9.8	0.001	0.09	0.09	3.2	<0.2	0.5	16.3	<0.01	0.02	14.6
C305666		37.2	320	9.6	7.4	0.002	0.25	0.27	2.3	0.6	0.2	12.1	<0.01	0.09	13.5
C305667		47.7	480	4.4	9.2	<0.001	0.14	0.23	3.1	<0.2	0.2	12.8	<0.01	0.03	14.7
C305668		39.2	340	12.3	9.2	0.001	0.35	0.64	2.9	0.2	0.2	13.8	<0.01	0.03	14.2
C305669		38.6	530	4.0	8.0	0.001	0.10	0.15	2.5	<0.2	0.2	12.1	<0.01	0.01	13.6
C305670		38.7	350	3.5	7.6	<0.001	0.11	0.11	2.6	<0.2	0.2	11.4	<0.01	0.04	13.7
C305671		36.6	250	2.1	9.5	<0.001	0.08	0.13	2.8	0.2	0.2	12.2	<0.01	0.01	16.3
C305672		47.0	290	51.7	7.7	<0.001	0.23	0.20	3.7	<0.2	0.3	18.7	<0.01	0.04	14.8
C305673		46.1	880	59.9	8.3	<0.001	0.13	0.18	3.7	<0.2	0.4	18.0	<0.01	0.02	15.7
C305674		39.8	420	36.8	8.4	<0.001	0.31	0.32	2.8	<0.2	0.3	39.5	<0.01	0.02	14.7
C305675		47.1	660	4.4	10.7	<0.001	0.05	0.24	2.6	<0.2	0.3	17.9	<0.01	0.04	14.8
C305676		40.9	310	1.4	8.3	<0.001	0.05	0.17	2.0	<0.2	0.2	12.7	<0.01	0.02	14.2
C305677		44.6	220	2.0	8.8	<0.001	0.04	0.10	2.0	<0.2	0.2	12.4	<0.01	0.02	15.3
C305678		0.7	10	1.1	0.4	<0.001	<0.01	0.07	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.1
C305679		44.7	260	2.1	7.2	<0.001	0.02	0.10	2.0	<0.2	0.2	13.0	<0.01	0.02	14.3
C305680															



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C305641		0.06	1.64	25	0.07	2.62	84	5.3	0.08	
C305642		0.04	0.90	21	2.94	2.81	83	5.7	0.01	
C305643		0.05	2.27	21	0.34	3.03	82	6.3	0.59	
C305644		0.05	2.10	22	0.11	3.28	85	7.1	0.01	
C305645		<0.02	0.17	1	<0.05	0.75	2	3.7	<0.01	
C305646		0.04	0.92	17	0.11	3.36	84	6.1	<0.01	
C305647		0.05	1.27	18	0.06	4.03	126	7.5	0.17	
C305648		0.05	1.54	15	0.06	4.60	135	7.0	0.01	
C305649		0.03	0.67	17	0.23	3.66	87	5.7	<0.01	
C305650		0.05	0.90	18	<0.05	3.52	95	6.6	0.01	
C305651		0.04	0.72	20	<0.05	3.60	106	5.0	0.01	
C305652		0.05	0.81	19	<0.05	3.16	106	4.1	0.02	
C305653		0.05	1.00	20	<0.05	3.75	111	4.4	0.01	
C305654		0.04	1.25	20	<0.05	3.38	105	4.9	<0.01	
C305655		0.04	1.36	18	0.05	3.15	95	5.3	<0.01	
C305656		0.05	1.45	22	0.10	3.09	111	4.1	0.13	
C305657		0.04	1.22	25	<0.05	4.37	108	4.8	<0.01	
C305658		0.04	1.15	22	<0.05	4.15	105	4.7	<0.01	
C305659		0.05	1.27	21	0.17	3.95	105	4.2	<0.01	
C305660		0.06	0.98	21	<0.05	4.24	101	4.0	0.01	
C305661									2.28	
C305662		0.06	0.97	24	<0.05	4.91	118	4.2	<0.01	
C305663		0.08	4.53	18	0.75	8.11	92	5.2	0.06	
C305664		0.05	0.70	20	4.85	7.39	102	2.8	0.24	
C305665		0.05	0.70	19	39.8	6.20	107	3.2	0.01	
C305666		0.06	1.07	20	41.3	7.74	120	3.9	0.01	
C305667		0.05	1.29	18	0.39	4.45	110	5.5	<0.01	
C305668		0.05	1.31	21	0.45	5.34	119	4.6	<0.01	
C305669		0.06	2.14	17	0.51	5.69	104	4.3	0.54	
C305670		0.05	1.01	20	0.73	4.23	102	3.8	0.01	
C305671		0.04	0.88	21	0.20	6.18	103	3.5	0.01	
C305672		0.06	1.19	17	0.10	6.16	96	4.2	0.10	
C305673		0.05	1.44	24	0.05	7.40	119	5.0	0.31	
C305674		0.05	1.15	25	0.23	11.50	119	5.8	<0.01	
C305675		0.05	2.86	19	0.07	12.05	106	4.4	0.19	
C305676		0.07	1.00	17	0.05	4.92	86	2.9	0.01	
C305677		0.07	1.00	24	0.06	2.75	88	2.2	<0.01	
C305678		0.06	1.13	15	0.08	2.84	103	3.6	0.01	
C305679		<0.02	0.18	1	<0.05	0.79	2	3.5	0.01	
C305680		0.04	1.02	16	0.05	2.62	115	3.0	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305681		5.18	0.01	2.74	1.4	<0.02	<10	40	0.70	0.39	0.08	0.01	64.4	20.2	36	1.64
C305682		5.97	0.02	2.99	3.0	<0.02	<10	40	0.63	0.35	0.23	<0.01	43.2	19.6	38	1.43
C305683		6.76	0.02	2.83	16.3	<0.02	<10	30	0.58	0.14	0.12	0.02	64.3	16.9	37	1.78
C305684		4.34	0.02	2.94	20.4	<0.02	<10	20	0.50	0.26	0.21	0.05	54.4	17.1	41	2.00
C305685		2.80	0.16	0.78	7.9	0.04	<10	<10	0.35	12.75	2.07	31.2	9.65	5.4	19	0.30
C305686		1.66	0.07	3.20	33.3	<0.02	<10	20	0.35	0.60	0.42	0.24	39.2	22.3	43	1.44
C305687		6.86	0.06	2.73	32.2	<0.02	<10	30	0.46	0.68	0.73	0.04	44.7	21.7	37	1.65
C305688		0.07														
C305689		3.45	0.05	2.22	23.6	<0.02	<10	10	0.59	0.42	1.91	0.05	22.2	16.1	29	0.79
C305690		4.79	0.07	3.55	24.6	<0.02	<10	20	0.48	0.67	1.25	0.05	28.4	22.0	45	1.08
C305691		3.32	0.03	2.72	40.0	<0.02	<10	30	0.65	0.73	0.18	0.01	54.9	29.5	38	3.07
C305692		1.90	0.05	1.92	23.8	<0.02	<10	20	0.61	0.63	0.93	0.02	37.4	16.6	26	1.79
C305693		2.16	0.08	1.60	15.3	<0.02	<10	10	0.49	0.51	1.31	0.03	14.85	10.0	25	0.66
C305694		2.66	0.06	2.69	34.5	<0.02	<10	30	0.64	0.58	0.30	0.02	44.0	25.9	37	3.35
C305695		2.27	0.23	2.01	47.5	0.02	<10	10	0.23	2.28	0.93	0.13	17.10	8.3	27	0.50
C305696		2.73	0.03	2.76	46.7	<0.02	<10	30	0.54	0.28	0.29	0.06	49.2	19.9	37	2.50
C305697		2.56	0.16	1.74	19.6	<0.02	<10	20	0.31	1.03	1.10	0.04	19.05	12.9	28	1.03
C305698		3.23	0.09	2.97	36.2	<0.02	<10	30	0.67	0.99	0.94	0.08	34.3	19.8	39	2.09
C305699		4.43	0.02	2.37	28.8	<0.02	<10	30	0.49	0.46	0.21	0.01	51.3	19.4	33	2.64
C305700		4.52	0.04	3.22	29.6	<0.02	<10	30	0.43	0.43	0.42	0.01	38.7	19.2	40	1.86
C305701		3.01	0.05	3.10	27.1	<0.02	<10	20	0.44	0.41	0.51	0.02	49.8	20.4	41	1.83
C305702		3.32	0.04	2.75	27.6	<0.02	<10	30	0.50	0.34	0.13	0.01	63.6	18.6	39	2.56
C305703		4.24	0.05	2.94	25.1	<0.02	<10	20	0.44	0.43	0.38	0.02	44.2	18.9	39	1.98
C305704		0.15	0.01	0.04	0.3	<0.02	<10	10	<0.05	0.01	<0.01	<0.01	3.10	0.2	3	0.05
C305705		0.06														
C305706		3.53	0.05	2.68	35.8	<0.02	<10	20	0.48	0.64	0.38	0.02	40.6	20.9	35	1.65
C305707		2.57	0.17	3.19	29.0	0.86	<10	20	0.85	11.10	1.01	0.07	20.1	28.1	31	1.42
C305708		1.92	0.05	1.59	20.2	0.06	<10	20	0.61	2.58	0.75	0.03	27.5	12.7	25	0.80
C305709		1.48	0.04	2.90	41.1	<0.02	<10	30	0.41	0.71	0.24	0.02	49.1	24.4	39	1.21
C305710		3.16	0.04	2.93	51.0	<0.02	<10	40	0.72	0.59	0.91	0.03	45.7	28.7	43	1.84
C305711		4.33	0.02	2.56	20.2	<0.02	<10	30	0.47	0.37	1.10	0.03	43.9	18.0	33	1.73
C305712		4.20	0.12	2.97	27.1	<0.02	<10	30	0.52	0.78	1.35	0.03	38.8	24.5	38	1.59
C305713		5.38	0.31	3.33	30.6	<0.02	<10	30	0.48	1.39	0.22	0.06	57.5	26.7	43	2.13
C305714		4.62	0.14	2.94	16.8	<0.02	<10	30	0.50	0.52	0.19	0.03	42.4	24.1	38	1.98
C305715		3.65	0.04	2.55	15.6	<0.02	<10	30	0.54	0.32	0.16	0.01	41.4	23.1	35	2.25
C305716		3.31	0.21	2.81	11.4	<0.02	<10	30	0.52	0.41	1.72	0.06	35.4	18.4	35	1.66
C305717		2.82	0.07	3.04	11.3	<0.02	<10	40	0.57	0.41	0.66	0.02	48.3	22.9	37	2.06
C305718		1.13	0.03	3.49	12.4	<0.02	<10	30	0.56	0.43	1.61	0.05	38.0	26.1	38	1.50
C305719		2.34	0.03	3.13	17.3	<0.02	<10	40	0.55	0.43	0.61	0.03	60.7	21.0	37	1.55
C305720		1.35	0.03	2.16	19.1	<0.02	<10	30	0.39	0.05	4.99	0.17	44.9	15.8	25	1.25



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C305681		13.9	4.49	7.65	0.08	0.09	0.01	0.013	0.19	34.1	80.9	0.99	667	0.06	0.05
C305682		30.0	5.29	8.06	0.07	0.07	<0.01	0.015	0.18	22.3	87.5	1.10	767	0.05	0.04
C305683		23.2	4.78	8.23	0.09	0.11	<0.01	0.016	0.16	33.6	85.3	1.03	747	0.24	0.05
C305684		32.6	4.92	8.40	0.08	0.11	<0.01	0.022	0.13	28.8	87.0	1.11	871	1.27	0.06
C305685		84.2	1.98	2.60	<0.05	0.03	0.01	2.26	0.02	4.0	24.1	0.28	1290	0.29	0.03
C305686		37.4	5.99	10.65	0.07	0.12	0.01	0.049	0.10	19.2	108.0	1.20	1190	0.26	0.05
C305687		38.5	4.86	8.55	0.07	0.09	<0.01	0.032	0.15	22.1	83.2	1.01	1160	0.23	0.05
C305688															
C305689		54.3	4.14	7.45	0.05	0.07	0.01	0.048	0.06	10.5	71.9	0.89	1630	0.25	0.05
C305690		57.0	6.96	11.50	0.07	0.10	0.01	0.052	0.10	13.0	102.5	1.40	1790	0.16	0.05
C305691		34.9	4.68	7.95	0.08	0.12	<0.01	0.031	0.18	27.0	75.5	0.97	860	0.13	0.06
C305692		32.3	3.22	5.53	<0.05	0.10	0.01	0.032	0.12	18.8	56.4	0.68	992	0.25	0.05
C305693		80.3	3.41	5.15	<0.05	0.04	<0.01	0.030	0.05	7.6	49.8	0.61	1120	0.37	0.04
C305694		38.7	4.71	7.71	0.07	0.11	0.01	0.029	0.18	22.2	79.2	0.96	906	0.22	0.06
C305695		66.1	4.19	6.78	0.05	0.07	<0.01	0.044	0.03	8.1	64.1	0.83	1190	0.28	0.03
C305696		27.3	4.79	8.07	0.07	0.12	<0.01	0.027	0.15	24.5	82.2	1.04	918	0.19	0.05
C305697		70.8	3.57	5.44	<0.05	0.08	0.01	0.029	0.08	9.6	51.0	0.66	1040	0.17	0.04
C305698		68.4	5.45	8.79	0.06	0.11	<0.01	0.045	0.14	17.4	89.9	1.12	1320	0.17	0.06
C305699		31.6	3.94	6.79	0.06	0.11	0.01	0.021	0.15	25.6	64.9	0.82	716	0.15	0.06
C305700		40.3	5.73	9.26	0.05	0.10	<0.01	0.027	0.14	19.1	91.4	1.20	1040	0.15	0.06
C305701		43.3	5.45	9.25	0.06	0.11	<0.01	0.025	0.13	25.9	89.4	1.17	1050	0.13	0.05
C305702		35.2	4.59	8.21	0.09	0.13	0.01	0.021	0.16	32.0	72.8	0.98	678	0.12	0.06
C305703		37.7	5.22	8.80	0.07	0.13	0.01	0.023	0.13	22.1	82.5	1.11	962	0.20	0.05
C305704		0.8	0.27	0.14	<0.05	0.11	<0.01	<0.005	0.01	1.5	0.6	<0.01	33	0.20	0.01
C305705															
C305706		41.5	4.85	8.05	0.06	0.15	0.01	0.026	0.14	19.6	72.5	1.01	908	0.32	0.04
C305707		224	7.41	11.20	0.06	0.16	<0.01	0.058	0.10	10.0	92.3	1.31	1570	1.07	0.05
C305708		96.0	3.22	5.48	<0.05	0.09	<0.01	0.026	0.08	12.9	46.2	0.60	808	1.00	0.04
C305709		46.4	5.29	9.47	0.05	0.12	<0.01	0.029	0.12	23.7	79.5	1.13	968	0.38	0.04
C305710		39.8	5.22	10.30	0.07	0.12	<0.01	0.038	0.14	21.8	86.8	1.13	1310	0.80	0.06
C305711		51.0	4.62	8.74	0.07	0.11	<0.01	0.026	0.12	21.1	72.9	1.00	1450	0.40	0.05
C305712		46.0	5.36	9.48	0.06	0.09	<0.01	0.029	0.13	19.0	84.0	1.18	1530	0.36	0.05
C305713		77.6	5.63	10.35	0.08	0.12	<0.01	0.029	0.15	28.1	96.0	1.36	963	2.78	0.05
C305714		44.6	5.10	8.93	0.05	0.09	<0.01	0.019	0.14	21.5	85.5	1.18	840	0.72	0.05
C305715		36.2	4.43	7.91	0.06	0.10	<0.01	0.019	0.14	21.2	75.3	0.99	716	0.24	0.05
C305716		32.0	4.91	8.18	0.05	0.09	<0.01	0.023	0.13	18.4	77.4	1.14	2120	0.47	0.05
C305717		22.4	5.34	9.15	0.07	0.08	0.01	0.022	0.17	24.7	85.7	1.15	1220	0.39	0.05
C305718		22.9	6.26	11.40	0.06	0.07	<0.01	0.029	0.14	19.2	103.0	1.38	2130	0.43	0.05
C305719		12.0	5.48	9.40	0.06	0.06	<0.01	0.019	0.16	30.0	89.4	1.19	1150	<0.05	0.04
C305720		40.4	3.69	6.32	0.05	0.06	<0.01	0.054	0.13	22.6	61.9	0.85	2860	0.05	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C305681		42.3	270	1.4	8.0	<0.001	0.03	0.12	2.3	<0.2	0.2	13.4	<0.01	0.03	15.4
C305682		42.3	280	2.5	7.9	<0.001	0.19	0.29	2.5	<0.2	0.2	14.2	<0.01	0.03	13.2
C305683		44.7	220	1.0	7.1	<0.001	0.01	0.08	2.5	<0.2	0.2	13.9	<0.01	0.03	14.1
C305684		41.9	260	2.5	5.4	<0.001	0.06	0.18	2.7	<0.2	0.3	17.5	<0.01	0.02	15.8
C305685		9.3	90	28.3	1.0	<0.001	0.73	0.74	2.8	0.3	1.0	33.5	<0.01	0.13	2.5
C305686		41.3	260	16.9	4.2	<0.001	0.22	0.17	3.9	0.4	0.3	15.3	<0.01	0.02	13.3
C305687		42.6	270	17.1	6.8	<0.001	0.28	0.16	3.2	<0.2	0.4	20.6	<0.01	0.02	14.8
C305688															
C305689		26.7	290	12.0	2.8	<0.001	0.40	0.24	4.1	<0.2	0.8	37.2	<0.01	0.01	6.8
C305690		36.3	430	23.1	4.2	<0.001	0.72	0.22	4.7	<0.2	0.7	27.3	<0.01	0.01	9.3
C305691		45.8	280	5.6	7.5	<0.001	0.24	0.16	2.6	<0.2	0.8	18.4	<0.01	0.01	20.9
C305692		31.3	150	13.5	4.8	<0.001	0.18	0.13	2.1	<0.2	0.8	26.8	<0.01	0.02	11.2
C305693		19.6	180	15.7	2.3	<0.001	0.61	0.10	2.5	<0.2	0.6	27.1	<0.01	0.03	6.9
C305694		45.8	260	15.2	7.7	<0.001	0.33	0.15	2.5	<0.2	0.8	21.4	<0.01	<0.01	20.4
C305695		18.8	180	35.6	1.6	<0.001	0.54	0.24	3.0	<0.2	0.4	19.3	<0.01	0.02	5.9
C305696		41.3	240	8.3	6.5	<0.001	0.21	0.16	2.4	<0.2	0.7	18.0	<0.01	0.01	18.2
C305697		24.7	210	46.0	3.4	<0.001	0.53	0.12	3.2	0.2	0.5	23.2	<0.01	0.02	8.0
C305698		42.6	230	32.6	5.7	<0.001	0.50	0.18	3.5	<0.2	0.8	28.0	<0.01	0.01	17.9
C305699		34.2	250	4.2	6.5	<0.001	0.14	0.14	2.2	<0.2	0.4	17.7	<0.01	0.01	14.9
C305700		47.6	320	10.8	5.8	<0.001	0.22	0.09	2.9	<0.2	0.4	16.7	<0.01	0.02	14.9
C305701		40.2	260	11.4	5.2	<0.001	0.13	0.14	3.1	<0.2	0.2	18.3	<0.01	0.01	14.0
C305702		40.0	250	8.6	6.7	<0.001	0.13	0.18	2.6	<0.2	0.2	18.1	<0.01	0.01	15.0
C305703		38.9	280	13.4	5.2	<0.001	0.19	0.13	3.0	<0.2	0.2	17.2	<0.01	0.01	14.2
C305704		0.7	10	0.9	0.3	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01	0.8
C305705															
C305706		45.0	300	23.4	5.8	<0.001	0.28	0.18	2.6	<0.2	0.4	17.2	<0.01	0.01	13.2
C305707		35.2	210	26.9	5.3	<0.001	1.84	0.22	5.8	0.7	1.2	34.2	<0.01	0.49	13.7
C305708		21.7	240	10.1	4.2	<0.001	0.56	0.14	2.7	0.2	0.7	26.1	<0.01	0.05	8.3
C305709		42.0	320	6.7	5.0	<0.001	0.23	0.09	3.4	<0.2	0.4	14.9	<0.01	0.03	13.1
C305710		49.1	390	20.6	7.2	<0.001	0.40	0.09	3.8	0.2	0.6	35.2	<0.01	0.01	20.5
C305711		34.3	300	9.9	6.2	<0.001	0.27	0.09	3.9	0.2	0.4	24.2	<0.01	<0.01	17.4
C305712		39.9	320	80.7	6.7	<0.001	0.38	0.10	4.0	0.2	0.4	32.4	<0.01	0.01	17.7
C305713		45.8	300	143.5	7.7	<0.001	0.13	0.05	3.6	0.3	0.2	17.4	<0.01	0.04	18.8
C305714		41.9	310	134.0	6.5	<0.001	0.26	0.09	2.9	<0.2	0.2	17.5	<0.01	0.01	15.4
C305715		41.1	270	20.9	6.6	<0.001	0.32	0.08	2.6	<0.2	0.2	16.9	<0.01	0.01	15.3
C305716		31.6	260	37.1	5.5	<0.001	0.21	0.07	3.4	<0.2	0.2	36.1	<0.01	0.01	14.1
C305717		41.1	320	8.5	7.9	0.001	0.21	0.05	3.1	<0.2	0.2	21.8	<0.01	0.01	15.5
C305718		45.6	300	9.3	7.0	<0.001	0.22	0.13	4.6	<0.2	0.2	31.0	<0.01	0.03	14.0
C305719		46.4	330	5.8	7.7	<0.001	0.05	0.07	3.1	<0.2	0.2	21.2	<0.01	<0.01	15.0
C305720		32.2	220	2.6	6.3	<0.001	0.01	0.08	3.5	0.2	0.2	88.2	<0.01	<0.01	10.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C305681		0.05	1.14	16	0.05	2.91	102	3.5	0.31	
C305682		0.06	1.27	19	0.15	2.67	109	2.6	0.07	
C305683		0.04	1.00	17	0.08	2.94	102	3.7	0.01	
C305684		0.03	1.00	20	0.09	3.09	113	4.1	<0.01	
C305685		<0.02	1.86	8	0.11	4.90	1780	1.3	3.95	
C305686		0.03	1.53	28	0.08	2.60	147	4.7	0.01	
C305687		0.05	1.29	22	0.08	3.21	113	4.1	0.01	
C305688									2.26	
C305689		0.02	2.50	20	0.06	3.16	113	2.8	0.01	
C305690		0.03	1.30	34	0.09	2.84	180	4.1	0.02	
C305691		0.05	1.54	18	0.07	2.98	121	4.7	0.01	
C305692		0.03	0.97	13	0.05	2.07	103	3.6	<0.01	
C305693		0.02	1.79	13	0.09	2.35	77	1.9	<0.01	
C305694		0.04	1.78	17	0.11	2.89	122	4.9	0.01	
C305695		<0.02	1.69	18	0.17	2.13	119	2.5		0.10
C305696		0.04	1.27	18	0.08	2.99	119	5.3	<0.01	
C305697		0.03	1.39	15	0.07	3.52	94	2.8		<0.05
C305698		0.04	1.99	24	0.07	2.79	144	4.3	0.01	
C305699		0.03	1.20	15	<0.05	2.85	96	4.3	<0.01	
C305700		0.04	1.43	23	<0.05	2.88	136	4.3	<0.01	
C305701		0.04	1.08	23	<0.05	3.11	120	4.9	<0.01	
C305702		0.05	0.98	19	<0.05	3.20	101	5.2	<0.01	
C305703		0.03	1.40	22	<0.05	2.99	114	4.6	0.01	
C305704		<0.02	0.12	1	<0.05	0.54	<2	2.3	<0.01	
C305705									1.61	
C305706		0.03	1.69	19	0.06	3.19	126	6.1		<0.05
C305707		0.03	3.07	28	0.26	3.33	148	6.5		2.23
C305708		0.02	1.75	13	0.08	2.75	67	3.6		0.12
C305709		0.03	0.86	25	0.08	3.03	128	4.8	0.02	
C305710		0.05	1.53	25	0.06	3.95	130	4.8	0.01	
C305711		0.03	1.51	21	<0.05	3.89	104	4.3	<0.01	
C305712		0.04	2.05	24	<0.05	4.15	123	3.7	0.01	
C305713		0.05	1.57	24	<0.05	3.63	129	4.3	<0.01	
C305714		0.04	1.18	20	<0.05	2.79	111	4.0	0.02	
C305715		0.05	1.29	17	<0.05	3.10	93	4.2	<0.01	
C305716		0.04	1.45	22	1.40	3.75	115	3.8	<0.01	
C305717		0.05	1.18	20	0.58	3.05	114	3.1	<0.01	
C305718		0.05	1.08	26	0.12	3.48	137	3.8	<0.01	
C305719		0.05	1.00	22	2.95	3.27	122	2.4	<0.01	
C305720		0.04	1.65	14	<0.05	16.60	274	2.0	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305721		0.20	0.01	0.05	0.9	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.55	0.4	2	0.07
C305722		1.43	0.04	2.90	26.9	<0.02	<10	40	0.50	0.91	0.11	0.03	79.5	22.3	36	1.79
C305723		1.28	0.03	2.70	6.7	<0.02	<10	40	0.50	0.57	0.11	0.01	67.9	18.3	35	1.77
C305724		3.65	0.01	3.16	0.3	<0.02	<10	40	0.58	0.32	0.12	<0.01	50.6	21.9	39	1.72
C305725		3.34	<0.01	2.60	0.1	<0.02	<10	40	0.48	0.01	0.13	0.01	84.9	15.5	35	1.68
C305726		3.59	0.02	3.16	<0.1	<0.02	<10	40	0.52	0.33	0.19	0.01	44.2	23.3	39	1.68
C305727		2.29	0.06	2.82	0.1	<0.02	<10	30	0.57	0.70	0.29	0.01	37.2	23.5	35	1.90
C305728		0.70	0.04	2.56	0.2	<0.02	<10	40	0.63	1.80	0.15	0.01	80.4	17.4	35	4.60
C305729		0.92	0.15	2.75	0.4	<0.02	<10	30	0.62	1.26	0.17	0.01	57.1	21.9	37	4.11
C305730		2.41	0.05	2.65	0.2	<0.02	<10	30	0.55	0.44	0.18	0.01	44.2	20.2	37	1.80
C305731		1.54	0.01	2.51	0.1	<0.02	<10	30	0.47	0.07	0.16	0.02	87.3	14.6	35	1.82
C305732		1.91	0.02	2.58	1.5	<0.02	<10	30	0.56	0.18	0.18	0.01	72.9	13.9	37	1.67
C305733		1.24	0.01	2.64	15.4	<0.02	<10	30	0.50	0.15	0.17	<0.01	59.7	19.5	37	2.04
C305734		2.01	0.01	2.48	17.1	<0.02	<10	30	0.50	0.20	0.18	<0.01	60.2	18.0	35	1.97
C305735		2.75	0.03	2.83	11.9	<0.02	<10	30	0.47	0.16	0.36	0.01	63.7	21.2	39	1.67
C305736		0.07														
C305737		3.41	0.06	2.57	0.1	<0.02	<10	30	0.60	0.18	0.15	0.01	36.8	23.7	35	1.94
C305738		0.79	<0.01	2.04	0.1	<0.02	<10	30	0.68	0.04	0.32	0.01	62.2	17.8	34	1.85
C305739		0.93	<0.01	2.29	0.1	<0.02	<10	40	0.72	0.06	0.34	0.02	69.5	19.2	33	1.72
C305740		2.63	<0.01	2.49	0.2	<0.02	<10	40	0.76	0.49	0.22	0.01	62.3	19.2	38	1.54



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 – B
Total # Pages: 4 (A – D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert– NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C305721		0.8	0.25	0.24	<0.05	0.10	0.01	<0.005	0.01	1.7	1.0	0.01	28	0.18	0.01
C305722		43.6	4.77	8.13	0.12	0.07	<0.01	0.019	0.16	40.7	81.8	1.15	724	<0.05	0.04
C305723		32.0	4.39	7.93	0.07	0.06	<0.01	0.018	0.16	34.3	76.6	1.07	638	<0.05	0.05
C305724		17.3	5.28	9.23	0.07	0.04	<0.01	0.018	0.16	26.0	86.7	1.31	769	<0.05	0.05
C305725		6.3	4.13	7.32	0.11	0.04	<0.01	0.013	0.17	42.6	61.7	1.07	623	<0.05	0.05
C305726		44.4	5.39	9.13	0.06	0.04	<0.01	0.018	0.16	22.5	76.0	1.35	825	<0.05	0.05
C305727		80.7	4.92	8.26	0.05	0.07	0.01	0.016	0.15	19.7	65.9	1.23	747	<0.05	0.05
C305728		91.7	3.93	7.22	0.11	0.07	<0.01	0.016	0.16	41.3	57.9	1.06	578	<0.05	0.05
C305729		205	4.54	7.93	0.07	0.11	<0.01	0.016	0.14	29.6	59.8	1.19	713	0.05	0.06
C305730		43.4	4.53	7.82	<0.05	0.05	<0.01	0.018	0.14	22.6	65.2	1.13	737	0.12	0.05
C305731		1.7	4.04	7.48	0.10	0.04	<0.01	0.015	0.15	45.8	65.1	1.00	677	0.15	0.05
C305732		12.4	4.14	7.70	0.08	0.04	<0.01	0.018	0.14	38.0	66.5	1.00	676	0.10	0.05
C305733		9.3	4.41	8.13	0.07	0.06	<0.01	0.018	0.14	30.0	72.7	1.03	776	<0.05	0.05
C305734		14.0	4.05	7.57	0.07	0.06	<0.01	0.018	0.15	31.5	65.3	0.94	757	0.07	0.06
C305735		27.5	4.77	8.95	0.07	0.05	<0.01	0.022	0.14	32.7	78.5	1.12	1150	<0.05	0.06
C305736															
C305737		118.5	3.98	7.26	<0.05	0.07	<0.01	0.014	0.15	19.3	69.1	1.22	779	0.08	0.06
C305738		0.6	4.85	5.84	0.08	0.06	<0.01	0.013	0.15	31.7	59.8	0.84	789	<0.05	0.05
C305739		1.0	4.44	6.57	0.07	0.06	<0.01	0.016	0.16	36.1	68.7	0.93	1140	<0.05	0.05
C305740		10.1	5.11	7.44	0.08	0.03	<0.01	0.015	0.16	31.6	77.4	0.85	777	0.08	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C305721		0.8	20	0.9	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.1
C305722		47.4	310	2.0	7.4	<0.001	<0.01	0.05	2.9	<0.2	0.2	13.6	<0.01	0.01	17.2
C305723		40.4	290	2.4	7.2	<0.001	0.02	0.07	2.5	<0.2	0.2	15.7	<0.01	0.01	14.9
C305724		48.7	330	1.1	7.4	<0.001	0.10	0.06	2.7	<0.2	0.2	13.8	<0.01	0.01	14.9
C305725		34.6	310	0.6	8.3	<0.001	<0.01	0.05	2.7	<0.2	<0.2	13.5	<0.01	<0.01	14.9
C305726		48.4	290	1.8	7.6	<0.001	0.25	0.08	2.8	0.3	<0.2	15.1	<0.01	0.01	15.1
C305727		46.6	280	3.9	7.2	<0.001	0.45	0.10	2.4	0.2	0.2	22.6	<0.01	0.02	14.8
C305728		37.1	260	1.9	8.4	<0.001	0.01	<0.05	2.6	<0.2	0.2	45.0	<0.01	0.01	15.3
C305729		44.5	300	2.5	6.6	<0.001	0.15	0.12	2.4	<0.2	<0.2	45.6	<0.01	0.01	15.7
C305730		39.8	250	1.3	6.7	<0.001	0.29	0.06	2.5	<0.2	0.2	22.1	<0.01	0.01	15.1
C305731		36.1	270	0.9	6.7	<0.001	<0.01	0.05	2.6	<0.2	<0.2	18.5	<0.01	<0.01	15.1
C305732		36.5	260	1.5	6.2	0.001	0.02	0.08	2.6	<0.2	0.3	20.0	<0.01	<0.01	15.3
C305733		42.5	290	2.1	6.7	<0.001	0.10	0.06	2.8	0.2	0.2	23.0	<0.01	<0.01	16.8
C305734		39.2	300	2.7	7.1	<0.001	0.07	0.06	2.7	<0.2	0.2	23.1	<0.01	0.01	15.8
C305735		44.9	300	5.1	6.8	<0.001	0.05	0.08	3.2	<0.2	0.2	29.9	<0.01	<0.01	16.7
C305736															
C305737		42.7	280	2.3	7.1	<0.001	0.13	0.10	2.3	<0.2	0.2	24.5	<0.01	<0.01	13.2
C305738		38.0	280	1.8	7.4	<0.001	<0.01	0.08	2.0	<0.2	0.3	25.9	<0.01	<0.01	14.9
C305739		39.6	300	1.7	7.7	0.001	<0.01	0.07	2.3	<0.2	0.2	27.7	<0.01	<0.01	14.2
C305740		38.8	310	3.1	7.5	0.001	0.01	0.07	2.6	<0.2	0.2	28.2	<0.01	0.04	14.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20283524

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41