



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

CERTIFICATE WH20288911

Project: Culvert- NUF

This report is for 102 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 7-DEC-2020.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305814		2.48	10.85	2.56	2.8	<0.02	<10	30	0.64	0.25	0.10	0.04	57.5	17.5	36	2.46
C305815		3.21	0.11	2.49	4.5	<0.02	<10	30	0.88	0.61	0.09	0.02	67.8	19.8	30	2.65
C305816		4.92	0.19	2.72	7.4	<0.02	<10	30	0.87	0.62	0.09	0.02	49.5	13.6	33	3.47
C305817		2.27	0.10	2.58	2.1	<0.02	<10	40	0.89	0.38	0.09	0.02	49.4	18.7	33	2.54
C305818		1.77	1.15	2.78	1.8	<0.02	<10	30	0.74	0.28	0.11	0.02	55.6	18.6	37	2.62
C305819		1.58	0.39	2.51	4.1	<0.02	<10	40	0.60	0.46	0.12	0.43	65.4	21.7	33	8.28
C305820		3.91	0.22	2.75	10.9	<0.02	<10	30	0.52	0.38	0.09	0.61	49.1	26.9	34	2.07
C305821		5.35	0.02	2.70	5.1	<0.02	<10	30	0.46	0.04	0.12	0.10	75.2	16.1	35	2.49
C305822		5.28	0.04	2.75	7.9	<0.02	<10	30	0.57	0.17	0.10	0.08	74.2	16.7	36	2.88
C305823		5.69	0.01	2.53	7.0	<0.02	<10	30	0.51	0.04	0.12	0.11	72.4	13.7	34	3.07
C305824		0.06	0.17	2.57	359	1.49	<10	100	1.21	0.31	0.20	0.03	61.1	13.7	104	7.26
C305825		3.64	0.13	2.67	7.1	0.08	<10	30	0.51	3.43	0.12	0.31	41.2	18.5	34	3.04
C305826		1.08	0.16	3.63	8.3	<0.02	<10	20	0.54	1.00	0.06	0.19	55.1	21.7	35	1.79
C305827		3.23	0.08	2.39	11.0	<0.02	<10	30	0.57	0.45	0.11	1.37	60.3	19.5	31	3.48
C305828		1.88	0.22	2.53	12.1	<0.02	<10	30	0.58	6.00	0.36	17.00	61.9	19.1	33	2.45
C305829		2.40	0.14	2.54	6.8	<0.02	<10	30	0.51	1.55	0.94	0.35	60.4	18.9	33	2.57
C305830		3.07	0.15	2.84	8.7	<0.02	<10	40	0.69	1.50	0.25	0.18	86.0	23.8	35	3.37
C305831		3.63	0.02	2.74	1.6	<0.02	<10	40	0.65	0.15	0.12	0.04	92.3	16.8	34	3.03
C305832		3.54	0.01	2.64	1.7	<0.02	<10	40	0.68	0.06	0.16	0.03	95.3	16.7	33	3.25
C305833		3.58	0.08	2.98	15.4	<0.02	<10	30	0.63	0.19	0.19	0.23	59.4	26.4	46	2.75
C305834		4.01	0.03	2.63	5.4	<0.02	<10	40	0.75	0.12	0.10	0.17	89.0	19.6	32	3.13
C305835		0.18	0.01	0.06	1.0	<0.02	<10	10	<0.05	0.02	0.01	0.01	3.73	0.3	1	0.07
C305836		6.41	0.36	3.19	35.1	0.44	<10	20	0.57	0.74	0.08	0.15	43.6	23.3	37	2.70
C305837		4.64	0.32	2.74	69.4	<0.02	<10	30	0.61	0.73	0.09	0.22	68.2	14.5	33	3.20
C305838		6.08	0.04	2.93	23.2	0.05	<10	30	0.59	0.12	0.07	0.10	60.7	13.0	38	3.78
C305839		3.98	0.22	2.92	89.9	0.13	<10	30	0.87	0.65	0.06	0.37	51.3	34.5	34	3.35
C305840		4.03	0.03	2.18	31.6	0.08	<10	30	0.73	0.13	0.05	0.09	66.4	9.8	26	3.81
C305841		4.10	0.03	2.57	38.9	<0.02	<10	30	0.64	0.10	0.06	0.12	86.2	10.3	32	3.77
C305842		2.95	0.03	2.59	26.9	<0.02	<10	30	0.60	0.14	0.06	0.08	76.3	11.9	33	3.51
C305843		4.43	0.01	2.76	33.9	<0.02	<10	30	0.50	0.09	0.05	0.08	94.1	11.8	34	3.39
C305844		4.62	0.02	2.88	27.6	<0.02	<10	40	0.50	0.23	0.03	0.03	71.3	10.4	36	3.35
C305845		2.09	0.10	3.16	19.0	<0.02	<10	50	0.57	0.79	0.01	0.02	58.7	12.6	36	3.12
C305846		3.40	0.03	3.00	55.8	<0.02	<10	30	0.55	0.41	0.02	0.04	76.6	13.5	35	3.75
C305847		4.46	0.21	3.22	95.0	0.02	<10	50	1.22	1.99	0.05	0.15	80.4	27.7	36	3.52
C305848		2.16	0.12	2.60	95.0	<0.02	<10	40	1.02	0.64	0.06	0.11	71.4	16.1	32	3.95
C305849		3.91	0.05	2.67	38.9	0.02	<10	40	0.71	1.75	0.08	0.10	84.0	18.9	34	3.02
C305850		4.12	0.02	2.70	28.6	<0.02	<10	40	0.76	0.26	0.11	0.03	77.2	22.5	34	3.38
C305851		3.90	0.04	2.92	21.7	<0.02	<10	30	0.58	0.82	0.18	0.10	52.2	28.5	36	2.54
C305852		1.52	0.11	1.58	160.0	0.07	<10	20	0.69	1.69	0.03	0.08	51.5	13.4	16	2.66
C305853		5.17	0.19	2.22	154.5	<0.02	<10	30	0.75	0.37	0.05	0.19	79.0	9.9	28	3.79



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
C305814		14.2	4.83	7.86	0.07	0.20	0.01	0.016	0.10	28.5	72.2	1.00	782	0.14	0.02	<0.05
C305815		20.5	4.35	7.76	0.08	0.25	<0.01	0.021	0.15	34.4	71.3	1.00	874	0.08	0.03	<0.05
C305816		33.7	5.22	8.00	0.06	0.21	<0.01	0.020	0.17	26.8	66.0	0.86	770	0.09	0.03	<0.05
C305817		37.8	4.92	7.63	0.05	0.26	<0.01	0.019	0.16	26.1	68.4	0.77	669	0.46	0.03	<0.05
C305818		18.1	5.12	8.48	0.07	0.20	<0.01	0.013	0.17	30.1	71.1	0.88	722	0.81	0.03	<0.05
C305819		65.8	4.10	8.39	0.07	0.18	<0.01	0.024	0.12	31.1	76.0	1.05	1090	1.58	0.04	<0.05
C305820		53.3	4.77	8.90	0.07	0.21	<0.01	0.031	0.10	23.9	86.9	1.15	1610	1.02	0.04	<0.05
C305821		10.1	4.47	8.50	0.08	0.19	<0.01	0.016	0.12	36.3	88.5	1.11	1060	0.09	0.04	<0.05
C305822		22.2	4.49	8.51	0.08	0.26	<0.01	0.020	0.14	37.1	87.8	1.10	1100	0.09	0.04	<0.05
C305823		10.8	4.09	7.64	0.07	0.22	<0.01	0.016	0.13	36.1	80.6	1.02	978	0.13	0.04	<0.05
C305824		26.8	3.47	8.06	0.12	0.78	0.01	0.030	1.00	31.0	33.0	1.26	214	0.90	0.07	0.27
C305825		65.4	4.86	8.11	0.08	0.23	<0.01	0.045	0.12	20.7	87.8	1.05	1450	0.49	0.03	<0.05
C305826		81.3	6.81	10.85	0.10	0.21	<0.01	0.050	0.09	26.9	115.0	1.45	1600	1.80	0.03	<0.05
C305827		68.5	4.10	7.09	0.08	0.28	<0.01	0.025	0.13	31.7	70.2	0.89	1300	2.62	0.04	<0.05
C305828		69.9	4.51	8.36	0.10	0.24	<0.01	0.551	0.10	32.5	78.7	1.03	2260	3.84	0.04	<0.05
C305829		100.5	4.27	8.67	0.10	0.24	<0.01	0.032	0.12	31.1	85.6	1.04	2700	1.63	0.04	<0.05
C305830		110.5	4.81	9.16	0.14	0.28	<0.01	0.042	0.15	43.8	90.0	1.09	1830	8.69	0.04	<0.05
C305831		5.6	4.61	8.05	0.14	0.18	0.02	0.017	0.17	44.7	83.0	0.99	1260	0.22	0.04	<0.05
C305832		3.2	4.30	7.76	0.13	0.17	<0.01	0.019	0.18	47.0	81.6	0.93	1260	0.13	0.04	<0.05
C305833		64.9	5.31	10.05	0.10	0.20	<0.01	0.031	0.13	30.4	98.3	1.14	2220	0.37	0.04	<0.05
C305834		6.0	4.33	7.84	0.14	0.23	<0.01	0.021	0.17	45.0	82.7	0.94	1270	0.10	0.04	<0.05
C305835		0.9	0.27	0.24	<0.05	0.12	0.01	<0.005	0.01	1.8	0.9	0.01	29	0.18	<0.01	0.06
C305836		23.7	5.88	10.10	0.08	0.20	<0.01	0.022	0.13	21.5	113.0	1.28	1280	1.21	0.03	<0.05
C305837		32.4	4.61	8.35	0.10	0.21	<0.01	0.022	0.14	34.8	86.6	1.08	1080	2.03	0.03	<0.05
C305838		25.1	4.96	8.66	0.11	0.24	<0.01	0.019	0.16	30.4	96.0	1.15	1100	0.89	0.04	<0.05
C305839		71.0	5.38	9.81	0.09	0.28	<0.01	0.029	0.15	26.3	108.5	1.19	1500	1.42	0.03	<0.05
C305840		14.7	3.69	6.51	0.12	0.24	<0.01	0.017	0.17	35.3	69.4	0.80	777	0.11	0.03	<0.05
C305841		8.8	4.23	7.20	0.11	0.23	<0.01	0.018	0.17	44.8	76.2	0.95	794	0.07	0.03	<0.05
C305842		7.4	4.43	7.43	0.12	0.22	<0.01	0.015	0.17	39.6	80.2	0.96	748	0.05	0.03	<0.05
C305843		7.6	4.74	8.56	0.15	0.19	<0.01	0.016	0.16	48.2	95.5	1.04	779	0.05	0.03	<0.05
C305844		15.4	5.27	8.34	0.12	0.16	<0.01	0.017	0.16	36.8	92.4	1.10	818	0.07	0.03	<0.05
C305845		46.3	6.47	8.79	0.10	0.23	<0.01	0.026	0.16	29.3	91.5	1.23	844	0.07	0.03	<0.05
C305846		23.1	5.37	9.26	0.13	0.26	<0.01	0.022	0.12	40.1	110.0	1.20	821	0.08	0.02	<0.05
C305847		137.0	6.30	9.51	0.14	0.22	<0.01	0.061	0.15	41.9	103.0	1.24	1000	0.21	0.04	<0.05
C305848		80.9	5.33	7.93	0.10	0.29	0.01	0.039	0.14	37.6	81.3	0.98	761	0.19	0.03	<0.05
C305849		21.9	4.51	7.99	0.12	0.17	<0.01	0.026	0.17	42.2	84.8	1.04	871	0.06	0.03	<0.05
C305850		17.5	4.61	8.63	0.13	0.17	<0.01	0.023	0.17	38.5	90.5	1.07	896	<0.05	0.03	<0.05
C305851		34.7	5.42	10.15	0.11	0.23	<0.01	0.037	0.16	25.7	91.9	1.21	1320	0.07	0.04	<0.05
C305852		89.9	3.66	4.80	0.10	0.24	<0.01	0.026	0.12	27.5	43.8	0.57	458	0.34	0.02	<0.05
C305853		35.9	4.04	6.47	0.11	0.28	<0.01	0.019	0.13	41.1	70.0	0.83	637	0.25	0.02	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C305814		43.9	310	4.4	4.8	<0.001	0.01	0.12	2.2	<0.2	0.2	7.2	<0.01	0.03	16.6
C305815		46.0	300	6.2	7.3	<0.001	0.01	0.07	2.3	<0.2	0.5	9.4	<0.01	0.02	18.4
C305816		36.1	240	5.7	7.4	<0.001	0.02	0.10	2.3	<0.2	0.6	9.7	<0.01	0.03	12.6
C305817		41.0	220	4.6	7.2	<0.001	0.02	0.05	2.2	<0.2	0.4	11.1	<0.01	0.02	12.5
C305818		42.1	240	3.8	8.3	<0.001	<0.01	0.06	2.6	<0.2	0.3	11.5	<0.01	0.02	13.0
C305819		37.5	290	14.1	6.2	<0.001	0.01	0.08	2.5	<0.2	0.6	11.8	<0.01	0.01	16.0
C305820		46.0	290	42.5	5.0	<0.001	0.03	0.11	3.1	<0.2	0.5	9.6	<0.01	<0.01	14.0
C305821		45.9	360	3.3	5.6	<0.001	0.01	<0.05	2.4	<0.2	0.2	10.4	<0.01	0.01	16.3
C305822		45.3	320	4.9	6.6	<0.001	0.01	0.06	2.4	<0.2	0.4	11.3	<0.01	0.01	16.7
C305823		40.5	310	2.1	6.2	<0.001	0.01	<0.05	2.2	<0.2	0.2	10.9	<0.01	0.01	16.9
C305824		64.7	520	10.4	96.8	0.001	0.08	267	6.2	0.2	1.3	17.0	<0.01	0.03	12.0
C305825		33.9	290	9.9	6.0	<0.001	0.16	0.40	3.0	0.4	0.9	10.3	0.01	0.05	15.1
C305826		36.2	200	8.9	4.7	<0.001	0.02	0.48	3.8	0.3	0.9	8.8	<0.01	0.03	12.6
C305827		40.8	330	7.8	6.3	0.002	0.05	0.18	2.3	0.2	0.6	12.7	<0.01	0.02	17.7
C305828		40.6	330	20.0	5.2	0.001	0.03	0.35	3.7	0.4	0.6	14.7	<0.01	0.05	16.8
C305829		36.0	300	12.6	6.4	<0.001	0.04	0.14	3.5	0.3	0.5	21.4	<0.01	0.03	15.8
C305830		48.4	400	14.2	8.0	0.001	0.02	0.14	3.0	0.3	0.7	14.9	<0.01	0.03	19.6
C305831		40.2	370	3.5	8.0	<0.001	0.01	0.11	2.6	0.2	0.4	10.8	<0.01	0.01	16.6
C305832		37.2	360	3.3	8.7	0.001	0.01	0.08	2.6	<0.2	0.4	12.5	<0.01	0.03	16.3
C305833		56.3	280	122.5	6.7	<0.001	0.09	0.07	3.8	0.3	0.4	14.5	<0.01	0.01	15.0
C305834		45.2	350	14.5	8.2	0.002	0.01	0.09	2.5	0.2	0.4	10.5	<0.01	0.02	15.2
C305835		0.8	20	1.1	0.5	0.002	0.01	<0.05	0.2	0.3	<0.2	1.1	<0.01	<0.01	1.1
C305836		46.2	360	317	6.4	0.001	0.15	0.12	3.1	0.4	0.3	8.5	<0.01	0.03	13.6
C305837		40.7	320	139.5	6.7	0.001	0.02	0.09	2.6	0.3	0.2	9.3	<0.01	0.02	15.8
C305838		42.5	310	31.4	7.7	<0.001	0.04	0.10	2.7	0.3	0.2	11.4	<0.01	0.01	15.5
C305839		55.1	290	90.2	8.2	0.003	0.15	0.15	3.5	0.3	0.2	11.6	<0.01	0.02	18.4
C305840		27.2	270	6.9	8.7	0.001	0.04	0.13	2.2	0.3	0.2	11.2	<0.01	0.01	16.1
C305841		44.9	260	5.7	8.5	<0.001	0.01	0.07	2.1	0.4	0.2	8.9	<0.01	0.02	15.9
C305842		45.4	280	5.5	8.3	0.001	0.02	0.07	2.2	<0.2	0.2	8.4	<0.01	0.01	15.6
C305843		39.5	300	4.2	8.3	<0.001	0.01	0.09	2.5	0.3	0.2	9.5	<0.01	<0.01	16.5
C305844		32.6	280	4.8	8.2	<0.001	0.06	0.08	2.5	0.2	0.6	11.0	<0.01	<0.01	15.3
C305845		30.8	220	14.7	7.9	0.001	0.10	0.09	2.8	0.3	0.9	13.6	<0.01	0.04	14.7
C305846		32.3	200	4.4	6.8	0.001	0.04	0.14	2.7	0.4	0.7	10.2	<0.01	<0.01	16.8
C305847		52.9	340	15.2	8.3	<0.001	0.04	0.16	3.5	0.5	1.2	17.4	<0.01	0.08	16.5
C305848		39.9	360	10.9	7.7	0.001	0.09	0.13	2.8	0.4	1.2	19.4	<0.01	0.04	19.7
C305849		36.7	390	5.8	9.2	0.001	0.05	0.13	2.5	0.2	1.2	10.5	<0.01	0.05	16.4
C305850		45.4	330	3.5	9.4	<0.001	0.06	0.10	2.8	<0.2	0.9	12.6	<0.01	0.02	18.1
C305851		49.7	350	6.7	8.5	0.002	0.25	0.11	4.1	0.2	0.8	14.9	<0.01	0.02	14.6
C305852		26.9	180	7.0	5.8	0.001	0.05	0.37	1.9	0.4	0.7	11.6	<0.01	0.03	11.8
C305853		33.3	240	4.1	6.7	<0.001	0.01	0.14	2.0	0.3	0.6	13.5	<0.01	0.03	15.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
C305814		0.03	0.65	22	25.4	3.17	121	8.9
C305815		0.04	1.10	17	0.16	4.00	115	11.6
C305816		0.05	1.56	21	0.26	3.51	114	8.9
C305817		0.04	1.07	19	0.17	3.39	117	10.7
C305818		0.05	0.67	24	1.26	3.45	111	9.3
C305819		0.05	1.24	22	0.31	3.86	165	7.5
C305820		0.04	1.44	25	0.23	3.79	171	8.5
C305821		0.03	0.61	21	<0.05	3.49	102	8.2
C305822		0.04	0.77	21	<0.05	3.87	117	12.4
C305823		0.03	0.58	18	<0.05	3.70	107	9.9
C305824		0.63	1.55	68	0.49	10.05	80	29.1
C305825		0.05	1.19	20	1.03	3.20	143	9.1
C305826		0.03	3.42	30	0.24	3.14	222	9.9
C305827		0.04	1.20	17	0.12	4.52	267	12.3
C305828		0.04	1.05	26	0.99	5.13	1080	10.5
C305829		0.04	0.79	24	0.05	4.50	179	9.6
C305830		0.05	0.93	22	0.05	5.22	136	12.0
C305831		0.05	0.52	20	<0.05	4.39	103	7.8
C305832		0.05	0.61	19	<0.05	4.44	100	7.3
C305833		0.06	1.10	33	<0.05	4.56	189	8.8
C305834		0.05	0.57	18	<0.05	4.19	126	8.7
C305835		<0.02	0.18	1	<0.05	0.78	2	3.0
C305836		0.04	0.98	24	0.15	2.84	127	8.5
C305837		0.05	1.38	19	0.05	3.77	108	8.6
C305838		0.04	1.13	20	<0.05	3.13	98	9.7
C305839		0.08	2.31	25	2.08	4.05	144	12.0
C305840		0.06	1.09	14	0.17	3.18	82	10.0
C305841		0.04	0.97	17	<0.05	4.05	96	9.8
C305842		0.06	0.77	18	<0.05	3.59	99	9.1
C305843		0.05	0.87	19	0.05	3.84	90	8.5
C305844		0.06	0.92	20	0.06	2.90	87	7.5
C305845		0.05	0.99	24	0.10	2.36	111	9.2
C305846		0.04	1.12	20	0.09	3.25	106	10.3
C305847		0.04	2.38	26	0.10	4.52	188	9.7
C305848		0.06	2.31	20	0.12	4.70	146	10.8
C305849		0.07	1.07	17	0.13	4.65	111	8.2
C305850		0.06	1.13	18	0.15	4.23	132	7.5
C305851		0.07	1.37	28	0.11	4.20	183	9.2
C305852		0.04	2.81	11	0.18	2.91	110	9.5
C305853		0.04	3.74	14	0.88	4.49	105	11.8



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C305854		2.75	0.09	2.17	179.0	<0.02	<10	30	0.68	1.27	0.05	0.26	65.4	8.7	28	2.84
C305855		5.73	0.03	2.62	97.1	0.09	<10	30	0.58	0.29	0.06	0.16	77.5	6.2	31	3.11
C305856		0.21	0.01	0.07	1.4	<0.02	<10	10	<0.05	0.02	<0.01	0.01	4.48	0.3	4	0.11
C305857		2.32	0.13	1.99	421	1.19	<10	30	1.10	0.82	0.05	0.38	81.9	8.8	19	3.96
C305858		3.57	0.05	2.37	284	0.17	<10	40	1.17	0.64	0.06	0.28	93.3	7.7	26	4.64
C305859		1.83	0.11	1.51	293	0.54	<10	30	0.89	1.28	0.06	0.33	56.7	6.6	18	2.41
C305860		3.99	0.07	2.49	202	0.17	<10	40	0.96	0.48	0.06	0.24	79.2	34.0	27	3.26
C305861		3.59	0.07	2.51	60.3	0.02	<10	30	0.85	0.30	0.07	0.09	81.3	15.4	29	3.16
C305862		3.89	0.05	2.35	21.5	<0.02	<10	40	0.84	0.49	0.07	0.06	69.5	17.4	34	2.84
C305863		3.08	0.03	2.33	28.7	<0.02	<10	30	0.93	0.23	0.06	0.05	66.9	15.6	33	3.35
C305864		4.76	0.08	2.40	62.0	<0.02	<10	40	0.92	0.69	0.05	0.09	48.6	12.5	33	3.47
C305865		4.38	0.06	2.43	49.0	<0.02	<10	30	0.76	0.40	0.07	0.06	77.1	15.1	33	3.42
C305866		4.40	0.05	2.32	32.2	<0.02	<10	30	0.71	0.36	0.08	0.07	70.8	16.2	32	3.11
C305867		0.07	0.18	2.48	498	2.12	<10	90	1.16	0.33	0.21	0.04	51.0	13.0	100	7.07
C305868		4.45	0.05	2.34	50.2	<0.02	<10	30	0.60	1.48	0.07	0.05	67.7	13.7	31	3.25
C305869		6.86	0.04	2.45	19.4	<0.02	<10	30	0.79	0.71	0.08	0.20	52.7	22.0	35	3.04
C305870		5.48	0.04	2.55	6.3	<0.02	<10	30	0.87	0.32	0.14	0.05	62.8	24.6	35	3.12
C305871		6.78	0.05	2.60	27.5	<0.02	<10	30	0.87	0.37	0.17	0.14	64.0	24.4	33	3.04
C305872		3.97	0.08	2.53	48.5	<0.02	<10	30	0.84	0.39	0.08	0.19	84.8	29.7	30	3.11
C305873		2.43	0.06	2.47	47.0	<0.02	<10	30	0.84	0.88	0.08	0.20	83.4	28.2	30	3.34
C305874		8.14	0.08	2.76	21.9	<0.02	<10	30	0.73	0.66	0.07	0.05	88.2	24.5	33	3.51
C305875		3.24	0.07	2.21	32.5	<0.02	<10	20	0.52	0.21	0.05	0.05	59.1	20.0	26	3.24
C305876		5.50	0.06	2.58	11.5	<0.02	<10	20	0.55	0.42	0.06	0.03	67.7	22.4	30	3.69
C305877		3.99	0.02	2.75	15.0	<0.02	<10	30	0.69	0.08	0.07	0.02	70.5	21.7	32	3.79
C305878		4.07	0.02	2.86	13.9	0.02	<10	30	0.69	0.40	0.09	0.02	82.3	20.5	40	3.04
C305879		4.62	0.01	2.49	10.3	<0.02	<10	30	0.73	0.32	0.07	0.03	55.4	20.6	32	4.12
C305880		5.67	7.41	2.52	10.8	<0.02	<10	30	0.74	0.21	0.07	0.02	76.0	19.8	34	4.28
C305881		4.25	0.06	2.61	6.4	<0.02	<10	30	0.65	0.56	0.07	0.02	58.3	19.8	34	3.51
C305882		4.83	0.08	2.56	12.5	<0.02	<10	30	0.63	0.20	0.07	0.04	76.2	23.0	32	4.02
C305883		4.50	0.06	2.70	16.7	<0.02	<10	30	0.60	0.15	0.08	0.03	70.6	23.4	34	4.28
C305884		0.07	0.19	2.54	498	2.08	<10	100	1.20	0.32	0.21	0.04	57.5	13.5	101	7.26
C305885		2.01	0.07	3.11	16.4	<0.02	<10	30	0.57	0.32	0.08	0.04	78.3	23.4	36	3.91
C305886		1.79	0.12	2.52	36.6	<0.02	<10	30	0.68	0.27	0.08	0.04	75.3	19.7	35	3.40
C305887		1.95	0.20	2.09	26.8	<0.02	<10	20	0.63	0.49	0.06	0.03	60.6	16.8	28	3.21
C305888		5.57	0.11	2.58	25.3	0.05	<10	30	0.70	0.49	0.06	0.04	67.9	21.5	33	3.86
C305889		4.29	0.09	2.67	15.4	<0.02	<10	30	0.61	0.32	0.07	0.04	68.4	18.5	32	4.31
C305890		4.33	0.13	2.74	29.8	0.02	<10	30	0.68	0.57	0.07	0.02	75.7	15.1	35	3.77
C305891		6.79	0.07	2.62	22.1	<0.02	<10	30	0.55	0.17	0.07	0.03	72.9	12.4	34	4.20
C305892		6.75	0.08	2.87	31.0	<0.02	<10	30	0.68	0.16	0.07	0.05	79.0	15.5	36	4.40
C305893		2.05	0.68	2.62	43.5	<0.02	<10	30	0.84	11.65	0.07	0.05	64.7	16.8	34	4.63



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C305854		22.3	4.12	6.52	0.10	0.23	<0.01	0.025	0.14	34.5	67.8	0.79	633	0.24	0.02
C305855		11.2	4.52	7.88	0.13	0.27	<0.01	0.021	0.17	40.5	84.3	0.96	686	0.09	0.03
C305856		1.1	0.35	0.27	<0.05	0.17	<0.01	<0.005	0.02	2.3	1.3	0.01	46	0.29	<0.01
C305857		51.2	4.89	6.64	0.11	0.35	0.01	0.014	0.14	43.1	62.3	0.61	526	0.80	0.02
C305858		47.0	5.60	7.92	0.14	0.32	<0.01	0.020	0.16	49.3	70.0	0.67	606	0.55	0.03
C305859		47.9	3.41	4.94	0.09	0.20	<0.01	0.018	0.11	29.8	46.9	0.47	401	0.41	0.02
C305860		48.5	4.78	7.36	0.13	0.26	<0.01	0.019	0.16	41.8	78.8	0.85	871	0.31	0.03
C305861		46.4	4.73	7.70	0.13	0.26	<0.01	0.019	0.14	42.4	80.8	0.85	888	0.14	0.03
C305862		11.2	4.58	7.72	0.12	0.19	<0.01	0.018	0.16	35.8	70.2	0.75	829	0.12	0.03
C305863		10.2	4.98	7.41	0.09	0.19	0.01	0.013	0.16	35.9	65.2	0.77	457	0.13	0.03
C305864		55.6	4.93	6.99	0.07	0.22	<0.01	0.020	0.16	28.0	65.7	0.74	464	0.13	0.04
C305865		28.8	4.55	8.51	0.12	0.25	<0.01	0.021	0.16	40.9	76.2	0.85	599	0.08	0.03
C305866		9.7	4.18	7.43	0.11	0.28	<0.01	0.017	0.13	38.5	68.9	0.88	790	0.13	0.03
C305867		25.2	3.44	7.81	0.13	0.73	0.01	0.023	0.97	26.6	32.0	1.24	215	0.55	0.07
C305868		11.5	4.37	6.94	0.11	0.23	<0.01	0.027	0.13	37.1	67.7	0.83	672	0.09	0.03
C305869		46.5	4.96	7.73	0.09	0.20	<0.01	0.021	0.16	28.4	69.5	0.71	587	0.07	0.03
C305870		38.5	4.93	8.13	0.09	0.18	0.01	0.019	0.16	32.6	72.5	0.83	931	0.06	0.03
C305871		29.2	4.80	7.92	0.11	0.23	<0.01	0.027	0.16	32.2	80.8	1.00	1460	0.09	0.03
C305872		17.1	4.44	7.57	0.12	0.30	<0.01	0.025	0.15	43.9	82.2	0.98	1630	0.13	0.03
C305873		39.1	4.49	7.25	0.12	0.27	<0.01	0.077	0.14	43.1	81.0	0.92	1460	0.16	0.03
C305874		42.1	4.78	8.54	0.13	0.28	<0.01	0.021	0.16	46.8	86.2	1.04	1100	0.08	0.04
C305875		13.0	3.89	6.50	0.10	0.28	<0.01	0.014	0.12	32.4	71.7	0.88	822	0.14	0.03
C305876		21.2	4.84	7.94	0.09	0.26	<0.01	0.019	0.11	40.1	78.7	0.97	766	0.10	0.03
C305877		22.8	5.27	8.27	0.11	0.28	<0.01	0.015	0.14	40.8	78.5	0.92	764	0.09	0.03
C305878		21.3	5.54	9.70	0.13	0.22	<0.01	0.019	0.14	43.5	71.6	0.96	914	0.12	0.04
C305879		8.1	4.50	7.40	0.08	0.24	<0.01	0.015	0.15	31.2	65.7	0.92	740	0.08	0.04
C305880		12.9	4.72	8.31	0.12	0.27	<0.01	0.013	0.15	44.3	69.8	0.84	542	0.07	0.04
C305881		47.4	5.02	7.58	0.09	0.25	<0.01	0.015	0.15	32.1	67.6	0.93	607	0.10	0.03
C305882		31.2	4.27	7.72	0.12	0.23	<0.01	0.015	0.14	40.3	73.0	1.12	733	0.08	0.03
C305883		46.0	4.42	8.47	0.10	0.27	<0.01	0.018	0.15	38.8	84.0	1.19	857	0.10	0.04
C305884		26.8	3.46	8.43	0.11	0.81	0.01	0.022	0.98	29.4	33.2	1.25	218	0.59	0.07
C305885		48.2	5.15	10.00	0.13	0.31	<0.01	0.022	0.15	40.0	101.0	1.39	942	0.09	0.04
C305886		60.5	4.27	8.17	0.12	0.28	<0.01	0.016	0.12	37.9	76.6	1.10	754	0.10	0.03
C305887		72.9	3.48	6.64	0.08	0.25	<0.01	0.015	0.12	31.5	61.7	0.91	644	0.15	0.03
C305888		66.7	4.16	7.87	0.11	0.27	<0.01	0.019	0.14	36.3	85.0	1.13	850	0.12	0.04
C305889		48.8	4.20	8.07	0.11	0.24	<0.01	0.018	0.15	36.4	88.9	1.19	818	0.05	0.04
C305890		79.7	4.55	8.21	0.12	0.27	0.01	0.019	0.14	39.3	90.1	1.26	854	0.10	0.04
C305891		42.9	4.21	7.94	0.10	0.21	<0.01	0.021	0.14	40.8	88.0	1.12	835	0.06	0.04
C305892		48.6	4.68	9.02	0.13	0.29	<0.01	0.017	0.12	46.5	102.5	1.27	967	0.05	0.04
C305893		99.1	4.34	7.69	0.10	0.27	<0.01	0.046	0.12	36.1	87.2	1.15	867	0.11	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C305854		32.4	230	5.6	7.2	0.001	0.04	0.17	2.0	0.2	0.7	12.0	<0.01	0.03	15.2
C305855		43.8	240	3.2	8.6	<0.001	0.03	0.12	2.5	0.2	0.4	11.1	<0.01	0.02	15.9
C305856		1.1	20	1.1	0.9	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.1
C305857		28.8	310	3.1	7.4	0.001	0.02	0.20	2.2	0.4	0.3	21.8	<0.01	0.03	15.8
C305858		28.1	340	3.0	8.2	<0.001	0.02	0.16	2.5	0.3	0.4	23.7	<0.01	0.03	17.8
C305859		21.0	300	7.9	5.5	0.001	0.02	0.21	1.8	0.5	0.3	22.9	<0.01	0.02	10.0
C305860		44.3	270	6.9	7.6	<0.001	0.02	0.10	2.4	<0.2	0.2	18.3	<0.01	0.01	15.3
C305861		47.8	320	7.5	6.8	<0.001	0.01	0.09	2.4	<0.2	0.2	9.6	<0.01	<0.01	16.1
C305862		42.4	320	8.6	8.5	0.001	0.07	0.09	2.5	<0.2	0.2	22.2	<0.01	0.03	15.3
C305863		40.9	340	6.0	8.2	<0.001	0.02	0.11	2.4	<0.2	0.2	21.7	<0.01	0.01	15.3
C305864		36.6	290	5.2	8.0	0.002	0.03	0.20	2.3	<0.2	0.2	27.6	<0.01	<0.01	11.6
C305865		47.5	320	7.7	8.7	0.001	0.02	0.08	2.7	<0.2	0.2	11.9	<0.01	0.01	16.8
C305866		48.2	340	8.0	6.9	<0.001	0.02	0.06	2.3	<0.2	0.3	7.8	<0.01	0.02	15.6
C305867		59.1	520	9.1	92.6	<0.001	0.12	354	5.7	0.3	1.4	17.5	<0.01	0.01	12.1
C305868		46.9	290	6.4	6.2	<0.001	0.01	0.41	2.0	<0.2	0.4	6.9	<0.01	0.02	13.2
C305869		47.7	330	5.5	8.0	0.001	0.05	0.14	2.8	<0.2	0.3	8.5	<0.01	0.02	11.2
C305870		54.5	360	5.8	8.1	<0.001	0.04	0.10	2.9	<0.2	0.2	9.8	<0.01	0.02	16.3
C305871		47.9	370	9.4	7.8	<0.001	0.06	0.08	2.7	<0.2	0.2	9.6	<0.01	0.02	16.2
C305872		54.2	330	8.5	7.7	0.002	0.01	<0.05	2.3	<0.2	0.3	8.9	<0.01	0.01	17.6
C305873		51.1	370	8.6	6.9	0.001	0.01	0.07	2.1	<0.2	0.6	8.5	<0.01	0.01	16.1
C305874		47.6	310	5.2	8.2	<0.001	0.01	0.06	2.6	<0.2	0.3	9.3	<0.01	0.02	17.3
C305875		37.4	240	4.6	5.5	<0.001	0.01	0.08	1.9	<0.2	<0.2	7.0	<0.01	0.01	13.3
C305876		47.2	270	4.1	5.2	0.001	0.01	0.06	2.3	<0.2	0.2	7.2	<0.01	0.01	14.0
C305877		48.4	310	3.9	6.8	0.001	0.01	0.05	2.4	<0.2	0.2	7.9	<0.01	0.01	13.5
C305878		43.5	380	3.1	6.9	<0.001	0.01	0.06	3.6	<0.2	0.2	7.4	<0.01	0.04	15.5
C305879		42.6	300	3.5	7.3	0.001	0.03	0.08	2.3	<0.2	0.2	8.7	<0.01	0.01	14.0
C305880		46.3	280	2.6	7.8	<0.001	0.01	0.06	2.6	<0.2	0.2	9.5	<0.01	0.01	13.5
C305881		44.2	330	8.7	7.0	0.001	0.02	0.09	2.4	<0.2	0.2	9.1	<0.01	0.01	12.3
C305882		46.2	310	4.1	6.8	0.001	0.01	0.06	2.2	<0.2	0.2	8.4	<0.01	0.01	16.2
C305883		47.1	340	3.5	7.3	0.001	0.02	0.06	2.4	<0.2	0.2	9.6	<0.01	<0.01	15.0
C305884		61.6	510	8.9	98.3	0.001	0.11	347	6.0	<0.2	1.5	19.3	<0.01	0.01	12.1
C305885		51.5	370	3.7	7.6	0.002	0.01	0.52	2.9	0.2	0.2	10.3	<0.01	0.01	17.1
C305886		42.5	350	9.0	5.9	0.001	0.01	0.12	2.8	0.2	0.2	7.1	<0.01	0.01	15.7
C305887		36.5	270	11.7	5.6	<0.001	0.01	0.16	2.2	<0.2	0.3	7.4	<0.01	0.01	13.1
C305888		42.8	270	8.4	6.5	<0.001	<0.01	0.13	2.4	<0.2	0.2	9.2	<0.01	0.01	14.3
C305889		44.1	310	6.1	7.4	0.001	0.01	0.18	2.2	<0.2	0.2	9.3	<0.01	0.01	14.7
C305890		40.6	340	8.1	6.9	0.001	0.02	0.39	2.2	0.2	0.2	8.6	<0.01	0.03	16.4
C305891		41.3	300	2.3	6.9	<0.001	<0.01	<0.05	2.2	<0.2	0.2	9.8	<0.01	<0.01	14.5
C305892		45.0	300	3.6	6.0	<0.001	<0.01	0.06	2.4	<0.2	0.4	9.8	<0.01	0.01	14.6
C305893		41.4	270	9.4	5.8	0.001	<0.01	0.14	2.3	<0.2	0.7	9.4	<0.01	0.11	14.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-JAN-2021
 Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C305854		0.04	3.36	14	0.52	3.65	108	11.0	0.02
C305855		0.06	2.09	17	0.17	3.81	97	11.6	0.59
C305856		<0.02	0.19	1	<0.05	0.82	2	3.6	0.01
C305857		0.06	9.33	15	0.32	4.34	139	13.3	1.10
C305858		0.06	7.83	19	0.26	4.64	146	13.9	0.29
C305859		0.04	6.51	11	0.29	3.23	106	8.9	1.22
C305860		0.05	4.14	16	0.26	4.40	134	10.3	0.22
C305861		0.05	1.72	18	0.13	4.34	114	10.9	0.09
C305862		0.06	1.17	25	<0.05	3.72	106	7.3	0.01
C305863		0.05	1.85	25	<0.05	3.08	105	8.3	<0.01
C305864		0.06	2.82	24	0.06	3.04	106	9.6	0.01
C305865		0.06	1.86	23	0.08	4.09	102	10.9	<0.01
C305866		0.05	1.38	21	0.05	3.80	110	12.1	<0.01
C305867		0.61	1.56	66	0.48	9.08	77	28.2	2.19
C305868		0.05	1.28	18	<0.05	3.59	100	10.3	0.01
C305869		0.05	1.31	27	<0.05	3.34	111	7.5	<0.01
C305870		0.06	1.05	25	<0.05	4.21	132	7.2	<0.01
C305871		0.06	1.27	22	<0.05	4.13	137	9.9	0.01
C305872		0.05	1.47	17	0.10	5.14	164	11.6	<0.01
C305873		0.04	1.57	16	<0.05	5.14	152	11.3	<0.01
C305874		0.06	1.09	19	0.05	4.34	120	10.4	<0.01
C305875		0.04	1.05	13	0.09	3.14	111	9.9	0.01
C305876		0.04	0.96	17	0.07	3.26	112	10.5	0.02
C305877		0.06	0.93	19	0.08	3.70	124	10.6	<0.01
C305878		0.04	0.89	30	<0.05	4.07	134	8.8	<0.01
C305879		0.06	0.86	20	<0.05	2.98	117	9.6	<0.01
C305880		0.05	0.94	25	9.00	3.68	109	10.1	<0.01
C305881		0.04	0.82	26	0.06	2.96	106	9.5	<0.01
C305882		0.04	0.90	20	0.19	3.65	116	9.8	<0.01
C305883		0.05	0.97	21	0.07	3.76	111	10.8	<0.01
C305884		0.62	1.54	67	0.53	9.30	78	31.5	2.16
C305885		0.04	0.88	24	0.08	3.98	117	12.6	<0.01
C305886		0.04	1.14	24	0.15	4.16	125	11.2	<0.01
C305887		0.04	0.92	17	0.17	3.51	104	9.9	0.01
C305888		0.05	1.14	19	0.12	3.87	100	11.5	0.09
C305889		0.05	0.93	19	0.05	3.49	92	9.9	0.01
C305890		0.04	1.39	21	0.10	4.00	113	10.8	0.01
C305891		0.03	0.90	19	0.06	3.94	91	10.0	<0.01
C305892		0.04	0.93	20	0.08	4.28	105	11.7	<0.01
C305893		0.05	1.70	19	0.10	4.29	132	11.4	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C305894		4.99	0.04	2.86	20.8	<0.02	<10	40	0.72	0.10	0.07	0.03	80.1	14.0	36	4.44
C305895		3.78	0.15	3.05	22.7	<0.02	<10	30	0.70	0.34	0.08	0.10	56.0	24.7	37	3.38
C305896		1.92	0.21	3.04	16.6	<0.02	<10	40	0.63	0.59	0.13	0.09	70.4	29.8	40	3.84
C305897		3.51	0.07	2.55	5.8	<0.02	<10	40	0.61	0.25	0.10	0.07	77.0	19.6	34	3.68
C305898		4.60	0.02	2.37	8.6	<0.02	<10	20	0.54	0.15	0.07	0.12	54.2	16.1	32	3.79
C305899		0.24	0.01	0.07	1.7	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.85	0.6	3	0.10
C305900		2.88	0.05	2.49	17.5	<0.02	<10	30	0.70	0.53	0.11	0.06	63.3	24.6	30	3.81
C305901		4.85	0.02	2.48	15.1	<0.02	<10	30	0.64	0.20	0.07	0.06	68.9	20.6	32	3.80
C305902		4.77	0.04	2.34	12.3	<0.02	<10	20	0.53	0.44	0.08	0.01	44.6	15.8	31	3.87
C305903		3.74	0.08	2.73	17.4	<0.02	<10	20	0.57	0.34	0.08	0.02	83.5	19.9	33	4.73
C305904		3.55	0.07	2.70	15.4	<0.02	<10	20	0.53	0.45	0.08	0.01	74.2	16.3	34	4.73
C305905		3.14	0.03	2.62	7.0	<0.02	<10	20	0.50	0.12	0.08	0.01	72.8	17.1	32	4.18
C305906		2.78	0.03	2.56	6.7	<0.02	<10	30	0.51	0.12	0.09	0.01	76.6	16.8	33	4.39
C305907		4.77	0.09	2.64	8.9	<0.02	<10	30	0.56	0.48	0.09	0.05	40.3	26.3	32	3.85
C305908		5.87	0.02	2.44	6.1	<0.02	<10	20	0.46	0.13	0.10	0.02	44.7	19.2	33	3.37
C305909		5.86	0.04	2.73	7.0	<0.02	<10	30	0.52	0.34	0.12	0.01	52.8	20.5	34	3.82
C305910		7.21	0.11	2.79	14.1	<0.02	<10	30	0.54	0.75	0.12	0.03	72.2	20.5	35	4.56
C305911		0.24	0.01	0.06	0.5	<0.02	<10	10	<0.05	0.02	<0.01	<0.01	3.77	0.4	2	0.10
C305912		3.06	0.04	2.44	8.9	<0.02	<10	30	0.55	0.27	0.14	0.02	85.9	14.4	33	4.58
C305913		4.05	0.05	2.94	8.2	<0.02	<10	30	0.42	0.60	0.46	0.03	45.4	20.4	32	3.15
C305914		2.09	0.09	2.71	8.2	<0.02	<10	30	0.39	0.89	0.80	2.03	42.2	21.7	34	2.88
C305915		3.65	0.04	2.39	15.3	<0.02	<10	40	0.58	0.19	0.13	0.01	89.9	15.6	29	4.98



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 – B
 Total # Pages: 4 (A – D)
 Plus Appendix Pages
 Finalized Date: 30-JAN-2021
 Account: NUF

Project: Culvert– NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C305894		42.8	4.50	8.64	0.13	0.25	<0.01	0.015	0.17	42.8	94.8	1.19	875	<0.05	0.05	<0.05
C305895		103.0	5.30	9.26	0.09	0.28	<0.01	0.022	0.12	29.2	103.5	1.31	1220	0.06	0.03	<0.05
C305896		125.5	5.34	11.20	0.10	0.24	<0.01	0.032	0.14	36.0	104.0	1.43	1460	0.49	0.03	<0.05
C305897		62.4	4.58	8.83	0.10	0.22	<0.01	0.019	0.16	38.0	83.1	1.01	912	0.10	0.03	<0.05
C305898		35.1	4.55	7.63	0.07	0.19	<0.01	0.015	0.12	25.9	74.0	0.89	723	0.08	0.02	<0.05
C305899		1.7	0.31	0.29	<0.05	0.12	<0.01	<0.005	0.01	1.8	1.2	0.02	32	0.23	<0.01	0.05
C305900		23.1	4.51	8.77	0.09	0.23	<0.01	0.019	0.14	31.0	84.5	1.03	950	0.06	0.03	<0.05
C305901		17.8	4.60	8.53	0.09	0.23	<0.01	0.018	0.15	35.1	83.5	0.90	793	0.07	0.03	<0.05
C305902		32.5	4.29	7.59	0.07	0.22	<0.01	0.017	0.10	23.5	76.1	0.97	651	0.07	0.02	<0.05
C305903		60.2	4.63	8.93	0.10	0.26	<0.01	0.019	0.12	44.2	91.5	1.28	876	0.06	0.03	<0.05
C305904		56.1	4.53	8.87	0.09	0.25	<0.01	0.020	0.12	39.7	85.0	1.22	803	0.05	0.04	<0.05
C305905		28.7	4.46	8.49	0.09	0.21	<0.01	0.021	0.13	36.4	84.7	1.12	784	<0.05	0.04	<0.05
C305906		23.9	4.27	8.14	0.10	0.21	<0.01	0.017	0.14	39.0	81.0	1.12	801	0.05	0.04	<0.05
C305907		77.8	4.81	8.99	0.06	0.22	<0.01	0.020	0.13	20.6	86.8	1.24	1020	0.06	0.04	<0.05
C305908		13.4	4.47	7.85	0.07	0.18	<0.01	0.016	0.11	21.9	78.6	1.06	875	0.05	0.02	<0.05
C305909		24.7	4.80	9.09	0.07	0.18	<0.01	0.019	0.14	26.5	93.8	1.20	1020	<0.05	0.03	<0.05
C305910		56.6	4.75	9.02	0.10	0.17	<0.01	0.019	0.15	36.8	94.3	1.18	1000	0.05	0.04	<0.05
C305911		1.0	0.24	0.22	<0.05	0.10	<0.01	<0.005	0.01	1.8	1.2	0.01	27	0.15	<0.01	0.05
C305912		20.3	4.07	7.90	0.11	0.24	<0.01	0.017	0.15	42.3	77.1	0.98	887	<0.05	0.07	<0.05
C305913		14.6	5.64	9.89	0.07	0.21	<0.01	0.025	0.15	21.9	89.8	1.33	1800	0.05	0.07	<0.05
C305914		54.4	5.43	9.88	0.07	0.18	<0.01	0.112	0.14	20.8	88.4	1.28	2070	0.08	0.07	<0.05
C305915		28.2	3.90	7.99	0.12	0.21	<0.01	0.021	0.18	46.3	76.1	0.93	924	0.06	0.07	<0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-JAN-2021
 Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
C305894		43.6	300	1.4	8.4	<0.001	<0.01	<0.05	2.5	0.2	0.3	13.3	<0.01	0.01	15.4	<0.005
C305895		57.7	330	4.2	5.8	<0.001	0.04	0.07	2.6	<0.2	0.2	8.0	<0.01	0.03	14.9	<0.005
C305896		60.0	340	12.6	7.3	<0.001	0.04	0.17	3.7	0.2	0.2	11.2	<0.01	0.03	20.4	<0.005
C305897		38.1	380	4.8	8.8	<0.001	0.05	0.08	3.0	<0.2	0.2	10.6	<0.01	0.02	19.2	<0.005
C305898		28.0	300	2.1	6.6	<0.001	0.07	0.08	2.5	<0.2	0.2	7.9	<0.01	0.01	16.4	<0.005
C305899		1.0	20	1.0	0.7	<0.001	0.01	0.06	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.2	<0.005
C305900		43.7	300	7.6	7.8	<0.001	0.08	0.21	2.9	<0.2	0.2	9.4	<0.01	0.02	18.1	<0.005
C305901		39.2	270	2.9	7.7	<0.001	0.05	0.05	2.8	<0.2	0.2	9.0	<0.01	0.01	17.6	<0.005
C305902		36.0	280	3.0	5.8	<0.001	0.08	0.06	2.2	<0.2	0.2	7.4	<0.01	0.01	15.0	<0.005
C305903		43.7	310	4.8	6.6	<0.001	0.04	0.05	2.6	<0.2	0.2	9.6	<0.01	0.02	17.7	<0.005
C305904		40.6	280	3.9	6.4	<0.001	0.07	0.06	2.6	<0.2	0.2	9.9	<0.01	0.02	16.9	<0.005
C305905		40.4	290	2.5	7.0	<0.001	0.04	0.05	2.5	<0.2	0.2	10.0	<0.01	0.02	16.9	<0.005
C305906		39.4	320	1.8	7.0	<0.001	0.03	<0.05	2.3	<0.2	0.2	10.3	<0.01	0.01	17.6	<0.005
C305907		35.5	300	5.3	7.2	<0.001	0.35	0.07	2.8	0.3	0.2	10.6	<0.01	0.02	17.0	<0.005
C305908		39.1	350	2.7	6.0	<0.001	0.17	0.06	2.5	<0.2	<0.2	7.5	<0.01	0.02	17.2	<0.005
C305909		41.5	270	3.5	7.3	<0.001	0.12	0.10	2.7	0.2	0.2	10.9	<0.01	0.02	19.1	<0.005
C305910		40.3	280	3.1	7.8	<0.001	0.04	0.08	2.8	<0.2	0.2	12.5	<0.01	0.02	18.7	<0.005
C305911		0.7	10	0.8	0.6	<0.001	0.02	<0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.2	<0.005
C305912		35.6	360	2.8	7.6	<0.001	0.05	0.09	2.3	<0.2	0.2	11.2	<0.01	0.01	18.8	<0.005
C305913		32.7	290	6.5	8.4	<0.001	0.56	0.11	3.6	<0.2	0.4	17.8	<0.01	0.01	19.2	<0.005
C305914		28.3	250	7.0	8.3	<0.001	0.72	0.11	4.0	0.2	0.6	25.5	<0.01	0.02	17.8	<0.005
C305915		33.8	310	2.9	9.9	<0.001	0.03	0.09	2.5	<0.2	0.3	14.7	<0.01	0.01	20.0	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-JAN-2021
 Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01
C305894		0.05	0.79	21	0.06	3.95	105	10.9	<0.01
C305895		0.04	0.81	24	<0.05	3.87	151	10.8	<0.01
C305896		0.05	1.34	27	<0.05	6.08	194	11.1	<0.01
C305897		0.06	1.18	24	0.05	4.45	118	9.4	<0.01
C305898		0.06	1.18	23	<0.05	3.16	92	7.9	<0.01
C305899		<0.02	0.19	1	<0.05	0.77	2	3.1	<0.01
C305900		0.05	1.01	21	<0.05	4.25	121	10.0	<0.01
C305901		0.06	1.08	24	<0.05	4.26	107	9.7	<0.01
C305902		0.04	0.84	20	<0.05	3.17	94	9.4	<0.01
C305903		0.04	0.80	20	<0.05	4.65	113	11.0	<0.01
C305904		0.04	0.90	19	<0.05	4.34	101	10.7	<0.01
C305905		0.04	0.69	20	<0.05	3.94	92	8.5	<0.01
C305906		0.04	0.67	19	<0.05	3.92	94	8.0	<0.01
C305907		0.05	1.11	20	<0.05	3.41	122	9.8	<0.01
C305908		0.04	0.58	20	<0.05	3.47	106	8.6	<0.01
C305909		0.04	1.10	20	<0.05	3.61	116	7.5	<0.01
C305910		0.05	1.26	20	<0.05	4.18	122	7.7	<0.01
C305911		<0.02	0.16	1	<0.05	0.66	<2	2.5	<0.01
C305912		0.04	0.75	17	<0.05	4.45	91	9.0	<0.01
C305913		0.06	1.19	24	<0.05	4.01	131	7.6	<0.01
C305914		0.05	1.23	23	1.75	3.95	275	7.2	<0.01
C305915		0.06	1.38	15	<0.05	4.45	97	8.9	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-JAN-2021
Account: NUF

Project: Culvert- NUF

CERTIFICATE OF ANALYSIS WH20288911

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41