



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 1  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

**CERTIFICATE WH20291767**

Project: Culvert - NUF

This report is for 156 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 10-DEC-2020.

The following have access to data associated with this certificate:

KIM TYLER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                     |
|----------|---------------------------------|
| WEI-21   | Received Sample Weight          |
| LOG-21   | Sample logging - ClientBarCode  |
| CRU-QC   | Crushing QC Test                |
| PUL-QC   | Pulverizing QC Test             |
| CRU-31   | Fine crushing - 70% <2mm        |
| SPL-21   | Split sample - riffle splitter  |
| PUL-31   | Pulverize up to 250g 85% <75 um |
| LOG-23   | Pulp Login - Rcvd with Barcode  |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                   | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA25  | Ore Grade Au 30g FA AA finish | AAS        |
| Au-GRA22 | Au 50 g FA-GRAV finish        | WST-SIM    |
| ME-MS41  | Ultra Trace Aqua Regia ICP-MS |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 2 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.02 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 | ME-MS41<br>Cs<br>ppm<br>0.05 |
|--------------------|-----------------------------------|-----------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| C305916            |                                   | 4.33                              | 0.06                         | 2.92                       | 22.3                        | <0.02                        | <10                       | 40                         | 0.63                         | 0.24                         | 0.10                       | 0.02                         | 54.6                         | 20.5                        | 34                        | 4.66                         |
| C305917            |                                   | 4.39                              | 0.08                         | 2.88                       | 22.8                        | <0.02                        | <10                       | 30                         | 0.53                         | 0.45                         | 0.11                       | 0.03                         | 60.3                         | 22.4                        | 34                        | 3.55                         |
| C305918            |                                   | 2.36                              | 0.15                         | 2.77                       | 17.2                        | <0.02                        | <10                       | 30                         | 0.65                         | 1.33                         | 0.24                       | 0.05                         | 62.3                         | 21.3                        | 32                        | 4.42                         |
| C305919            |                                   | 5.24                              | 0.02                         | 2.54                       | 15.1                        | <0.02                        | <10                       | 30                         | 0.57                         | 0.16                         | 0.13                       | <0.01                        | 84.9                         | 18.2                        | 33                        | 3.94                         |
| C305920            |                                   | 4.35                              | 0.06                         | 2.57                       | 18.5                        | <0.02                        | <10                       | 30                         | 0.72                         | 0.38                         | 0.11                       | 0.03                         | 82.5                         | 22.0                        | 33                        | 4.40                         |
| C305921            |                                   | 3.20                              | 0.13                         | 2.91                       | 20.0                        | <0.02                        | <10                       | 30                         | 0.63                         | 0.37                         | 0.08                       | 0.06                         | 66.0                         | 18.8                        | 32                        | 3.59                         |
| C305922            |                                   | 0.06                              | 0.14                         | 2.63                       | 364                         | 1.58                         | <10                       | 100                        | 1.21                         | 0.33                         | 0.21                       | 0.05                         | 62.3                         | 12.8                        | 104                       | 7.56                         |
| C305923            |                                   | 2.27                              | 0.29                         | 3.67                       | 16.4                        | <0.02                        | <10                       | 20                         | 0.34                         | 3.22                         | 0.34                       | 2.72                         | 32.3                         | 38.8                        | 35                        | 1.35                         |
| C305924            |                                   | 3.49                              | 0.08                         | 2.66                       | 11.7                        | <0.02                        | <10                       | 40                         | 0.89                         | 0.36                         | 0.08                       | 0.10                         | 52.0                         | 26.4                        | 35                        | 4.87                         |
| C305925            |                                   | 3.69                              | 0.07                         | 2.79                       | 6.0                         | <0.02                        | <10                       | 50                         | 1.09                         | 0.76                         | 0.06                       | 0.06                         | 52.9                         | 16.5                        | 31                        | 5.54                         |
| C305926            |                                   | 5.60                              | 0.03                         | 2.72                       | 20.1                        | 0.04                         | <10                       | 40                         | 0.80                         | 0.33                         | 0.10                       | 0.03                         | 54.3                         | 19.7                        | 32                        | 3.19                         |
| C305927            |                                   | 3.90                              | 0.05                         | 2.83                       | 18.4                        | <0.02                        | <10                       | 40                         | 0.68                         | 0.36                         | 0.10                       | 0.03                         | 88.0                         | 10.8                        | 35                        | 3.10                         |
| C305928            |                                   | 1.79                              | 0.17                         | 2.63                       | 31.3                        | <0.02                        | <10                       | 30                         | 0.70                         | 0.74                         | 0.10                       | 0.17                         | 45.1                         | 22.7                        | 31                        | 3.23                         |
| C305929            |                                   | 4.89                              | 0.06                         | 2.76                       | 21.0                        | <0.02                        | <10                       | 30                         | 0.64                         | 0.72                         | 0.08                       | 0.05                         | 69.5                         | 15.8                        | 32                        | 3.27                         |
| C305930            |                                   | 2.52                              | 0.08                         | 2.01                       | 14.5                        | <0.02                        | <10                       | 30                         | 0.80                         | 0.36                         | 0.13                       | 0.09                         | 61.1                         | 14.6                        | 28                        | 4.05                         |
| C305931            |                                   | 2.26                              | 0.45                         | 3.47                       | 11.5                        | <0.02                        | <10                       | 10                         | 0.36                         | 4.13                         | 0.94                       | 6.25                         | 21.7                         | 31.3                        | 29                        | 1.26                         |
| C305932            |                                   | 1.46                              | 0.19                         | 2.90                       | 21.2                        | <0.02                        | <10                       | 10                         | 0.31                         | 1.29                         | 0.81                       | 2.98                         | 19.95                        | 34.7                        | 23                        | 1.11                         |
| C305933            |                                   | 2.72                              | 0.26                         | 3.10                       | 27.1                        | <0.02                        | <10                       | 20                         | 0.58                         | 1.95                         | 0.49                       | 0.56                         | 31.2                         | 33.7                        | 29                        | 2.29                         |
| C305934            |                                   | 3.18                              | 0.41                         | 3.03                       | 40.8                        | <0.02                        | <10                       | 20                         | 0.58                         | 2.40                         | 0.21                       | 0.35                         | 31.9                         | 61.9                        | 27                        | 2.07                         |
| C305935            |                                   | 1.92                              | 0.32                         | 2.99                       | 26.0                        | <0.02                        | <10                       | 10                         | 0.45                         | 1.74                         | 0.86                       | 0.38                         | 21.8                         | 60.3                        | 25                        | 1.45                         |
| C305936            |                                   | 2.47                              | 0.26                         | 2.84                       | 26.1                        | <0.02                        | <10                       | 20                         | 0.51                         | 1.26                         | 0.33                       | 0.21                         | 34.2                         | 40.2                        | 30                        | 2.36                         |
| C305937            |                                   | 2.07                              | 0.09                         | 2.64                       | 15.1                        | 0.05                         | <10                       | 40                         | 0.89                         | 0.79                         | 0.11                       | 0.02                         | 41.6                         | 24.2                        | 31                        | 11.15                        |
| C305938            |                                   | 2.33                              | 0.08                         | 2.54                       | 21.8                        | <0.02                        | <10                       | 40                         | 0.84                         | 0.60                         | 0.20                       | 0.03                         | 41.4                         | 23.8                        | 29                        | 4.33                         |
| C305939            |                                   | 0.16                              | 0.01                         | 0.05                       | 0.6                         | <0.02                        | <10                       | 10                         | <0.05                        | 0.02                         | 0.01                       | 0.01                         | 4.77                         | 0.3                         | 2                         | 0.09                         |
| C305940            |                                   | 3.59                              | 0.07                         | 2.97                       | 18.4                        | <0.02                        | <10                       | 40                         | 0.64                         | 0.22                         | 0.19                       | 0.02                         | 69.1                         | 23.4                        | 36                        | 3.37                         |
| C305941            |                                   | 2.87                              | 0.04                         | 2.65                       | 9.3                         | <0.02                        | <10                       | 50                         | 0.71                         | 0.23                         | 0.16                       | 0.01                         | 63.2                         | 21.9                        | 35                        | 3.58                         |
| C305942            |                                   | 3.56                              | 0.03                         | 2.85                       | 9.5                         | <0.02                        | <10                       | 40                         | 0.65                         | 0.19                         | 0.10                       | 0.01                         | 86.2                         | 16.1                        | 35                        | 4.11                         |
| C305943            |                                   | 2.38                              | 0.09                         | 2.95                       | 12.3                        | <0.02                        | <10                       | 40                         | 0.71                         | 0.48                         | 0.11                       | 0.04                         | 74.0                         | 17.2                        | 35                        | 4.13                         |
| C305944            |                                   | 2.90                              | 0.06                         | 3.07                       | 23.9                        | <0.02                        | <10                       | 40                         | 0.79                         | 0.33                         | 0.11                       | 0.07                         | 74.1                         | 20.1                        | 36                        | 3.99                         |
| C305945            |                                   | 1.58                              | 0.12                         | 2.44                       | 13.5                        | <0.02                        | <10                       | 40                         | 0.78                         | 0.68                         | 0.24                       | 0.06                         | 82.4                         | 20.7                        | 34                        | 4.33                         |
| C305946            |                                   | 3.71                              | 0.09                         | 2.50                       | 18.2                        | <0.02                        | <10                       | 30                         | 0.74                         | 0.97                         | 0.12                       | 0.05                         | 78.7                         | 18.3                        | 33                        | 4.45                         |
| C305947            |                                   | 2.58                              | 0.12                         | 2.74                       | 19.7                        | <0.02                        | <10                       | 30                         | 0.73                         | 1.25                         | 0.08                       | 0.04                         | 66.1                         | 15.1                        | 34                        | 4.13                         |
| C305948            |                                   | 2.40                              | 0.06                         | 3.04                       | 21.4                        | <0.02                        | <10                       | 30                         | 0.62                         | 0.64                         | 0.34                       | 0.05                         | 41.7                         | 31.5                        | 32                        | 3.27                         |
| C305949            |                                   | 1.87                              | 0.17                         | 2.48                       | 6.5                         | <0.02                        | <10                       | 40                         | 0.68                         | 5.69                         | 0.67                       | 0.04                         | 41.1                         | 24.9                        | 31                        | 3.29                         |
| C305950            |                                   | 4.42                              | 0.12                         | 3.35                       | 20.4                        | <0.02                        | <10                       | 30                         | 0.54                         | 0.92                         | 0.28                       | 0.06                         | 44.6                         | 28.5                        | 32                        | 2.53                         |
| C305951            |                                   | 4.70                              | 0.08                         | 3.20                       | 17.1                        | <0.02                        | <10                       | 30                         | 0.55                         | 0.71                         | 0.49                       | 0.03                         | 44.0                         | 30.8                        | 40                        | 2.70                         |
| C305952            |                                   | 3.50                              | 0.09                         | 3.02                       | 17.1                        | <0.02                        | <10                       | 30                         | 0.64                         | 1.23                         | 0.91                       | 0.20                         | 32.2                         | 41.5                        | 33                        | 2.63                         |
| C305953            |                                   | 0.06                              | 0.14                         | 2.69                       | 352                         | 1.57                         | <10                       | 100                        | 1.26                         | 0.34                         | 0.21                       | 0.03                         | 64.9                         | 13.2                        | 104                       | 8.15                         |
| C305954            |                                   | 2.36                              | 0.09                         | 3.32                       | 26.0                        | <0.02                        | <10                       | 30                         | 0.67                         | 1.06                         | 0.71                       | 0.09                         | 51.1                         | 28.2                        | 35                        | 3.03                         |
| C305955            |                                   | 5.32                              | 0.09                         | 2.74                       | 20.6                        | <0.02                        | <10                       | 30                         | 0.74                         | 1.06                         | 0.16                       | 0.07                         | 68.5                         | 19.8                        | 34                        | 3.58                         |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 2 – B  
Total # Pages: 5 (A – D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert – NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      |
|                    |                                   | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       |
|                    |                                   | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    | 0.01    |
| C305916            |                                   | 44.0    | 5.00    | 8.24    | 0.08    | 0.14    | <0.01   | 0.020   | 0.17    | 30.7    | 98.1    | 1.16    | 1040    | 0.05    | 0.05    |
| C305917            |                                   | 48.1    | 4.97    | 7.94    | 0.07    | 0.14    | <0.01   | 0.017   | 0.15    | 33.0    | 96.0    | 1.17    | 1150    | 0.08    | 0.04    |
| C305918            |                                   | 84.4    | 4.83    | 8.22    | 0.09    | 0.13    | <0.01   | 0.024   | 0.15    | 33.5    | 101.0   | 1.15    | 1480    | 0.07    | 0.04    |
| C305919            |                                   | 6.8     | 4.21    | 7.51    | 0.11    | 0.13    | <0.01   | 0.015   | 0.16    | 45.1    | 85.9    | 0.99    | 947     | <0.05   | 0.05    |
| C305920            |                                   | 39.0    | 4.36    | 8.01    | 0.09    | 0.17    | <0.01   | 0.019   | 0.16    | 44.2    | 93.5    | 1.01    | 913     | 0.06    | 0.05    |
| C305921            |                                   | 69.4    | 5.15    | 8.63    | 0.08    | 0.22    | <0.01   | 0.025   | 0.15    | 36.2    | 102.0   | 1.18    | 1140    | 0.05    | 0.04    |
| C305922            |                                   | 25.3    | 3.60    | 8.36    | 0.10    | 0.73    | 0.01    | 0.022   | 1.06    | 33.0    | 34.2    | 1.35    | 228     | 0.58    | 0.07    |
| C305923            |                                   | 137.0   | 7.19    | 12.00   | 0.07    | 0.14    | <0.01   | 0.070   | 0.07    | 15.9    | 142.0   | 1.73    | 2270    | 0.06    | 0.03    |
| C305924            |                                   | 27.7    | 5.07    | 7.65    | 0.06    | 0.20    | <0.01   | 0.023   | 0.19    | 26.5    | 88.3    | 0.87    | 759     | 0.05    | 0.04    |
| C305925            |                                   | 58.5    | 5.50    | 7.93    | 0.07    | 0.21    | <0.01   | 0.024   | 0.21    | 26.3    | 90.4    | 0.95    | 719     | 0.05    | 0.04    |
| C305926            |                                   | 12.7    | 4.86    | 8.56    | 0.06    | 0.19    | 0.01    | 0.023   | 0.19    | 26.5    | 96.1    | 1.04    | 921     | <0.05   | 0.03    |
| C305927            |                                   | 37.0    | 4.80    | 8.45    | 0.09    | 0.24    | <0.01   | 0.026   | 0.19    | 45.0    | 95.0    | 1.06    | 895     | <0.05   | 0.03    |
| C305928            |                                   | 98.7    | 4.69    | 7.76    | 0.06    | 0.27    | <0.01   | 0.035   | 0.16    | 23.9    | 94.6    | 1.04    | 901     | 0.07    | 0.03    |
| C305929            |                                   | 36.6    | 4.75    | 8.21    | 0.08    | 0.23    | 0.01    | 0.027   | 0.15    | 35.4    | 99.5    | 1.11    | 936     | <0.05   | 0.03    |
| C305930            |                                   | 53.3    | 3.17    | 5.77    | 0.06    | 0.21    | <0.01   | 0.027   | 0.18    | 31.6    | 67.3    | 0.76    | 827     | <0.05   | 0.04    |
| C305931            |                                   | 273     | 7.09    | 10.80   | 0.07    | 0.12    | <0.01   | 0.347   | 0.06    | 10.2    | 125.5   | 1.79    | 2720    | 0.07    | 0.02    |
| C305932            |                                   | 100.0   | 5.92    | 9.04    | 0.08    | 0.11    | <0.01   | 0.175   | 0.03    | 8.9     | 105.5   | 1.49    | 3290    | 0.10    | 0.02    |
| C305933            |                                   | 127.5   | 6.10    | 9.28    | <0.05   | 0.18    | <0.01   | 0.103   | 0.10    | 14.9    | 115.0   | 1.45    | 2110    | 0.08    | 0.02    |
| C305934            |                                   | 198.5   | 6.12    | 9.54    | 0.06    | 0.17    | <0.01   | 0.038   | 0.08    | 15.2    | 112.0   | 1.44    | 3240    | 0.15    | 0.03    |
| C305935            |                                   | 188.5   | 6.62    | 9.18    | 0.08    | 0.17    | <0.01   | 0.035   | 0.03    | 9.4     | 116.5   | 1.57    | 4470    | 0.14    | 0.02    |
| C305936            |                                   | 117.5   | 5.56    | 8.74    | 0.05    | 0.22    | 0.01    | 0.036   | 0.11    | 16.3    | 102.0   | 1.34    | 2380    | 0.09    | 0.03    |
| C305937            |                                   | 25.4    | 5.21    | 7.44    | 0.06    | 0.21    | <0.01   | 0.022   | 0.19    | 21.6    | 87.7    | 0.94    | 783     | <0.05   | 0.03    |
| C305938            |                                   | 33.6    | 4.87    | 7.26    | 0.06    | 0.17    | <0.01   | 0.019   | 0.19    | 20.9    | 83.4    | 1.01    | 1050    | <0.05   | 0.03    |
| C305939            |                                   | 1.3     | 0.23    | 0.20    | <0.05   | 0.10    | <0.01   | <0.005  | 0.01    | 2.3     | 0.9     | 0.01    | 34      | 0.16    | <0.01   |
| C305940            |                                   | 29.2    | 5.07    | 8.50    | 0.07    | 0.16    | <0.01   | 0.019   | 0.19    | 35.7    | 93.5    | 1.21    | 1060    | <0.05   | 0.03    |
| C305941            |                                   | 14.3    | 4.64    | 7.48    | 0.07    | 0.18    | <0.01   | 0.019   | 0.19    | 32.3    | 85.9    | 1.01    | 864     | 0.05    | 0.03    |
| C305942            |                                   | 17.5    | 4.85    | 7.89    | 0.09    | 0.19    | <0.01   | 0.017   | 0.17    | 44.0    | 93.4    | 1.12    | 806     | <0.05   | 0.04    |
| C305943            |                                   | 76.1    | 4.94    | 8.32    | 0.09    | 0.22    | <0.01   | 0.020   | 0.18    | 38.8    | 96.4    | 1.18    | 918     | 0.05    | 0.04    |
| C305944            |                                   | 75.6    | 5.27    | 8.63    | 0.08    | 0.24    | <0.01   | 0.030   | 0.18    | 38.4    | 101.5   | 1.24    | 1020    | 0.06    | 0.03    |
| C305945            |                                   | 25.6    | 3.98    | 7.21    | 0.09    | 0.19    | <0.01   | 0.027   | 0.18    | 43.0    | 81.6    | 0.97    | 1200    | 0.06    | 0.04    |
| C305946            |                                   | 46.2    | 4.08    | 7.49    | 0.08    | 0.19    | <0.01   | 0.022   | 0.18    | 40.3    | 80.4    | 0.96    | 912     | <0.05   | 0.04    |
| C305947            |                                   | 74.5    | 4.64    | 7.82    | 0.07    | 0.21    | <0.01   | 0.022   | 0.18    | 33.6    | 88.2    | 1.06    | 971     | 0.08    | 0.04    |
| C305948            |                                   | 64.1    | 5.56    | 9.05    | 0.06    | 0.17    | <0.01   | 0.028   | 0.17    | 20.6    | 106.0   | 1.27    | 1440    | 3.29    | 0.03    |
| C305949            |                                   | 69.5    | 4.72    | 7.80    | 0.06    | 0.14    | <0.01   | 0.035   | 0.16    | 20.6    | 86.0    | 1.05    | 1350    | 11.35   | 0.04    |
| C305950            |                                   | 64.7    | 6.17    | 10.15   | 0.06    | 0.15    | <0.01   | 0.025   | 0.15    | 22.0    | 115.0   | 1.38    | 1460    | 0.35    | 0.03    |
| C305951            |                                   | 64.7    | 5.98    | 9.95    | 0.06    | 0.17    | <0.01   | 0.026   | 0.16    | 21.4    | 109.0   | 1.36    | 1660    | 3.06    | 0.03    |
| C305952            |                                   | 63.3    | 6.18    | 10.20   | 0.06    | 0.21    | <0.01   | 0.027   | 0.14    | 15.2    | 107.0   | 1.37    | 2860    | 0.72    | 0.03    |
| C305953            |                                   | 25.4    | 3.54    | 8.35    | 0.09    | 0.74    | 0.01    | 0.024   | 1.03    | 33.2    | 35.2    | 1.33    | 220     | 0.53    | 0.07    |
| C305954            |                                   | 51.9    | 5.95    | 9.67    | 0.06    | 0.18    | <0.01   | 0.025   | 0.16    | 25.7    | 111.5   | 1.35    | 1460    | 0.15    | 0.03    |
| C305955            |                                   | 76.5    | 4.57    | 7.52    | 0.08    | 0.19    | <0.01   | 0.026   | 0.18    | 35.1    | 86.1    | 1.06    | 1020    | <0.05   | 0.04    |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 2 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| C305916            |                                   | 40.9    | 290     | 3.0     | 8.0     | <0.001  | 0.08    | 0.06    | 2.5     | <0.2    | 0.2     | 13.1    | <0.01   | 0.01    | 19.2    |
| C305917            |                                   | 38.1    | 280     | 3.1     | 6.3     | <0.001  | 0.02    | 0.07    | 2.4     | <0.2    | 0.2     | 10.8    | <0.01   | 0.01    | 16.2    |
| C305918            |                                   | 41.5    | 290     | 6.2     | 7.1     | <0.001  | 0.04    | 0.08    | 2.7     | <0.2    | 0.2     | 16.5    | <0.01   | 0.03    | 19.3    |
| C305919            |                                   | 37.6    | 350     | 1.5     | 7.4     | 0.001   | <0.01   | 0.08    | 2.4     | <0.2    | 0.2     | 13.5    | <0.01   | 0.01    | 17.2    |
| C305920            |                                   | 43.3    | 310     | 2.4     | 7.3     | <0.001  | <0.01   | 0.06    | 2.4     | <0.2    | 0.2     | 15.0    | <0.01   | 0.02    | 20.4    |
| C305921            |                                   | 38.6    | 320     | 3.2     | 7.2     | <0.001  | 0.02    | 0.05    | 2.5     | <0.2    | 0.4     | 9.7     | <0.01   | 0.01    | 18.5    |
| C305922            |                                   | 60.8    | 520     | 9.0     | 99.2    | <0.001  | 0.08    | 259     | 5.8     | <0.2    | 1.5     | 17.8    | <0.01   | 0.02    | 13.8    |
| C305923            |                                   | 42.3    | 330     | 14.5    | 4.1     | <0.001  | 0.33    | 0.29    | 4.9     | 0.2     | 0.6     | 13.1    | <0.01   | 0.04    | 13.0    |
| C305924            |                                   | 49.8    | 330     | 2.3     | 9.6     | <0.001  | 0.27    | 0.12    | 2.5     | 0.2     | 0.3     | 14.5    | <0.01   | 0.02    | 21.4    |
| C305925            |                                   | 32.5    | 300     | 4.9     | 11.5    | <0.001  | 0.24    | 0.18    | 2.6     | 0.3     | 0.7     | 19.7    | <0.01   | 0.07    | 21.6    |
| C305926            |                                   | 39.3    | 310     | 2.2     | 10.6    | <0.001  | 0.22    | 0.10    | 2.9     | <0.2    | 0.5     | 9.8     | <0.01   | 0.02    | 18.7    |
| C305927            |                                   | 38.0    | 410     | 2.0     | 9.6     | <0.001  | 0.02    | 0.05    | 2.6     | 0.3     | 0.4     | 10.4    | <0.01   | 0.01    | 18.8    |
| C305928            |                                   | 45.6    | 300     | 5.9     | 7.7     | <0.001  | 0.16    | 0.09    | 2.4     | 0.3     | 0.6     | 10.4    | <0.01   | 0.02    | 17.1    |
| C305929            |                                   | 34.1    | 300     | 2.1     | 7.3     | <0.001  | 0.04    | 0.06    | 2.5     | <0.2    | 0.6     | 9.8     | <0.01   | 0.06    | 17.6    |
| C305930            |                                   | 29.0    | 270     | 3.6     | 8.8     | <0.001  | 0.09    | 0.10    | 1.9     | 0.2     | 0.8     | 14.0    | <0.01   | 0.01    | 18.0    |
| C305931            |                                   | 31.7    | 390     | 14.3    | 4.0     | <0.001  | 0.83    | 0.11    | 4.9     | 0.5     | 1.4     | 24.9    | <0.01   | 0.04    | 16.9    |
| C305932            |                                   | 33.2    | 340     | 4.9     | 2.2     | <0.001  | 0.29    | 0.10    | 3.1     | 0.4     | 0.8     | 22.4    | <0.01   | 0.02    | 8.4     |
| C305933            |                                   | 35.9    | 390     | 9.9     | 5.6     | <0.001  | 0.69    | 0.13    | 3.3     | 0.7     | 0.7     | 15.1    | <0.01   | 0.03    | 13.0    |
| C305934            |                                   | 51.3    | 350     | 12.6    | 5.0     | <0.001  | 0.50    | 0.17    | 3.9     | 0.6     | 0.6     | 13.3    | <0.01   | 0.03    | 13.9    |
| C305935            |                                   | 43.4    | 420     | 11.4    | 2.1     | <0.001  | 0.92    | 0.13    | 4.2     | 0.6     | 0.5     | 21.0    | <0.01   | 0.02    | 12.6    |
| C305936            |                                   | 44.8    | 310     | 10.1    | 6.2     | <0.001  | 0.52    | 0.11    | 3.6     | 0.5     | 0.6     | 16.0    | <0.01   | 0.02    | 15.2    |
| C305937            |                                   | 43.3    | 300     | 4.7     | 11.3    | <0.001  | 0.67    | 0.10    | 2.5     | 0.3     | 0.4     | 11.6    | <0.01   | 0.03    | 17.6    |
| C305938            |                                   | 42.2    | 300     | 6.3     | 10.6    | <0.001  | 0.53    | 0.11    | 2.4     | 0.6     | 0.3     | 14.1    | <0.01   | 0.04    | 19.6    |
| C305939            |                                   | 0.7     | 10      | 1.2     | 0.5     | <0.001  | 0.01    | <0.05   | 0.2     | <0.2    | <0.2    | 1.2     | <0.01   | <0.01   | 1.1     |
| C305940            |                                   | 46.1    | 310     | 5.5     | 10.2    | <0.001  | 0.11    | 0.09    | 2.6     | 0.2     | 0.2     | 12.4    | <0.01   | 0.02    | 18.5    |
| C305941            |                                   | 41.0    | 340     | 5.0     | 9.6     | <0.001  | 0.19    | 0.07    | 2.4     | <0.2    | 0.2     | 12.7    | <0.01   | 0.01    | 17.6    |
| C305942            |                                   | 43.3    | 320     | 2.6     | 8.6     | <0.001  | 0.03    | 0.05    | 2.4     | <0.2    | 0.2     | 12.3    | <0.01   | 0.01    | 17.7    |
| C305943            |                                   | 38.5    | 310     | 3.9     | 8.8     | <0.001  | 0.05    | 0.05    | 2.4     | <0.2    | 0.3     | 13.5    | <0.01   | 0.02    | 17.5    |
| C305944            |                                   | 43.8    | 340     | 3.3     | 8.8     | <0.001  | 0.07    | 0.09    | 2.5     | <0.2    | 0.6     | 12.0    | <0.01   | 0.01    | 19.1    |
| C305945            |                                   | 36.8    | 340     | 8.7     | 10.4    | <0.001  | 0.06    | 0.07    | 2.2     | <0.2    | 0.8     | 16.0    | <0.01   | 0.02    | 19.2    |
| C305946            |                                   | 37.1    | 300     | 4.8     | 9.4     | <0.001  | 0.05    | 0.06    | 2.3     | <0.2    | 0.5     | 13.6    | <0.01   | 0.01    | 18.3    |
| C305947            |                                   | 37.3    | 300     | 3.3     | 9.2     | <0.001  | 0.09    | 0.06    | 2.4     | 0.3     | 0.3     | 14.0    | <0.01   | 0.02    | 17.4    |
| C305948            |                                   | 48.1    | 290     | 4.6     | 9.1     | 0.003   | 0.36    | 0.08    | 2.9     | 0.2     | 0.7     | 20.0    | <0.01   | <0.01   | 17.3    |
| C305949            |                                   | 36.5    | 290     | 13.2    | 8.7     | 0.010   | 0.48    | 0.13    | 3.1     | 0.2     | 0.9     | 32.2    | <0.01   | 0.08    | 17.7    |
| C305950            |                                   | 47.4    | 300     | 4.2     | 8.1     | 0.001   | 0.27    | 0.06    | 3.2     | 0.2     | 0.5     | 17.3    | <0.01   | 0.02    | 15.3    |
| C305951            |                                   | 45.4    | 310     | 6.1     | 8.5     | 0.003   | 0.33    | 0.07    | 3.5     | 0.2     | 0.5     | 22.6    | <0.01   | 0.02    | 16.8    |
| C305952            |                                   | 48.9    | 340     | 8.4     | 8.2     | <0.001  | 0.86    | 0.08    | 4.0     | 0.4     | 0.4     | 32.0    | <0.01   | 0.01    | 15.0    |
| C305953            |                                   | 61.5    | 520     | 8.4     | 101.0   | <0.001  | 0.09    | 255     | 6.0     | 0.2     | 1.3     | 18.2    | <0.01   | 0.02    | 13.3    |
| C305954            |                                   | 50.9    | 320     | 5.7     | 8.4     | <0.001  | 0.18    | 0.28    | 3.1     | <0.2    | 0.3     | 30.6    | <0.01   | 0.02    | 17.6    |
| C305955            |                                   | 39.3    | 330     | 3.2     | 9.1     | <0.001  | 0.06    | 0.11    | 2.3     | <0.2    | 0.2     | 14.0    | <0.01   | 0.02    | 17.7    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 2 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41    | Au-AA25     | Au-GRA22    |
|--------------------|-----------------------------------|-------------|-------------|----------|-------------|-------------|----------|------------|-------------|-------------|
|                    |                                   | Tl          | U           | V        | W           | Y           | Zn       | Zr         | Au          | Au          |
|                    |                                   | ppm<br>0.02 | ppm<br>0.05 | ppm<br>1 | ppm<br>0.05 | ppm<br>0.05 | ppm<br>2 | ppm<br>0.5 | ppm<br>0.01 | ppm<br>0.05 |
| C305916            |                                   | 0.04        | 1.22        | 19       | <0.05       | 3.37        | 119      | 6.7        | 0.01        |             |
| C305917            |                                   | 0.03        | 1.30        | 20       | <0.05       | 3.24        | 119      | 5.6        | <0.01       |             |
| C305918            |                                   | 0.05        | 1.13        | 21       | <0.05       | 3.98        | 115      | 6.7        | <0.01       |             |
| C305919            |                                   | 0.04        | 0.82        | 19       | <0.05       | 3.79        | 106      | 5.4        | <0.01       |             |
| C305920            |                                   | 0.04        | 0.84        | 18       | <0.05       | 3.94        | 107      | 7.6        | <0.01       |             |
| C305921            |                                   | 0.06        | 0.88        | 20       | 0.07        | 3.64        | 128      | 9.3        | <0.01       |             |
| C305922            |                                   | 0.63        | 1.55        | 69       | 0.46        | 10.25       | 81       | 30.1       | 1.57        |             |
| C305923            |                                   | 0.03        | 1.88        | 33       | 1.52        | 3.87        | 419      | 5.5        | 0.01        |             |
| C305924            |                                   | 0.05        | 1.79        | 19       | 0.08        | 3.45        | 155      | 9.0        | <0.01       |             |
| C305925            |                                   | 0.06        | 2.43        | 21       | 0.43        | 2.98        | 129      | 9.4        | 0.01        |             |
| C305926            |                                   | 0.06        | 1.25        | 22       | 0.17        | 3.50        | 135      | 7.7        | 0.01        |             |
| C305927            |                                   | 0.05        | 0.91        | 23       | 0.09        | 3.88        | 104      | 9.9        | 0.01        |             |
| C305928            |                                   | 0.05        | 1.38        | 21       | 0.08        | 3.22        | 150      | 11.0       | 0.01        |             |
| C305929            |                                   | 0.04        | 0.72        | 20       | 0.08        | 3.58        | 109      | 9.9        | <0.01       |             |
| C305930            |                                   | 0.05        | 0.82        | 14       | 0.09        | 3.70        | 92       | 10.0       | <0.01       |             |
| C305931            |                                   | 0.03        | 1.06        | 33       | 0.55        | 3.78        | 706      | 4.7        |             | <0.05       |
| C305932            |                                   | 0.02        | 5.71        | 25       | 0.07        | 4.70        | 450      | 3.8        |             | <0.05       |
| C305933            |                                   | 0.03        | 0.96        | 26       | 0.09        | 4.30        | 266      | 7.0        |             | <0.05       |
| C305934            |                                   | 0.03        | 3.56        | 27       | 0.09        | 6.12        | 287      | 7.7        |             | <0.05       |
| C305935            |                                   | 0.02        | 3.10        | 26       | 0.10        | 6.02        | 292      | 6.3        |             | <0.05       |
| C305936            |                                   | 0.04        | 2.46        | 27       | 0.08        | 4.51        | 227      | 8.7        |             | <0.05       |
| C305937            |                                   | 0.06        | 1.68        | 22       | 0.15        | 3.17        | 117      | 8.5        |             | 0.08        |
| C305938            |                                   | 0.06        | 1.76        | 19       | 0.26        | 3.46        | 117      | 7.9        |             | <0.05       |
| C305939            |                                   | <0.02       | 0.18        | 1        | <0.05       | 0.68        | 3        | 2.3        | <0.01       |             |
| C305940            |                                   | 0.06        | 1.30        | 22       | 0.06        | 3.64        | 133      | 7.1        | 0.01        |             |
| C305941            |                                   | 0.06        | 1.37        | 22       | 0.05        | 3.64        | 117      | 7.6        | 0.01        |             |
| C305942            |                                   | 0.04        | 0.72        | 20       | <0.05       | 3.79        | 107      | 8.7        | 0.01        |             |
| C305943            |                                   | 0.06        | 0.74        | 20       | <0.05       | 3.77        | 112      | 9.7        | 0.01        |             |
| C305944            |                                   | 0.05        | 0.71        | 20       | <0.05       | 4.24        | 142      | 10.4       | <0.01       |             |
| C305945            |                                   | 0.05        | 0.99        | 16       | <0.05       | 4.48        | 136      | 7.7        |             | <0.05       |
| C305946            |                                   | 0.06        | 1.01        | 17       | <0.05       | 3.78        | 110      | 8.1        | <0.01       |             |
| C305947            |                                   | 0.05        | 0.81        | 19       | 0.05        | 3.57        | 103      | 9.9        | 0.03        |             |
| C305948            |                                   | 0.05        | 1.97        | 22       | 0.09        | 3.22        | 166      | 7.3        | 0.01        |             |
| C305949            |                                   | 0.05        | 2.24        | 23       | 0.11        | 2.93        | 138      | 6.3        |             | <0.05       |
| C305950            |                                   | 0.04        | 1.41        | 26       | 0.06        | 3.16        | 155      | 6.3        | 0.01        |             |
| C305951            |                                   | 0.05        | 1.71        | 28       | 0.09        | 3.32        | 160      | 7.4        | 0.01        |             |
| C305952            |                                   | 0.04        | 1.74        | 30       | 0.13        | 4.37        | 217      | 9.6        | 0.03        |             |
| C305953            |                                   | 0.57        | 1.53        | 69       | 0.44        | 9.60        | 78       | 29.6       | 1.57        |             |
| C305954            |                                   | 0.05        | 1.45        | 23       | 0.05        | 4.29        | 152      | 7.2        |             | <0.05       |
| C305955            |                                   | 0.05        | 1.21        | 17       | <0.05       | 3.73        | 123      | 8.0        | <0.01       |             |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 3 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.02 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 | ME-MS41<br>Cs<br>ppm<br>0.05 |
|--------------------|-----------------------------------|-----------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| C305956            |                                   | 3.92                              | 0.09                         | 3.07                       | 24.9                        | <0.02                        | <10                       | 30                         | 0.70                         | 0.57                         | 0.11                       | 0.05                         | 61.0                         | 20.3                        | 33                        | 3.35                         |
| C305957            |                                   | 2.50                              | 0.03                         | 2.56                       | 26.6                        | <0.02                        | <10                       | 30                         | 0.87                         | 0.11                         | 0.11                       | 0.08                         | 82.3                         | 12.9                        | 34                        | 3.88                         |
| C305958            |                                   | 1.91                              | 0.32                         | 2.40                       | 54.9                        | 0.07                         | <10                       | 40                         | 0.82                         | 1.70                         | 0.09                       | 0.20                         | 62.1                         | 18.3                        | 28                        | 3.65                         |
| C305959            |                                   | 3.36                              | 0.19                         | 3.94                       | 43.7                        | <0.02                        | <10                       | 20                         | 0.62                         | 1.15                         | 1.02                       | 0.10                         | 25.6                         | 47.5                        | 36                        | 2.08                         |
| C305960            |                                   | 3.76                              | 0.14                         | 3.24                       | 23.3                        | <0.02                        | <10                       | 30                         | 0.58                         | 0.61                         | 0.26                       | 0.04                         | 43.6                         | 26.8                        | 35                        | 2.49                         |
| C305961            |                                   | 2.70                              | 0.13                         | 1.94                       | 15.0                        | <0.02                        | <10                       | 30                         | 0.62                         | 0.52                         | 0.30                       | 0.04                         | 55.5                         | 14.0                        | 26                        | 2.97                         |
| C305962            |                                   | 4.78                              | 0.09                         | 2.83                       | 22.7                        | <0.02                        | <10                       | 30                         | 0.77                         | 0.50                         | 0.08                       | 0.04                         | 49.9                         | 17.4                        | 35                        | 4.01                         |
| C305963            |                                   | 3.87                              | 0.12                         | 2.89                       | 24.6                        | <0.02                        | <10                       | 40                         | 0.84                         | 0.71                         | 0.10                       | 0.03                         | 54.6                         | 17.8                        | 37                        | 3.85                         |
| C305964            |                                   | 2.70                              | 0.14                         | 2.50                       | 16.5                        | <0.02                        | <10                       | 30                         | 0.74                         | 0.54                         | 0.10                       | 0.03                         | 69.4                         | 13.3                        | 30                        | 3.71                         |
| C305965            |                                   | 2.06                              | 0.11                         | 2.58                       | 19.7                        | <0.02                        | <10                       | 40                         | 0.83                         | 0.23                         | 0.13                       | 0.05                         | 74.8                         | 14.8                        | 34                        | 3.68                         |
| C305966            |                                   | 2.09                              | 0.21                         | 3.32                       | 16.2                        | <0.02                        | <10                       | 20                         | 0.48                         | 1.54                         | 1.44                       | 3.06                         | 21.4                         | 27.8                        | 29                        | 1.74                         |
| C305967            |                                   | 2.18                              | 0.31                         | 2.55                       | 18.3                        | 0.07                         | <10                       | 40                         | 0.79                         | 0.72                         | 0.35                       | 0.13                         | 37.7                         | 22.9                        | 28                        | 3.38                         |
| C305968            |                                   | 1.84                              | 0.04                         | 2.48                       | 14.2                        | 0.02                         | <10                       | 40                         | 0.81                         | 0.26                         | 0.08                       | 0.01                         | 47.8                         | 18.8                        | 32                        | 3.38                         |
| C305969            |                                   | 1.99                              | 0.04                         | 2.40                       | 19.6                        | <0.02                        | <10                       | 40                         | 0.74                         | 0.24                         | 0.11                       | 0.01                         | 48.6                         | 16.4                        | 30                        | 3.14                         |
| C305970            |                                   | 2.71                              | 0.02                         | 2.68                       | 16.7                        | <0.02                        | <10                       | 40                         | 0.80                         | 0.27                         | 0.16                       | 0.02                         | 54.6                         | 23.7                        | 33                        | 3.00                         |
| C305971            |                                   | 3.57                              | 0.02                         | 2.63                       | 14.8                        | <0.02                        | <10                       | 50                         | 0.69                         | 0.11                         | 0.12                       | <0.01                        | 75.9                         | 16.7                        | 34                        | 2.58                         |
| C305972            |                                   | 3.66                              | 0.06                         | 2.40                       | 21.0                        | <0.02                        | <10                       | 60                         | 0.89                         | 0.25                         | 0.14                       | 0.07                         | 61.4                         | 21.3                        | 29                        | 3.07                         |
| C305973            |                                   | 2.49                              | 0.18                         | 3.79                       | 24.8                        | <0.02                        | <10                       | 80                         | 1.01                         | 0.91                         | 0.66                       | 3.36                         | 30.8                         | 33.5                        | 39                        | 4.98                         |
| C305974            |                                   | 1.79                              | 0.71                         | 3.53                       | 12.8                        | 2.01                         | <10                       | 10                         | 0.63                         | 18.70                        | 1.94                       | 94.2                         | 11.30                        | 19.0                        | 29                        | 1.14                         |
| C305975            |                                   | 3.01                              | 0.57                         | 2.92                       | 21.8                        | 6.83                         | <10                       | 30                         | 1.01                         | 2.99                         | 0.95                       | 6.96                         | 40.6                         | 18.6                        | 28                        | 3.52                         |
| C305976            |                                   | 0.06                              | 0.17                         | 2.44                       | 469                         | 2.00                         | <10                       | 90                         | 1.24                         | 0.29                         | 0.21                       | 0.04                         | 52.2                         | 11.7                        | 97                        | 7.42                         |
| C305977            |                                   | 3.44                              | 0.04                         | 2.67                       | 16.3                        | 0.02                         | <10                       | 50                         | 1.19                         | 0.28                         | 0.27                       | 0.18                         | 74.0                         | 20.9                        | 31                        | 4.71                         |
| C305978            |                                   | 3.44                              | 0.31                         | 2.73                       | 18.3                        | 0.02                         | <10                       | 30                         | 0.93                         | 2.88                         | 1.16                       | 0.09                         | 30.1                         | 26.2                        | 26                        | 2.17                         |
| C305979            |                                   | 4.46                              | 0.03                         | 2.33                       | 17.4                        | <0.02                        | <10                       | 40                         | 0.89                         | 0.17                         | 0.39                       | 0.05                         | 54.2                         | 17.6                        | 28                        | 3.07                         |
| C305980            |                                   | 3.67                              | 0.10                         | 2.40                       | 22.6                        | 0.04                         | <10                       | 40                         | 1.11                         | 0.57                         | 0.31                       | 0.03                         | 54.8                         | 19.0                        | 28                        | 3.46                         |
| C305981            |                                   | 5.78                              | 0.25                         | 2.36                       | 9.5                         | 0.04                         | <10                       | 40                         | 0.90                         | 0.71                         | 0.34                       | 0.01                         | 43.0                         | 16.3                        | 29                        | 2.54                         |
| C305982            |                                   | 2.96                              | 0.77                         | 3.14                       | 20.0                        | <0.02                        | <10                       | 40                         | 0.91                         | 1.23                         | 0.56                       | 0.16                         | 37.2                         | 32.4                        | 31                        | 11.00                        |
| C305983            |                                   | 2.26                              | 0.29                         | 3.03                       | 17.9                        | <0.02                        | <10                       | 30                         | 0.64                         | 0.68                         | 0.26                       | 0.15                         | 52.3                         | 27.9                        | 37                        | 2.81                         |
| C305984            |                                   | 3.14                              | 0.09                         | 2.43                       | 17.1                        | <0.02                        | <10                       | 30                         | 0.50                         | 0.44                         | 0.18                       | 0.06                         | 46.5                         | 19.4                        | 32                        | 3.04                         |
| C305985            |                                   | 1.65                              | 0.08                         | 2.42                       | 15.0                        | <0.02                        | <10                       | 30                         | 0.51                         | 0.44                         | 0.15                       | 0.11                         | 71.6                         | 21.8                        | 33                        | 2.81                         |
| C305986            |                                   | 4.33                              | 0.06                         | 2.75                       | 12.4                        | <0.02                        | <10                       | 30                         | 0.50                         | 0.38                         | 0.17                       | 0.03                         | 48.9                         | 21.7                        | 33                        | 2.67                         |
| C305987            |                                   | 3.81                              | 0.01                         | 2.28                       | 6.3                         | <0.02                        | <10                       | 30                         | 0.55                         | 0.22                         | 0.17                       | 0.05                         | 54.8                         | 18.1                        | 30                        | 2.87                         |
| C305988            |                                   | 3.48                              | 0.03                         | 2.36                       | 6.5                         | <0.02                        | <10                       | 30                         | 0.61                         | 0.26                         | 0.39                       | 0.07                         | 56.5                         | 21.5                        | 29                        | 2.49                         |
| C305989            |                                   | 4.52                              | <0.01                        | 2.62                       | 4.4                         | <0.02                        | <10                       | 30                         | 0.47                         | 0.07                         | 0.08                       | 0.02                         | 74.4                         | 20.1                        | 31                        | 2.63                         |
| C305990            |                                   | 0.15                              | 0.01                         | 0.07                       | 0.9                         | <0.02                        | <10                       | 10                         | <0.05                        | 0.02                         | 0.02                       | 0.02                         | 5.00                         | 0.5                         | 4                         | 0.10                         |
| C305991            |                                   | 4.01                              | <0.01                        | 2.59                       | 3.0                         | <0.02                        | <10                       | 30                         | 0.52                         | 0.07                         | 0.09                       | 0.01                         | 91.3                         | 16.6                        | 31                        | 2.87                         |
| C305992            |                                   | 1.57                              | 0.03                         | 2.70                       | 8.6                         | <0.02                        | <10                       | 30                         | 0.61                         | 1.04                         | 0.14                       | 0.01                         | 76.1                         | 24.0                        | 32                        | 3.00                         |
| C305993            |                                   | 2.33                              | <0.01                        | 2.70                       | 3.9                         | <0.02                        | <10                       | 30                         | 0.62                         | 0.07                         | 0.12                       | 0.01                         | 104.0                        | 18.3                        | 32                        | 3.71                         |
| C305994            |                                   | 3.10                              | 0.02                         | 2.96                       | 2.9                         | <0.02                        | <10                       | 30                         | 0.56                         | 0.37                         | 0.18                       | 0.02                         | 67.7                         | 19.0                        | 37                        | 3.49                         |
| C305995            |                                   | 2.22                              | 0.06                         | 2.49                       | 4.3                         | <0.02                        | <10                       | 20                         | 0.47                         | 0.90                         | 0.22                       | 0.05                         | 67.4                         | 16.2                        | 34                        | 3.30                         |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 3 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      |
|                    |                                   | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       |
|                    |                                   | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    | 0.01    |
| C305956            |                                   | 62.6    | 5.32    | 8.89    | 0.08    | 0.25    | <0.01   | 0.018   | 0.17    | 31.7    | 103.0   | 1.23    | 993     | 0.05    | 0.03    |
| C305957            |                                   | 33.7    | 4.16    | 7.20    | 0.08    | 0.22    | <0.01   | 0.018   | 0.19    | 41.9    | 79.9    | 1.00    | 632     | <0.05   | 0.03    |
| C305958            |                                   | 203     | 4.09    | 6.86    | 0.05    | 0.25    | <0.01   | 0.058   | 0.18    | 31.6    | 76.9    | 0.96    | 866     | 0.07    | 0.03    |
| C305959            |                                   | 83.5    | 8.28    | 13.35   | 0.06    | 0.21    | <0.01   | 0.038   | 0.10    | 12.4    | 144.5   | 1.90    | 2480    | 0.22    | 0.03    |
| C305960            |                                   | 116.0   | 5.96    | 9.09    | 0.07    | 0.14    | <0.01   | 0.022   | 0.16    | 21.9    | 102.5   | 1.38    | 1170    | 0.14    | 0.03    |
| C305961            |                                   | 83.0    | 3.35    | 5.22    | 0.06    | 0.11    | <0.01   | 0.016   | 0.13    | 28.6    | 60.7    | 0.78    | 873     | 0.08    | 0.03    |
| C305962            |                                   | 63.7    | 4.99    | 8.52    | 0.06    | 0.20    | <0.01   | 0.021   | 0.15    | 25.9    | 103.5   | 1.14    | 765     | <0.05   | 0.03    |
| C305963            |                                   | 85.7    | 4.76    | 7.91    | 0.07    | 0.20    | <0.01   | 0.022   | 0.19    | 29.7    | 95.9    | 1.14    | 744     | <0.05   | 0.04    |
| C305964            |                                   | 77.8    | 4.09    | 7.05    | 0.08    | 0.24    | <0.01   | 0.017   | 0.17    | 36.4    | 83.4    | 1.00    | 654     | <0.05   | 0.03    |
| C305965            |                                   | 67.9    | 4.24    | 6.81    | 0.07    | 0.19    | <0.01   | 0.022   | 0.18    | 39.0    | 82.9    | 1.05    | 735     | <0.05   | 0.03    |
| C305966            |                                   | 162.5   | 6.97    | 9.98    | 0.05    | 0.15    | <0.01   | 0.192   | 0.11    | 10.6    | 114.0   | 1.72    | 2660    | 0.10    | 0.02    |
| C305967            |                                   | 243     | 4.78    | 6.99    | 0.05    | 0.20    | <0.01   | 0.030   | 0.17    | 19.8    | 80.6    | 1.09    | 992     | 0.08    | 0.02    |
| C305968            |                                   | 39.7    | 4.52    | 7.01    | 0.07    | 0.24    | <0.01   | 0.021   | 0.19    | 24.5    | 77.0    | 0.91    | 593     | <0.05   | 0.03    |
| C305969            |                                   | 36.0    | 4.38    | 6.79    | 0.06    | 0.21    | <0.01   | 0.019   | 0.18    | 25.4    | 79.1    | 0.87    | 602     | <0.05   | 0.02    |
| C305970            |                                   | 25.3    | 5.03    | 7.68    | 0.06    | 0.20    | <0.01   | 0.020   | 0.20    | 27.0    | 84.0    | 0.92    | 688     | <0.05   | 0.03    |
| C305971            |                                   | 7.0     | 4.69    | 6.89    | 0.07    | 0.15    | <0.01   | 0.015   | 0.21    | 39.2    | 76.6    | 0.87    | 578     | <0.05   | 0.03    |
| C305972            |                                   | 48.0    | 4.26    | 7.26    | 0.06    | 0.26    | <0.01   | 0.028   | 0.19    | 32.3    | 82.3    | 0.88    | 754     | <0.05   | 0.02    |
| C305973            |                                   | 65.6    | 7.05    | 11.15   | 0.05    | 0.27    | <0.01   | 0.223   | 0.16    | 16.6    | 146.0   | 1.73    | 1880    | 0.05    | 0.02    |
| C305974            |                                   | 195.0   | 7.83    | 11.80   | 0.07    | 0.13    | 0.02    | 5.17    | 0.03    | 5.4     | 125.0   | 1.97    | 2860    | 0.09    | 0.01    |
| C305975            |                                   | 35.2    | 5.22    | 9.27    | 0.06    | 0.20    | <0.01   | 0.401   | 0.14    | 21.8    | 104.5   | 1.42    | 1760    | 0.31    | 0.03    |
| C305976            |                                   | 24.2    | 3.36    | 7.34    | 0.09    | 0.70    | 0.01    | 0.021   | 0.96    | 26.9    | 32.5    | 1.26    | 210     | 0.44    | 0.07    |
| C305977            |                                   | 31.2    | 4.49    | 7.59    | 0.08    | 0.15    | <0.01   | 0.032   | 0.21    | 38.7    | 91.9    | 1.06    | 1020    | 0.05    | 0.03    |
| C305978            |                                   | 140.0   | 5.36    | 8.03    | 0.05    | 0.10    | <0.01   | 0.038   | 0.13    | 15.7    | 96.7    | 1.31    | 1950    | 0.05    | 0.02    |
| C305979            |                                   | 15.3    | 4.17    | 6.55    | 0.06    | 0.13    | <0.01   | 0.021   | 0.20    | 27.7    | 73.1    | 0.87    | 941     | 0.05    | 0.02    |
| C305980            |                                   | 91.0    | 4.44    | 6.62    | 0.06    | 0.16    | <0.01   | 0.034   | 0.19    | 28.3    | 78.8    | 0.84    | 874     | 0.05    | 0.03    |
| C305981            |                                   | 16.4    | 4.69    | 6.49    | 0.05    | 0.11    | <0.01   | 0.015   | 0.19    | 22.5    | 68.3    | 0.74    | 1000    | 0.05    | 0.03    |
| C305982            |                                   | 77.7    | 5.72    | 9.44    | 0.06    | 0.18    | <0.01   | 0.035   | 0.16    | 19.3    | 107.0   | 1.23    | 1440    | 0.09    | 0.04    |
| C305983            |                                   | 63.5    | 5.44    | 8.92    | 0.06    | 0.20    | <0.01   | 0.025   | 0.16    | 27.6    | 102.5   | 1.16    | 1040    | 0.15    | 0.04    |
| C305984            |                                   | 41.6    | 4.54    | 7.61    | 0.07    | 0.24    | <0.01   | 0.020   | 0.13    | 24.3    | 80.7    | 0.94    | 916     | 0.46    | 0.03    |
| C305985            |                                   | 71.4    | 4.32    | 7.09    | 0.09    | 0.24    | <0.01   | 0.024   | 0.15    | 35.7    | 71.8    | 0.90    | 835     | 0.30    | 0.03    |
| C305986            |                                   | 25.3    | 5.14    | 8.13    | 0.08    | 0.22    | <0.01   | 0.020   | 0.15    | 25.7    | 84.6    | 1.05    | 890     | 0.13    | 0.03    |
| C305987            |                                   | 7.9     | 4.19    | 6.58    | 0.07    | 0.23    | <0.01   | 0.019   | 0.15    | 28.8    | 68.6    | 0.82    | 790     | 0.12    | 0.03    |
| C305988            |                                   | 11.6    | 4.44    | 6.89    | 0.09    | 0.22    | <0.01   | 0.023   | 0.16    | 29.1    | 70.6    | 0.82    | 1020    | 0.13    | 0.03    |
| C305989            |                                   | 5.2     | 5.00    | 7.45    | 0.10    | 0.19    | <0.01   | 0.018   | 0.16    | 37.9    | 73.8    | 0.86    | 697     | 0.07    | 0.03    |
| C305990            |                                   | 3.5     | 0.35    | 0.25    | <0.05   | 0.13    | <0.01   | <0.005  | 0.01    | 2.4     | 1.1     | 0.01    | 40      | 0.26    | <0.01   |
| C305991            |                                   | 1.4     | 4.79    | 7.55    | 0.13    | 0.22    | <0.01   | 0.014   | 0.17    | 48.1    | 75.2    | 0.84    | 634     | 0.05    | 0.03    |
| C305992            |                                   | 14.6    | 5.03    | 8.13    | 0.10    | 0.18    | <0.01   | 0.015   | 0.15    | 40.2    | 85.6    | 0.99    | 671     | 0.06    | 0.03    |
| C305993            |                                   | 2.3     | 4.68    | 8.42    | 0.12    | 0.19    | <0.01   | 0.018   | 0.18    | 54.2    | 88.7    | 0.95    | 689     | 0.05    | 0.05    |
| C305994            |                                   | 21.8    | 5.35    | 8.70    | 0.09    | 0.21    | <0.01   | 0.020   | 0.16    | 34.6    | 93.6    | 1.11    | 871     | 0.05    | 0.04    |
| C305995            |                                   | 49.9    | 4.50    | 7.22    | 0.08    | 0.20    | <0.01   | 0.024   | 0.13    | 34.8    | 74.6    | 0.93    | 797     | 0.05    | 0.03    |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 3 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41    | ME-MS41   | ME-MS41    | ME-MS41    | ME-MS41      | ME-MS41   | ME-MS41     | ME-MS41    | ME-MS41    | ME-MS41    | ME-MS41    | ME-MS41     | ME-MS41     | ME-MS41    |
|--------------------|-----------------------------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|------------|------------|------------|-------------|-------------|------------|
|                    |                                   | Ni         | P         | Pb         | Rb         | Re           | S         | Sb          | Sc         | Se         | Sn         | Sr         | Ta          | Te          | Th         |
|                    |                                   | ppm<br>0.2 | ppm<br>10 | ppm<br>0.2 | ppm<br>0.1 | ppm<br>0.001 | %<br>0.01 | ppm<br>0.05 | ppm<br>0.1 | ppm<br>0.2 | ppm<br>0.2 | ppm<br>0.2 | ppm<br>0.01 | ppm<br>0.01 | ppm<br>0.2 |
|                    |                                   |            |           |            |            |              |           |             |            |            |            |            |             |             | Ti<br>%    |
|                    |                                   |            |           |            |            |              |           |             |            |            |            |            |             |             | 0.005      |
| C305956            |                                   | 43.2       | 300       | 3.6        | 8.6        | <0.001       | 0.10      | 0.08        | 2.6        | <0.2       | 0.2        | 12.9       | <0.01       | 0.03        | 17.6       |
| C305957            |                                   | 32.4       | 310       | 1.5        | 9.3        | <0.001       | 0.04      | 0.05        | 2.2        | <0.2       | 0.4        | 12.9       | <0.01       | 0.02        | 18.7       |
| C305958            |                                   | 31.1       | 260       | 4.0        | 8.7        | <0.001       | 0.14      | 0.09        | 2.2        | <0.2       | 0.7        | 11.9       | <0.01       | 0.06        | 17.6       |
| C305959            |                                   | 51.5       | 300       | 11.0       | 5.8        | 0.001        | 1.10      | 0.19        | 5.7        | 0.3        | 0.6        | 37.4       | <0.01       | 0.02        | 14.7       |
| C305960            |                                   | 36.9       | 290       | 3.8        | 7.6        | <0.001       | 0.19      | 0.06        | 3.0        | 0.3        | 0.2        | 15.4       | <0.01       | 0.01        | 14.9       |
| C305961            |                                   | 28.6       | 260       | 3.3        | 6.1        | <0.001       | 0.02      | 0.06        | 1.8        | <0.2       | <0.2       | 15.3       | <0.01       | 0.04        | 13.4       |
| C305962            |                                   | 47.6       | 280       | 2.4        | 7.5        | <0.001       | 0.09      | 0.05        | 2.3        | 0.2        | <0.2       | 12.0       | <0.01       | 0.03        | 18.4       |
| C305963            |                                   | 45.8       | 310       | 2.1        | 9.5        | <0.001       | 0.01      | <0.05       | 2.2        | <0.2       | 0.2        | 14.2       | <0.01       | 0.03        | 16.1       |
| C305964            |                                   | 36.4       | 310       | 2.7        | 8.3        | <0.001       | 0.02      | 0.05        | 2.1        | <0.2       | 0.2        | 12.5       | <0.01       | 0.03        | 17.1       |
| C305965            |                                   | 37.0       | 290       | 3.1        | 8.6        | <0.001       | 0.02      | 0.05        | 1.9        | <0.2       | 0.4        | 12.3       | <0.01       | 0.01        | 18.8       |
| C305966            |                                   | 30.3       | 430       | 8.3        | 5.8        | <0.001       | 1.04      | 0.09        | 3.8        | 0.4        | 0.6        | 34.4       | <0.01       | 0.03        | 15.0       |
| C305967            |                                   | 45.1       | 280       | 6.9        | 8.2        | <0.001       | 0.32      | 0.10        | 2.5        | 0.5        | 0.6        | 13.2       | <0.01       | 0.03        | 17.6       |
| C305968            |                                   | 37.3       | 310       | 1.7        | 9.6        | <0.001       | 0.30      | 0.10        | 2.1        | 0.2        | 0.3        | 10.4       | <0.01       | 0.02        | 17.0       |
| C305969            |                                   | 36.4       | 260       | 2.0        | 8.8        | <0.001       | 0.19      | 0.07        | 2.2        | <0.2       | 0.3        | 10.7       | <0.01       | 0.02        | 15.3       |
| C305970            |                                   | 48.2       | 350       | 1.3        | 11.1       | <0.001       | 0.15      | 0.10        | 2.4        | 0.2        | 0.2        | 10.1       | <0.01       | 0.01        | 17.1       |
| C305971            |                                   | 39.2       | 330       | 1.0        | 10.2       | <0.001       | 0.03      | 0.05        | 2.0        | <0.2       | 0.2        | 10.1       | <0.01       | 0.01        | 15.9       |
| C305972            |                                   | 41.2       | 320       | 2.1        | 10.4       | <0.001       | 0.11      | 0.05        | 2.3        | <0.2       | 0.5        | 11.5       | <0.01       | 0.01        | 18.7       |
| C305973            |                                   | 56.5       | 320       | 6.2        | 8.6        | <0.001       | 0.62      | 0.11        | 3.7        | <0.2       | 1.3        | 19.4       | <0.01       | 0.02        | 16.5       |
| C305974            |                                   | 26.5       | 130       | 30.3       | 2.1        | 0.001        | 1.79      | 0.25        | 5.8        | 0.7        | 2.8        | 45.1       | <0.01       | 0.16        | 5.8        |
| C305975            |                                   | 42.9       | 260       | 13.4       | 7.4        | <0.001       | 0.16      | 0.19        | 4.5        | <0.2       | 1.6        | 26.7       | <0.01       | 0.04        | 15.9       |
| C305976            |                                   | 56.8       | 490       | 8.3        | 88.5       | <0.001       | 0.11      | 342         | 5.3        | <0.2       | 1.1        | 16.6       | <0.01       | 0.01        | 12.0       |
| C305977            |                                   | 46.5       | 360       | 1.9        | 11.9       | <0.001       | 0.10      | 0.36        | 2.3        | <0.2       | 0.8        | 17.5       | <0.01       | <0.01       | 21.7       |
| C305978            |                                   | 33.2       | 240       | 12.6       | 6.5        | <0.001       | 0.38      | 0.17        | 3.1        | <0.2       | 0.9        | 39.3       | <0.01       | 0.04        | 13.6       |
| C305979            |                                   | 37.4       | 310       | 2.8        | 10.5       | <0.001       | 0.18      | 0.15        | 2.2        | <0.2       | 0.5        | 20.2       | <0.01       | <0.01       | 16.9       |
| C305980            |                                   | 42.5       | 300       | 5.4        | 10.0       | <0.001       | 0.15      | 0.09        | 2.0        | 0.2        | 0.5        | 16.4       | <0.01       | 0.03        | 18.4       |
| C305981            |                                   | 37.2       | 300       | 6.6        | 10.6       | <0.001       | 0.37      | 0.11        | 2.2        | <0.2       | 0.3        | 13.8       | <0.01       | 0.02        | 14.5       |
| C305982            |                                   | 47.1       | 270       | 9.4        | 8.9        | <0.001       | 0.34      | 0.07        | 3.4        | <0.2       | 0.8        | 16.8       | <0.01       | 0.01        | 19.3       |
| C305983            |                                   | 52.0       | 290       | 13.6       | 8.2        | 0.001        | 0.16      | 0.05        | 2.6        | 0.2        | 0.4        | 11.3       | <0.01       | 0.02        | 18.5       |
| C305984            |                                   | 36.1       | 250       | 7.5        | 7.1        | <0.001       | 0.16      | 0.20        | 2.6        | <0.2       | 0.4        | 10.4       | <0.01       | 0.02        | 18.9       |
| C305985            |                                   | 33.1       | 220       | 3.6        | 7.4        | <0.001       | 0.03      | 0.15        | 2.2        | <0.2       | 0.4        | 9.9        | <0.01       | 0.02        | 18.7       |
| C305986            |                                   | 41.7       | 280       | 3.6        | 7.8        | <0.001       | 0.11      | 0.11        | 2.6        | <0.2       | 0.3        | 9.7        | <0.01       | 0.02        | 18.5       |
| C305987            |                                   | 34.2       | 270       | 5.5        | 7.5        | <0.001       | 0.09      | 0.09        | 2.2        | <0.2       | 0.4        | 9.5        | <0.01       | 0.02        | 19.5       |
| C305988            |                                   | 43.1       | 260       | 6.1        | 7.9        | <0.001       | 0.09      | 0.11        | 2.6        | <0.2       | 0.6        | 14.1       | <0.01       | 0.01        | 17.2       |
| C305989            |                                   | 36.8       | 280       | 1.6        | 8.2        | <0.001       | 0.02      | 0.07        | 2.5        | <0.2       | 0.4        | 8.3        | <0.01       | 0.01        | 19.3       |
| C305990            |                                   | 1.1        | 10        | 1.2        | 0.7        | <0.001       | <0.01     | 0.07        | 0.2        | <0.2       | <0.2       | 1.7        | <0.01       | <0.01       | 1.3        |
| C305991            |                                   | 40.4       | 290       | 1.2        | 8.3        | <0.001       | <0.01     | 0.06        | 2.4        | <0.2       | 0.3        | 9.1        | <0.01       | 0.02        | 19.5       |
| C305992            |                                   | 56.7       | 320       | 3.3        | 7.9        | <0.001       | 0.01      | 0.06        | 2.5        | <0.2       | 0.2        | 10.2       | <0.01       | 0.07        | 18.1       |
| C305993            |                                   | 38.0       | 320       | 1.3        | 8.8        | <0.001       | <0.01     | 0.06        | 2.5        | <0.2       | 0.3        | 14.2       | <0.01       | 0.01        | 19.1       |
| C305994            |                                   | 43.9       | 320       | 2.7        | 8.2        | <0.001       | 0.08      | 0.09        | 2.8        | <0.2       | 0.4        | 13.4       | <0.01       | 0.02        | 18.9       |
| C305995            |                                   | 35.9       | 510       | 3.3        | 6.2        | 0.001        | 0.02      | 0.06        | 2.3        | <0.2       | 0.4        | 11.3       | <0.01       | 0.02        | 18.1       |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
 100 KING STREET WEST, SUITE 5700  
 TORONTO ON M5X 1C7

Page: 3 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 4-FEB-2021  
 Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41    | Au-AA25     | Au-GRA22    |
|--------------------|-----------------------------------|-------------|-------------|----------|-------------|-------------|----------|------------|-------------|-------------|
|                    |                                   | Tl          | U           | V        | W           | Y           | Zn       | Zr         | Au          | Au          |
|                    |                                   | ppm<br>0.02 | ppm<br>0.05 | ppm<br>1 | ppm<br>0.05 | ppm<br>0.05 | ppm<br>2 | ppm<br>0.5 | ppm<br>0.01 | ppm<br>0.05 |
| C305956            |                                   | 0.05        | 0.91        | 19       | 0.06        | 3.44        | 125      | 9.5        | <0.01       |             |
| C305957            |                                   | 0.05        | 0.73        | 16       | 0.08        | 3.96        | 109      | 8.7        | <0.01       |             |
| C305958            |                                   | 0.05        | 0.65        | 17       | 0.10        | 3.65        | 127      | 10.0       | 1.12        |             |
| C305959            |                                   | 0.03        | 4.65        | 39       | 0.24        | 4.65        | 236      | 8.1        | 0.03        |             |
| C305960            |                                   | 0.05        | 1.22        | 27       | <0.05       | 3.16        | 139      | 5.8        | 0.01        |             |
| C305961            |                                   | 0.03        | 1.46        | 14       | <0.05       | 3.35        | 85       | 4.3        | <0.01       |             |
| C305962            |                                   | 0.05        | 0.82        | 20       | 0.06        | 3.26        | 114      | 8.2        | <0.01       |             |
| C305963            |                                   | 0.06        | 0.67        | 20       | <0.05       | 3.85        | 108      | 8.5        | <0.01       |             |
| C305964            |                                   | 0.05        | 0.76        | 17       | <0.05       | 3.79        | 94       | 8.3        | <0.01       |             |
| C305965            |                                   | 0.05        | 0.77        | 16       | 0.08        | 3.83        | 112      | 8.0        | 0.08        |             |
| C305966            |                                   | 0.04        | 1.45        | 26       | 4.07        | 4.18        | 427      | 5.5        |             | <0.05       |
| C305967            |                                   | 0.04        | 1.17        | 20       | 0.23        | 3.57        | 139      | 8.7        |             | 0.10        |
| C305968            |                                   | 0.05        | 0.82        | 18       | 0.08        | 3.45        | 102      | 10.3       |             | <0.05       |
| C305969            |                                   | 0.05        | 1.94        | 18       | 0.26        | 3.17        | 104      | 8.1        | 0.03        |             |
| C305970            |                                   | 0.07        | 1.25        | 22       | 0.15        | 3.54        | 120      | 8.3        | 0.01        |             |
| C305971            |                                   | 0.07        | 0.84        | 21       | 0.11        | 3.52        | 96       | 6.6        | 0.01        |             |
| C305972            |                                   | 0.06        | 0.82        | 18       | 0.12        | 3.98        | 109      | 10.7       | 0.01        |             |
| C305973            |                                   | 0.06        | 1.89        | 32       | 0.41        | 4.05        | 499      | 12.1       | 1.19        |             |
| C305974            |                                   | 0.02        | 3.19        | 33       | 71.9        | 3.75        | 7350     | 4.4        | 3.69        |             |
| C305975            |                                   | 0.05        | 1.66        | 27       | 2.91        | 4.41        | 640      | 8.1        | 0.43        |             |
| C305976            |                                   | 0.54        | 1.30        | 65       | 0.46        | 9.09        | 75       | 26.0       | 2.23        |             |
| C305977            |                                   | 0.06        | 1.47        | 18       | 0.27        | 4.62        | 144      | 6.5        | <0.01       |             |
| C305978            |                                   | 0.05        | 1.67        | 22       | 0.09        | 4.30        | 155      | 4.1        | 0.06        |             |
| C305979            |                                   | 0.06        | 1.38        | 15       | 0.11        | 4.06        | 113      | 5.2        | <0.01       |             |
| C305980            |                                   | 0.06        | 1.13        | 15       | 0.08        | 3.71        | 105      | 6.5        | 0.09        |             |
| C305981            |                                   | 0.06        | 1.31        | 19       | 0.92        | 3.08        | 103      | 4.4        | 0.10        |             |
| C305982            |                                   | 0.06        | 2.44        | 25       | 2.06        | 4.42        | 180      | 8.2        | <0.01       |             |
| C305983            |                                   | 0.06        | 1.02        | 23       | 1.11        | 3.80        | 141      | 8.4        | 0.01        |             |
| C305984            |                                   | 0.05        | 0.92        | 18       | 0.11        | 3.68        | 125      | 9.5        | <0.01       |             |
| C305985            |                                   | 0.06        | 0.91        | 16       | 0.05        | 3.64        | 121      | 9.1        | 0.01        |             |
| C305986            |                                   | 0.06        | 1.02        | 20       | <0.05       | 3.46        | 119      | 9.5        | <0.01       |             |
| C305987            |                                   | 0.06        | 1.06        | 15       | <0.05       | 3.64        | 107      | 9.4        | 0.01        |             |
| C305988            |                                   | 0.07        | 0.99        | 16       | <0.05       | 4.14        | 132      | 8.8        | 0.01        |             |
| C305989            |                                   | 0.06        | 0.85        | 17       | <0.05       | 3.56        | 93       | 8.1        | <0.01       |             |
| C305990            |                                   | 0.02        | 0.18        | 1        | <0.05       | 0.78        | 5        | 3.2        | <0.01       |             |
| C305991            |                                   | 0.07        | 0.97        | 16       | <0.05       | 3.86        | 86       | 8.5        | <0.01       |             |
| C305992            |                                   | 0.05        | 0.75        | 19       | 0.07        | 4.30        | 136      | 7.8        | <0.01       |             |
| C305993            |                                   | 0.06        | 0.76        | 15       | <0.05       | 4.15        | 98       | 7.9        | 0.01        |             |
| C305994            |                                   | 0.06        | 0.80        | 17       | <0.05       | 3.80        | 110      | 8.5        | 0.01        |             |
| C305995            |                                   | 0.05        | 1.49        | 14       | <0.05       | 3.66        | 108      | 8.3        | 0.03        |             |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 4 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.02 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 | ME-MS41<br>Cs<br>ppm<br>0.05 |
|--------------------|-----------------------------------|-----------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| C305996            |                                   | 1.24                              | 0.03                         | 2.68                       | 6.0                         | <0.02                        | <10                       | 20                         | 0.56                         | 0.63                         | 0.19                       | 0.02                         | 50.9                         | 19.2                        | 35                        | 4.07                         |
| C305997            |                                   | 2.00                              | 0.11                         | 2.63                       | 12.1                        | <0.02                        | <10                       | 30                         | 0.55                         | 0.59                         | 0.17                       | 0.02                         | 53.2                         | 19.5                        | 33                        | 3.72                         |
| C305998            |                                   | 2.33                              | 0.04                         | 2.95                       | 8.2                         | <0.02                        | <10                       | 30                         | 0.57                         | 0.17                         | 0.18                       | 0.01                         | 72.0                         | 16.2                        | 37                        | 3.92                         |
| C305999            |                                   | 1.37                              | 0.04                         | 2.48                       | 14.1                        | <0.02                        | <10                       | 30                         | 0.55                         | 0.26                         | 0.08                       | 0.01                         | 68.3                         | 16.5                        | 33                        | 4.59                         |
| C306000            |                                   | 4.22                              | 0.24                         | 2.68                       | 16.3                        | <0.02                        | <10                       | 30                         | 0.52                         | 1.33                         | 0.13                       | 0.02                         | 46.4                         | 21.3                        | 34                        | 4.13                         |
| C306001            |                                   | 4.94                              | 0.08                         | 2.68                       | 8.1                         | <0.02                        | <10                       | 20                         | 0.46                         | 0.53                         | 0.13                       | 0.03                         | 39.7                         | 20.8                        | 35                        | 3.55                         |
| C306002            |                                   | 3.99                              | 0.05                         | 2.65                       | 8.6                         | <0.02                        | <10                       | 30                         | 0.52                         | 0.32                         | 0.12                       | 0.01                         | 53.9                         | 18.1                        | 35                        | 4.18                         |
| C306003            |                                   | 5.63                              | 0.08                         | 2.77                       | 9.6                         | <0.02                        | <10                       | 30                         | 0.58                         | 0.97                         | 0.17                       | 0.03                         | 49.4                         | 20.7                        | 36                        | 3.96                         |
| C306004            |                                   | 0.06                              | 0.16                         | 2.48                       | 496                         | 2.14                         | <10                       | 90                         | 1.14                         | 0.34                         | 0.22                       | 0.04                         | 54.5                         | 12.1                        | 100                       | 7.38                         |
| C306005            |                                   | 4.95                              | 0.09                         | 2.81                       | 7.6                         | <0.02                        | <10                       | 30                         | 0.56                         | 0.31                         | 0.20                       | 0.04                         | 46.9                         | 18.4                        | 35                        | 2.97                         |
| C306006            |                                   | 6.20                              | 0.06                         | 2.72                       | 12.0                        | 0.02                         | <10                       | 30                         | 0.62                         | 0.34                         | 0.21                       | 0.02                         | 57.8                         | 20.4                        | 36                        | 3.53                         |
| C306007            |                                   | 3.97                              | 0.07                         | 2.85                       | 11.8                        | <0.02                        | <10                       | 30                         | 0.60                         | 0.38                         | 0.14                       | 0.01                         | 78.7                         | 13.7                        | 37                        | 3.52                         |
| C306008            |                                   | 4.74                              | 0.04                         | 2.82                       | 21.4                        | <0.02                        | <10                       | 30                         | 0.68                         | 0.41                         | 0.11                       | 0.02                         | 63.9                         | 18.4                        | 34                        | 2.91                         |
| C306009            |                                   | 2.33                              | 0.06                         | 2.58                       | 27.6                        | 0.02                         | <10                       | 40                         | 0.87                         | 1.04                         | 0.09                       | 0.08                         | 38.6                         | 24.9                        | 24                        | 4.74                         |
| C306010            |                                   | 1.91                              | 0.05                         | 2.24                       | 27.6                        | <0.02                        | <10                       | 30                         | 0.80                         | 0.34                         | 0.10                       | 0.02                         | 59.5                         | 19.8                        | 25                        | 4.16                         |
| C306011            |                                   | 2.94                              | 0.03                         | 2.47                       | 100.5                       | <0.02                        | <10                       | 30                         | 0.69                         | 0.72                         | 0.11                       | 0.04                         | 61.0                         | 19.2                        | 28                        | 4.83                         |
| C306012            |                                   | 4.17                              | 0.06                         | 2.39                       | 28.7                        | 0.02                         | <10                       | 40                         | 0.73                         | 0.89                         | 0.11                       | 0.03                         | 43.4                         | 13.3                        | 24                        | 5.81                         |
| C306013            |                                   | 4.12                              | 0.06                         | 2.04                       | 215                         | 0.02                         | <10                       | 40                         | 0.60                         | 1.25                         | 0.09                       | 0.02                         | 58.4                         | 8.4                         | 23                        | 3.82                         |
| C306014            |                                   | 5.15                              | 0.01                         | 2.45                       | 16.1                        | <0.02                        | <10                       | 30                         | 0.57                         | 0.23                         | 0.09                       | 0.03                         | 44.6                         | 24.7                        | 29                        | 2.73                         |
| C306015            |                                   | 1.34                              | 0.05                         | 2.51                       | 14.6                        | <0.02                        | <10                       | 30                         | 0.75                         | 0.58                         | 0.15                       | <0.01                        | 63.6                         | 15.0                        | 30                        | 13.50                        |
| C306016            |                                   | 3.45                              | 0.04                         | 2.72                       | 22.3                        | 0.04                         | <10                       | 40                         | 0.68                         | 0.26                         | 0.25                       | 0.02                         | 70.5                         | 20.5                        | 33                        | 2.19                         |
| C306017            |                                   | 4.61                              | 0.04                         | 2.61                       | 10.9                        | <0.02                        | <10                       | 30                         | 0.60                         | 0.25                         | 0.17                       | 0.01                         | 61.1                         | 12.4                        | 30                        | 2.83                         |
| C306018            |                                   | 0.19                              | 0.01                         | 0.04                       | 0.7                         | <0.02                        | <10                       | 10                         | <0.05                        | 0.03                         | 0.01                       | <0.01                        | 5.36                         | 0.3                         | 1                         | 0.07                         |
| C306019            |                                   | 2.44                              | 0.07                         | 2.54                       | 17.3                        | <0.02                        | <10                       | 30                         | 0.74                         | 0.22                         | 0.34                       | 0.01                         | 84.5                         | 11.6                        | 31                        | 5.28                         |
| C306020            |                                   | 4.00                              | 0.13                         | 2.85                       | 24.9                        | <0.02                        | <10                       | 30                         | 0.52                         | 0.52                         | 0.13                       | 0.11                         | 60.3                         | 13.8                        | 35                        | 3.18                         |
| C306021            |                                   | 2.97                              | 0.17                         | 2.96                       | 24.8                        | <0.02                        | <10                       | 30                         | 0.53                         | 0.81                         | 0.22                       | 0.16                         | 43.8                         | 31.0                        | 30                        | 3.10                         |
| C306022            |                                   | 3.59                              | 0.08                         | 2.39                       | 20.6                        | 0.02                         | <10                       | 30                         | 0.68                         | 0.87                         | 0.14                       | 0.07                         | 55.8                         | 19.9                        | 21                        | 3.02                         |
| C306023            |                                   | 2.00                              | 1.27                         | 2.42                       | 31.6                        | 0.53                         | <10                       | 40                         | 0.65                         | 46.8                         | 0.08                       | 0.07                         | 53.6                         | 33.0                        | 32                        | 3.29                         |
| C306024            |                                   | 2.51                              | 1.37                         | 2.25                       | 19.8                        | 0.18                         | <10                       | 20                         | 0.91                         | 39.0                         | 0.72                       | 0.12                         | 35.2                         | 36.7                        | 29                        | 2.34                         |
| C306025            |                                   | 4.47                              | 0.10                         | 2.50                       | 22.4                        | <0.02                        | <10                       | 40                         | 0.85                         | 1.18                         | 0.32                       | 0.06                         | 48.5                         | 30.3                        | 30                        | 4.59                         |
| C306026            |                                   | 0.07                              | 0.18                         | 2.65                       | 504                         | 2.26                         | <10                       | 100                        | 1.27                         | 0.36                         | 0.23                       | 0.04                         | 63.8                         | 13.5                        | 101                       | 7.72                         |
| C306027            |                                   | 1.92                              | 0.09                         | 1.50                       | 11.5                        | 0.04                         | <10                       | 20                         | 0.47                         | 1.91                         | 0.42                       | 0.02                         | 22.9                         | 13.7                        | 14                        | 2.16                         |
| C306028            |                                   | 2.01                              | 0.09                         | 3.37                       | 37.8                        | <0.02                        | <10                       | 40                         | 0.69                         | 1.06                         | 0.12                       | 0.06                         | 45.6                         | 33.2                        | 36                        | 4.54                         |
| C306029            |                                   | 2.29                              | 0.05                         | 2.25                       | 20.8                        | <0.02                        | <10                       | 40                         | 0.67                         | 0.50                         | 0.08                       | 0.82                         | 50.0                         | 35.2                        | 29                        | 4.49                         |
| C306030            |                                   | 2.27                              | 0.05                         | 2.53                       | 26.4                        | <0.02                        | <10                       | 40                         | 0.87                         | 0.42                         | 0.09                       | 0.50                         | 71.3                         | 22.2                        | 26                        | 4.49                         |
| C306031            |                                   | 2.55                              | 0.12                         | 2.82                       | 26.1                        | <0.02                        | <10                       | 40                         | 0.81                         | 0.52                         | 0.19                       | 0.06                         | 85.9                         | 11.6                        | 36                        | 3.42                         |
| C306032            |                                   | 4.08                              | 0.07                         | 2.81                       | 21.2                        | 0.03                         | <10                       | 30                         | 0.62                         | 0.42                         | 0.14                       | 0.14                         | 93.7                         | 14.8                        | 36                        | 3.57                         |
| C306033            |                                   | 4.34                              | 0.10                         | 3.05                       | 24.5                        | <0.02                        | <10                       | 30                         | 0.65                         | 0.55                         | 0.11                       | 0.39                         | 77.5                         | 13.7                        | 35                        | 3.74                         |
| C306034            |                                   | 2.04                              | 0.09                         | 3.32                       | 17.4                        | <0.02                        | <10                       | 30                         | 0.65                         | 0.49                         | 0.23                       | 0.23                         | 54.0                         | 22.5                        | 26                        | 2.31                         |
| C306035            |                                   | 3.43                              | 0.02                         | 3.04                       | 12.4                        | 0.05                         | <10                       | 30                         | 0.55                         | 0.53                         | 0.14                       | 0.13                         | 53.6                         | 22.4                        | 35                        | 2.68                         |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 4 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

# CERTIFICATE OF ANALYSIS WH20291767

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      |
|                    |                                   | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       |
|                    |                                   | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    | 0.01    |
| C305996            |                                   | 40.3    | 5.06    | 7.94    | 0.08    | 0.21    | <0.01   | 0.023   | 0.11    | 26.6    | 82.9    | 1.04    | 888     | 0.07    | 0.03    |
| C305997            |                                   | 34.9    | 4.74    | 7.32    | 0.07    | 0.23    | <0.01   | 0.017   | 0.16    | 28.0    | 72.7    | 0.95    | 770     | 0.77    | 0.05    |
| C305998            |                                   | 22.7    | 5.24    | 8.89    | 0.09    | 0.24    | <0.01   | 0.019   | 0.17    | 37.6    | 92.2    | 1.08    | 806     | 0.12    | 0.05    |
| C305999            |                                   | 29.7    | 4.46    | 7.41    | 0.09    | 0.24    | <0.01   | 0.015   | 0.14    | 35.6    | 77.9    | 0.91    | 654     | 0.12    | 0.04    |
| C306000            |                                   | 60.2    | 5.00    | 8.20    | 0.07    | 0.25    | <0.01   | 0.019   | 0.15    | 23.6    | 90.7    | 1.00    | 727     | 0.46    | 0.04    |
| C306001            |                                   | 37.2    | 5.09    | 8.03    | 0.06    | 0.23    | <0.01   | 0.016   | 0.11    | 20.3    | 90.4    | 1.06    | 845     | 0.36    | 0.03    |
| C306002            |                                   | 24.2    | 4.85    | 8.12    | 0.08    | 0.26    | <0.01   | 0.016   | 0.14    | 28.2    | 93.4    | 1.00    | 737     | 0.10    | 0.04    |
| C306003            |                                   | 41.7    | 5.05    | 8.40    | 0.08    | 0.25    | <0.01   | 0.018   | 0.15    | 26.4    | 94.5    | 1.04    | 782     | 0.74    | 0.04    |
| C306004            |                                   | 25.6    | 3.54    | 7.78    | 0.11    | 0.79    | 0.01    | 0.023   | 1.00    | 28.1    | 32.0    | 1.32    | 215     | 0.52    | 0.07    |
| C306005            |                                   | 38.4    | 5.03    | 8.17    | 0.07    | 0.16    | <0.01   | 0.020   | 0.14    | 24.4    | 90.7    | 1.00    | 825     | <0.05   | 0.03    |
| C306006            |                                   | 36.9    | 4.99    | 8.48    | 0.09    | 0.17    | <0.01   | 0.022   | 0.16    | 29.8    | 91.4    | 1.04    | 859     | 0.08    | 0.04    |
| C306007            |                                   | 31.3    | 5.13    | 8.47    | 0.11    | 0.17    | <0.01   | 0.018   | 0.15    | 41.9    | 100.0   | 1.07    | 847     | 0.70    | 0.04    |
| C306008            |                                   | 27.8    | 5.20    | 8.55    | 0.09    | 0.22    | <0.01   | 0.020   | 0.15    | 32.7    | 98.2    | 1.06    | 957     | 0.09    | 0.03    |
| C306009            |                                   | 68.0    | 5.09    | 7.55    | 0.06    | 0.28    | <0.01   | 0.029   | 0.18    | 19.8    | 85.2    | 1.00    | 911     | 0.14    | 0.03    |
| C306010            |                                   | 48.0    | 4.19    | 6.43    | 0.07    | 0.28    | <0.01   | 0.019   | 0.15    | 29.6    | 72.7    | 0.82    | 739     | 0.62    | 0.02    |
| C306011            |                                   | 22.6    | 5.41    | 7.75    | 0.09    | 0.27    | <0.01   | 0.017   | 0.14    | 31.5    | 78.2    | 0.85    | 725     | 0.27    | 0.02    |
| C306012            |                                   | 39.1    | 5.61    | 7.44    | 0.07    | 0.27    | <0.01   | 0.029   | 0.16    | 21.6    | 72.4    | 0.80    | 745     | 0.56    | 0.03    |
| C306013            |                                   | 39.0    | 4.60    | 6.31    | 0.08    | 0.27    | <0.01   | 0.019   | 0.18    | 29.5    | 56.2    | 0.62    | 635     | 0.30    | 0.02    |
| C306014            |                                   | 2.5     | 5.39    | 7.90    | 0.07    | 0.25    | <0.01   | 0.017   | 0.16    | 22.3    | 75.4    | 0.73    | 664     | 0.17    | 0.02    |
| C306015            |                                   | 22.7    | 5.14    | 7.47    | 0.09    | 0.19    | <0.01   | 0.019   | 0.15    | 31.6    | 74.6    | 0.84    | 807     | 0.12    | 0.02    |
| C306016            |                                   | 6.4     | 4.72    | 8.93    | 0.10    | 0.18    | <0.01   | 0.018   | 0.17    | 34.9    | 84.8    | 1.12    | 1290    | <0.05   | 0.03    |
| C306017            |                                   | 11.9    | 4.52    | 7.66    | 0.08    | 0.15    | <0.01   | 0.017   | 0.17    | 29.9    | 82.5    | 1.06    | 1000    | <0.05   | 0.03    |
| C306018            |                                   | 2.3     | 0.19    | 0.19    | <0.05   | 0.10    | <0.01   | <0.005  | 0.01    | 2.5     | 0.8     | 0.01    | 27      | 0.14    | <0.01   |
| C306019            |                                   | 42.5    | 4.28    | 7.64    | 0.10    | 0.20    | <0.01   | 0.018   | 0.15    | 42.3    | 81.0    | 1.04    | 1020    | <0.05   | 0.04    |
| C306020            |                                   | 111.0   | 4.97    | 9.08    | 0.09    | 0.19    | <0.01   | 0.028   | 0.15    | 30.7    | 93.9    | 1.19    | 1110    | 0.07    | 0.03    |
| C306021            |                                   | 96.9    | 5.50    | 10.25   | 0.07    | 0.28    | <0.01   | 0.032   | 0.13    | 22.7    | 104.5   | 1.26    | 1340    | 0.13    | 0.04    |
| C306022            |                                   | 46.2    | 4.57    | 7.71    | 0.08    | 0.25    | <0.01   | 0.030   | 0.13    | 27.9    | 83.8    | 0.95    | 1010    | 0.17    | 0.04    |
| C306023            |                                   | 158.5   | 6.82    | 9.81    | 0.09    | 0.27    | <0.01   | 0.038   | 0.13    | 28.2    | 82.4    | 0.86    | 1350    | 0.85    | 0.04    |
| C306024            |                                   | 130.0   | 5.39    | 8.64    | 0.06    | 0.23    | <0.01   | 0.032   | 0.09    | 17.6    | 82.9    | 0.86    | 1810    | 0.71    | 0.05    |
| C306025            |                                   | 74.3    | 4.73    | 8.09    | 0.07    | 0.30    | <0.01   | 0.040   | 0.23    | 24.0    | 79.1    | 0.92    | 1370    | 0.11    | 0.05    |
| C306026            |                                   | 27.7    | 3.60    | 9.26    | 0.12    | 0.85    | 0.01    | 0.026   | 1.05    | 31.9    | 35.9    | 1.33    | 224     | 0.58    | 0.08    |
| C306027            |                                   | 36.9    | 3.02    | 4.97    | <0.05   | 0.16    | 0.01    | 0.023   | 0.09    | 11.9    | 53.0    | 0.58    | 989     | 0.23    | 0.02    |
| C306028            |                                   | 82.3    | 6.61    | 11.65   | 0.09    | 0.35    | <0.01   | 0.048   | 0.17    | 21.8    | 117.5   | 1.43    | 1520    | 0.16    | 0.04    |
| C306029            |                                   | 59.0    | 4.04    | 7.23    | 0.08    | 0.26    | <0.01   | 0.028   | 0.18    | 25.8    | 68.5    | 0.81    | 831     | 0.08    | 0.04    |
| C306030            |                                   | 50.7    | 4.38    | 8.10    | 0.09    | 0.28    | <0.01   | 0.026   | 0.18    | 35.8    | 82.1    | 0.95    | 926     | 0.14    | 0.05    |
| C306031            |                                   | 68.9    | 4.69    | 9.32    | 0.11    | 0.19    | <0.01   | 0.026   | 0.20    | 43.7    | 101.5   | 1.08    | 940     | <0.05   | 0.05    |
| C306032            |                                   | 56.1    | 4.77    | 9.16    | 0.12    | 0.14    | <0.01   | 0.024   | 0.18    | 47.7    | 96.9    | 1.11    | 948     | <0.05   | 0.04    |
| C306033            |                                   | 50.7    | 5.41    | 9.57    | 0.10    | 0.19    | <0.01   | 0.028   | 0.15    | 39.3    | 104.0   | 1.24    | 1000    | <0.05   | 0.04    |
| C306034            |                                   | 22.9    | 6.09    | 11.90   | 0.09    | 0.19    | <0.01   | 0.033   | 0.13    | 27.4    | 118.0   | 1.42    | 1480    | 0.12    | 0.03    |
| C306035            |                                   | 10.9    | 5.95    | 9.11    | 0.08    | 0.20    | <0.01   | 0.020   | 0.17    | 27.2    | 99.9    | 1.11    | 1000    | 0.05    | 0.03    |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 4 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41    | ME-MS41   | ME-MS41    | ME-MS41    | ME-MS41      | ME-MS41   | ME-MS41     | ME-MS41    | ME-MS41    | ME-MS41    | ME-MS41    | ME-MS41     | ME-MS41     | ME-MS41    |
|--------------------|-----------------------------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|------------|------------|------------|-------------|-------------|------------|
|                    |                                   | Ni         | P         | Pb         | Rb         | Re           | S         | Sb          | Sc         | Se         | Sn         | Sr         | Ta          | Te          | Th         |
|                    |                                   | ppm<br>0.2 | ppm<br>10 | ppm<br>0.2 | ppm<br>0.1 | ppm<br>0.001 | %<br>0.01 | ppm<br>0.05 | ppm<br>0.1 | ppm<br>0.2 | ppm<br>0.2 | ppm<br>0.2 | ppm<br>0.01 | ppm<br>0.01 | ppm<br>0.2 |
|                    |                                   |            |           |            |            |              |           |             |            |            |            |            |             |             | Ti<br>%    |
|                    |                                   |            |           |            |            |              |           |             |            |            |            |            |             |             | 0.005      |
| C305996            |                                   | 42.7       | 340       | 3.3        | 5.5        | <0.001       | 0.05      | 0.07        | 2.4        | <0.2       | 0.4        | 9.6        | <0.01       | 0.02        | 17.7       |
| C305997            |                                   | 33.8       | 250       | 40.7       | 7.7        | <0.001       | 0.10      | 0.06        | 2.3        | <0.2       | 0.2        | 12.5       | <0.01       | 0.01        | 16.2       |
| C305998            |                                   | 38.3       | 480       | 26.1       | 8.5        | <0.001       | 0.02      | 0.08        | 2.9        | <0.2       | 0.2        | 13.6       | <0.01       | 0.01        | 18.7       |
| C305999            |                                   | 33.3       | 250       | 26.8       | 6.9        | <0.001       | 0.02      | 0.09        | 2.3        | <0.2       | 0.2        | 10.2       | <0.01       | 0.01        | 18.0       |
| C306000            |                                   | 32.5       | 440       | 69.8       | 7.9        | <0.001       | 0.20      | 0.14        | 2.7        | 0.3        | 0.2        | 12.5       | <0.01       | 0.04        | 17.6       |
| C306001            |                                   | 38.0       | 330       | 29.5       | 5.5        | <0.001       | 0.12      | 0.09        | 2.5        | <0.2       | 0.2        | 9.2        | <0.01       | 0.01        | 18.5       |
| C306002            |                                   | 36.9       | 440       | 7.4        | 6.7        | <0.001       | 0.06      | 0.07        | 2.6        | <0.2       | 0.2        | 10.5       | <0.01       | 0.01        | 17.8       |
| C306003            |                                   | 37.5       | 450       | 14.7       | 7.5        | 0.002        | 0.11      | 0.11        | 2.7        | 0.2        | 0.2        | 12.9       | <0.01       | 0.04        | 18.8       |
| C306004            |                                   | 54.9       | 500       | 9.7        | 90.4       | <0.001       | 0.11      | 345         | 6.0        | 0.2        | 1.3        | 17.5       | <0.01       | 0.02        | 13.7       |
| C306005            |                                   | 40.9       | 460       | 8.8        | 6.7        | 0.001        | 0.16      | 0.09        | 2.3        | <0.2       | 0.2        | 12.4       | <0.01       | 0.02        | 15.4       |
| C306006            |                                   | 42.0       | 400       | 12.4       | 8.4        | <0.001       | 0.16      | 0.14        | 3.0        | 0.2        | 0.2        | 14.1       | <0.01       | 0.01        | 19.4       |
| C306007            |                                   | 37.8       | 330       | 12.2       | 7.1        | <0.001       | 0.01      | 0.08        | 2.7        | <0.2       | 0.2        | 12.6       | <0.01       | 0.04        | 19.0       |
| C306008            |                                   | 43.0       | 320       | 3.9        | 7.3        | <0.001       | 0.05      | 0.10        | 2.7        | <0.2       | 0.4        | 11.0       | <0.01       | 0.02        | 19.8       |
| C306009            |                                   | 50.8       | 240       | 7.7        | 8.7        | 0.001        | 0.53      | 0.16        | 2.9        | <0.2       | 0.9        | 11.9       | <0.01       | 0.01        | 20.4       |
| C306010            |                                   | 45.3       | 300       | 7.6        | 7.4        | <0.001       | 0.08      | 0.12        | 2.1        | <0.2       | 0.5        | 10.8       | <0.01       | <0.01       | 17.4       |
| C306011            |                                   | 30.6       | 270       | 3.1        | 7.3        | <0.001       | 0.10      | 0.21        | 2.3        | 0.2        | 0.4        | 17.9       | <0.01       | 0.02        | 17.8       |
| C306012            |                                   | 28.7       | 300       | 5.3        | 8.2        | <0.001       | 0.28      | 0.23        | 2.2        | 0.2        | 0.9        | 18.5       | <0.01       | 0.02        | 20.7       |
| C306013            |                                   | 15.4       | 240       | 4.8        | 9.0        | <0.001       | 0.22      | 0.20        | 2.0        | 0.2        | 0.7        | 23.2       | <0.01       | 0.02        | 17.6       |
| C306014            |                                   | 36.0       | 360       | 1.9        | 8.5        | 0.001        | 0.29      | 0.14        | 2.8        | <0.2       | 0.2        | 13.5       | <0.01       | 0.01        | 16.1       |
| C306015            |                                   | 31.0       | 280       | 4.7        | 8.1        | <0.001       | 0.15      | 0.15        | 2.4        | 0.2        | 0.5        | 15.3       | <0.01       | 0.01        | 19.1       |
| C306016            |                                   | 48.7       | 250       | 6.1        | 9.2        | <0.001       | 0.03      | 0.05        | 3.0        | <0.2       | 0.2        | 11.3       | <0.01       | 0.02        | 19.7       |
| C306017            |                                   | 36.0       | 270       | 3.9        | 8.8        | <0.001       | 0.06      | 0.05        | 2.4        | <0.2       | 0.2        | 11.7       | <0.01       | 0.01        | 18.2       |
| C306018            |                                   | 0.7        | 40        | 1.0        | 0.5        | <0.001       | <0.01     | 0.05        | 0.2        | <0.2       | <0.2       | 1.4        | <0.01       | <0.01       | 1.5        |
| C306019            |                                   | 35.3       | 280       | 3.3        | 8.0        | <0.001       | <0.01     | 0.05        | 2.2        | <0.2       | 0.3        | 15.3       | <0.01       | 0.01        | 20.4       |
| C306020            |                                   | 43.5       | 330       | 4.2        | 7.4        | <0.001       | 0.05      | 0.05        | 2.7        | <0.2       | 0.4        | 11.4       | <0.01       | 0.02        | 17.4       |
| C306021            |                                   | 42.2       | 270       | 12.2       | 7.7        | <0.001       | 0.21      | 0.07        | 3.9        | 0.2        | 0.8        | 15.0       | <0.01       | 0.03        | 17.1       |
| C306022            |                                   | 33.9       | 300       | 6.7        | 7.6        | <0.001       | 0.15      | 0.09        | 3.0        | <0.2       | 1.0        | 17.8       | <0.01       | 0.03        | 17.6       |
| C306023            |                                   | 42.3       | 230       | 78.8       | 7.9        | <0.001       | 0.12      | 0.51        | 3.6        | 0.6        | 1.5        | 19.1       | <0.01       | 0.55        | 14.8       |
| C306024            |                                   | 49.0       | 250       | 42.0       | 6.3        | 0.001        | 0.29      | 0.32        | 4.4        | 0.5        | 1.3        | 29.1       | <0.01       | 0.42        | 12.7       |
| C306025            |                                   | 60.7       | 350       | 6.6        | 12.1       | <0.001       | 0.42      | 0.10        | 3.1        | 0.3        | 1.4        | 18.9       | <0.01       | 0.02        | 26.1       |
| C306026            |                                   | 60.7       | 510       | 9.7        | 97.9       | <0.001       | 0.12      | 351         | 6.7        | <0.2       | 1.4        | 19.1       | <0.01       | 0.02        | 13.7       |
| C306027            |                                   | 24.6       | 250       | 6.6        | 5.0        | <0.001       | 0.29      | 0.11        | 1.8        | 0.2        | 0.7        | 17.2       | <0.01       | 0.02        | 8.5        |
| C306028            |                                   | 56.1       | 380       | 7.6        | 9.5        | <0.001       | 0.45      | 0.14        | 4.4        | 0.2        | 1.5        | 13.4       | <0.01       | 0.02        | 23.7       |
| C306029            |                                   | 44.8       | 290       | 4.3        | 9.2        | <0.001       | 0.17      | 0.10        | 2.5        | 0.2        | 0.9        | 12.4       | <0.01       | 0.01        | 25.3       |
| C306030            |                                   | 34.8       | 320       | 4.4        | 9.6        | <0.001       | 0.06      | 0.08        | 3.0        | <0.2       | 0.9        | 17.0       | <0.01       | 0.02        | 24.8       |
| C306031            |                                   | 39.6       | 300       | 4.7        | 10.6       | <0.001       | 0.01      | 0.05        | 3.2        | <0.2       | 0.4        | 17.9       | <0.01       | 0.02        | 21.8       |
| C306032            |                                   | 44.0       | 330       | 2.4        | 9.1        | <0.001       | 0.02      | 0.05        | 2.8        | <0.2       | 0.3        | 13.0       | <0.01       | 0.02        | 20.4       |
| C306033            |                                   | 43.5       | 330       | 2.9        | 8.0        | <0.001       | 0.04      | 0.05        | 2.9        | <0.2       | 0.4        | 11.1       | <0.01       | 0.03        | 20.1       |
| C306034            |                                   | 44.0       | 370       | 9.7        | 7.6        | <0.001       | 0.06      | 0.07        | 3.6        | <0.2       | 0.9        | 12.7       | <0.01       | 0.01        | 14.6       |
| C306035            |                                   | 47.9       | 300       | 4.9        | 8.9        | <0.001       | 0.21      | 0.08        | 2.9        | <0.2       | 0.5        | 9.9        | <0.01       | 0.02        | 18.9       |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 4 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41    | Au-AA25     | Au-GRA22    |
|--------------------|-----------------------------------|-------------|-------------|----------|-------------|-------------|----------|------------|-------------|-------------|
|                    |                                   | Tl          | U           | V        | W           | Y           | Zn       | Zr         | Au          | Au          |
|                    |                                   | ppm<br>0.02 | ppm<br>0.05 | ppm<br>1 | ppm<br>0.05 | ppm<br>0.05 | ppm<br>2 | ppm<br>0.5 | ppm<br>0.01 | ppm<br>0.05 |
| C305996            |                                   | 0.04        | 0.83        | 16       | <0.05       | 3.47        | 117      | 9.3        | <0.01       |             |
| C305997            |                                   | 0.05        | 0.63        | 15       | <0.05       | 3.32        | 102      | 9.7        | <0.01       |             |
| C305998            |                                   | 0.06        | 0.61        | 18       | <0.05       | 4.15        | 103      | 9.6        | <0.01       |             |
| C305999            |                                   | 0.05        | 0.66        | 15       | <0.05       | 3.53        | 93       | 9.8        | <0.01       |             |
| C306000            |                                   | 0.06        | 0.85        | 17       | <0.05       | 3.58        | 103      | 10.7       | <0.01       |             |
| C306001            |                                   | 0.04        | 1.01        | 17       | <0.05       | 3.29        | 127      | 9.4        | <0.01       |             |
| C306002            |                                   | 0.05        | 0.74        | 17       | <0.05       | 3.25        | 103      | 10.0       | <0.01       |             |
| C306003            |                                   | 0.05        | 1.49        | 18       | <0.05       | 3.51        | 112      | 9.5        | <0.01       |             |
| C306004            |                                   | 0.62        | 1.48        | 66       | 0.47        | 8.90        | 78       | 28.2       | 2.25        |             |
| C306005            |                                   | 0.04        | 0.82        | 18       | <0.05       | 3.35        | 115      | 6.8        | <0.01       |             |
| C306006            |                                   | 0.06        | 1.53        | 19       | <0.05       | 3.80        | 114      | 7.1        | <0.01       |             |
| C306007            |                                   | 0.05        | 0.72        | 18       | <0.05       | 3.42        | 98       | 7.1        | 0.01        |             |
| C306008            |                                   | 0.06        | 1.10        | 18       | 0.05        | 3.74        | 117      | 8.3        | <0.01       |             |
| C306009            |                                   | 0.07        | 2.85        | 17       | 0.31        | 3.48        | 137      | 12.1       | 0.05        |             |
| C306010            |                                   | 0.05        | 1.44        | 14       | 0.12        | 4.96        | 119      | 11.5       | <0.01       |             |
| C306011            |                                   | 0.05        | 2.80        | 17       | 0.15        | 3.97        | 108      | 10.7       | 0.01        |             |
| C306012            |                                   | 0.07        | 3.85        | 16       | 0.33        | 3.04        | 94       | 10.6       | 0.09        |             |
| C306013            |                                   | 0.07        | 3.49        | 14       | 0.18        | 3.23        | 68       | 10.0       | 0.13        |             |
| C306014            |                                   | 0.06        | 5.68        | 20       | 0.14        | 3.21        | 90       | 10.1       | 0.02        |             |
| C306015            |                                   | 0.06        | 3.46        | 19       | 0.11        | 3.50        | 96       | 7.7        | <0.01       |             |
| C306016            |                                   | 0.07        | 0.95        | 24       | 0.07        | 4.41        | 134      | 7.5        | <0.01       |             |
| C306017            |                                   | 0.06        | 0.81        | 18       | 0.06        | 3.25        | 94       | 6.5        | <0.01       |             |
| C306018            |                                   | <0.02       | 0.18        | 1        | <0.05       | 1.02        | 3        | 2.4        | <0.01       |             |
| C306019            |                                   | 0.05        | 0.69        | 16       | 0.16        | 4.04        | 96       | 8.3        | <0.01       |             |
| C306020            |                                   | 0.05        | 0.81        | 19       | 0.06        | 3.58        | 110      | 7.8        | 0.02        |             |
| C306021            |                                   | 0.06        | 1.38        | 24       | 0.35        | 4.14        | 182      | 11.2       | <0.01       |             |
| C306022            |                                   | 0.05        | 2.36        | 19       | 0.24        | 3.96        | 114      | 10.7       | 0.01        |             |
| C306023            |                                   | 0.05        | 5.71        | 23       | 0.75        | 4.81        | 137      | 12.1       | 1.63        |             |
| C306024            |                                   | 0.04        | 6.32        | 26       | 0.75        | 5.27        | 146      | 9.9        | 0.42        |             |
| C306025            |                                   | 0.07        | 2.90        | 18       | 0.23        | 4.96        | 147      | 12.6       | 0.01        |             |
| C306026            |                                   | 0.61        | 1.62        | 67       | 0.49        | 10.05       | 79       | 31.4       | 2.17        |             |
| C306027            |                                   | 0.03        | 1.90        | 12       | 0.13        | 2.32        | 78       | 6.4        | 0.20        |             |
| C306028            |                                   | 0.06        | 2.26        | 27       | 0.16        | 4.56        | 185      | 15.1       | 0.04        |             |
| C306029            |                                   | 0.11        | 2.16        | 15       | 0.14        | 4.18        | 134      | 12.6       | <0.01       |             |
| C306030            |                                   | 0.08        | 1.47        | 18       | 0.10        | 4.22        | 119      | 12.7       | 0.01        |             |
| C306031            |                                   | 0.06        | 0.87        | 21       | 0.06        | 4.74        | 99       | 8.6        | <0.01       |             |
| C306032            |                                   | 0.05        | 0.92        | 20       | <0.05       | 4.59        | 124      | 6.5        | <0.01       |             |
| C306033            |                                   | 0.06        | 0.82        | 21       | <0.05       | 3.76        | 123      | 7.6        | <0.01       |             |
| C306034            |                                   | 0.05        | 0.74        | 28       | 0.06        | 3.61        | 164      | 7.7        | <0.01       |             |
| C306035            |                                   | 0.06        | 1.39        | 22       | 0.06        | 3.66        | 136      | 8.5        | 0.12        |             |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 5 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.02 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 | ME-MS41<br>Cs<br>ppm<br>0.05 |
|--------------------|-----------------------------------|-----------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| C306036            |                                   | 3.41                              | 0.02                         | 2.89                       | 12.4                        | 0.21                         | <10                       | 40                         | 0.68                         | 0.36                         | 0.08                       | 0.08                         | 74.0                         | 26.7                        | 36                        | 3.32                         |
| C306037            |                                   | 3.99                              | 0.01                         | 2.81                       | 18.6                        | <0.02                        | <10                       | 40                         | 0.63                         | 0.34                         | 0.10                       | 0.02                         | 33.3                         | 25.3                        | 32                        | 4.41                         |
| C306038            |                                   | 1.15                              | 0.05                         | 1.69                       | 12.7                        | <0.02                        | <10                       | 20                         | 0.51                         | 0.46                         | 0.08                       | 0.06                         | 38.6                         | 19.2                        | 23                        | 1.96                         |
| C306039            |                                   | 2.89                              | 0.06                         | 3.15                       | 3.7                         | <0.02                        | <10                       | 40                         | 0.92                         | 0.91                         | 0.26                       | 0.16                         | 41.2                         | 34.4                        | 33                        | 3.77                         |
| C306040            |                                   | 3.85                              | 0.03                         | 2.81                       | 7.8                         | <0.02                        | <10                       | 40                         | 0.66                         | 0.66                         | 0.23                       | 0.02                         | 48.5                         | 23.9                        | 35                        | 2.92                         |
| C306041            |                                   | 4.97                              | 0.01                         | 2.84                       | 8.6                         | <0.02                        | <10                       | 40                         | 0.69                         | 0.20                         | 0.08                       | 0.03                         | 81.4                         | 21.0                        | 38                        | 2.98                         |
| C306042            |                                   | 3.95                              | <0.01                        | 2.47                       | 2.3                         | <0.02                        | <10                       | 30                         | 0.50                         | 0.26                         | 0.07                       | 0.01                         | 38.4                         | 17.3                        | 37                        | 2.72                         |
| C306043            |                                   | 5.69                              | 0.02                         | 2.87                       | 3.5                         | <0.02                        | <10                       | 40                         | 0.67                         | 0.35                         | 0.18                       | 0.01                         | 78.4                         | 19.6                        | 37                        | 3.13                         |
| C306044            |                                   | 5.20                              | 0.01                         | 2.34                       | 4.6                         | <0.02                        | <10                       | 20                         | 0.65                         | 0.12                         | 0.12                       | 0.01                         | 84.8                         | 19.6                        | 32                        | 3.72                         |
| C306045            |                                   | 3.69                              | 0.06                         | 2.25                       | 3.5                         | <0.02                        | <10                       | 20                         | 0.69                         | 0.32                         | 0.08                       | 0.03                         | 53.8                         | 28.6                        | 32                        | 3.82                         |
| C306046            |                                   | 3.70                              | 0.01                         | 2.56                       | 2.2                         | <0.02                        | <10                       | 40                         | 0.79                         | 0.45                         | 0.07                       | 0.01                         | 40.3                         | 29.6                        | 36                        | 3.88                         |
| C306047            |                                   | 0.21                              | 0.01                         | 0.05                       | 0.7                         | <0.02                        | <10                       | 10                         | <0.05                        | 0.02                         | 0.01                       | <0.01                        | 4.36                         | 0.3                         | 2                         | 0.09                         |
| C306048            |                                   | 5.99                              | 0.01                         | 2.64                       | 3.7                         | <0.02                        | <10                       | 30                         | 0.64                         | 0.73                         | 0.07                       | 0.01                         | 61.4                         | 24.4                        | 35                        | 2.95                         |
| C306049            |                                   | 3.81                              | 0.01                         | 2.87                       | 7.3                         | <0.02                        | <10                       | 40                         | 0.68                         | 0.22                         | 0.12                       | 0.01                         | 75.0                         | 25.0                        | 35                        | 2.73                         |
| C306050            |                                   | 2.03                              | 0.03                         | 2.48                       | 15.6                        | <0.02                        | <10                       | 30                         | 0.67                         | 0.30                         | 0.08                       | 0.01                         | 67.7                         | 27.8                        | 30                        | 3.17                         |
| C306051            |                                   | 3.02                              | 0.01                         | 2.64                       | 17.3                        | <0.02                        | <10                       | 40                         | 0.61                         | 0.23                         | 0.09                       | 0.03                         | 79.9                         | 28.6                        | 34                        | 2.88                         |
| C306052            |                                   | 2.58                              | 0.16                         | 2.93                       | 23.2                        | <0.02                        | <10                       | 30                         | 0.83                         | 2.54                         | 0.11                       | 0.09                         | 45.5                         | 44.8                        | 31                        | 2.84                         |
| C306053            |                                   | 5.12                              | 0.09                         | 2.53                       | 20.2                        | 0.12                         | <10                       | 30                         | 0.78                         | 1.25                         | 0.09                       | 0.08                         | 74.7                         | 25.8                        | 32                        | 3.64                         |
| C306054            |                                   | 1.26                              | 0.08                         | 1.51                       | 9.4                         | <0.02                        | <10                       | 20                         | 0.71                         | 0.88                         | 0.07                       | 0.05                         | 33.6                         | 21.3                        | 17                        | 1.69                         |
| C306055            |                                   | 3.63                              | 0.07                         | 3.31                       | 23.2                        | 0.05                         | <10                       | 30                         | 0.69                         | 0.63                         | 0.12                       | 0.05                         | 68.8                         | 20.9                        | 36                        | 5.49                         |
| C306056            |                                   | 5.28                              | 0.23                         | 2.89                       | 13.4                        | <0.02                        | <10                       | 20                         | 0.51                         | 0.77                         | 0.20                       | 0.02                         | 47.7                         | 13.5                        | 36                        | 3.56                         |
| C306057            |                                   | 7.46                              | 0.06                         | 2.80                       | 9.5                         | <0.02                        | <10                       | 20                         | 0.47                         | 0.20                         | 0.11                       | 0.01                         | 53.5                         | 14.8                        | 36                        | 3.47                         |
| C306058            |                                   | 5.70                              | 0.08                         | 2.65                       | 7.6                         | <0.02                        | <10                       | 20                         | 0.55                         | 0.80                         | 0.28                       | 0.03                         | 39.2                         | 18.0                        | 35                        | 3.16                         |
| C306059            |                                   | 5.04                              | 0.05                         | 2.74                       | 12.9                        | <0.02                        | <10                       | 30                         | 0.47                         | 1.14                         | 0.27                       | 0.02                         | 36.4                         | 24.1                        | 35                        | 2.97                         |
| C306060            |                                   | 4.06                              | 0.05                         | 2.70                       | 9.6                         | <0.02                        | <10                       | 30                         | 0.50                         | 2.00                         | 0.20                       | 0.02                         | 47.4                         | 23.9                        | 34                        | 2.84                         |
| C306061            |                                   | 5.21                              | 0.04                         | 2.83                       | 15.8                        | <0.02                        | <10                       | 20                         | 0.49                         | 0.46                         | 0.11                       | 0.01                         | 58.1                         | 18.5                        | 37                        | 2.85                         |
| C306062            |                                   | 6.09                              | 0.11                         | 2.40                       | 18.1                        | <0.02                        | <10                       | 20                         | 0.47                         | 1.27                         | 0.18                       | 0.06                         | 61.1                         | 20.3                        | 34                        | 2.68                         |
| C306063            |                                   | 5.20                              | 0.10                         | 2.54                       | 17.1                        | <0.02                        | <10                       | 30                         | 0.56                         | 0.88                         | 0.31                       | 0.05                         | 50.1                         | 20.6                        | 34                        | 3.13                         |
| C306064            |                                   | 0.06                              | 0.17                         | 2.48                       | 488                         | 2.14                         | <10                       | 90                         | 1.25                         | 0.36                         | 0.22                       | 0.03                         | 59.7                         | 13.2                        | 97                        | 7.64                         |
| C306065            |                                   | 4.53                              | 0.05                         | 2.56                       | 23.3                        | <0.02                        | <10                       | 30                         | 0.54                         | 0.56                         | 0.13                       | 0.04                         | 64.1                         | 23.9                        | 35                        | 3.04                         |
| C306066            |                                   | 2.67                              | 0.25                         | 2.84                       | 9.7                         | <0.02                        | <10                       | 30                         | 0.57                         | 2.97                         | 0.49                       | 0.07                         | 46.1                         | 26.2                        | 39                        | 2.44                         |
| C306067            |                                   | 4.98                              | 0.06                         | 2.81                       | 21.2                        | <0.02                        | <10                       | 30                         | 0.56                         | 0.97                         | 0.13                       | 0.05                         | 71.0                         | 20.7                        | 38                        | 3.39                         |
| C306068            |                                   | 5.46                              | 0.10                         | 2.68                       | 15.2                        | <0.02                        | <10                       | 30                         | 0.52                         | 2.70                         | 0.47                       | 0.10                         | 33.7                         | 22.5                        | 33                        | 2.57                         |
| C306069            |                                   | 6.47                              | 0.14                         | 2.66                       | 17.8                        | <0.02                        | <10                       | 40                         | 0.53                         | 0.77                         | 0.29                       | 0.06                         | 39.0                         | 24.2                        | 34                        | 2.53                         |
| C306070            |                                   | 2.77                              | 0.03                         | 2.74                       | 18.1                        | <0.02                        | <10                       | 40                         | 0.64                         | 0.40                         | 0.80                       | 0.01                         | 42.5                         | 22.0                        | 34                        | 6.68                         |
| C306071            |                                   | 1.55                              | 25.6                         | 2.75                       | 14.3                        | <0.02                        | <10                       | 40                         | 0.59                         | 0.98                         | 0.58                       | 0.03                         | 51.2                         | 19.8                        | 41                        | 2.60                         |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 5 – B  
Total # Pages: 5 (A – D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert – NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      |
|                    |                                   | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       |
|                    |                                   | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    | 0.01    |
| C306036            |                                   | 4.6     | 5.61    | 9.15    | 0.11    | 0.20    | <0.01   | 0.020   | 0.20    | 37.2    | 91.1    | 0.92    | 745     | 0.06    | 0.04    |
| C306037            |                                   | 7.5     | 5.98    | 8.36    | 0.06    | 0.27    | <0.01   | 0.021   | 0.16    | 16.9    | 87.2    | 0.99    | 818     | 0.08    | 0.03    |
| C306038            |                                   | 11.9    | 3.34    | 5.45    | 0.06    | 0.17    | <0.01   | 0.023   | 0.10    | 19.9    | 56.5    | 0.63    | 716     | 0.14    | 0.02    |
| C306039            |                                   | 35.8    | 6.19    | 10.30   | 0.08    | 0.20    | <0.01   | 0.056   | 0.16    | 21.2    | 102.5   | 1.21    | 1700    | 0.07    | 0.04    |
| C306040            |                                   | 16.9    | 5.92    | 8.96    | 0.07    | 0.17    | <0.01   | 0.028   | 0.19    | 23.9    | 88.7    | 0.92    | 937     | 0.06    | 0.03    |
| C306041            |                                   | 1.7     | 5.63    | 9.31    | 0.11    | 0.18    | <0.01   | 0.019   | 0.20    | 40.9    | 88.4    | 0.81    | 609     | 0.06    | 0.04    |
| C306042            |                                   | 3.3     | 5.23    | 8.17    | 0.06    | 0.14    | <0.01   | 0.016   | 0.14    | 19.9    | 81.4    | 0.71    | 524     | 0.07    | 0.02    |
| C306043            |                                   | 1.7     | 5.28    | 9.22    | 0.10    | 0.13    | <0.01   | 0.019   | 0.22    | 40.1    | 88.2    | 1.00    | 1030    | <0.05   | 0.04    |
| C306044            |                                   | 0.7     | 4.10    | 7.50    | 0.10    | 0.11    | <0.01   | 0.016   | 0.12    | 45.0    | 79.6    | 1.01    | 812     | <0.05   | 0.02    |
| C306045            |                                   | 4.0     | 4.31    | 7.41    | 0.08    | 0.18    | <0.01   | 0.015   | 0.13    | 27.5    | 72.5    | 0.85    | 556     | <0.05   | 0.02    |
| C306046            |                                   | 1.7     | 5.30    | 8.62    | 0.07    | 0.20    | <0.01   | 0.016   | 0.21    | 21.4    | 77.7    | 0.73    | 485     | 0.09    | 0.03    |
| C306047            |                                   | 4.1     | 0.26    | 0.23    | <0.05   | 0.12    | <0.01   | <0.005  | 0.01    | 2.1     | 1.0     | 0.01    | 31      | 0.16    | <0.01   |
| C306048            |                                   | 6.4     | 5.52    | 8.76    | 0.09    | 0.19    | <0.01   | 0.016   | 0.17    | 31.8    | 84.6    | 0.78    | 545     | 0.08    | 0.03    |
| C306049            |                                   | 2.1     | 5.72    | 9.58    | 0.11    | 0.17    | <0.01   | 0.019   | 0.19    | 38.5    | 94.9    | 0.93    | 870     | 0.05    | 0.03    |
| C306050            |                                   | 7.6     | 5.12    | 7.80    | 0.10    | 0.21    | <0.01   | 0.020   | 0.15    | 34.6    | 81.7    | 0.86    | 942     | 0.18    | 0.03    |
| C306051            |                                   | 9.7     | 4.85    | 8.28    | 0.10    | 0.20    | <0.01   | 0.020   | 0.20    | 40.5    | 87.2    | 0.97    | 1030    | 0.07    | 0.03    |
| C306052            |                                   | 120.0   | 5.62    | 9.65    | 0.08    | 0.22    | <0.01   | 0.050   | 0.16    | 23.1    | 103.5   | 1.17    | 1800    | 0.38    | 0.04    |
| C306053            |                                   | 88.7    | 4.60    | 8.21    | 0.09    | 0.23    | <0.01   | 0.028   | 0.17    | 39.9    | 84.7    | 0.92    | 864     | 0.74    | 0.04    |
| C306054            |                                   | 58.6    | 2.78    | 4.71    | <0.05   | 0.15    | <0.01   | 0.022   | 0.08    | 17.2    | 52.7    | 0.56    | 632     | 0.22    | 0.03    |
| C306055            |                                   | 68.7    | 6.17    | 10.30   | 0.10    | 0.25    | <0.01   | 0.036   | 0.16    | 35.8    | 116.0   | 1.26    | 1040    | 0.09    | 0.04    |
| C306056            |                                   | 52.5    | 5.32    | 8.39    | 0.07    | 0.17    | <0.01   | 0.020   | 0.12    | 24.6    | 95.1    | 1.12    | 864     | 0.61    | 0.04    |
| C306057            |                                   | 34.2    | 5.13    | 8.74    | 0.08    | 0.18    | <0.01   | 0.017   | 0.11    | 28.1    | 107.0   | 1.10    | 845     | 0.84    | 0.04    |
| C306058            |                                   | 72.2    | 5.00    | 7.95    | 0.06    | 0.20    | <0.01   | 0.018   | 0.11    | 20.4    | 94.2    | 1.04    | 1000    | 0.17    | 0.03    |
| C306059            |                                   | 35.9    | 5.21    | 8.34    | 0.06    | 0.19    | <0.01   | 0.024   | 0.13    | 19.6    | 100.5   | 1.07    | 1080    | 0.18    | 0.03    |
| C306060            |                                   | 35.5    | 5.02    | 8.13    | 0.07    | 0.22    | <0.01   | 0.019   | 0.15    | 25.5    | 95.3    | 1.04    | 968     | 0.13    | 0.04    |
| C306061            |                                   | 39.7    | 5.24    | 8.57    | 0.08    | 0.17    | <0.01   | 0.023   | 0.13    | 29.5    | 98.1    | 1.10    | 787     | 0.07    | 0.03    |
| C306062            |                                   | 133.5   | 4.33    | 6.98    | 0.08    | 0.18    | <0.01   | 0.030   | 0.12    | 31.1    | 81.7    | 0.93    | 668     | 0.12    | 0.03    |
| C306063            |                                   | 102.0   | 4.64    | 7.53    | 0.07    | 0.17    | <0.01   | 0.023   | 0.15    | 26.0    | 83.1    | 0.97    | 764     | <0.05   | 0.04    |
| C306064            |                                   | 27.7    | 3.47    | 8.54    | 0.10    | 0.79    | 0.01    | 0.024   | 1.01    | 29.6    | 35.8    | 1.29    | 214     | 0.59    | 0.07    |
| C306065            |                                   | 56.5    | 4.65    | 7.94    | 0.08    | 0.17    | <0.01   | 0.026   | 0.13    | 33.0    | 88.2    | 1.01    | 663     | <0.05   | 0.03    |
| C306066            |                                   | 221     | 5.43    | 10.35   | 0.08    | 0.15    | <0.01   | 0.031   | 0.14    | 24.3    | 93.5    | 1.16    | 902     | 0.05    | 0.05    |
| C306067            |                                   | 62.0    | 5.03    | 8.81    | 0.10    | 0.15    | <0.01   | 0.025   | 0.15    | 37.2    | 99.8    | 1.08    | 775     | 3.12    | 0.04    |
| C306068            |                                   | 79.8    | 5.20    | 8.27    | 0.06    | 0.15    | <0.01   | 0.026   | 0.14    | 17.6    | 91.8    | 1.04    | 1030    | 1.95    | 0.04    |
| C306069            |                                   | 104.5   | 5.02    | 8.33    | 0.06    | 0.16    | <0.01   | 0.037   | 0.13    | 20.4    | 89.4    | 1.03    | 898     | 1.69    | 0.05    |
| C306070            |                                   | 23.7    | 4.82    | 8.34    | 0.07    | 0.11    | <0.01   | 0.024   | 0.16    | 22.4    | 88.7    | 1.05    | 1140    | 0.54    | 0.04    |
| C306071            |                                   | 304     | 4.97    | 8.48    | 0.08    | 0.14    | <0.01   | 0.021   | 0.17    | 26.5    | 90.0    | 1.06    | 1120    | 1.46    | 0.05    |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: 5 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41    | ME-MS41   | ME-MS41    | ME-MS41    | ME-MS41      | ME-MS41   | ME-MS41     | ME-MS41    | ME-MS41    | ME-MS41    | ME-MS41    | ME-MS41     | ME-MS41     | ME-MS41    |
|--------------------|-----------------------------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|------------|------------|------------|-------------|-------------|------------|
|                    |                                   | Ni         | P         | Pb         | Rb         | Re           | S         | Sb          | Sc         | Se         | Sn         | Sr         | Ta          | Te          | Th         |
|                    |                                   | ppm<br>0.2 | ppm<br>10 | ppm<br>0.2 | ppm<br>0.1 | ppm<br>0.001 | %<br>0.01 | ppm<br>0.05 | ppm<br>0.1 | ppm<br>0.2 | ppm<br>0.2 | ppm<br>0.2 | ppm<br>0.01 | ppm<br>0.01 | ppm<br>0.2 |
|                    |                                   |            |           |            |            |              |           |             |            |            |            |            |             |             |            |
| C306036            |                                   | 48.2       | 300       | 3.9        | 11.1       | <0.001       | 0.12      | 0.07        | 3.0        | <0.2       | 0.4        | 10.8       | <0.01       | 0.02        | 18.4       |
| C306037            |                                   | 53.5       | 370       | 3.2        | 8.3        | <0.001       | 0.60      | 0.20        | 2.7        | <0.2       | 0.7        | 10.4       | <0.01       | 0.02        | 21.6       |
| C306038            |                                   | 28.9       | 310       | 5.5        | 5.5        | <0.001       | 0.05      | 0.05        | 2.1        | <0.2       | 0.7        | 11.5       | <0.01       | 0.02        | 9.0        |
| C306039            |                                   | 61.9       | 310       | 8.3        | 8.6        | <0.001       | 0.39      | 0.05        | 3.9        | <0.2       | 1.2        | 14.2       | <0.01       | 0.01        | 20.0       |
| C306040            |                                   | 50.3       | 310       | 7.0        | 10.1       | <0.001       | 0.47      | 0.12        | 2.9        | <0.2       | 0.9        | 11.0       | <0.01       | 0.01        | 17.4       |
| C306041            |                                   | 45.4       | 340       | 2.8        | 10.2       | <0.001       | 0.02      | 0.05        | 3.2        | <0.2       | 0.4        | 9.3        | <0.01       | 0.02        | 17.7       |
| C306042            |                                   | 35.5       | 310       | 2.4        | 7.3        | <0.001       | 0.06      | 0.07        | 2.8        | <0.2       | 0.2        | 6.1        | <0.01       | 0.03        | 11.5       |
| C306043            |                                   | 41.8       | 320       | 5.6        | 10.5       | <0.001       | 0.04      | 0.07        | 3.4        | <0.2       | 0.2        | 10.7       | <0.01       | 0.01        | 18.0       |
| C306044            |                                   | 42.8       | 280       | 2.6        | 6.6        | <0.001       | 0.01      | <0.05       | 2.2        | <0.2       | <0.2       | 7.9        | <0.01       | 0.01        | 19.1       |
| C306045            |                                   | 48.1       | 280       | 8.5        | 7.1        | <0.001       | 0.10      | 0.09        | 2.4        | <0.2       | 0.2        | 7.1        | <0.01       | 0.03        | 17.8       |
| C306046            |                                   | 48.3       | 300       | 4.0        | 11.3       | <0.001       | 0.22      | 0.10        | 3.3        | <0.2       | 0.3        | 9.9        | <0.01       | 0.03        | 14.0       |
| C306047            |                                   | 0.7        | 10        | 1.1        | 0.8        | <0.001       | <0.01     | <0.05       | 0.2        | <0.2       | <0.2       | 1.1        | <0.01       | 0.01        | 1.3        |
| C306048            |                                   | 44.4       | 290       | 4.4        | 9.5        | <0.001       | 0.16      | 0.11        | 2.9        | <0.2       | 0.2        | 8.6        | <0.01       | 0.03        | 16.7       |
| C306049            |                                   | 48.6       | 310       | 3.7        | 10.1       | <0.001       | 0.12      | 0.07        | 3.2        | <0.2       | 0.2        | 12.5       | <0.01       | 0.01        | 18.1       |
| C306050            |                                   | 41.6       | 280       | 4.0        | 8.0        | <0.001       | 0.13      | 0.10        | 2.6        | <0.2       | 0.3        | 11.4       | <0.01       | 0.01        | 18.6       |
| C306051            |                                   | 42.7       | 350       | 2.4        | 10.2       | <0.001       | 0.09      | 0.06        | 2.8        | <0.2       | 0.6        | 10.5       | <0.01       | <0.01       | 18.2       |
| C306052            |                                   | 53.4       | 380       | 11.2       | 8.6        | 0.001        | 0.20      | 0.10        | 3.3        | <0.2       | 1.0        | 12.2       | <0.01       | 0.06        | 18.8       |
| C306053            |                                   | 39.9       | 330       | 5.5        | 8.8        | 0.002        | 0.07      | 0.06        | 2.6        | <0.2       | 0.7        | 13.9       | <0.01       | 0.03        | 21.1       |
| C306054            |                                   | 32.8       | 200       | 7.5        | 4.8        | <0.001       | 0.11      | 0.07        | 1.7        | <0.2       | 0.7        | 10.9       | <0.01       | 0.02        | 8.8        |
| C306055            |                                   | 49.3       | 460       | 6.2        | 8.1        | 0.001        | 0.07      | 0.07        | 3.1        | <0.2       | 0.8        | 12.3       | <0.01       | 0.03        | 22.0       |
| C306056            |                                   | 40.5       | 500       | 38.7       | 5.5        | 0.001        | 0.02      | 0.22        | 2.4        | <0.2       | 0.3        | 11.5       | <0.01       | 0.03        | 13.9       |
| C306057            |                                   | 42.9       | 350       | 8.9        | 5.6        | <0.001       | 0.02      | 0.11        | 2.7        | <0.2       | 0.2        | 9.9        | <0.01       | 0.02        | 15.0       |
| C306058            |                                   | 39.6       | 290       | 7.9        | 5.6        | <0.001       | 0.14      | 0.10        | 2.6        | <0.2       | 0.3        | 11.3       | <0.01       | 0.02        | 17.1       |
| C306059            |                                   | 45.6       | 280       | 6.5        | 6.6        | 0.001        | 0.19      | 0.12        | 2.7        | <0.2       | 0.5        | 11.2       | 0.01        | 0.03        | 16.8       |
| C306060            |                                   | 44.4       | 310       | 7.1        | 7.5        | <0.001       | 0.18      | 0.10        | 2.6        | <0.2       | 0.4        | 10.6       | <0.01       | 0.03        | 17.2       |
| C306061            |                                   | 41.2       | 290       | 2.3        | 6.4        | <0.001       | 0.06      | 0.06        | 2.6        | <0.2       | 0.3        | 9.0        | <0.01       | 0.02        | 17.5       |
| C306062            |                                   | 42.0       | 270       | 4.1        | 6.0        | <0.001       | 0.04      | 0.07        | 2.2        | <0.2       | 0.3        | 9.0        | <0.01       | 0.06        | 18.3       |
| C306063            |                                   | 43.6       | 340       | 4.4        | 7.3        | <0.001       | 0.15      | 0.06        | 2.5        | <0.2       | 0.6        | 13.4       | <0.01       | 0.05        | 17.9       |
| C306064            |                                   | 58.2       | 500       | 9.8        | 98.9       | <0.001       | 0.11      | 325         | 6.1        | <0.2       | 1.4        | 18.3       | <0.01       | 0.02        | 13.4       |
| C306065            |                                   | 46.1       | 290       | 2.5        | 7.2        | <0.001       | 0.06      | 0.35        | 2.5        | <0.2       | 0.2        | 9.5        | <0.01       | 0.02        | 19.1       |
| C306066            |                                   | 54.9       | 370       | 13.1       | 7.4        | <0.001       | 0.39      | 0.14        | 4.1        | 0.3        | 0.3        | 18.2       | <0.01       | 0.08        | 17.2       |
| C306067            |                                   | 46.5       | 300       | 2.8        | 7.3        | 0.001        | 0.03      | 0.06        | 2.6        | 0.2        | 0.4        | 11.4       | <0.01       | 0.02        | 18.5       |
| C306068            |                                   | 36.1       | 330       | 7.1        | 7.0        | <0.001       | 0.45      | 0.11        | 2.8        | <0.2       | 0.8        | 15.6       | <0.01       | 0.02        | 15.9       |
| C306069            |                                   | 44.0       | 370       | 6.5        | 7.0        | <0.001       | 0.25      | 0.08        | 2.8        | <0.2       | 0.6        | 14.5       | <0.01       | 0.01        | 18.0       |
| C306070            |                                   | 38.1       | 270       | 5.8        | 8.1        | <0.001       | 0.22      | 0.09        | 2.6        | <0.2       | 0.8        | 21.5       | <0.01       | 0.01        | 16.1       |
| C306071            |                                   | 41.8       | 380       | 12.3       | 8.2        | 0.002        | 0.17      | 0.23        | 2.6        | <0.2       | 7.4        | 17.9       | <0.01       | 0.02        | 17.8       |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
 100 KING STREET WEST, SUITE 5700  
 TORONTO ON M5X 1C7

Page: 5 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 4-FEB-2021  
 Account: NUF

Project: Culvert - NUF

**CERTIFICATE OF ANALYSIS WH20291767**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41     | ME-MS41     | ME-MS41  | ME-MS41    | Au-AA25     | Au-GRA22    |
|--------------------|-----------------------------------|-------------|-------------|----------|-------------|-------------|----------|------------|-------------|-------------|
|                    |                                   | Tl          | U           | V        | W           | Y           | Zn       | Zr         | Au          | Au          |
|                    |                                   | ppm<br>0.02 | ppm<br>0.05 | ppm<br>1 | ppm<br>0.05 | ppm<br>0.05 | ppm<br>2 | ppm<br>0.5 | ppm<br>0.01 | ppm<br>0.05 |
| C306036            |                                   | 0.07        | 1.89        | 23       | <0.05       | 4.06        | 121      | 8.6        | 0.10        |             |
| C306037            |                                   | 0.06        | 2.02        | 20       | 0.07        | 3.58        | 135      | 11.7       | 0.03        |             |
| C306038            |                                   | 0.04        | 1.25        | 15       | 0.07        | 3.33        | 133      | 6.9        | <0.01       |             |
| C306039            |                                   | 0.06        | 2.24        | 26       | 0.07        | 4.17        | 230      | 9.6        | <0.01       |             |
| C306040            |                                   | 0.06        | 1.88        | 25       | 0.06        | 3.89        | 139      | 7.0        | <0.01       |             |
| C306041            |                                   | 0.07        | 0.90        | 29       | <0.05       | 3.93        | 94       | 7.1        | <0.01       |             |
| C306042            |                                   | 0.05        | 2.27        | 30       | <0.05       | 2.57        | 88       | 6.0        | <0.01       |             |
| C306043            |                                   | 0.06        | 1.04        | 29       | <0.05       | 3.75        | 105      | 5.7        | <0.01       |             |
| C306044            |                                   | 0.04        | 0.86        | 17       | <0.05       | 3.50        | 104      | 5.2        | <0.01       |             |
| C306045            |                                   | 0.05        | 1.26        | 18       | <0.05       | 3.43        | 115      | 7.5        | <0.01       |             |
| C306046            |                                   | 0.07        | 3.51        | 28       | <0.05       | 3.37        | 127      | 8.9        | <0.01       |             |
| C306047            |                                   | <0.02       | 0.18        | 1        | <0.05       | 0.82        | 4        | 2.9        | <0.01       |             |
| C306048            |                                   | 0.05        | 1.71        | 27       | <0.05       | 3.62        | 98       | 8.0        | <0.01       |             |
| C306049            |                                   | 0.06        | 1.66        | 25       | <0.05       | 4.31        | 130      | 7.4        | <0.01       |             |
| C306050            |                                   | 0.05        | 4.34        | 18       | 0.09        | 4.22        | 152      | 9.4        | <0.01       |             |
| C306051            |                                   | 0.07        | 1.64        | 20       | 0.10        | 4.74        | 142      | 8.4        | <0.01       |             |
| C306052            |                                   | 0.06        | 4.21        | 19       | 0.25        | 4.47        | 226      | 10.0       | 0.03        |             |
| C306053            |                                   | 0.06        | 2.33        | 15       | 0.17        | 4.15        | 113      | 10.3       | <0.01       |             |
| C306054            |                                   | 0.04        | 3.03        | 10       | 0.27        | 2.52        | 102      | 6.1        | <0.01       |             |
| C306055            |                                   | 0.05        | 1.62        | 21       | 0.08        | 4.36        | 139      | 10.9       | 0.02        |             |
| C306056            |                                   | 0.04        | 1.01        | 19       | 0.07        | 3.40        | 109      | 7.0        | <0.01       |             |
| C306057            |                                   | 0.03        | 0.71        | 19       | 0.07        | 3.36        | 98       | 7.8        | <0.01       |             |
| C306058            |                                   | 0.04        | 1.49        | 18       | <0.05       | 3.23        | 107      | 7.7        | <0.01       |             |
| C306059            |                                   | 0.05        | 1.31        | 18       | 0.06        | 3.45        | 128      | 8.6        | <0.01       |             |
| C306060            |                                   | 0.05        | 1.24        | 17       | <0.05       | 3.88        | 122      | 8.8        | 0.01        |             |
| C306061            |                                   | 0.04        | 0.94        | 17       | <0.05       | 3.29        | 114      | 6.9        | <0.01       |             |
| C306062            |                                   | 0.03        | 1.44        | 14       | <0.05       | 3.25        | 106      | 7.2        | <0.01       |             |
| C306063            |                                   | 0.05        | 1.22        | 15       | 0.10        | 3.65        | 107      | 7.8        | <0.01       |             |
| C306064            |                                   | 0.61        | 1.60        | 65       | 0.47        | 9.88        | 76       | 28.2       | 2.16        |             |
| C306065            |                                   | 0.04        | 1.68        | 15       | <0.05       | 3.51        | 109      | 6.9        | 0.01        |             |
| C306066            |                                   | 0.05        | 2.38        | 24       | 0.05        | 4.29        | 128      | 6.7        | <0.01       |             |
| C306067            |                                   | 0.04        | 1.24        | 16       | <0.05       | 3.65        | 129      | 6.8        | <0.01       |             |
| C306068            |                                   | 0.05        | 1.69        | 17       | 0.17        | 3.22        | 133      | 6.9        | 0.04        |             |
| C306069            |                                   | 0.04        | 2.11        | 17       | <0.05       | 3.21        | 131      | 6.7        | <0.01       |             |
| C306070            |                                   | 0.05        | 3.64        | 17       | 0.09        | 3.40        | 125      | 5.4        | <0.01       |             |
| C306071            |                                   | 0.07        | 0.94        | 17       | 183.5       | 3.58        | 115      | 5.5        | <0.01       |             |



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.  
100 KING STREET WEST, SUITE 5700  
TORONTO ON M5X 1C7

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 4-FEB-2021  
Account: NUF

Project: Culvert – NUF

**CERTIFICATE OF ANALYSIS WH20291767**

## CERTIFICATE COMMENTS

### ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).  
ME-MS41

### LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.  
CRU-31 CRU-QC LOG-21 LOG-23  
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  
Au-AA25 Au-GRA22 ME-MS41