



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

CERTIFICATE WH20297424

Project: Culvert-NUF

This report is for 102 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 16-DEC-2020.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306072		2.90	0.17	2.23	209	2.02	<10	40	0.68	0.35	0.11	0.02	47.7	22.7	34	2.29
C306073		1.79	<0.01	2.16	0.5	<0.02	<10	40	0.79	0.31	0.11	<0.01	65.5	21.5	34	3.12
C306074		4.16	0.02	2.00	0.4	<0.02	<10	30	0.78	0.51	0.15	<0.01	66.0	22.6	33	3.93
C306075		2.79	0.01	1.87	0.2	<0.02	<10	30	0.80	0.28	0.18	0.01	58.4	21.6	33	3.85
C306076		2.84	0.03	2.14	0.2	<0.02	<10	40	0.97	0.75	0.17	0.01	63.1	23.9	34	3.80
C306077		3.03	0.05	2.66	0.6	<0.02	<10	40	0.74	0.70	1.23	0.18	74.5	24.9	36	2.20
C306078		0.19	0.01	0.07	0.8	<0.02	<10	10	<0.05	0.02	0.02	<0.01	4.19	0.4	2	0.12
C306079		4.29	<0.01	2.39	<0.1	<0.02	<10	40	0.91	0.27	0.13	0.01	56.0	23.2	34	3.73
C306080		3.55	0.01	2.61	0.1	0.05	<10	40	1.03	0.21	0.17	0.01	44.9	23.0	34	4.03
C306081		2.53	0.01	2.59	0.1	<0.02	<10	40	1.00	0.42	0.22	0.01	48.3	24.3	35	3.74
C306082		5.26	0.05	2.77	2.6	<0.02	<10	40	0.87	0.79	0.14	0.01	57.8	22.1	37	3.06
C306083		5.01	0.05	2.83	16.8	<0.02	<10	40	0.77	0.83	0.14	0.05	68.9	20.1	37	2.47
C306084		5.39	0.02	2.75	30.1	<0.02	<10	40	0.71	0.75	0.26	0.01	49.2	22.4	33	2.64
C306085		1.11	0.05	2.42	34.4	0.05	<10	40	0.81	0.49	0.27	0.01	41.8	22.4	26	3.06
C306086		3.88	0.04	1.49	24.6	0.06	<10	30	0.61	1.68	0.13	0.01	27.1	14.4	16	1.91
C306087		0.18	0.01	0.06	0.7	<0.02	<10	10	<0.05	0.02	0.01	0.01	4.02	0.3	2	0.09
C306088		1.99	0.15	0.78	25.7	0.55	<10	20	0.39	6.10	0.22	0.01	15.75	10.6	17	1.18
C306089		4.39	0.07	2.73	52.1	0.41	<10	40	0.89	1.28	0.14	0.02	32.6	25.7	25	3.50
C306090		2.94	0.16	2.88	49.8	0.19	<10	30	1.06	2.04	0.18	0.10	53.1	29.0	31	4.02
C306091		2.33	0.03	2.73	24.5	0.02	<10	30	0.73	0.78	0.18	0.02	40.6	18.7	33	3.74
C306092		4.15	0.03	3.04	19.5	<0.02	<10	30	0.89	0.60	0.16	0.01	50.4	25.1	37	3.02
C306093		4.73	0.04	2.98	31.0	<0.02	<10	30	0.79	0.45	0.11	0.02	51.5	23.4	37	2.88
C306094		2.76	0.09	2.94	39.0	0.26	<10	30	0.73	1.07	0.37	0.03	32.3	25.5	32	2.47
C306095		4.14	0.05	2.81	18.5	0.05	<10	40	0.63	0.50	0.23	0.01	34.5	19.4	32	2.24
C306096		2.96	0.24	3.56	23.9	<0.02	<10	40	1.06	2.21	0.92	0.15	42.6	26.1	43	2.61
C306097		2.06	0.41	3.06	38.0	0.06	<10	30	0.78	5.86	0.47	0.24	36.3	30.9	37	2.39
C306098		2.18	0.37	3.40	23.4	<0.02	<10	30	0.64	5.74	0.69	0.23	37.7	24.0	43	2.20
C306099		2.12	0.49	1.44	12.5	0.61	<10	10	0.57	23.4	0.99	0.14	17.20	10.2	20	0.64
C306100		2.91	0.27	2.81	15.7	<0.02	<10	30	0.71	6.56	1.23	0.11	35.1	22.8	35	2.23
C306101		4.64	0.13	3.14	15.8	0.04	<10	40	0.67	0.54	0.50	0.03	48.0	25.5	40	2.11
C306102		3.63	0.17	3.06	13.1	0.02	<10	40	0.62	0.98	0.44	0.02	37.2	29.8	39	1.95
C306103		3.39	0.10	2.76	13.0	<0.02	<10	40	0.70	1.50	0.43	0.02	37.7	31.9	37	2.03
C306104		3.40	0.03	3.12	2.1	<0.02	<10	40	0.60	0.07	0.40	0.02	82.5	22.4	39	1.86
C306105		2.55	0.05	3.22	0.5	<0.02	<10	40	0.66	0.13	0.64	0.04	79.3	23.7	40	1.70
C306106		4.58	0.03	3.09	0.9	<0.02	<10	40	0.64	0.07	0.51	0.04	89.2	22.9	39	1.63
C306107		4.45	0.04	3.16	1.8	<0.02	<10	40	0.63	0.09	0.38	0.05	79.6	24.9	40	1.72
C306108		5.80	0.02	2.87	3.1	<0.02	<10	40	0.63	0.05	0.33	0.04	71.7	21.3	37	1.78
C306109		0.06	0.15	2.75	384	1.56	<10	100	1.25	0.29	0.21	0.04	58.0	12.8	110	7.90
C306110		3.68	0.03	3.17	2.2	<0.02	<10	30	0.59	0.04	0.28	0.04	72.9	21.8	41	1.81
C306111		2.47	0.03	2.97	7.0	<0.02	<10	30	0.62	0.07	0.24	0.03	75.6	22.3	39	1.67



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306072		6.1	4.56	6.48	0.05	0.15	<0.01	0.011	0.17	24.1	75.3	0.83	689	0.14	0.04
C306073		0.6	5.00	6.88	0.07	0.19	<0.01	0.013	0.18	36.9	72.9	0.78	455	0.07	0.05
C306074		8.5	4.81	6.02	0.07	0.17	<0.01	0.011	0.18	36.5	74.3	0.82	518	<0.05	0.06
C306075		1.0	4.76	5.50	0.07	0.17	<0.01	0.008	0.17	32.6	69.3	0.77	493	<0.05	0.05
C306076		18.7	4.87	6.28	0.07	0.13	<0.01	0.010	0.20	33.9	78.9	0.81	516	<0.05	0.06
C306077		54.3	4.67	8.76	0.07	0.10	<0.01	0.051	0.18	37.3	95.9	1.32	4440	0.11	0.05
C306078		1.4	0.23	0.24	<0.05	0.12	<0.01	<0.005	0.01	2.0	1.0	0.01	34	0.10	<0.01
C306079		5.3	4.79	6.86	0.07	0.15	<0.01	0.013	0.21	30.6	82.0	0.85	571	0.07	0.05
C306080		31.0	5.11	7.43	0.06	0.12	<0.01	0.014	0.20	24.8	69.8	0.85	556	0.07	0.06
C306081		15.9	4.72	8.48	0.06	0.12	<0.01	0.019	0.20	26.8	66.2	0.91	909	0.11	0.05
C306082		26.4	5.09	8.05	0.07	0.10	<0.01	0.017	0.20	32.3	74.9	0.88	851	0.09	0.05
C306083		28.8	5.32	8.34	0.09	0.07	<0.01	0.021	0.22	39.3	74.0	0.85	911	0.06	0.04
C306084		9.8	5.25	7.59	0.07	0.10	<0.01	0.016	0.21	26.0	71.4	0.93	1290	0.05	0.04
C306085		19.9	4.59	6.57	0.05	0.12	<0.01	0.021	0.20	22.9	64.3	0.86	1040	0.07	0.04
C306086		42.0	3.12	4.00	<0.05	0.08	<0.01	0.015	0.14	14.0	36.4	0.51	593	0.05	0.02
C306087		1.3	0.26	0.25	<0.05	0.12	<0.01	<0.005	0.01	1.9	1.1	0.01	36	0.17	0.01
C306088		54.4	2.32	2.05	<0.05	0.07	<0.01	0.014	0.08	8.2	19.5	0.25	537	0.19	0.03
C306089		57.4	5.56	8.07	0.06	0.14	<0.01	0.026	0.22	16.8	79.9	0.98	785	0.05	0.04
C306090		116.5	5.11	8.98	0.07	0.15	<0.01	0.030	0.16	28.3	93.8	1.09	840	0.06	0.04
C306091		38.3	4.95	7.23	0.06	0.13	<0.01	0.022	0.15	21.5	71.2	0.99	764	0.77	0.04
C306092		40.8	5.48	10.00	0.07	0.12	<0.01	0.023	0.19	28.0	101.0	1.13	874	0.38	0.05
C306093		42.0	5.26	9.33	0.08	0.12	0.01	0.022	0.19	26.4	93.1	1.10	863	0.70	0.04
C306094		93.5	5.63	8.35	0.06	0.10	0.01	0.029	0.18	16.5	90.8	1.14	1030	1.91	0.03
C306095		25.9	5.21	7.38	0.06	0.09	<0.01	0.020	0.20	18.3	80.1	1.08	1000	0.13	0.04
C306096		216	6.19	10.60	0.07	0.10	0.01	0.114	0.18	22.1	117.0	1.34	1840	2.38	0.05
C306097		338	5.57	8.62	0.06	0.11	<0.01	0.125	0.17	18.7	91.9	1.13	1420	0.13	0.04
C306098		223	6.20	9.88	0.06	0.09	<0.01	0.044	0.16	19.1	107.0	1.29	1720	0.06	0.04
C306099		161.5	2.98	4.87	<0.05	0.05	<0.01	0.023	0.06	8.3	50.8	0.54	1120	0.12	0.03
C306100		113.0	4.98	8.72	0.06	0.08	<0.01	0.047	0.14	18.0	88.5	1.08	1860	1.75	0.05
C306101		39.4	5.50	9.70	0.08	0.10	0.01	0.025	0.18	24.1	102.0	1.20	1510	0.33	0.04
C306102		46.7	5.57	8.81	0.06	0.11	<0.01	0.024	0.18	18.9	94.8	1.17	1500	0.29	0.05
C306103		55.2	4.84	7.88	0.06	0.10	<0.01	0.019	0.19	19.3	82.1	1.03	1460	5.39	0.05
C306104		33.7	5.28	9.22	0.10	0.07	0.01	0.020	0.18	42.2	94.4	1.20	1400	0.38	0.04
C306105		99.0	5.44	9.68	0.11	0.07	0.01	0.031	0.18	39.1	97.9	1.24	1500	0.74	0.05
C306106		42.1	5.21	9.04	0.11	0.07	<0.01	0.020	0.18	43.5	91.4	1.18	1440	0.09	0.05
C306107		70.4	5.35	9.25	0.10	0.08	0.01	0.028	0.19	40.6	93.1	1.21	1420	<0.05	0.04
C306108		24.5	4.79	8.09	0.09	0.06	<0.01	0.018	0.19	36.4	80.2	1.06	1280	<0.05	0.05
C306109		26.2	3.71	8.35	0.09	0.79	0.02	0.025	1.05	29.4	33.4	1.34	226	0.57	0.08
C306110		54.1	5.40	8.90	0.09	0.08	<0.01	0.022	0.17	36.9	92.6	1.22	1340	0.67	0.04
C306111		51.5	5.02	8.56	0.11	0.08	<0.01	0.020	0.17	37.7	86.9	1.13	1280	0.87	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306072		45.9	390	5.6	9.0	<0.001	0.04	0.21	2.2	<0.2	0.2	9.8	<0.01	0.02	12.5
C306073		47.8	300	3.4	9.6	<0.001	<0.01	0.16	2.4	<0.2	0.3	11.5	<0.01	0.02	12.9
C306074		45.8	320	4.4	10.4	<0.001	<0.01	0.37	1.9	<0.2	0.4	13.4	<0.01	0.03	13.6
C306075		45.0	330	3.6	9.1	<0.001	<0.01	0.18	1.7	<0.2	0.5	12.5	<0.01	0.03	12.8
C306076		49.7	320	3.5	10.7	<0.001	<0.01	0.20	1.9	<0.2	0.7	14.1	<0.01	0.01	13.6
C306077		46.3	430	4.6	10.5	<0.001	<0.01	0.46	3.9	<0.2	0.4	37.3	<0.01	0.01	16.7
C306078		0.6	20	1.2	0.8	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.4	<0.01	<0.01	1.2
C306079		47.6	360	3.2	11.3	<0.001	0.01	0.15	2.2	<0.2	0.3	14.1	<0.01	0.02	13.4
C306080		48.9	290	4.0	10.9	0.001	0.07	0.13	2.5	<0.2	0.2	17.5	<0.01	0.01	11.3
C306081		46.9	330	4.5	11.9	<0.001	0.09	0.11	3.0	<0.2	0.2	18.1	<0.01	0.02	13.5
C306082		44.2	330	12.0	10.3	<0.001	<0.01	0.08	2.8	<0.2	0.2	13.4	<0.01	0.01	13.1
C306083		40.1	380	7.9	11.2	<0.001	<0.01	0.09	3.0	<0.2	0.2	13.0	<0.01	0.05	15.3
C306084		39.9	320	7.4	10.7	<0.001	0.27	0.13	2.7	<0.2	0.2	18.8	<0.01	0.02	16.2
C306085		39.8	320	8.5	10.3	<0.001	0.42	0.30	2.4	<0.2	0.3	19.0	<0.01	0.01	18.0
C306086		22.8	190	4.3	6.9	<0.001	0.59	0.24	1.7	<0.2	0.4	10.9	<0.01	0.03	8.7
C306087		0.8	20	1.1	0.8	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.3	<0.01	0.01	1.1
C306088		17.5	70	10.5	4.5	<0.001	1.08	0.63	1.1	0.2	0.3	10.2	<0.01	0.04	5.5
C306089		48.8	230	5.6	11.9	<0.001	0.91	0.29	2.7	<0.2	0.6	17.6	<0.01	0.04	20.6
C306090		47.5	470	8.5	9.4	<0.001	0.12	0.25	2.9	<0.2	0.5	23.4	<0.01	0.03	19.8
C306091		39.5	570	3.7	7.5	<0.001	0.21	0.14	2.3	<0.2	0.3	17.1	<0.01	0.02	16.1
C306092		48.7	420	4.4	10.6	<0.001	0.27	0.14	3.4	<0.2	0.3	21.2	<0.01	0.01	22.7
C306093		50.7	330	4.4	9.7	0.001	0.15	0.21	3.1	<0.2	0.2	14.8	<0.01	0.02	18.6
C306094		45.2	420	6.5	8.7	0.001	0.51	0.22	3.0	<0.2	0.3	19.5	<0.01	0.04	15.2
C306095		41.5	250	7.7	9.2	<0.001	0.44	0.11	2.7	0.2	0.3	12.8	<0.01	0.01	14.3
C306096		52.0	370	19.5	9.4	0.002	0.23	0.22	4.1	0.5	1.2	31.9	<0.01	0.06	19.3
C306097		47.6	300	20.7	8.3	<0.001	0.26	0.17	2.8	0.4	1.0	20.4	<0.01	0.29	18.2
C306098		47.9	280	20.3	8.1	<0.001	0.16	0.32	3.6	0.3	0.7	24.6	<0.01	0.09	17.5
C306099		15.3	350	44.6	3.2	0.001	0.60	0.87	2.7	0.5	0.9	29.8	<0.01	0.50	5.2
C306100		37.7	260	39.0	7.3	<0.001	0.25	0.23	3.6	0.6	0.7	29.9	<0.01	0.12	13.4
C306101		48.4	540	56.2	9.2	0.001	0.19	0.12	3.3	0.3	0.4	16.7	<0.01	0.02	14.5
C306102		43.2	380	43.0	8.9	0.001	0.47	0.19	3.2	0.2	0.2	15.5	<0.01	0.05	13.5
C306103		41.2	410	23.0	9.0	0.004	0.41	0.19	3.1	0.4	0.2	16.4	<0.01	0.03	14.1
C306104		41.6	290	4.6	8.5	0.001	0.02	0.07	3.0	<0.2	0.2	14.3	<0.01	<0.01	14.1
C306105		42.3	780	5.7	8.9	0.001	0.02	0.06	3.6	0.2	0.3	18.4	<0.01	0.03	14.4
C306106		39.7	470	3.5	8.6	<0.001	0.02	0.05	3.0	0.2	0.2	15.3	<0.01	<0.01	14.8
C306107		41.9	330	3.7	9.2	<0.001	0.02	0.05	3.0	<0.2	0.3	14.4	<0.01	0.02	14.7
C306108		37.3	250	3.9	8.9	0.001	0.01	0.06	2.7	<0.2	0.2	15.9	<0.01	0.01	15.1
C306109		60.4	550	8.3	99.2	0.001	0.09	230	6.2	<0.2	1.4	16.9	<0.01	0.01	13.2
C306110		40.2	300	2.9	8.1	<0.001	0.02	0.25	2.9	<0.2	0.2	13.4	<0.01	<0.01	14.8
C306111		38.4	270	3.8	8.0	<0.001	0.02	0.12	2.8	<0.2	0.2	13.6	<0.01	0.02	14.0



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306072		0.05	1.53	26	1.18	3.56	126	5.7	5.80	
C306073		0.07	1.09	34	0.10	3.32	114	7.9	0.01	
C306074		0.07	1.21	32	<0.05	3.50	116	7.1	0.01	
C306075		0.06	1.08	33	0.05	2.96	107	6.5	<0.01	
C306076		0.07	0.93	33	<0.05	2.95	116	5.4	<0.01	
C306077		0.06	1.14	30	<0.05	4.54	173	3.9	<0.01	
C306078		<0.02	0.18	1	<0.05	0.86	3	2.5	0.01	
C306079		0.06	1.18	30	<0.05	3.11	115	6.1	<0.01	
C306080		0.07	1.70	29	<0.05	3.11	113	4.8	0.05	
C306081		0.07	1.51	28	<0.05	3.20	119	4.8	<0.01	
C306082		0.07	1.33	29	<0.05	3.06	112	4.0	<0.01	
C306083		0.08	1.02	28	<0.05	3.34	108	3.8	<0.01	
C306084		0.09	1.30	21	0.06	3.24	117	4.0	0.02	
C306085		0.09	1.72	17	0.12	3.39	111	5.2	0.13	
C306086		0.06	0.99	11	0.11	1.93	64	3.2	0.39	
C306087		<0.02	0.16	1	<0.05	1.00	2	2.7	<0.01	
C306088		0.05	0.68	6	0.08	1.43	31	2.7	1.31	
C306089		0.08	1.84	17	0.14	3.02	119	5.5	0.59	
C306090		0.08	2.61	17	0.11	4.06	127	6.2	0.31	
C306091		0.05	1.35	17	0.05	3.42	116	5.2	0.04	
C306092		0.06	2.13	20	0.08	4.05	110	5.4	0.04	
C306093		0.06	1.65	20	0.08	3.51	116	4.6	0.04	
C306094		0.06	1.47	20	0.12	3.49	116	3.8	0.16	
C306095		0.05	1.25	19	0.11	2.70	108	3.7	0.26	
C306096		0.06	1.81	28	0.13	3.90	165	4.1	0.01	
C306097		0.05	1.59	21	0.49	3.12	143	3.6	0.07	
C306098		0.05	1.61	24	0.11	4.10	151	3.8	0.02	
C306099		0.02	1.90	13	143.5	2.10	73	2.0	0.63	
C306100		0.04	2.15	23	0.29	3.38	123	3.8	0.01	
C306101		0.06	1.08	22	0.38	3.94	110	4.0	<0.01	
C306102		0.05	1.12	22	0.06	3.33	103	4.0	<0.01	
C306103		0.06	1.32	21	<0.05	3.41	92	4.5	<0.01	
C306104		0.05	0.94	22	<0.05	4.16	104	3.1	0.01	
C306105		0.04	0.86	25	<0.05	5.12	111	2.9	0.01	
C306106		0.05	0.87	22	<0.05	4.95	108	2.9	0.01	
C306107		0.05	0.85	21	<0.05	4.40	112	3.1	0.01	
C306108		0.06	0.85	19	<0.05	4.11	99	2.7	0.01	
C306109		0.61	1.49	72	0.40	10.35	80	29.0	1.61	
C306110		0.04	0.83	22	<0.05	3.83	113	3.1	0.01	
C306111		0.04	0.79	22	<0.05	3.89	102	3.1	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306112		3.73	0.05	3.11	10.4	<0.02	<10	30	0.61	0.12	0.55	0.04	77.2	22.0	41	1.63
C306113		2.15	0.09	3.41	10.3	<0.02	<10	40	0.63	0.45	0.53	0.07	83.9	26.2	42	1.71
C306114		6.40	0.03	3.51	7.3	<0.02	<10	40	0.66	0.17	0.44	0.04	79.5	26.3	43	1.63
C306115		3.54	0.04	3.88	0.2	<0.02	<10	30	0.64	0.08	0.41	0.04	80.6	30.5	45	1.64
C306116		6.21	0.04	3.19	2.6	<0.02	<10	40	0.61	0.07	0.42	0.03	74.7	23.0	40	1.65
C306117		2.92	0.03	3.25	7.1	<0.02	<10	40	0.66	0.09	0.38	0.03	87.5	22.7	41	1.57
C306118		4.77	0.05	3.16	19.9	<0.02	<10	30	0.67	0.84	0.43	0.01	47.2	34.2	40	1.74
C306119		3.78	0.12	2.64	11.2	<0.02	<10	40	0.70	0.74	0.45	0.03	37.9	28.8	36	1.86
C306120		2.39	0.05	2.57	5.3	<0.02	<10	40	0.63	0.69	0.18	0.03	54.3	21.4	34	1.96
C306121		3.25	0.03	2.89	0.1	<0.02	<10	30	0.62	0.52	0.14	0.01	66.5	21.8	39	1.99
C306122		1.55	0.02	2.43	0.8	<0.02	<10	30	0.85	1.07	1.11	0.01	21.7	31.8	34	2.21
C306123		5.39	0.01	2.72	0.3	<0.02	<10	40	0.63	0.19	0.19	0.01	63.7	21.3	36	1.95
C306124		1.76	0.02	2.75	0.1	<0.02	<10	40	0.67	0.09	0.14	0.02	86.5	23.1	37	1.98
C306125		0.06	0.17	2.61	513	2.26	<10	100	1.20	0.31	0.22	0.04	54.1	12.5	104	7.52
C306126		2.31	0.02	2.70	0.5	<0.02	<10	40	0.52	0.17	0.67	0.02	56.1	20.8	37	3.03
C306127		3.52	0.02	3.00	8.8	<0.02	<10	120	0.72	0.29	0.38	0.01	53.1	21.0	38	9.89
C306128		1.46	0.12	2.08	3890	0.87	<10	30	0.55	0.41	0.67	0.20	31.2	18.6	23	1.83
C306129		1.73	0.27	1.62	>10000	3.92	<10	30	0.47	1.05	0.27	0.06	24.7	12.6	17	0.97
C306130		3.42	0.02	2.56	77.0	<0.02	<10	40	0.77	0.10	0.19	0.06	57.3	14.7	32	1.62
C306131		3.15	0.03	2.51	49.6	0.37	<10	50	0.81	0.24	0.29	0.01	33.8	19.5	29	1.57
C306132		4.31	0.01	2.72	9.0	<0.02	<10	50	0.79	0.28	0.44	0.01	50.9	22.6	34	1.44
C306133		0.15	0.01	0.05	4.6	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.51	0.3	2	0.08
C306134		4.22	<0.01	2.39	0.9	<0.02	<10	50	0.94	0.36	0.65	0.02	58.2	20.0	33	1.42
C306135		3.88	<0.01	2.22	0.5	<0.02	<10	50	1.01	0.33	0.69	0.01	63.9	21.2	32	1.47
C306136		3.12	<0.01	2.10	0.6	<0.02	<10	50	1.08	0.29	0.51	0.01	64.7	19.1	29	1.58
C306137		6.02	0.04	2.41	5.4	0.59	<10	50	0.87	0.53	0.28	0.01	48.0	20.6	30	1.43
C306138		4.22	0.02	2.32	2.8	0.66	<10	50	0.86	0.19	0.14	0.01	47.1	21.2	29	1.57
C306139		3.85	0.03	2.46	6.9	<0.02	<10	50	0.93	0.19	0.28	0.01	62.3	26.6	30	1.73
C306140		4.57	0.02	2.79	11.0	0.05	<10	40	0.82	0.16	0.20	0.01	54.8	26.0	35	1.62
C306141		6.75	0.05	3.03	6.7	<0.02	<10	50	0.72	0.43	0.83	0.03	50.5	23.8	40	2.07
C306142		6.56	0.03	2.93	1.2	<0.02	<10	30	0.58	0.38	0.15	0.02	54.7	22.3	38	2.53
C306143		6.24	0.04	2.84	3.9	<0.02	<10	40	0.69	0.35	0.50	0.03	47.4	22.3	39	2.24
C306144		4.92	<0.01	3.10	0.4	<0.02	<10	40	0.61	0.09	0.19	<0.01	67.6	18.4	40	2.30
C306145		6.41	0.01	2.98	4.9	<0.02	<10	40	0.58	0.66	0.21	0.01	43.4	25.7	41	2.48
C306146		5.87	0.02	3.09	16.4	<0.02	<10	40	0.60	0.32	0.17	0.01	68.6	20.3	39	2.53
C306147		6.10	0.04	2.73	27.1	<0.02	<10	40	0.58	0.87	0.78	0.01	39.3	26.5	40	2.24
C306148		5.68	0.02	2.95	25.9	<0.02	<10	30	0.52	0.38	0.16	0.01	65.1	25.3	41	2.99
C306149		0.06	0.15	2.66	371	1.63	<10	100	1.27	0.32	0.21	0.04	63.7	13.5	106	7.93
C306150		3.47	0.04	2.57	22.8	<0.02	<10	30	0.52	0.43	2.26	0.14	41.9	20.3	35	1.93
C306151		4.49	0.03	3.01	23.3	<0.02	<10	30	0.53	0.42	0.26	0.02	65.3	21.3	41	2.81



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306112		51.1	5.29	9.20	0.10	0.08	0.01	0.024	0.17	37.9	92.7	1.20	1520	1.12	0.04
C306113		133.0	5.81	9.69	0.11	0.08	<0.01	0.029	0.19	41.1	100.5	1.31	1520	2.18	0.05
C306114		59.7	6.03	10.00	0.10	0.07	<0.01	0.028	0.18	40.3	101.5	1.35	1530	0.73	0.04
C306115		88.6	6.82	11.60	0.09	0.09	0.01	0.032	0.18	39.8	116.5	1.51	1680	1.23	0.04
C306116		49.6	5.44	8.69	0.09	0.06	<0.01	0.021	0.19	37.3	86.6	1.21	1420	0.56	0.04
C306117		41.6	5.54	9.18	0.11	0.07	<0.01	0.026	0.20	43.6	93.0	1.21	1390	0.62	0.05
C306118		45.5	5.78	8.96	0.07	0.10	0.01	0.023	0.18	23.6	95.2	1.19	1420	0.91	0.05
C306119		45.4	4.83	7.54	0.06	0.14	<0.01	0.019	0.19	19.5	77.9	0.96	1220	5.28	0.06
C306120		37.5	4.33	7.29	0.08	0.10	<0.01	0.018	0.19	28.1	71.8	0.92	833	5.66	0.06
C306121		61.0	4.83	8.32	0.08	0.10	<0.01	0.015	0.18	34.2	72.1	1.14	747	<0.05	0.06
C306122		1.1	4.91	6.45	0.05	0.10	<0.01	0.010	0.18	11.5	55.5	1.00	1000	0.08	0.05
C306123		0.8	4.51	7.60	0.08	0.09	<0.01	0.013	0.20	32.9	57.2	1.09	791	<0.05	0.05
C306124		49.5	4.48	7.89	0.10	0.12	<0.01	0.016	0.19	45.9	64.0	1.06	843	<0.05	0.06
C306125		26.3	3.58	7.89	0.10	0.79	0.02	0.027	1.00	27.4	33.1	1.29	221	0.53	0.08
C306126		45.1	4.55	7.24	0.07	0.11	0.01	0.016	0.18	30.2	54.6	1.01	965	<0.05	0.05
C306127		19.7	4.97	8.37	0.07	0.10	<0.01	0.019	0.19	28.6	72.7	1.01	813	0.12	0.05
C306128		38.0	3.95	5.94	0.05	0.12	<0.01	0.032	0.18	15.9	61.7	0.88	817	0.28	0.04
C306129		9.1	3.69	4.83	0.05	0.09	<0.01	0.016	0.15	12.7	48.8	0.65	569	0.58	0.02
C306130		17.3	4.45	7.04	0.07	0.10	<0.01	0.021	0.22	32.1	74.2	0.95	792	0.05	0.03
C306131		15.7	5.36	6.74	0.05	0.07	<0.01	0.016	0.24	18.9	65.6	0.74	905	0.11	0.02
C306132		4.5	5.80	8.44	0.07	0.07	0.01	0.018	0.24	25.3	53.2	0.66	997	<0.05	0.02
C306133		1.0	0.21	0.21	<0.05	0.10	<0.01	<0.005	0.01	2.1	0.7	0.01	28	0.16	<0.01
C306134		1.3	5.15	7.52	0.08	0.05	0.01	0.020	0.22	30.0	37.7	0.57	980	<0.05	0.02
C306135		1.1	4.76	6.54	0.09	0.07	<0.01	0.016	0.23	31.7	55.3	0.60	1060	0.05	0.02
C306136		0.9	4.80	5.83	0.08	0.04	<0.01	0.016	0.25	32.5	53.3	0.56	895	<0.05	0.02
C306137		2.5	5.23	7.26	0.07	0.04	0.01	0.013	0.22	24.5	40.8	0.65	633	<0.05	0.02
C306138		1.3	4.31	6.54	0.07	0.11	0.01	0.012	0.24	25.6	51.0	0.74	575	<0.05	0.02
C306139		1.5	3.95	6.86	0.08	0.11	0.01	0.014	0.25	32.5	67.3	0.92	792	<0.05	0.03
C306140		2.4	4.54	7.80	0.08	0.08	<0.01	0.016	0.21	28.6	86.1	1.14	790	<0.05	0.03
C306141		47.3	4.95	9.12	0.08	0.09	<0.01	0.024	0.23	26.4	91.1	1.22	2110	<0.05	0.06
C306142		50.9	4.87	8.58	0.08	0.10	<0.01	0.019	0.17	28.4	88.5	1.12	916	<0.05	0.05
C306143		58.2	4.76	8.34	0.07	0.08	<0.01	0.019	0.20	24.8	76.8	1.02	1220	0.44	0.06
C306144		0.3	5.45	9.39	0.09	0.05	<0.01	0.014	0.20	35.1	65.2	1.07	814	<0.05	0.05
C306145		28.1	5.30	8.93	0.07	0.10	<0.01	0.021	0.20	23.5	71.4	1.06	758	<0.05	0.05
C306146		20.5	5.18	9.27	0.10	0.06	<0.01	0.020	0.20	35.9	89.4	1.06	819	0.15	0.05
C306147		37.5	4.71	7.93	0.06	0.08	0.01	0.027	0.18	20.6	76.0	0.98	1220	0.66	0.06
C306148		40.8	4.94	9.00	0.09	0.08	<0.01	0.019	0.18	34.7	88.6	1.07	878	0.19	0.06
C306149		25.4	3.51	8.50	0.11	0.80	0.01	0.026	1.01	32.5	34.1	1.29	220	0.56	0.07
C306150		28.3	4.44	8.25	0.07	0.09	<0.01	0.031	0.16	20.6	79.5	0.98	2390	0.64	0.05
C306151		42.8	5.05	9.06	0.10	0.10	<0.01	0.026	0.18	32.3	86.4	1.11	1040	0.11	0.07



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306112		40.0	650	7.4	7.8	<0.001	0.03	0.09	3.4	<0.2	0.2	17.6	<0.01	0.01	13.9
C306113		43.3	1130	4.9	8.8	0.001	0.02	0.07	3.3	<0.2	0.2	17.0	<0.01	0.12	14.3
C306114		44.5	510	3.9	8.7	0.001	0.02	0.07	3.3	0.2	0.2	15.3	<0.01	0.03	14.6
C306115		52.8	590	3.4	9.0	<0.001	0.02	0.06	3.8	<0.2	0.2	18.0	<0.01	0.02	14.4
C306116		40.1	460	3.4	8.6	<0.001	0.02	0.07	2.9	0.2	0.2	14.6	<0.01	0.01	14.1
C306117		40.2	310	3.4	9.4	<0.001	0.03	0.06	3.1	<0.2	0.2	15.2	<0.01	<0.01	14.6
C306118		47.0	580	12.6	8.8	0.001	0.47	0.16	3.0	0.2	0.2	16.8	<0.01	0.03	15.2
C306119		42.0	670	32.4	9.5	0.001	0.64	0.23	2.6	0.5	0.2	18.6	<0.01	0.02	14.0
C306120		39.4	350	9.8	8.9	0.004	0.19	0.07	2.5	<0.2	0.3	17.4	<0.01	0.07	15.9
C306121		45.9	330	1.8	8.6	<0.001	0.06	0.05	2.6	<0.2	0.2	17.7	<0.01	0.01	15.1
C306122		44.7	240	3.1	8.7	<0.001	1.31	0.16	2.0	0.4	0.2	37.3	<0.01	0.11	13.0
C306123		44.9	310	2.0	9.6	<0.001	0.18	0.06	2.3	<0.2	0.2	19.9	<0.01	0.02	16.0
C306124		45.8	290	1.2	9.3	0.001	0.04	0.09	2.5	<0.2	0.2	20.8	<0.01	<0.01	18.3
C306125		57.4	530	9.2	94.9	<0.001	0.12	319	5.9	0.2	1.3	17.7	<0.01	0.01	13.2
C306126		41.4	330	2.4	8.8	0.001	0.15	0.30	2.3	<0.2	0.4	42.5	<0.01	0.01	16.0
C306127		43.6	280	3.9	10.4	<0.001	0.15	0.10	2.8	<0.2	0.3	88.4	<0.01	0.02	14.9
C306128		36.6	230	25.7	8.6	0.001	0.51	0.96	2.6	0.3	0.4	25.1	<0.01	0.01	12.9
C306129		29.2	130	31.4	7.7	<0.001	0.75	3.20	1.8	0.4	0.3	15.2	<0.01	0.04	8.8
C306130		40.1	300	5.8	9.8	<0.001	0.07	0.09	2.3	<0.2	0.2	19.0	<0.01	<0.01	14.9
C306131		39.3	250	3.1	11.6	<0.001	0.56	0.19	2.6	<0.2	0.2	16.2	<0.01	0.03	11.8
C306132		41.4	350	3.7	12.1	<0.001	0.30	0.09	3.3	0.3	0.2	15.2	<0.01	0.01	12.3
C306133		0.7	10	0.8	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.2
C306134		39.3	320	1.7	11.3	0.001	0.10	0.07	3.5	0.3	0.2	21.1	<0.01	0.02	13.1
C306135		41.6	280	1.9	12.5	<0.001	0.02	0.06	2.8	0.2	0.2	24.1	<0.01	0.02	13.2
C306136		39.4	330	1.6	12.5	<0.001	0.06	0.06	2.6	0.2	0.2	23.6	0.01	0.02	13.3
C306137		40.9	300	5.4	11.3	0.001	0.45	0.12	2.8	0.3	0.2	18.5	<0.01	0.05	13.4
C306138		45.1	410	2.1	11.7	<0.001	0.29	0.11	2.3	0.2	0.2	16.2	<0.01	0.03	13.8
C306139		48.8	250	7.7	12.6	<0.001	0.09	0.09	2.3	0.2	0.2	19.9	<0.01	0.02	15.3
C306140		46.3	310	4.7	9.9	<0.001	0.10	0.07	2.2	<0.2	0.2	17.5	<0.01	0.01	14.7
C306141		46.9	290	5.3	11.3	<0.001	0.26	0.10	3.4	0.2	0.3	26.9	<0.01	0.01	14.5
C306142		47.1	380	1.9	8.1	<0.001	0.11	0.11	2.8	0.2	0.2	18.3	<0.01	0.02	15.0
C306143		43.9	270	3.3	9.3	<0.001	0.21	0.07	3.0	0.3	0.3	24.4	<0.01	0.02	13.9
C306144		42.7	310	0.9	9.7	<0.001	0.06	0.06	3.1	<0.2	0.2	18.9	<0.01	0.02	14.9
C306145		49.3	270	2.4	9.4	0.001	0.31	0.10	3.2	<0.2	0.2	19.0	<0.01	0.02	14.5
C306146		45.4	310	2.4	9.9	0.001	0.01	0.08	3.1	0.2	0.3	19.5	<0.01	0.02	14.4
C306147		42.5	390	7.4	8.5	<0.001	0.31	0.09	3.0	0.4	0.5	24.1	<0.01	0.03	13.8
C306148		45.7	330	2.3	8.4	<0.001	0.10	0.09	3.0	0.3	0.3	20.3	<0.01	0.02	15.3
C306149		62.5	550	8.7	98.8	<0.001	0.08	226	6.2	0.3	1.5	18.2	<0.01	0.01	13.1
C306150		37.3	360	12.9	8.4	<0.001	0.26	0.33	3.3	<0.2	0.4	40.3	<0.01	0.02	13.4
C306151		43.1	340	8.3	8.3	<0.001	0.18	0.12	3.1	0.3	0.4	21.4	<0.01	0.02	14.2



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306112		0.04	0.89	25	<0.05	4.82	110	3.1	0.01	
C306113		0.05	0.85	25	<0.05	5.86	123	4.1	0.22	
C306114		0.04	0.86	26	<0.05	4.59	122	3.2	0.02	
C306115		0.05	0.88	29	<0.05	4.91	138	2.9	0.01	
C306116		0.05	0.85	24	<0.05	4.02	108	2.7	<0.01	
C306117		0.06	0.84	24	<0.05	4.52	109	3.2	0.01	
C306118		0.06	1.16	23	<0.05	4.59	109	4.6	0.01	
C306119		0.05	1.51	18	<0.05	4.46	89	5.3	0.01	
C306120		0.06	1.07	17	<0.05	4.11	92	4.4	0.01	
C306121		0.04	1.17	19	<0.05	3.97	120	3.6	0.01	
C306122		0.12	1.25	15	<0.05	3.70	107	3.4	0.02	
C306123		0.07	1.19	18	<0.05	4.67	118	3.5	0.01	
C306124		0.06	1.43	18	<0.05	4.85	114	4.7	0.01	
C306125		0.59	1.48	69	0.46	9.60	78	28.2	2.25	
C306126		0.05	1.50	18	<0.05	4.11	109	4.2	0.02	
C306127		0.06	1.58	19	<0.05	4.27	101	4.4		<0.05
C306128		0.10	1.34	16	0.24	2.85	141	5.2		1.01
C306129		0.05	0.71	11	0.15	2.01	82	3.6		4.33
C306130		0.06	1.12	16	0.09	3.25	113	3.7		<0.05
C306131		0.06	1.16	17	0.20	2.59	75	2.4		0.35
C306132		0.07	0.85	24	0.11	3.22	74	2.1	0.06	
C306133		<0.02	0.19	1	<0.05	0.73	3	2.4	0.01	
C306134		0.08	0.82	25	<0.05	3.41	67	1.8	0.04	
C306135		0.08	0.91	21	0.05	3.45	74	2.4	0.02	
C306136		0.07	0.92	22	<0.05	3.54	73	2.0	0.01	
C306137		0.07	0.82	21	0.22	2.80	82	1.7	1.54	
C306138		0.08	1.56	16	0.38	3.08	90	4.0	0.27	
C306139		0.09	1.58	15	0.14	3.31	111	4.2	0.03	
C306140		0.07	1.35	16	0.06	3.12	130	3.1	0.02	
C306141		0.08	1.45	21	<0.05	3.57	129	3.6	0.02	
C306142		0.05	1.55	19	0.08	3.45	118	4.0	0.02	
C306143		0.06	1.37	20	0.23	3.15	106	3.5	0.02	
C306144		0.06	1.08	21	<0.05	3.44	107	2.1	0.01	
C306145		0.06	1.67	23	<0.05	3.24	117	3.8	0.02	
C306146		0.06	1.37	20	<0.05	3.49	114	2.7	0.02	
C306147		0.05	1.37	21	<0.05	3.16	110	3.1	0.02	
C306148		0.06	1.36	20	<0.05	3.43	106	3.5	0.01	
C306149		0.64	1.57	70	0.44	10.55	79	30.2	1.63	
C306150		0.05	1.34	21	<0.05	3.93	106	3.5	0.01	
C306151		0.06	0.97	21	<0.05	3.35	110	2.5	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306152		4.19	0.07	2.91	16.4	<0.02	<10	30	0.51	0.44	0.15	0.03	70.8	17.5	41	2.67
C306153		3.11	0.26	2.87	13.8	<0.02	<10	30	0.51	1.13	0.42	0.03	38.9	26.4	42	2.77
C306154		3.42	0.19	2.73	8.9	<0.02	<10	30	0.54	0.90	0.25	0.02	40.0	21.1	39	3.06
C306155		4.63	0.13	2.49	11.7	<0.02	<10	20	0.49	0.93	1.40	0.03	30.8	18.1	38	2.04
C306156		2.13	0.17	2.41	8.1	<0.02	<10	20	0.66	1.11	0.46	0.03	26.3	21.6	29	2.71
C306157		3.61	0.06	2.27	9.8	<0.02	<10	30	0.53	1.50	0.15	0.03	32.8	22.0	33	2.80
C306158		2.74	0.33	2.90	64.0	1.31	<10	30	1.08	1.48	1.21	0.04	29.0	18.7	29	3.23
C306159		2.62	0.09	2.60	451	0.77	<10	30	0.83	0.86	0.34	0.02	33.1	16.7	24	3.72
C306160		2.73	0.10	2.18	569	0.78	<10	30	0.93	2.06	0.64	0.02	26.4	13.8	20	2.45
C306161		2.20	0.07	0.82	50.9	0.12	<10	10	0.32	1.00	1.04	0.02	9.74	9.7	19	0.49
C306162		1.90	0.09	2.31	669	0.11	<10	20	0.38	1.95	0.62	0.07	24.7	13.3	35	1.19
C306163		2.41	0.08	1.91	30.1	0.03	<10	30	0.92	1.06	2.30	0.03	28.1	21.3	22	2.69
C306164		0.25	0.01	0.07	2.8	<0.02	<10	10	<0.05	0.03	0.01	<0.01	4.17	0.4	2	0.09
C306165		4.50	0.11	2.88	40.9	0.11	<10	30	0.57	0.69	0.32	0.01	42.7	26.3	37	2.89
C306166		4.66	0.14	2.97	24.7	<0.02	<10	30	0.64	0.69	0.12	0.03	72.1	19.0	40	2.83
C306167		5.60	0.05	3.00	27.3	<0.02	<10	30	0.53	0.69	0.09	0.01	65.8	22.3	42	2.95
C306168		5.50	0.04	2.97	39.1	0.05	<10	40	0.65	0.29	0.58	0.02	54.3	20.4	35	2.95
C306169		5.23	0.04	3.03	24.9	<0.02	<10	30	0.52	0.49	0.11	0.02	59.5	20.2	40	3.33
C306170		3.10	0.10	2.68	17.5	0.18	<10	20	0.58	3.53	1.66	0.03	27.7	19.7	38	1.75
C306171		4.83	0.03	2.88	14.9	<0.02	<10	30	0.51	0.48	0.13	<0.01	47.3	22.8	40	2.95
C306172		6.19	0.03	2.91	19.0	<0.02	<10	40	0.53	0.49	0.53	0.01	41.9	26.2	40	2.55
C306173		4.30	0.04	3.02	10.1	<0.02	<10	40	0.59	0.63	0.45	0.01	37.4	27.9	40	2.70



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306152		35.0	4.92	9.27	0.09	0.07	<0.01	0.022	0.15	34.8	87.0	1.09	919	0.16	0.06
C306153		43.6	5.65	8.52	0.07	0.10	<0.01	0.023	0.16	19.5	83.6	1.09	1160	0.65	0.07
C306154		36.9	5.12	8.70	0.07	0.13	<0.01	0.021	0.16	20.3	83.0	1.02	932	0.44	0.07
C306155		55.1	4.99	8.55	0.05	0.07	<0.01	0.032	0.14	15.6	75.0	0.99	1620	0.57	0.06
C306156		56.9	5.29	7.30	0.06	0.11	<0.01	0.029	0.14	13.2	73.3	0.93	907	0.69	0.05
C306157		54.5	5.22	7.01	0.06	0.18	<0.01	0.022	0.19	17.2	62.5	0.83	620	5.49	0.05
C306158		54.7	5.80	8.32	0.05	0.13	<0.01	0.039	0.18	14.6	86.9	1.12	1320	1.76	0.06
C306159		55.2	5.23	8.14	0.06	0.10	<0.01	0.029	0.20	17.1	78.1	1.06	856	0.25	0.05
C306160		60.6	4.20	6.92	0.05	0.12	<0.01	0.036	0.16	13.7	63.0	0.85	945	0.26	0.05
C306161		145.0	2.57	2.96	<0.05	0.04	<0.01	0.017	0.04	4.6	25.6	0.33	774	0.32	0.02
C306162		89.6	4.79	8.64	0.05	0.07	<0.01	0.028	0.10	12.4	73.2	0.95	966	0.27	0.05
C306163		56.2	3.59	5.77	0.05	0.15	<0.01	0.036	0.19	14.4	48.6	0.62	1760	0.35	0.05
C306164		1.3	0.29	0.27	<0.05	0.16	<0.01	<0.005	0.01	2.0	1.2	0.01	32	0.14	<0.01
C306165		46.6	5.49	8.79	0.07	0.13	<0.01	0.024	0.19	21.6	83.7	1.06	873	1.14	0.05
C306166		36.1	4.98	9.28	0.10	0.10	<0.01	0.024	0.19	35.0	84.1	1.04	721	0.20	0.06
C306167		43.1	5.29	9.15	0.08	0.13	<0.01	0.020	0.17	32.0	88.6	1.08	717	0.13	0.05
C306168		36.6	4.96	8.53	0.06	0.10	<0.01	0.022	0.23	26.7	83.6	1.01	959	0.11	0.07
C306169		30.2	5.19	8.80	0.09	0.10	<0.01	0.021	0.19	29.4	88.1	1.06	711	0.16	0.06
C306170		77.7	5.34	8.94	0.05	0.06	<0.01	0.046	0.12	13.0	83.7	1.02	1470	0.15	0.05
C306171		41.4	5.21	8.81	0.06	0.09	<0.01	0.020	0.16	23.9	88.8	1.06	722	0.58	0.05
C306172		45.7	5.24	8.77	0.07	0.09	<0.01	0.022	0.17	21.2	87.7	1.08	926	0.15	0.05
C306173		41.5	5.68	8.91	0.07	0.14	0.01	0.020	0.20	18.9	92.4	1.11	892	0.40	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306152		38.7	340	15.6	7.0	<0.001	0.20	0.13	3.1	<0.2	0.2	19.9	<0.01	0.05	14.4
C306153		45.6	230	83.0	7.3	<0.001	1.09	0.24	3.3	0.3	0.2	25.2	<0.01	0.04	13.7
C306154		45.3	410	78.2	7.7	<0.001	0.87	0.23	3.1	0.2	0.3	25.3	<0.01	0.02	14.2
C306155		40.3	290	25.5	6.9	0.001	0.95	0.14	4.1	0.4	0.6	34.2	<0.01	0.01	13.5
C306156		44.3	290	33.4	6.9	0.001	1.44	0.25	2.7	0.4	0.5	26.1	<0.01	0.02	14.5
C306157		50.2	250	14.3	8.9	0.002	1.62	0.49	2.7	0.4	0.5	21.8	<0.01	0.02	15.8
C306158		42.4	300	48.8	8.5	0.001	1.02	0.11	3.7	0.2	0.7	47.0	<0.01	0.02	16.7
C306159		42.6	210	8.8	9.8	<0.001	0.99	0.21	3.4	0.3	0.7	27.4	<0.01	0.02	16.3
C306160		35.0	190	13.2	7.8	0.001	0.84	0.21	2.9	0.2	0.8	30.8	<0.01	0.01	13.2
C306161		9.5	250	7.1	2.0	<0.001	1.09	0.12	1.7	0.4	0.4	30.4	<0.01	0.03	2.9
C306162		29.1	320	17.2	5.1	<0.001	0.95	0.22	3.7	0.4	0.5	26.4	<0.01	0.04	11.0
C306163		38.9	200	18.9	9.1	<0.001	0.74	0.07	2.8	0.4	0.8	58.4	<0.01	0.02	14.3
C306164		0.8	20	0.9	0.9	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.6	<0.01	<0.01	1.2
C306165		48.3	310	30.8	9.3	<0.001	0.74	0.21	3.3	0.2	0.3	22.0	<0.01	0.01	14.8
C306166		46.0	330	29.3	9.4	<0.001	0.12	0.08	3.4	<0.2	0.3	20.6	<0.01	0.01	15.7
C306167		48.5	290	11.0	8.0	<0.001	0.22	0.14	3.2	<0.2	0.3	18.5	<0.01	0.03	15.7
C306168		43.4	280	11.0	11.1	0.001	0.23	0.12	3.2	0.2	0.4	25.9	<0.01	0.01	14.5
C306169		48.9	270	6.4	9.1	<0.001	0.16	0.10	3.1	<0.2	0.3	20.9	<0.01	0.01	15.4
C306170		36.3	270	24.4	6.6	<0.001	0.76	0.15	4.0	0.2	0.6	36.2	<0.01	0.01	11.3
C306171		48.8	290	6.5	8.0	<0.001	0.33	0.14	3.1	<0.2	0.3	16.8	<0.01	0.01	15.8
C306172		45.1	290	7.2	8.7	<0.001	0.39	0.13	3.5	0.2	0.3	20.4	<0.01	<0.01	14.6
C306173		50.0	290	8.2	10.2	0.001	0.85	0.22	3.3	0.2	0.3	22.5	<0.01	0.02	14.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-FEB-2021
 Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306152		0.05	0.85	21	<0.05	3.19	104	2.5	0.01	
C306153		0.05	1.31	22	<0.05	2.80	102	3.8	0.01	
C306154		0.05	1.64	20	0.05	3.35	94	5.3	0.01	
C306155		0.05	1.22	25	25.7	3.91	112	3.1	<0.01	
C306156		0.04	1.43	18	0.12	2.63	111	4.4	0.01	
C306157		0.06	1.86	19	0.24	2.85	93	7.1	0.02	
C306158		0.06	1.83	22	0.20	4.52	144	5.8	2.72	
C306159		0.06	1.31	18	1.78	2.69	115	4.8	0.29	
C306160		0.05	1.43	18	0.24	2.41	91	4.1	0.64	
C306161		0.02	0.41	8	0.08	1.98	45	1.3	0.08	
C306162		0.03	1.20	24	0.26	2.42	119	3.3	0.25	
C306163		0.05	1.70	14	0.14	5.14	78	5.6	0.05	
C306164		<0.02	0.19	1	<0.05	0.90	2	3.7	0.01	
C306165		0.05	1.69	22	0.16	3.48	107	5.8	0.10	
C306166		0.06	1.27	22	0.08	3.67	105	4.2	0.03	
C306167		0.05	1.52	21	0.05	3.67	107	5.6	0.01	
C306168		0.07	1.43	21	0.17	3.76	104	5.3	0.05	
C306169		0.06	1.36	20	0.06	3.60	106	5.3	0.01	
C306170		0.05	1.12	24	0.17	4.35	121	3.3	0.28	
C306171		0.05	1.43	19	0.05	3.53	112	4.2	0.01	
C306172		0.05	1.41	22	<0.05	3.60	111	4.3	<0.01	
C306173		0.06	1.63	21	<0.05	3.68	115	5.8	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-FEB-2021
Account: NUF

Project: Culvert-NUF

CERTIFICATE OF ANALYSIS WH20297424

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41