



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

CERTIFICATE WH21010678

Project: Culvert - NUF

This report is for 179 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 15-JAN-2021.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306292		2.02	0.14	2.07	135.5	0.13	<10	20	0.41	1.46	0.06	0.09	33.2	23.0	25	1.44
C306293		1.73	0.17	2.34	1400	0.53	<10	30	0.56	1.51	0.05	0.04	42.5	8.1	26	1.70
C306294		2.05	0.09	2.23	58.7	0.10	<10	30	0.52	0.36	0.07	0.03	69.7	10.3	28	1.80
C306295		3.12	0.04	2.57	28.6	<0.02	<10	30	0.67	0.36	0.10	0.03	63.9	17.6	34	1.67
C306296		3.30	0.01	2.38	4.9	<0.02	<10	40	0.72	0.21	0.25	0.01	42.5	21.8	31	1.48
C306297		2.12	0.02	2.73	2.9	<0.02	<10	40	0.59	0.12	0.11	0.01	45.8	23.8	35	1.36
C306298		1.81	0.02	2.63	4.0	<0.02	<10	30	0.60	0.16	0.10	0.01	33.9	22.9	36	1.45
C306299		5.10	0.04	2.65	3.0	<0.02	<10	40	0.64	0.48	0.22	0.01	57.8	22.4	35	1.56
C306300		4.54	0.04	2.83	14.6	<0.02	<10	30	0.52	0.11	0.17	0.03	104.0	20.2	37	1.91
C306301		3.55	0.06	2.61	15.3	<0.02	<10	30	0.51	0.77	0.11	0.03	100.5	21.0	36	2.15
C306302		5.11	0.04	2.47	22.8	0.03	<10	30	0.54	0.79	0.62	0.01	49.6	31.4	32	1.83
C306303		3.29	0.03	2.62	19.9	0.03	<10	30	0.54	0.66	0.26	0.01	38.3	28.4	32	1.84
C306304		4.37	0.03	2.88	14.6	<0.02	<10	30	0.54	0.64	0.26	0.01	40.7	22.6	36	1.64
C306305		4.21	0.03	2.98	13.4	<0.02	<10	40	0.50	0.50	0.27	0.01	39.2	22.7	37	1.54
C306306		3.27	0.01	3.12	1.1	<0.02	<10	30	0.48	0.16	0.14	0.01	43.6	16.6	39	1.53
C306307		4.16	0.04	2.82	20.5	<0.02	<10	30	0.56	0.54	0.32	0.01	37.0	27.4	34	1.91
C306308		0.15	0.01	0.07	0.8	<0.02	<10	10	<0.05	0.05	0.03	<0.01	3.83	0.4	2	0.08
C306309		5.52	0.17	2.73	16.7	0.03	<10	20	0.46	0.74	0.68	0.04	32.7	22.7	34	2.23
C306310		4.61	0.04	2.73	9.0	0.02	<10	30	0.53	1.05	0.43	<0.01	58.8	15.5	36	1.89
C306311		4.73	0.07	2.59	9.3	<0.02	<10	20	0.39	0.55	0.33	0.01	33.7	16.8	35	1.82
C306312		5.74	0.06	3.03	11.2	<0.02	<10	20	0.42	0.36	0.14	0.02	34.9	21.1	40	1.91
C306313		5.51	0.13	2.45	12.9	0.11	<10	20	0.44	0.70	0.33	0.02	38.8	25.0	33	1.91
C306314		3.49	0.05	3.23	14.0	0.10	<10	20	0.49	0.34	0.28	0.02	50.8	19.4	39	1.85
C306315		5.11	0.15	2.71	29.4	0.02	<10	20	0.51	0.99	0.26	0.02	39.1	30.6	36	1.83
C306316		2.97	0.25	2.38	30.2	<0.02	<10	20	0.52	0.82	0.34	0.10	35.2	24.8	34	1.90
C306317		2.14	0.32	2.34	30.1	0.06	<10	20	0.60	1.14	0.52	0.07	34.8	29.4	33	1.96
C306318		4.67	0.10	2.61	17.1	0.05	<10	30	0.58	0.48	0.35	0.03	37.5	20.6	36	2.00
C306319		4.79	0.03	2.50	5.0	<0.02	<10	20	0.53	0.40	0.15	0.01	41.2	19.1	34	2.05
C306320		4.62	0.03	2.77	15.4	<0.02	<10	30	0.50	0.38	0.24	0.01	46.9	24.6	35	1.70
C306321		3.67	0.04	2.68	31.6	<0.02	<10	20	0.42	0.75	0.45	0.02	42.5	40.7	35	1.75
C306322		5.02	0.05	2.80	20.4	<0.02	<10	20	0.47	0.87	0.63	0.05	37.7	24.0	36	1.55
C306323		3.75	0.04	2.72	448	0.08	<10	20	0.47	0.71	0.97	0.05	47.7	24.0	35	1.52
C306324		0.06														
C306325		2.37	0.05	2.61	60.1	<0.02	<10	30	0.56	0.07	0.40	0.04	75.2	25.7	33	1.57
C306326		2.62	0.14	2.28	370	0.57	<10	30	0.57	0.19	0.40	0.13	54.2	21.3	29	1.41
C306327		5.71	0.07	2.46	37.4	<0.02	<10	20	0.52	0.44	0.34	0.06	59.9	22.2	31	1.34
C306328		2.51	0.02	2.45	15.5	0.02	<10	30	0.56	0.51	0.34	0.01	52.7	22.3	32	1.45
C306329		2.24	<0.01	1.98	12.3	0.04	<10	40	0.63	0.42	0.23	0.01	39.2	23.0	25	1.69
C306330		2.99	<0.01	2.40	26.6	<0.02	<10	30	0.56	0.10	0.11	<0.01	62.9	20.7	31	1.57
C306331		2.58	0.03	2.77	42.5	<0.02	<10	30	0.60	0.96	0.12	0.02	72.8	25.2	36	2.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 – B
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 2–MAR–2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306292		66.9	4.35	6.51	0.06	0.15	<0.01	0.021	0.13	16.9	58.3	0.78	607	0.42	0.03
C306293		23.4	4.60	7.10	0.07	0.19	<0.01	0.020	0.15	22.2	69.3	0.86	721	1.50	0.03
C306294		19.7	4.39	7.22	0.11	0.15	<0.01	0.016	0.15	36.3	70.5	0.79	626	0.12	0.03
C306295		29.6	4.78	7.89	0.10	0.14	<0.01	0.019	0.14	34.6	80.4	0.93	814	0.18	0.03
C306296		4.6	5.11	6.87	0.07	0.07	<0.01	0.011	0.18	20.9	55.3	0.70	863	0.08	0.03
C306297		3.1	4.99	8.09	0.07	0.04	<0.01	0.014	0.17	22.6	55.4	1.05	1000	0.05	0.03
C306298		1.8	4.71	7.66	0.07	0.05	<0.01	0.012	0.18	16.9	63.8	1.04	954	0.10	0.03
C306299		26.9	4.60	8.07	0.09	0.07	<0.01	0.015	0.17	29.0	80.4	1.00	1040	<0.05	0.04
C306300		32.3	4.91	8.66	0.16	0.10	<0.01	0.020	0.16	53.5	89.0	1.06	1010	0.12	0.04
C306301		49.8	4.60	8.21	0.15	0.14	<0.01	0.022	0.14	51.4	85.2	0.99	897	0.24	0.04
C306302		45.2	4.62	6.93	0.09	0.11	<0.01	0.015	0.15	25.7	74.8	0.95	940	2.14	0.04
C306303		39.8	4.85	7.76	0.08	0.12	<0.01	0.017	0.16	19.6	86.5	1.02	932	0.16	0.03
C306304		35.0	5.26	8.29	0.10	0.10	<0.01	0.026	0.15	21.4	94.3	1.12	1020	0.20	0.03
C306305		40.5	5.36	8.54	0.07	0.11	<0.01	0.025	0.16	19.4	94.5	1.15	967	0.20	0.04
C306306		11.8	5.58	9.04	0.09	0.10	<0.01	0.018	0.16	21.6	99.1	1.19	909	0.09	0.04
C306307		41.6	5.19	8.47	0.08	0.11	<0.01	0.018	0.16	18.9	94.9	1.10	1100	0.17	0.04
C306308		0.8	0.30	0.27	<0.05	0.11	<0.01	<0.005	0.01	1.9	1.6	0.02	45	0.20	<0.01
C306309		48.7	5.40	8.53	0.09	0.14	<0.01	0.023	0.13	16.8	92.0	1.09	1320	0.80	0.04
C306310		30.4	4.84	8.24	0.09	0.12	<0.01	0.022	0.16	30.4	89.4	1.04	1280	0.14	0.04
C306311		32.8	4.78	7.27	0.09	0.08	<0.01	0.018	0.12	17.3	80.4	1.01	1080	0.17	0.04
C306312		35.2	5.53	9.07	0.09	0.13	<0.01	0.019	0.14	18.2	100.5	1.19	1120	0.15	0.04
C306313		34.4	4.67	7.34	0.08	0.12	<0.01	0.018	0.13	19.6	82.0	0.97	1110	0.23	0.03
C306314		31.7	5.98	9.38	0.10	0.12	<0.01	0.022	0.13	25.7	107.0	1.31	1360	0.14	0.03
C306315		42.5	5.35	8.53	0.08	0.13	<0.01	0.022	0.15	20.5	90.3	1.08	1240	0.21	0.04
C306316		48.1	4.92	7.09	0.09	0.18	<0.01	0.020	0.15	18.5	76.8	0.97	1260	1.98	0.04
C306317		52.6	4.50	6.74	0.08	0.18	<0.01	0.017	0.15	18.2	75.1	0.91	1270	1.48	0.04
C306318		36.7	4.89	7.68	0.08	0.14	<0.01	0.018	0.16	19.8	85.0	1.03	1240	1.10	0.04
C306319		34.1	4.74	7.60	0.08	0.11	<0.01	0.018	0.15	21.5	82.2	1.01	994	1.45	0.04
C306320		34.8	5.18	8.14	0.08	0.08	<0.01	0.020	0.15	23.6	88.3	1.11	1140	0.27	0.04
C306321		41.7	5.13	8.27	0.07	0.08	<0.01	0.025	0.13	21.1	88.1	1.10	1350	0.57	0.03
C306322		57.9	5.27	7.81	0.07	0.08	<0.01	0.025	0.14	18.8	83.3	1.13	1420	0.87	0.03
C306323		64.7	4.93	8.18	0.08	0.06	<0.01	0.029	0.14	23.3	85.6	1.11	1720	0.78	0.03
C306324															
C306325		105.5	4.60	7.79	0.10	0.06	<0.01	0.034	0.16	36.7	79.5	1.04	1310	0.06	0.02
C306326		236	4.07	6.91	0.08	0.07	<0.01	0.038	0.16	26.1	69.4	0.91	1140	0.06	0.02
C306327		174.5	4.34	6.72	0.09	0.06	<0.01	0.022	0.15	29.9	70.8	0.98	1180	0.05	0.02
C306328		25.4	4.83	7.26	0.08	0.07	<0.01	0.017	0.14	25.8	58.0	0.87	946	<0.05	0.02
C306329		1.6	3.83	5.63	0.06	0.10	<0.01	0.010	0.19	20.7	42.6	0.68	674	0.05	0.02
C306330		3.0	4.29	6.80	0.10	0.06	<0.01	0.013	0.14	31.9	75.9	0.91	677	<0.05	0.02
C306331		43.0	4.87	7.91	0.11	0.09	<0.01	0.019	0.17	37.6	87.4	1.06	764	<0.05	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306292		30.9	320	7.6	6.2	<0.001	0.36	0.16	2.3	<0.2	0.5	11.3	<0.01	0.02	12.6
C306293		24.5	290	7.3	7.1	<0.001	0.17	0.48	2.3	0.3	0.4	17.5	<0.01	0.04	14.9
C306294		36.4	330	6.1	7.3	<0.001	0.01	0.07	2.2	<0.2	0.3	8.3	<0.01	0.02	14.5
C306295		42.3	310	6.1	6.6	<0.001	0.03	0.10	2.6	<0.2	0.3	7.9	<0.01	0.03	15.4
C306296		45.1	620	1.2	8.6	<0.001	0.06	0.06	2.5	<0.2	0.2	9.2	<0.01	0.02	14.1
C306297		44.9	300	1.0	8.3	<0.001	0.01	0.05	2.8	<0.2	0.2	6.5	<0.01	0.01	14.1
C306298		40.7	290	1.5	8.1	<0.001	0.06	0.06	2.6	<0.2	0.2	7.1	<0.01	0.02	12.9
C306299		40.1	290	4.4	8.1	<0.001	0.06	0.06	2.9	0.2	0.2	12.0	<0.01	0.04	14.9
C306300		42.3	330	2.5	7.3	<0.001	0.02	0.07	2.8	<0.2	0.2	12.0	<0.01	<0.01	17.6
C306301		41.8	340	4.2	6.6	<0.001	0.08	0.16	2.6	0.2	0.2	11.1	<0.01	0.05	16.9
C306302		38.5	300	5.5	6.6	0.001	0.40	0.19	2.3	0.3	0.2	17.9	<0.01	0.02	14.9
C306303		42.1	330	4.2	7.1	<0.001	0.32	0.16	2.5	0.2	0.2	11.6	<0.01	0.02	14.9
C306304		43.6	370	3.7	6.8	<0.001	0.17	0.15	2.6	0.3	0.4	10.6	<0.01	0.04	14.9
C306305		42.9	420	3.3	7.0	<0.001	0.13	0.10	2.9	<0.2	0.3	10.8	<0.01	0.03	13.7
C306306		42.7	280	1.3	7.1	<0.001	0.04	0.07	3.1	<0.2	0.2	8.3	<0.01	0.01	13.3
C306307		42.2	550	6.6	7.7	<0.001	0.26	0.12	2.8	0.2	0.3	12.0	<0.01	0.03	14.9
C306308		1.0	10	0.8	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.3	<0.01	<0.01	1.0
C306309		44.3	480	70.1	6.1	<0.001	0.69	0.24	3.1	0.2	0.3	14.8	<0.01	0.03	14.1
C306310		37.5	290	14.2	7.1	<0.001	0.23	0.15	2.8	<0.2	0.6	13.7	<0.01	0.01	16.3
C306311		37.5	630	19.9	5.2	<0.001	0.24	0.14	2.5	0.2	0.3	10.4	<0.01	0.01	13.0
C306312		42.9	270	15.9	6.1	<0.001	0.17	0.12	3.2	0.4	0.2	10.4	<0.01	0.02	12.5
C306313		40.6	370	37.6	5.8	0.001	0.42	0.28	2.6	0.3	0.2	11.3	<0.01	0.04	13.6
C306314		44.1	440	12.2	5.8	<0.001	0.21	0.18	3.3	0.3	0.2	11.0	<0.01	0.02	12.8
C306315		44.5	240	29.2	6.7	0.001	0.54	0.24	3.2	0.2	0.2	10.7	<0.01	0.05	14.1
C306316		46.2	370	200	6.6	0.001	0.79	0.34	2.6	0.5	0.2	11.7	<0.01	0.02	14.1
C306317		43.5	450	201	6.6	0.001	0.61	0.34	2.6	0.5	0.2	15.4	<0.01	0.04	14.4
C306318		44.9	480	54.2	7.3	0.001	0.51	0.28	2.7	0.3	0.2	13.6	<0.01	0.01	14.9
C306319		38.9	230	5.8	6.6	<0.001	0.42	0.19	2.6	0.3	0.2	10.9	<0.01	0.02	14.0
C306320		36.8	240	4.7	6.6	<0.001	0.33	0.19	2.8	<0.2	0.2	10.7	<0.01	0.02	13.0
C306321		40.4	270	7.2	6.8	<0.001	0.36	0.27	2.9	<0.2	0.2	11.2	<0.01	0.03	13.9
C306322		37.5	520	6.1	6.7	<0.001	0.33	0.20	2.9	<0.2	0.2	13.6	<0.01	0.03	12.7
C306323		37.4	370	5.0	6.7	<0.001	0.14	0.24	2.8	<0.2	0.3	17.1	<0.01	0.11	13.3
C306324															
C306325		38.0	390	1.9	7.6	<0.001	0.02	0.11	2.7	<0.2	0.2	11.4	<0.01	0.01	13.9
C306326		34.3	220	4.4	7.6	<0.001	0.08	0.21	2.4	<0.2	0.2	12.0	<0.01	0.03	13.1
C306327		34.8	270	2.8	6.7	<0.001	0.03	0.09	2.1	<0.2	0.2	10.0	<0.01	0.02	12.2
C306328		40.9	470	2.0	7.5	<0.001	0.09	0.10	2.5	0.2	0.2	12.1	<0.01	0.07	13.9
C306329		43.1	250	1.6	9.4	<0.001	0.30	0.12	1.9	<0.2	0.2	11.7	<0.01	0.04	15.1
C306330		38.9	280	0.8	6.7	<0.001	0.03	0.07	2.0	<0.2	<0.2	10.0	<0.01	0.01	14.9
C306331		46.0	280	1.8	7.9	<0.001	0.01	0.10	2.3	<0.2	0.2	11.9	<0.01	0.01	16.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306292		0.04	1.46	15	6.80	2.27	93	6.5	0.37	
C306293		0.05	1.42	15	0.40	2.77	75	6.9	0.88	
C306294		0.04	1.25	19	0.08	3.38	86	6.9	0.76	
C306295		0.04	1.86	19	0.16	4.13	102	6.0	0.01	
C306296		0.05	0.94	23	0.10	6.85	88	2.9	<0.01	
C306297		0.05	0.55	20	0.35	5.11	116	2.3	<0.01	
C306298		0.05	0.83	20	0.70	4.29	109	2.4	<0.01	
C306299		0.05	0.67	20	0.05	5.22	99	2.7	<0.01	
C306300		0.05	0.94	19	<0.05	5.65	103	4.1	<0.01	
C306301		0.05	0.99	17	0.07	6.05	98	5.5	<0.01	
C306302		0.04	1.16	16	<0.05	6.16	90	5.4	0.01	
C306303		0.05	1.07	17	<0.05	4.79	98	4.7	0.10	
C306304		0.04	0.90	18	<0.05	5.11	116	4.3	0.07	
C306305		0.04	0.97	20	<0.05	5.21	112	4.4	<0.01	
C306306		0.04	0.64	22	<0.05	4.42	111	4.4	<0.01	
C306307		0.06	1.60	18	0.08	7.53	103	5.1	0.03	
C306308		<0.02	0.16	1	<0.05	0.76	2	2.9	<0.01	
C306309		0.04	1.77	19	0.05	6.59	108	6.0	0.03	
C306310		0.05	1.26	18	<0.05	5.77	111	4.6	<0.01	
C306311		0.04	1.05	18	<0.05	4.15	95	4.0	<0.01	
C306312		0.04	0.98	22	<0.05	3.42	107	3.9	<0.01	
C306313		0.04	1.06	18	<0.05	4.44	91	5.0	0.01	
C306314		0.04	0.90	23	0.06	4.33	121	4.2	0.42	
C306315		0.05	1.10	20	0.09	4.00	103	5.3	0.20	
C306316		0.04	1.71	19	0.07	4.38	91	7.1	0.07	
C306317		0.04	1.73	18	0.09	4.44	84	7.4	0.03	
C306318		0.05	1.72	19	0.08	3.95	94	6.6	0.10	
C306319		0.04	1.28	18	<0.05	3.28	91	4.7	0.01	
C306320		0.04	1.09	19	6.28	3.39	100	4.0	0.02	
C306321		0.03	1.11	18	0.19	3.75	102	3.3	<0.01	
C306322		0.03	0.80	20	<0.05	3.82	108	2.8	<0.01	
C306323		0.03	0.87	19	0.06	3.98	108	2.2	0.10	
C306324									1.63	
C306325		0.04	0.67	18	<0.05	4.40	104	3.2	<0.01	
C306326		0.04	1.00	16	0.55	3.24	91	2.7	0.29	
C306327		0.03	0.58	16	<0.05	3.20	96	2.3	0.01	
C306328		0.04	0.75	18	0.06	3.45	84	2.8	0.03	
C306329		0.05	1.19	12	0.10	2.91	83	4.4	0.09	
C306330		0.04	0.90	14	<0.05	3.11	103	2.3	<0.01	
C306331		0.05	1.09	16	<0.05	3.16	117	3.6	0.08	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306332		5.11	0.03	2.46	35.0	<0.02	<10	40	0.63	0.33	0.18	0.02	63.9	21.6	32	2.11
C306333		3.87	<0.01	3.24	33.5	<0.02	<10	30	0.57	0.08	0.10	<0.01	73.8	23.3	39	2.01
C306334		4.46	0.02	2.84	26.3	<0.02	<10	30	0.50	0.30	0.16	<0.01	58.1	18.3	34	1.79
C306335		2.37	0.01	2.78	26.3	<0.02	<10	30	0.55	0.14	0.07	0.01	73.1	17.9	36	2.35
C306336		1.49	0.03	2.80	45.4	<0.02	<10	30	0.54	0.40	0.10	0.01	44.4	26.0	35	2.59
C306337		4.90	0.03	2.52	14.6	<0.02	<10	30	0.48	0.18	0.45	0.01	56.0	12.5	36	1.95
C306338		0.06														
C306339		2.70	0.11	2.69	36.3	<0.02	<10	20	0.49	0.50	0.29	0.04	49.4	21.5	34	1.91
C306340		2.15	0.13	1.77	110.5	<0.02	<10	20	0.57	0.89	1.38	0.10	23.3	16.1	21	1.45
C306341		1.79	0.04	1.99	5290	0.47	<10	20	0.57	1.69	0.13	0.03	33.9	19.9	26	2.17
C306342		1.66	0.08	2.11	1275	0.10	<10	20	0.53	0.80	0.42	0.04	33.4	19.3	26	2.01
C306343		2.37	0.04	2.04	99.1	<0.02	<10	20	0.55	0.92	0.33	0.04	32.6	23.4	26	2.04
C306344		2.31	0.08	1.98	1535	0.07	<10	20	0.62	0.91	0.33	0.19	32.7	21.1	24	1.95
C306345		2.15	0.02	1.58	145.0	<0.02	<10	20	0.47	0.62	1.51	0.11	26.2	14.6	23	1.18
C306346		4.21	0.06	2.21	62.4	<0.02	<10	20	0.57	0.86	0.42	0.04	38.9	20.7	34	2.11
C306347		1.91	0.16	2.78	20.1	<0.02	<10	10	0.31	1.08	0.96	0.04	28.8	12.7	36	0.91
C306348		3.75	0.03	2.56	41.3	<0.02	<10	20	0.57	0.47	0.31	0.01	51.7	21.6	35	2.16
C306349		3.94	0.02	2.48	40.5	<0.02	<10	20	0.53	0.55	0.20	0.01	32.0	24.7	35	2.58
C306350		2.49	0.03	2.70	17.7	<0.02	<10	20	0.28	0.43	0.44	0.05	31.1	14.3	32	1.11
C306351		3.17	0.02	2.31	34.8	<0.02	<10	20	0.68	0.71	0.26	0.01	47.2	21.6	33	2.54
C306352		0.14	0.01	0.08	1.2	<0.02	<10	10	<0.05	0.02	0.01	0.01	4.15	0.7	4	0.09
C306353		1.98	0.05	2.62	22.9	0.02	<10	20	0.54	0.93	1.84	0.03	30.7	16.1	36	1.39
C306354		5.62	0.02	2.46	41.9	<0.02	<10	20	0.46	0.46	0.19	0.01	49.0	20.3	35	2.28
C306355		4.07	0.08	3.30	28.5	0.32	<10	20	0.33	0.48	0.78	0.02	35.1	17.6	39	1.08
C306356		2.04	0.05	2.42	47.7	<0.02	<10	20	0.37	0.48	0.44	0.01	30.4	20.3	30	1.59
C306357		2.41	0.04	2.59	36.9	<0.02	<10	20	0.63	0.54	0.42	0.01	42.0	23.3	36	1.96
C306358		2.10	0.04	2.31	290	0.02	<10	20	0.49	0.40	0.60	0.02	52.8	19.2	32	1.52
C306359		0.14	0.01	0.05	0.5	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.80	0.3	2	0.06
C306360		1.95	0.05	3.20	753	0.06	<10	20	0.49	0.81	0.52	0.02	34.0	19.9	40	1.51
C306361		2.02	0.03	1.85	242	<0.02	<10	30	0.57	0.54	0.72	0.01	42.6	14.8	26	1.76
C306362		2.74	0.04	2.59	259	0.02	<10	20	0.37	0.90	0.27	0.02	31.6	18.5	35	1.27
C306363		3.00	0.11	2.76	288	0.39	<10	30	0.65	4.76	1.03	0.02	39.6	27.1	30	1.90
C306364		3.24	0.10	2.62	643	0.17	<10	30	0.67	2.06	1.00	0.03	41.0	25.0	31	1.41
C306365		0.15	0.01	0.05	0.9	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.16	0.2	2	0.07
C306366		1.49	0.28	2.78	57.7	2.25	<10	30	0.59	0.82	0.44	0.03	35.8	15.0	34	5.30
C306367		2.65	0.02	2.95	17.9	<0.02	<10	20	0.44	0.13	1.56	0.04	46.4	15.3	34	1.55
C306368		5.32	0.01	2.71	10.0	<0.02	<10	30	0.48	0.05	0.20	0.01	82.2	13.2	36	2.04
C306369		5.15	0.07	2.87	14.3	<0.02	<10	30	0.53	1.11	0.28	<0.01	44.7	34.4	37	2.34
C306370		3.98	0.03	2.97	14.2	<0.02	<10	40	0.54	0.23	0.17	0.01	60.6	22.2	37	2.26
C306371		3.83	0.12	2.53	9.7	<0.02	<10	40	0.58	1.03	0.81	0.06	35.7	21.8	33	1.84



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306332		70.4	4.23	7.18	0.09	0.11	<0.01	0.020	0.20	33.3	76.7	0.90	694	0.07	0.04
C306333		2.1	5.82	9.28	0.11	0.07	<0.01	0.015	0.16	38.8	101.0	1.23	770	0.06	0.03
C306334		29.7	5.08	8.21	0.09	0.06	<0.01	0.018	0.15	30.8	91.3	1.09	680	0.09	0.03
C306335		38.8	4.90	8.05	0.10	0.10	<0.01	0.016	0.16	38.0	87.4	1.04	619	0.05	0.03
C306336		60.0	5.13	8.22	0.07	0.12	<0.01	0.021	0.14	23.3	94.8	1.07	710	<0.05	0.03
C306337		31.2	4.32	6.91	0.08	0.10	<0.01	0.021	0.15	29.7	73.2	0.98	946	0.21	0.04
C306338															
C306339		66.2	4.87	7.94	0.08	0.09	<0.01	0.032	0.13	24.0	85.7	1.04	902	0.16	0.04
C306340		44.4	3.79	4.98	0.05	0.10	<0.01	0.034	0.10	11.7	50.5	0.67	1320	0.51	0.03
C306341		43.1	4.47	5.71	0.06	0.16	<0.01	0.022	0.14	17.2	59.4	0.75	616	0.55	0.03
C306342		42.6	4.30	6.46	0.06	0.13	<0.01	0.023	0.14	16.7	67.0	0.84	843	0.89	0.03
C306343		47.0	4.24	6.27	0.07	0.12	<0.01	0.022	0.15	16.6	61.2	0.80	728	0.44	0.03
C306344		69.1	4.30	6.53	0.07	0.10	<0.01	0.034	0.13	16.2	63.9	0.75	756	0.55	0.04
C306345		28.4	3.37	4.96	0.06	0.11	<0.01	0.023	0.11	13.0	48.2	0.58	1440	0.45	0.03
C306346		40.8	4.48	6.59	0.07	0.14	<0.01	0.022	0.15	19.5	66.9	0.86	734	0.60	0.03
C306347		40.0	5.82	9.43	0.07	0.08	<0.01	0.046	0.08	14.4	93.1	1.17	1470	0.31	0.03
C306348		37.8	4.76	7.76	0.08	0.12	<0.01	0.025	0.15	26.2	78.4	0.98	772	0.38	0.03
C306349		38.2	4.84	7.44	0.07	0.11	<0.01	0.019	0.11	16.4	78.8	0.97	628	0.17	0.03
C306350		31.9	5.31	7.94	0.06	0.08	<0.01	0.026	0.11	15.2	80.1	1.06	944	0.13	0.03
C306351		26.4	4.38	6.96	0.07	0.12	<0.01	0.022	0.15	24.1	68.6	0.84	659	0.23	0.04
C306352		1.8	0.62	0.34	<0.05	0.18	<0.01	<0.005	0.02	2.0	1.2	0.01	69	0.45	0.01
C306353		52.1	5.38	8.57	0.07	0.10	<0.01	0.052	0.11	15.3	86.1	1.05	1650	0.17	0.04
C306354		27.5	4.56	7.83	0.08	0.12	<0.01	0.021	0.14	24.4	75.2	0.93	679	0.14	0.03
C306355		26.1	6.46	10.75	0.07	0.07	<0.01	0.028	0.09	16.3	107.5	1.34	1340	0.17	0.03
C306356		49.6	4.84	7.78	0.07	0.09	<0.01	0.026	0.12	15.0	79.7	0.98	896	0.27	0.03
C306357		47.9	4.96	8.01	0.07	0.16	<0.01	0.026	0.13	21.3	84.0	1.02	846	0.22	0.03
C306358		29.5	4.20	7.22	0.09	0.11	<0.01	0.022	0.13	25.5	75.5	0.91	913	0.26	0.03
C306359		0.8	0.24	0.20	<0.05	0.14	<0.01	<0.005	0.01	1.9	0.6	<0.01	28	0.23	<0.01
C306360		39.5	6.36	11.20	0.08	0.09	<0.01	0.035	0.12	16.0	104.0	1.30	1270	0.13	0.04
C306361		34.0	3.41	5.89	0.08	0.13	<0.01	0.024	0.16	21.7	52.5	0.68	930	0.17	0.04
C306362		65.6	5.36	8.52	0.07	0.11	<0.01	0.027	0.13	15.3	74.9	1.06	919	0.29	0.04
C306363		81.7	5.34	8.95	0.07	0.15	<0.01	0.049	0.15	19.2	80.0	1.13	1340	0.98	0.04
C306364		85.4	5.19	8.93	0.08	0.14	<0.01	0.038	0.13	20.0	83.1	1.09	1320	1.86	0.04
C306365		1.3	0.24	0.25	<0.05	0.12	<0.01	<0.005	0.01	1.9	0.8	0.01	25	0.19	<0.01
C306366		46.9	5.03	7.71	0.07	0.11	<0.01	0.021	0.14	17.7	74.4	1.06	802	0.32	0.03
C306367		33.4	5.46	9.52	0.08	0.12	<0.01	0.026	0.12	22.6	91.7	1.15	1760	0.10	0.03
C306368		21.4	4.68	8.22	0.11	0.12	<0.01	0.019	0.16	41.7	78.7	1.01	667	<0.05	0.04
C306369		67.1	5.52	8.64	0.08	0.16	<0.01	0.017	0.15	22.5	87.2	1.11	708	0.23	0.04
C306370		37.3	5.24	8.70	0.10	0.13	<0.01	0.018	0.17	30.0	91.8	1.18	688	0.51	0.03
C306371		137.0	5.18	7.34	0.08	0.12	<0.01	0.027	0.18	18.3	75.7	0.96	854	1.07	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C306332		41.6	260	1.2	9.4	<0.001	0.06	0.09	2.3	<0.2	0.2	13.3	<0.01	0.01	15.2
C306333		46.1	280	0.6	7.7	<0.001	0.01	0.08	2.8	<0.2	0.2	10.1	<0.01	0.02	16.0
C306334		35.9	260	2.4	6.9	<0.001	0.02	0.11	2.6	<0.2	0.2	13.2	<0.01	0.05	11.1
C306335		42.0	260	0.7	7.2	<0.001	0.02	0.07	2.5	<0.2	0.2	11.3	<0.01	0.01	13.2
C306336		46.7	230	2.8	6.9	<0.001	0.19	0.14	2.6	<0.2	0.2	12.0	<0.01	0.03	14.2
C306337		38.0	220	3.7	6.7	<0.001	0.07	0.12	2.4	<0.2	0.3	14.4	<0.01	0.01	13.9
C306338															
C306339		34.3	310	17.0	5.7	<0.001	0.20	0.17	2.7	0.2	0.3	17.6	<0.01	0.03	13.9
C306340		26.4	200	24.9	4.8	<0.001	0.75	0.17	2.4	<0.2	0.4	42.0	<0.01	0.01	11.0
C306341		41.6	210	9.3	6.8	<0.001	0.93	1.53	2.0	0.2	0.4	14.0	<0.01	0.04	15.9
C306342		36.8	220	13.3	6.7	<0.001	0.63	0.62	2.3	0.2	0.4	19.0	<0.01	0.02	15.8
C306343		40.8	280	5.4	7.1	<0.001	0.68	0.17	2.3	<0.2	0.4	17.3	<0.01	0.01	15.3
C306344		38.4	270	9.6	6.6	<0.001	0.69	0.46	3.0	0.4	0.5	18.8	<0.01	0.02	17.6
C306345		27.5	280	3.5	5.3	<0.001	0.49	0.23	2.4	<0.2	0.4	39.4	<0.01	0.01	10.8
C306346		39.4	300	11.1	6.9	<0.001	0.61	0.29	2.7	<0.2	0.4	19.3	<0.01	0.01	16.5
C306347		30.5	260	34.5	4.0	<0.001	0.54	0.16	4.4	0.2	0.3	26.3	<0.01	<0.01	13.2
C306348		42.3	290	5.2	7.2	<0.001	0.24	0.13	2.8	<0.2	0.4	17.2	<0.01	0.02	16.2
C306349		45.5	250	3.4	5.2	<0.001	0.36	0.20	2.6	<0.2	0.2	14.6	<0.01	0.02	15.3
C306350		30.5	270	10.4	4.5	<0.001	0.35	0.11	3.3	<0.2	0.3	13.9	<0.01	<0.01	11.0
C306351		41.3	260	6.4	7.3	<0.001	0.43	0.17	2.5	0.2	0.4	19.4	<0.01	0.02	17.4
C306352		1.4	20	1.2	0.8	<0.001	<0.01	0.05	0.3	<0.2	<0.2	1.4	<0.01	<0.01	1.2
C306353		34.0	260	12.8	5.4	<0.001	0.51	0.16	4.7	<0.2	0.5	40.6	<0.01	0.01	14.5
C306354		39.7	270	5.1	6.7	<0.001	0.25	0.13	2.6	<0.2	0.4	15.6	<0.01	0.01	17.0
C306355		36.6	320	18.5	4.6	<0.001	0.24	0.08	4.1	<0.2	0.3	20.8	<0.01	0.01	13.3
C306356		46.6	380	15.1	6.0	<0.001	0.41	0.13	3.1	<0.2	0.3	17.2	<0.01	0.01	13.3
C306357		46.0	310	7.2	6.3	<0.001	0.37	0.13	3.1	<0.2	0.4	19.1	<0.01	0.01	16.9
C306358		36.8	280	10.2	6.2	<0.001	0.18	0.13	2.8	<0.2	0.4	25.0	<0.01	0.01	13.1
C306359		0.7	10	1.0	0.5	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	1.0	<0.01	<0.01	1.2
C306360		38.6	270	13.1	6.0	<0.001	0.57	0.28	4.7	<0.2	0.6	19.4	<0.01	0.02	14.4
C306361		29.0	240	5.8	7.5	<0.001	0.32	0.12	2.4	<0.2	0.6	26.8	<0.01	0.01	14.5
C306362		34.3	220	7.8	6.1	<0.001	0.76	0.15	3.9	0.2	0.5	16.3	<0.01	0.02	15.9
C306363		48.8	270	16.8	7.3	<0.001	0.62	0.21	3.9	<0.2	0.8	35.1	<0.01	0.04	17.3
C306364		37.5	270	19.0	6.7	<0.001	0.73	0.27	4.5	0.2	0.7	38.2	<0.01	0.03	16.0
C306365		0.7	10	1.0	0.8	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.1
C306366		36.7	290	11.6	6.4	<0.001	0.30	0.21	2.6	<0.2	0.7	50.0	<0.01	0.01	14.7
C306367		36.8	330	5.8	5.8	<0.001	0.07	0.06	3.8	<0.2	0.2	45.2	<0.01	<0.01	13.3
C306368		39.0	340	2.0	7.2	<0.001	0.01	<0.05	2.5	<0.2	0.3	20.8	<0.01	<0.01	15.8
C306369		50.6	290	5.9	7.4	<0.001	0.57	0.28	2.7	0.2	0.2	27.0	<0.01	0.04	15.0
C306370		41.8	310	2.7	7.8	<0.001	0.12	0.08	2.7	<0.2	0.2	19.6	<0.01	0.01	15.9
C306371		41.7	300	6.6	8.5	<0.001	0.79	0.23	2.6	<0.2	0.5	25.2	<0.01	0.03	14.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306332		0.05	1.11	15	0.06	3.20	94	4.6	0.03	
C306333		0.05	1.05	18	0.05	3.03	121	2.9	<0.01	
C306334		0.04	1.16	17	<0.05	2.69	104	3.0	0.02	
C306335		0.05	0.96	16	<0.05	2.97	103	4.1	<0.01	
C306336		0.04	1.76	17	0.05	2.80	111	5.0	0.02	
C306337		0.04	1.18	16	<0.05	2.98	107	4.4	<0.01	
C306338									2.19	
C306339		0.04	0.80	18	0.05	3.16	105	4.1	0.01	
C306340		0.03	1.21	12	0.07	4.20	106	4.0		<0.05
C306341		0.04	1.61	12	0.09	3.02	81	6.5		1.11
C306342		0.04	1.54	14	0.08	3.43	104	5.6		0.13
C306343		0.05	1.63	14	0.12	3.05	94	4.8		<0.05
C306344		0.04	2.00	16	0.12	3.17	108	4.1		0.12
C306345		0.03	1.77	11	0.10	4.84	65	5.0		<0.05
C306346		0.05	1.61	15	0.09	3.66	102	5.9		0.19
C306347		0.02	1.18	27	0.12	3.73	171	3.5		<0.05
C306348		0.04	1.53	17	0.06	3.56	109	4.9	<0.01	
C306349		0.03	1.45	15	0.05	2.77	100	4.8	<0.01	
C306350		0.03	1.36	22	0.05	2.53	129	3.7	<0.01	
C306351		0.03	1.56	15	0.05	3.18	94	5.3	<0.01	
C306352		<0.02	0.22	2	<0.05	0.97	3	4.3	<0.01	
C306353		0.03	1.98	24	0.13	5.74	114	4.1	0.06	
C306354		0.04	1.60	17	0.06	3.13	103	5.2	<0.01	
C306355		0.03	1.13	28	0.05	3.30	146	2.8	0.22	
C306356		0.04	1.65	18	0.09	3.16	115	3.8		<0.05
C306357		0.04	2.00	18	<0.05	3.87	121	6.6		0.10
C306358		0.03	1.45	17	0.05	3.56	114	4.9		0.15
C306359		<0.02	0.21	1	<0.05	0.76	2	3.1	<0.01	
C306360		0.04	1.79	30	0.09	2.87	156	3.9		0.14
C306361		0.04	1.65	14	0.10	3.48	84	5.1		<0.05
C306362		0.03	2.13	24	0.15	2.52	129	5.0		0.08
C306363		0.04	1.67	22	0.10	3.78	137	6.3		1.30
C306364		0.04	2.30	23	0.11	3.99	134	6.1		0.33
C306365		<0.02	0.18	1	<0.05	0.79	2	2.7	0.02	
C306366		0.04	1.72	19	0.06	2.99	113	4.8	0.04	
C306367		0.03	1.36	20	0.10	4.27	121	4.5	<0.01	
C306368		0.04	0.91	17	<0.05	3.47	105	4.6	<0.01	
C306369		0.05	1.34	18	<0.05	3.25	105	6.7	0.04	
C306370		0.05	1.50	19	<0.05	3.47	123	5.7	<0.01	
C306371		0.06	1.48	17	0.05	3.14	103	4.2	0.02	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306372		3.26	<0.01	3.31	7.3	<0.02	<10	50	0.47	0.08	0.09	<0.01	76.2	17.5	40	1.82
C306373		4.20	<0.01	3.08	0.9	0.05	<10	50	0.52	0.03	0.07	<0.01	83.7	17.9	38	1.90
C306374		6.00	<0.01	2.78	0.4	<0.02	<10	50	0.61	0.12	0.17	<0.01	63.4	17.4	36	1.82
C306375		0.06														
C306376		5.93	<0.01	2.60	0.3	<0.02	<10	60	0.80	0.10	0.57	0.01	41.9	19.1	34	1.89
C306377		5.59	<0.01	2.49	0.3	<0.02	<10	60	0.83	0.11	0.44	<0.01	47.7	17.6	33	1.90
C306378		4.98	<0.01	2.71	0.4	<0.02	<10	50	0.64	0.17	0.33	0.01	41.6	15.6	34	1.59
C306379		4.83	<0.01	2.61	0.3	<0.02	<10	60	0.68	0.10	0.26	<0.01	51.0	18.4	33	2.61
C306380		6.44	<0.01	2.65	0.4	<0.02	<10	50	0.73	0.10	0.31	<0.01	45.2	20.9	35	2.66
C306381		4.89	<0.01	2.84	0.4	<0.02	<10	40	0.60	0.08	0.27	<0.01	40.0	21.1	36	2.56
C306382		5.86	<0.01	2.47	0.4	<0.02	<10	30	0.57	0.10	0.19	<0.01	36.1	18.2	32	2.44
C306383		6.07	<0.01	2.20	0.4	<0.02	<10	40	0.52	0.10	0.18	<0.01	38.2	15.7	30	2.32
C306384		3.50	<0.01	2.34	0.3	<0.02	<10	40	0.47	0.09	0.29	<0.01	37.0	14.7	31	2.10
C306385		3.75	<0.01	2.58	0.5	<0.02	<10	40	0.53	0.01	0.11	<0.01	58.7	16.1	33	2.35
C306386		5.76	<0.01	2.81	0.3	<0.02	<10	40	0.63	0.13	0.27	<0.01	36.6	20.2	36	2.59
C306387		5.80	<0.01	2.58	0.2	<0.02	<10	90	0.69	0.05	0.23	0.01	55.6	19.0	34	2.54
C306388		5.56	<0.01	2.44	0.4	<0.02	<10	40	0.65	0.04	0.24	<0.01	69.0	17.6	32	2.20
C306389		5.07	<0.01	2.18	3.2	0.02	<10	40	0.77	0.35	0.21	<0.01	43.7	14.8	28	2.14
C306390		4.88	<0.01	2.18	0.3	<0.02	<10	40	0.72	0.07	0.35	0.01	62.9	16.5	33	1.92
C306391		4.09	<0.01	2.08	0.4	<0.02	<10	50	0.77	0.12	0.31	<0.01	79.8	17.7	33	2.18
C306392		4.98	<0.01	2.14	0.2	<0.02	<10	50	0.81	0.23	0.36	0.01	77.9	17.6	31	2.11
C306393		6.25	<0.01	2.09	0.3	<0.02	<10	80	0.80	0.20	0.29	0.01	73.6	16.1	32	2.09
C306394		3.25	<0.01	2.72	0.4	<0.02	<10	50	0.71	0.07	0.18	<0.01	75.0	18.5	36	1.95
C306395		4.48	0.04	2.69	1.1	<0.02	<10	50	0.72	0.39	0.43	0.01	85.2	24.4	34	2.11
C306396		2.42	0.01	2.55	6.1	0.02	<10	40	0.74	0.25	0.80	0.01	73.5	22.7	35	1.53
C306397		4.87	0.02	2.49	0.6	<0.02	<10	50	0.76	0.20	0.26	<0.01	66.5	20.3	33	1.78
C306398		6.50	0.03	2.74	6.5	<0.02	<10	40	0.73	0.19	0.90	0.01	68.0	25.2	38	1.56
C306399		0.15	0.01	0.05	0.3	<0.02	<10	10	<0.05	0.01	0.06	<0.01	3.08	0.3	1	0.07
C306400		5.33	<0.01	2.46	0.7	<0.02	<10	200	0.80	0.10	0.32	<0.01	73.5	20.6	32	2.06
C306401		4.78	<0.01	2.76	0.3	<0.02	<10	540	0.72	0.10	0.31	0.01	70.7	23.2	37	1.98
C306402		4.77	<0.01	2.39	0.4	<0.02	<10	50	0.82	0.16	0.27	0.01	80.6	22.2	31	2.19
C306403		2.74	<0.01	2.13	0.4	<0.02	<10	40	0.71	0.14	0.18	0.01	74.9	17.8	34	2.32
C306404		3.55	<0.01	2.69	0.3	<0.02	<10	330	0.77	0.10	0.27	0.01	81.6	19.7	35	1.99
C306405		6.60	0.01	2.75	0.8	0.05	<10	100	0.71	0.53	0.36	0.01	57.2	21.7	35	1.92
C306406		0.06														
C306407		5.35	0.08	2.76	6.1	<0.02	<10	40	0.60	0.41	0.73	0.02	35.5	23.6	35	1.76
C306408		4.62	0.01	2.67	0.6	<0.02	<10	30	0.53	0.13	0.23	0.01	38.3	19.2	35	2.05
C306409		5.53	0.08	2.83	0.9	0.02	<10	30	0.57	0.59	0.10	0.01	69.0	21.1	38	2.51
C306410		5.05	0.07	2.90	5.6	<0.02	<10	30	0.54	0.34	0.08	0.01	64.1	21.5	38	2.61
C306411		5.88	0.05	2.92	12.2	<0.02	<10	30	0.57	0.27	0.10	0.01	61.5	19.2	37	2.41



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306372		1.2	5.93	9.05	0.12	0.09	<0.01	0.014	0.20	37.8	90.6	1.20	648	<0.05	0.03
C306373		0.3	5.53	9.08	0.12	0.04	<0.01	0.014	0.20	43.4	88.1	1.06	563	<0.05	0.03
C306374		0.4	5.04	8.08	0.10	0.04	<0.01	0.012	0.22	31.9	68.0	0.96	546	<0.05	0.03
C306375															
C306376		0.3	5.06	7.84	0.08	0.09	<0.01	0.014	0.25	21.1	47.8	0.85	524	<0.05	0.03
C306377		0.4	4.78	7.35	0.08	0.05	<0.01	0.013	0.23	23.9	48.2	0.80	471	<0.05	0.03
C306378		0.6	5.17	7.13	0.07	0.03	<0.01	0.013	0.20	20.7	52.0	0.95	530	<0.05	0.03
C306379		0.4	4.39	7.80	0.08	0.07	<0.01	0.011	0.24	25.9	60.6	1.01	569	<0.05	0.04
C306380		0.5	4.45	8.02	0.08	0.07	<0.01	0.012	0.22	22.8	70.9	1.08	602	<0.05	0.05
C306381		1.2	4.93	8.52	0.08	0.06	<0.01	0.015	0.18	20.7	81.8	1.21	670	<0.05	0.04
C306382		0.4	4.30	7.19	0.06	0.04	<0.01	0.010	0.15	18.2	67.9	1.06	578	<0.05	0.03
C306383		1.6	3.71	6.62	0.07	0.05	<0.01	0.010	0.16	19.3	55.0	0.92	519	<0.05	0.04
C306384		1.1	3.91	6.27	0.07	0.05	<0.01	0.010	0.17	18.6	59.9	0.99	555	<0.05	0.04
C306385		0.4	4.30	7.62	0.10	0.06	<0.01	0.011	0.17	29.3	74.6	1.08	538	<0.05	0.04
C306386		1.1	4.91	8.46	0.07	0.06	<0.01	0.013	0.16	18.4	84.4	1.21	704	<0.05	0.04
C306387		0.4	4.20	7.76	0.09	0.07	<0.01	0.011	0.21	28.6	93.8	1.04	602	<0.05	0.04
C306388		0.5	4.34	7.36	0.10	0.08	<0.01	0.011	0.18	35.2	87.8	0.91	549	<0.05	0.03
C306389		1.4	4.71	6.77	0.08	0.08	<0.01	0.012	0.20	21.8	68.9	0.65	440	<0.05	0.03
C306390		0.8	5.45	6.10	0.10	0.05	<0.01	0.012	0.19	31.1	67.9	0.73	553	<0.05	0.03
C306391		0.2	5.38	6.36	0.11	0.05	<0.01	0.012	0.21	40.3	72.6	0.72	590	<0.05	0.03
C306392		0.8	5.40	6.64	0.11	0.05	<0.01	0.011	0.21	39.0	77.2	0.73	616	<0.05	0.03
C306393		1.0	5.23	6.72	0.11	0.04	<0.01	0.012	0.20	36.4	69.5	0.67	499	<0.05	0.03
C306394		0.8	5.26	8.34	0.11	0.05	<0.01	0.015	0.20	38.0	80.5	0.86	624	<0.05	0.03
C306395		1.4	4.61	8.04	0.13	0.08	<0.01	0.015	0.22	42.6	90.7	1.01	894	<0.05	0.04
C306396		1.9	4.28	7.28	0.08	0.08	<0.01	0.018	0.18	36.6	86.3	1.00	1250	0.06	0.04
C306397		1.7	4.33	6.60	0.08	0.08	<0.01	0.013	0.21	33.9	81.2	0.92	756	0.07	0.04
C306398		1.8	4.77	8.27	0.09	0.06	<0.01	0.019	0.17	33.6	95.4	1.09	1480	0.06	0.04
C306399		2.3	0.14	0.17	<0.05	0.07	<0.01	<0.005	0.01	1.4	0.9	0.01	25	0.11	<0.01
C306400		0.8	4.14	6.66	0.09	0.08	<0.01	0.014	0.22	36.6	89.9	0.90	730	0.07	0.04
C306401		1.0	4.94	7.39	0.09	0.07	<0.01	0.015	0.17	35.2	107.0	1.08	882	0.08	0.04
C306402		0.6	4.03	6.39	0.09	0.08	<0.01	0.013	0.18	40.1	90.8	0.96	782	<0.05	0.04
C306403		1.1	5.00	6.01	0.09	0.06	<0.01	0.012	0.17	36.4	77.9	0.78	549	<0.05	0.04
C306404		0.8	5.20	7.40	0.10	0.05	<0.01	0.015	0.20	40.5	95.3	0.90	728	<0.05	0.04
C306405		6.0	5.00	7.56	0.08	0.06	<0.01	0.015	0.19	28.4	98.9	1.03	925	0.07	0.04
C306406															
C306407		14.1	4.95	7.59	0.06	0.07	<0.01	0.020	0.18	17.9	85.6	1.15	1300	<0.05	0.05
C306408		9.7	4.60	7.30	0.06	0.07	<0.01	0.013	0.16	18.9	71.5	1.11	787	<0.05	0.04
C306409		75.4	4.63	7.78	0.08	0.10	<0.01	0.019	0.16	35.0	82.4	1.14	686	8.73	0.06
C306410		65.9	4.79	8.13	0.08	0.09	<0.01	0.018	0.15	32.6	91.5	1.18	695	3.01	0.06
C306411		59.6	4.78	7.94	0.08	0.11	<0.01	0.018	0.16	31.3	91.1	1.16	680	3.27	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306372		40.9	310	1.7	9.1	<0.001	<0.01	0.05	2.8	<0.2	0.2	11.9	<0.01	<0.01	16.4
C306373		38.1	320	0.4	10.0	<0.001	<0.01	<0.05	2.8	<0.2	0.2	11.8	<0.01	0.01	15.6
C306374		37.9	300	1.4	11.3	<0.001	0.10	0.07	2.6	<0.2	0.2	12.5	<0.01	0.01	16.4
C306375															
C306376		40.4	330	1.8	12.9	<0.001	0.37	0.12	2.8	<0.2	0.2	28.3	<0.01	0.01	16.1
C306377		38.6	300	1.1	12.6	<0.001	0.20	0.14	2.7	<0.2	0.2	25.7	<0.01	0.01	15.2
C306378		35.3	300	0.7	9.6	<0.001	0.13	0.09	2.5	<0.2	0.2	17.4	<0.01	0.03	13.4
C306379		40.2	300	0.6	12.3	<0.001	0.08	0.07	2.6	<0.2	0.2	19.3	<0.01	0.01	14.8
C306380		44.2	300	0.7	11.5	<0.001	0.19	0.10	2.8	<0.2	0.2	21.8	<0.01	<0.01	15.8
C306381		42.7	290	0.5	8.9	<0.001	0.18	0.09	2.8	<0.2	0.3	18.0	<0.01	<0.01	14.8
C306382		37.8	270	0.5	7.5	<0.001	0.13	0.07	2.3	<0.2	<0.2	14.6	<0.01	<0.01	12.9
C306383		34.6	250	0.8	8.1	<0.001	0.11	0.07	2.3	<0.2	<0.2	16.3	<0.01	<0.01	12.3
C306384		30.3	240	0.7	7.6	<0.001	0.07	0.05	2.1	<0.2	<0.2	20.8	<0.01	<0.01	11.7
C306385		37.2	270	0.5	8.9	<0.001	0.01	0.05	2.4	<0.2	0.2	16.3	<0.01	<0.01	13.9
C306386		42.2	290	0.8	8.5	<0.001	0.18	0.08	2.7	<0.2	0.2	18.8	<0.01	0.01	14.8
C306387		40.5	300	0.8	10.7	<0.001	0.04	0.07	2.5	<0.2	0.2	19.7	<0.01	<0.01	15.2
C306388		39.0	300	0.7	9.1	<0.001	0.01	0.08	2.3	<0.2	0.2	16.5	<0.01	0.01	15.1
C306389		33.2	280	1.1	10.7	<0.001	0.17	0.09	2.5	<0.2	0.2	14.7	<0.01	0.03	13.8
C306390		38.9	350	0.9	9.0	<0.001	0.01	0.09	2.3	<0.2	0.3	14.3	<0.01	0.01	14.7
C306391		40.5	310	1.1	10.7	<0.001	<0.01	0.10	2.2	<0.2	0.3	18.3	<0.01	0.01	16.3
C306392		39.5	340	1.0	11.0	<0.001	<0.01	0.07	2.3	<0.2	0.2	16.9	<0.01	0.01	16.3
C306393		38.4	300	1.0	10.7	<0.001	0.01	0.09	2.5	<0.2	0.2	16.5	<0.01	0.01	15.2
C306394		42.2	310	1.3	10.8	<0.001	0.02	0.06	3.1	<0.2	0.2	13.1	<0.01	0.01	15.4
C306395		47.5	320	13.0	11.5	<0.001	0.01	0.06	2.8	<0.2	0.2	18.4	<0.01	0.01	16.9
C306396		41.2	280	6.4	9.1	<0.001	0.01	0.08	3.2	<0.2	0.2	33.2	<0.01	0.01	16.6
C306397		39.7	290	5.1	10.6	<0.001	0.06	0.09	2.6	<0.2	0.2	14.9	<0.01	0.01	15.3
C306398		45.6	300	12.0	9.3	<0.001	0.02	0.09	3.7	<0.2	0.2	25.2	<0.01	0.01	17.4
C306399		0.6	10	0.9	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.0
C306400		45.0	290	1.3	11.6	<0.001	0.01	0.07	2.7	<0.2	0.2	20.0	<0.01	0.01	16.1
C306401		48.0	310	1.3	8.7	<0.001	0.01	0.07	2.9	<0.2	0.2	33.5	<0.01	0.01	17.5
C306402		47.6	310	1.3	9.6	<0.001	<0.01	0.09	2.5	<0.2	0.2	18.4	<0.01	0.05	17.1
C306403		42.5	310	1.6	9.1	<0.001	0.02	0.09	2.4	<0.2	0.3	23.1	<0.01	0.01	15.6
C306404		43.6	320	1.4	10.4	<0.001	0.01	0.06	2.9	<0.2	0.2	25.4	<0.01	0.01	16.8
C306405		46.8	330	1.6	9.9	<0.001	0.09	0.07	2.9	<0.2	0.3	21.7	<0.01	0.02	16.0
C306406															
C306407		40.2	300	6.8	9.6	<0.001	0.29	0.07	3.2	<0.2	0.2	26.3	<0.01	0.01	15.0
C306408		43.2	280	2.5	8.0	<0.001	0.12	0.05	2.7	<0.2	0.2	18.1	<0.01	0.01	14.7
C306409		43.0	290	4.5	7.7	0.001	0.05	0.06	2.9	<0.2	0.2	19.8	<0.01	0.01	17.0
C306410		43.7	260	2.9	6.8	0.001	0.01	0.08	3.0	<0.2	0.2	18.0	<0.01	0.01	14.9
C306411		41.5	270	2.2	7.4	0.004	0.01	0.05	2.9	<0.2	0.2	21.3	<0.01	0.01	14.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01 0.05
C306372		0.06	1.08	20	<0.05	2.88	112	1.8	<0.01
C306373		0.07	1.10	19	<0.05	3.14	97	1.5	<0.01
C306374		0.07	1.30	18	<0.05	2.93	89	1.8	<0.01
C306375									1.61
C306376		0.08	1.56	20	<0.05	3.06	84	1.9	<0.01
C306377		0.07	1.45	20	<0.05	3.12	82	2.3	<0.01
C306378		0.06	1.24	20	<0.05	2.78	92	1.7	<0.01
C306379		0.07	1.66	17	<0.05	3.37	102	3.0	<0.01
C306380		0.06	1.66	18	<0.05	3.33	111	3.3	<0.01
C306381		0.05	1.40	19	<0.05	2.83	124	2.5	<0.01
C306382		0.05	1.10	16	<0.05	2.37	107	1.7	<0.01
C306383		0.05	1.31	16	<0.05	2.42	95	1.9	<0.01
C306384		0.04	0.91	16	<0.05	2.30	99	2.2	0.03
C306385		0.05	0.97	16	<0.05	2.68	105	2.1	<0.01
C306386		0.05	1.36	20	<0.05	2.68	124	2.4	0.01
C306387		0.07	1.52	17	<0.05	2.96	105	2.4	<0.01
C306388		0.06	1.53	17	<0.05	3.07	91	3.2	<0.01
C306389		0.06	1.57	21	<0.05	2.68	69	2.5	0.06
C306390		0.06	1.17	26	<0.05	2.89	82	2.1	<0.01
C306391		0.05	1.13	26	<0.05	3.24	83	1.7	0.01
C306392		0.07	1.09	22	<0.05	3.36	86	1.2	<0.01
C306393		0.05	1.21	26	<0.05	3.23	78	1.7	<0.01
C306394		0.06	1.32	25	<0.05	3.50	96	2.5	<0.01
C306395		0.06	1.65	17	<0.05	4.40	117	3.3	<0.01
C306396		0.05	1.34	20	<0.05	3.93	111	2.9	<0.01
C306397		0.06	1.36	18	<0.05	3.24	105	2.3	<0.01
C306398		0.05	1.43	23	<0.05	3.76	119	2.3	<0.01
C306399		<0.02	0.13	1	<0.05	0.61	3	1.8	<0.01
C306400		0.06	1.41	19	<0.05	3.51	102	3.0	<0.01
C306401		0.05	1.54	23	<0.05	3.49	118	3.1	<0.01
C306402		0.05	1.61	17	<0.05	3.46	106	3.3	<0.01
C306403		0.05	1.06	27	<0.05	2.89	84	2.8	<0.01
C306404		0.06	1.41	23	<0.05	3.39	94	2.3	<0.01
C306405		0.06	1.25	19	<0.05	3.25	105	2.3	<0.01
C306406									2.16
C306407		0.05	1.61	20	<0.05	3.33	113	2.9	<0.01
C306408		0.04	1.20	18	<0.05	2.46	106	2.6	<0.01
C306409		0.04	1.49	20	<0.05	3.17	109	4.3	<0.01
C306410		0.04	1.45	20	<0.05	3.13	112	3.8	<0.01
C306411		0.05	1.37	20	<0.05	3.15	116	4.4	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306412		2.11	0.62	2.90	16.8	0.56	<10	70	0.78	2.43	0.90	0.43	63.7	22.0	35	2.18
C306413		5.51	0.02	2.63	0.5	<0.02	<10	50	0.81	0.24	0.09	0.01	75.9	17.1	37	1.89
C306414		1.92	<0.01	2.42	0.2	<0.02	<10	40	0.88	0.65	0.50	0.01	72.0	19.2	37	1.72
C306415		3.72	<0.01	2.04	0.3	<0.02	<10	40	0.85	1.14	0.26	0.01	61.6	19.8	32	2.38
C306416		2.21	<0.01	1.82	0.3	<0.02	<10	30	0.74	0.17	0.19	<0.01	44.5	17.6	28	2.37
C306417		2.71	<0.01	1.68	0.2	<0.02	<10	30	0.72	0.26	0.21	<0.01	53.5	16.4	29	2.24
C306418		3.32	<0.01	1.88	0.3	<0.02	<10	40	0.76	0.28	0.18	<0.01	65.4	18.5	33	2.34
C306419		6.23	0.01	1.94	0.3	<0.02	<10	30	0.64	0.21	0.24	0.01	64.8	18.6	32	2.12
C306420		4.86	<0.01	1.85	0.5	<0.02	<10	50	0.73	0.23	0.28	0.01	57.5	15.8	31	2.31
C306421		4.20	<0.01	1.88	0.2	<0.02	<10	30	0.62	0.23	0.28	0.01	62.2	19.2	32	2.28
C306422		0.06														
C306423		2.32	<0.01	2.03	0.4	<0.02	<10	30	0.59	0.21	0.33	0.02	67.8	20.4	33	2.33
C306424		3.00	<0.01	1.83	0.4	<0.02	<10	30	0.61	0.38	0.11	<0.01	53.8	18.9	33	2.61
C306425		5.57	<0.01	1.92	0.4	<0.02	<10	30	0.68	0.31	0.23	0.01	67.7	21.4	34	2.86
C306426		2.80	<0.01	2.04	0.4	<0.02	<10	30	0.66	0.33	0.40	0.02	63.9	21.4	34	2.37
C306427		2.97	<0.01	2.61	0.3	<0.02	<10	40	0.75	0.25	0.52	0.02	70.1	21.5	37	1.99
C306428		2.83	<0.01	2.46	0.3	<0.02	<10	40	0.96	1.19	0.45	0.01	59.8	20.3	35	2.30
C306429		2.66	<0.01	2.29	0.2	<0.02	<10	30	0.83	1.27	0.31	<0.01	60.6	19.3	34	2.40
C306430		6.52	0.01	2.62	0.3	<0.02	<10	40	0.84	0.41	0.09	<0.01	62.7	17.8	39	2.34
C306431		5.94	0.06	2.76	0.6	<0.02	<10	50	0.85	0.82	0.29	0.01	54.5	20.8	40	2.16
C306432		5.94	0.02	2.67	0.3	<0.02	<10	40	0.77	0.67	0.14	0.01	46.9	21.0	39	2.09
C306433		3.42	<0.01	2.56	0.2	<0.02	<10	40	0.92	0.52	0.11	<0.01	57.6	20.9	36	2.34
C306434		4.44	<0.01	2.60	0.2	<0.02	<10	40	0.78	0.84	0.17	0.01	66.3	20.3	35	2.07
C306435		4.45	<0.01	2.56	0.3	<0.02	<10	40	0.85	0.26	0.15	<0.01	67.0	19.8	37	2.31
C306436		3.79	<0.01	2.36	0.3	<0.02	<10	330	0.84	0.38	0.16	<0.01	53.5	19.8	36	2.30
C306437		2.93	0.01	2.44	0.4	<0.02	<10	40	0.87	0.25	0.18	0.01	59.2	19.3	34	2.41
C306438		5.62	0.02	2.38	0.2	<0.02	<10	40	0.81	6.17	0.31	0.03	62.0	23.2	32	2.07
C306439		0.16	0.01	0.04	0.7	<0.02	<10	10	<0.05	0.03	0.01	<0.01	3.11	0.3	4	0.07
C306440		1.33	0.13	2.38	1.6	<0.02	<10	40	0.62	2.69	0.40	0.06	57.7	21.0	32	1.24
C306441		3.99	0.04	2.71	6.6	<0.02	<10	40	0.73	0.17	0.15	0.03	69.1	20.2	38	1.52
C306442		2.72	0.06	2.90	17.1	<0.02	<10	50	0.85	0.50	0.34	0.03	88.5	23.5	37	1.62
C306443		3.23	0.05	2.90	12.6	<0.02	<10	40	0.70	0.23	0.23	0.04	87.3	24.1	37	1.57
C306444		1.73	0.15	2.52	18.0	<0.02	<10	30	0.69	0.31	0.78	0.13	81.1	24.3	34	1.55
C306445		1.57	0.02	2.99	7.8	<0.02	<10	40	0.65	0.17	0.13	0.03	89.9	23.8	39	1.96
C306446		2.67	0.25	2.99	18.2	<0.02	<10	30	0.76	0.34	1.03	0.37	68.4	27.9	39	1.37
C306447		2.51	0.30	2.74	14.5	<0.02	<10	40	0.68	0.80	0.44	0.16	77.0	25.5	36	1.84
C306448		1.80	0.04	2.57	5.0	<0.02	<10	50	0.78	0.94	0.65	0.01	69.3	19.1	35	1.51
C306449		2.60	0.02	3.02	4.7	<0.02	<10	40	0.91	0.88	0.49	0.02	78.2	20.1	40	1.50
C306450		0.84	0.03	2.65	11.1	<0.02	<10	40	0.90	0.91	1.44	0.02	76.3	20.1	32	1.67
C306451		2.89	0.01	2.61	7.3	<0.02	<10	40	0.89	0.51	0.20	0.01	81.0	18.5	34	1.89



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306412		903	4.52	8.06	0.07	0.09	<0.01	0.108	0.25	31.9	89.2	1.13	1160	0.06	0.07
C306413		4.2	5.01	7.45	0.09	0.06	<0.01	0.018	0.25	37.2	78.7	0.67	546	0.07	0.04
C306414		4.6	5.05	7.21	0.09	0.03	<0.01	0.020	0.17	35.4	84.6	0.84	1290	0.12	0.04
C306415		0.9	4.59	5.59	0.08	0.06	<0.01	0.012	0.22	31.5	73.7	0.75	599	<0.05	0.04
C306416		1.0	3.95	4.69	0.06	0.11	<0.01	0.010	0.16	22.0	64.6	0.71	408	<0.05	0.03
C306417		1.0	4.28	4.47	0.08	0.07	<0.01	0.010	0.16	26.4	59.1	0.69	377	<0.05	0.03
C306418		0.5	4.71	5.07	0.08	0.06	<0.01	0.011	0.20	31.4	65.0	0.79	532	<0.05	0.04
C306419		1.2	4.62	5.28	0.08	0.04	<0.01	0.011	0.18	31.6	69.1	0.86	776	<0.05	0.04
C306420		1.0	4.55	4.99	0.07	0.05	<0.01	0.011	0.21	27.3	61.0	0.79	729	<0.05	0.05
C306421		2.7	4.81	5.15	0.08	0.05	<0.01	0.010	0.16	30.0	69.4	0.97	887	<0.05	0.04
C306422															
C306423		1.1	4.65	5.55	0.08	0.04	<0.01	0.013	0.17	32.4	75.5	1.03	970	<0.05	0.04
C306424		1.5	4.78	5.00	0.07	0.09	<0.01	0.010	0.14	27.1	64.4	0.87	432	0.27	0.04
C306425		0.7	4.78	5.38	0.09	0.05	<0.01	0.011	0.19	34.1	71.1	0.96	794	<0.05	0.06
C306426		1.6	4.94	5.70	0.09	0.06	<0.01	0.014	0.18	31.9	77.4	1.07	1140	<0.05	0.05
C306427		2.2	5.10	7.27	0.08	0.06	<0.01	0.020	0.20	34.5	97.3	1.16	1620	<0.05	0.06
C306428		2.7	4.60	7.33	0.08	0.07	<0.01	0.015	0.20	30.6	84.0	0.90	864	0.16	0.05
C306429		2.0	4.53	6.68	0.09	0.06	<0.01	0.013	0.19	30.6	75.5	0.80	635	0.14	0.05
C306430		7.0	4.91	7.73	0.08	0.04	<0.01	0.018	0.22	32.6	77.2	0.75	531	0.09	0.06
C306431		16.0	5.09	8.37	0.08	0.05	<0.01	0.020	0.24	28.2	83.3	0.92	1080	0.10	0.06
C306432		3.0	4.99	7.85	0.08	0.05	<0.01	0.016	0.20	24.2	86.2	0.89	678	0.10	0.04
C306433		3.9	4.99	7.47	0.08	0.05	<0.01	0.015	0.22	29.4	83.1	0.82	452	0.08	0.05
C306434		12.9	4.85	7.67	0.09	0.06	<0.01	0.017	0.20	35.1	85.9	0.91	735	0.06	0.04
C306435		3.0	5.28	7.64	0.09	0.04	<0.01	0.017	0.19	35.8	90.1	0.89	601	0.13	0.05
C306436		0.5	5.02	6.51	0.08	0.06	<0.01	0.013	0.19	28.5	81.9	0.87	522	<0.05	0.05
C306437		27.1	4.84	6.79	0.08	0.09	<0.01	0.016	0.19	30.5	86.7	0.89	564	<0.05	0.05
C306438		68.5	3.87	6.75	0.08	0.07	<0.01	0.015	0.21	32.1	62.9	1.05	944	1.09	0.05
C306439		4.5	0.21	0.17	<0.05	0.07	<0.01	<0.005	0.01	1.5	0.7	0.01	19	0.11	<0.01
C306440		240	4.23	7.28	0.08	0.04	<0.01	0.040	0.20	29.8	59.9	0.86	1050	0.74	0.05
C306441		82.3	4.77	8.03	0.09	0.08	<0.01	0.020	0.21	35.8	68.5	0.93	754	0.08	0.05
C306442		40.0	4.71	8.51	0.11	0.08	<0.01	0.020	0.24	46.1	74.7	1.10	1060	0.05	0.05
C306443		71.0	4.98	8.59	0.13	0.08	<0.01	0.027	0.19	44.7	81.8	1.10	1030	0.06	0.05
C306444		117.0	3.95	7.52	0.10	0.07	<0.01	0.030	0.19	41.8	74.0	1.18	1920	0.05	0.05
C306445		6.7	4.81	8.46	0.11	0.09	<0.01	0.020	0.20	47.2	85.7	1.23	881	0.06	0.05
C306446		285	4.42	9.13	0.10	0.09	<0.01	0.082	0.17	34.1	93.1	1.64	2740	<0.05	0.05
C306447		390	4.08	7.79	0.11	0.10	<0.01	0.034	0.20	39.8	80.9	1.31	1540	<0.05	0.06
C306448		17.9	4.82	7.64	0.10	0.05	<0.01	0.019	0.21	35.3	69.7	0.83	1250	0.09	0.04
C306449		3.5	5.47	9.11	0.10	0.04	<0.01	0.024	0.23	39.4	84.0	1.03	1120	0.07	0.04
C306450		5.4	4.73	7.68	0.10	0.06	<0.01	0.025	0.21	39.7	74.7	0.92	1650	0.06	0.04
C306451		3.4	4.59	7.62	0.11	0.09	<0.01	0.017	0.25	41.9	68.2	0.79	607	0.08	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306412		40.4	270	14.1	12.6	<0.001	0.10	0.13	3.3	0.2	1.1	37.1	<0.01	0.05	16.7
C306413		43.5	290	4.3	12.2	<0.001	0.01	0.07	3.1	<0.2	0.2	14.9	<0.01	0.02	15.2
C306414		46.1	300	2.3	9.4	<0.001	0.01	0.07	3.1	<0.2	0.2	23.1	<0.01	0.08	16.2
C306415		46.4	280	2.6	11.2	<0.001	<0.01	0.09	2.3	<0.2	0.3	18.9	<0.01	0.02	16.7
C306416		39.9	300	1.9	8.6	<0.001	0.01	0.10	1.8	<0.2	0.3	17.6	<0.01	0.02	12.6
C306417		38.3	310	2.1	8.4	<0.001	0.01	0.10	1.7	<0.2	0.3	17.1	<0.01	0.02	14.5
C306418		41.5	300	2.4	10.0	<0.001	<0.01	0.11	2.0	<0.2	0.3	18.1	<0.01	0.02	15.8
C306419		40.3	320	2.2	9.5	<0.001	<0.01	0.10	2.0	<0.2	0.3	18.2	<0.01	0.01	15.8
C306420		31.1	270	2.8	10.9	<0.001	0.02	0.12	2.0	<0.2	0.3	22.5	<0.01	0.01	15.1
C306421		39.5	330	2.6	8.1	<0.001	<0.01	0.11	1.9	<0.2	0.4	20.8	<0.01	0.01	15.7
C306422															
C306423		42.0	330	2.6	9.2	<0.001	<0.01	0.10	2.1	<0.2	0.3	22.2	<0.01	0.01	16.5
C306424		42.6	290	2.7	7.1	<0.001	<0.01	0.10	1.8	<0.2	0.4	18.5	<0.01	0.08	15.5
C306425		48.5	290	3.2	10.1	<0.001	<0.01	0.12	2.1	0.2	0.4	22.3	<0.01	0.02	16.8
C306426		44.4	280	3.5	9.4	<0.001	<0.01	0.10	2.6	<0.2	0.5	25.1	<0.01	0.04	16.7
C306427		45.8	330	3.0	10.7	<0.001	<0.01	0.06	3.1	<0.2	0.3	28.6	<0.01	0.02	16.2
C306428		42.6	310	4.0	11.4	<0.001	0.04	0.23	3.2	<0.2	0.2	30.4	<0.01	<0.01	16.1
C306429		42.7	300	3.5	10.4	<0.001	0.02	0.14	2.7	<0.2	0.3	23.7	<0.01	0.01	15.5
C306430		41.9	310	3.4	11.4	<0.001	<0.01	0.05	3.3	<0.2	0.3	18.9	<0.01	0.01	13.2
C306431		45.3	330	13.0	13.3	<0.001	0.06	0.07	3.7	<0.2	0.4	24.2	<0.01	0.03	13.4
C306432		44.6	290	5.8	11.0	<0.001	0.06	<0.05	3.2	<0.2	0.2	22.6	<0.01	0.01	13.0
C306433		47.5	280	2.7	12.1	<0.001	0.03	<0.05	2.9	<0.2	0.3	32.1	<0.01	0.01	13.6
C306434		44.1	310	2.4	11.0	<0.001	<0.01	0.06	2.9	<0.2	0.5	22.4	<0.01	0.03	14.5
C306435		45.6	290	1.8	10.4	<0.001	<0.01	<0.05	3.1	<0.2	0.4	20.9	<0.01	0.03	13.1
C306436		42.7	300	1.6	10.0	<0.001	0.01	0.07	2.6	<0.2	0.3	24.6	<0.01	0.01	12.8
C306437		41.5	300	1.4	10.4	<0.001	0.02	0.07	2.9	<0.2	0.2	20.2	<0.01	0.06	14.3
C306438		44.6	330	6.0	11.6	<0.001	0.07	0.07	2.8	<0.2	0.2	22.8	<0.01	3.63	15.9
C306439		0.7	20	0.6	0.5	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.0
C306440		34.3	280	24.7	10.5	<0.001	0.11	<0.05	3.1	<0.2	0.3	29.9	<0.01	0.21	12.3
C306441		39.1	290	4.1	10.9	<0.001	0.01	<0.05	3.4	<0.2	0.2	32.2	<0.01	0.03	14.0
C306442		43.1	320	8.8	12.8	<0.001	0.01	0.05	3.4	<0.2	0.2	40.8	<0.01	0.01	17.2
C306443		42.3	300	6.6	10.4	<0.001	0.01	<0.05	3.3	<0.2	0.2	27.4	<0.01	0.01	16.0
C306444		39.7	290	15.2	10.3	<0.001	0.02	0.05	3.3	<0.2	0.3	36.4	<0.01	0.01	16.0
C306445		45.0	300	2.7	10.4	<0.001	0.01	<0.05	3.1	<0.2	0.2	27.4	<0.01	0.01	16.5
C306446		43.9	320	10.3	9.9	<0.001	0.04	<0.05	4.4	<0.2	0.7	42.8	<0.01	0.01	16.3
C306447		43.1	320	9.1	10.6	<0.001	0.05	<0.05	3.4	<0.2	0.3	29.2	<0.01	0.04	16.0
C306448		40.3	310	10.1	11.7	<0.001	0.07	0.06	3.2	<0.2	0.3	31.5	<0.01	0.03	15.2
C306449		41.6	360	13.3	12.9	<0.001	0.06	<0.05	4.1	<0.2	0.4	31.3	<0.01	0.03	17.1
C306450		43.4	270	17.5	12.0	<0.001	0.01	<0.05	3.1	<0.2	0.4	66.3	<0.01	0.01	16.8
C306451		41.4	310	5.7	13.4	<0.001	0.02	0.05	3.0	<0.2	0.3	37.9	<0.01	0.04	15.8



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306412		0.07	1.45	22	<0.05	4.38	144	3.9	0.15	
C306413		0.07	1.46	28	<0.05	2.90	83	3.0	<0.01	
C306414		0.06	0.97	27	<0.05	3.08	102	1.3	<0.01	
C306415		0.06	1.55	27	<0.05	2.57	95	2.0	<0.01	
C306416		0.06	2.24	24	0.06	2.54	91	4.6	<0.01	
C306417		0.05	1.28	29	<0.05	2.29	85	3.0	<0.01	
C306418		0.06	1.09	33	<0.05	2.31	94	1.8	<0.01	
C306419		0.05	0.95	29	<0.05	2.32	98	1.4	<0.01	
C306420		0.06	1.17	33	<0.05	2.43	86	1.8	<0.01	
C306421		0.04	0.98	34	<0.05	2.33	107	1.7	<0.01	
C306422									1.56	
C306423		0.05	0.96	32	<0.05	2.53	112	1.3	0.02	
C306424		0.04	1.28	32	<0.05	2.21	102	3.5	<0.01	
C306425		0.06	1.26	32	<0.05	2.52	109	1.9	<0.01	
C306426		0.06	1.17	34	<0.05	2.62	120	2.5	<0.01	
C306427		0.06	1.13	27	<0.05	2.97	125	2.5	<0.01	
C306428		0.10	1.84	27	0.09	3.95	103	2.3	<0.01	
C306429		0.08	1.68	27	0.09	2.91	96	2.3	<0.01	
C306430		0.06	1.01	30	<0.05	2.30	96	1.9	<0.01	
C306431		0.07	1.26	30	<0.05	2.59	108	2.2	<0.01	
C306432		0.07	1.17	28	<0.05	2.13	107	1.8	<0.01	
C306433		0.07	1.18	29	<0.05	2.38	98	2.3	<0.01	
C306434		0.06	1.33	25	<0.05	2.62	115	2.6	<0.01	
C306435		0.07	1.14	27	<0.05	2.35	111	1.5	<0.01	
C306436		0.06	1.14	31	<0.05	2.21	100	2.7	<0.01	
C306437		0.06	1.41	28	<0.05	2.52	101	3.2	<0.01	
C306438		0.06	1.71	20	<0.05	3.07	115	3.0	<0.01	
C306439		<0.02	0.15	1	<0.05	0.63	5	1.7	<0.01	
C306440		0.06	1.32	21	<0.05	3.13	96	1.7	<0.01	
C306441		0.06	1.25	28	<0.05	2.79	108	3.3	<0.01	
C306442		0.07	1.75	25	<0.05	3.60	120	3.5	<0.01	
C306443		0.06	1.48	25	<0.05	3.44	118	2.8	<0.01	
C306444		0.06	1.35	20	<0.05	4.19	134	3.2	0.01	
C306445		0.05	1.54	23	<0.05	3.52	129	3.7	<0.01	
C306446		0.05	1.48	26	<0.05	4.42	198	3.9	<0.01	
C306447		0.06	1.49	20	<0.05	4.06	139	4.0	<0.01	
C306448		0.07	1.22	25		3.35	96	1.7	<0.01	
C306449		0.07	1.21	30	<0.05	3.28	128	1.4	0.02	
C306450		0.07	1.62	24	0.06	4.00	123	2.3	<0.01	
C306451		0.08	1.76	25	<0.05	3.29	96	4.1	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306452		3.00	0.03	2.94	7.1	<0.02	<10	40	0.85	0.44	0.20	0.01	69.0	19.2	43	1.67
C306453		3.13	0.01	2.74	20.0	<0.02	<10	50	0.81	0.56	0.13	<0.01	48.1	21.0	37	1.90
C306454		3.31	0.01	2.73	11.2	<0.02	<10	40	0.80	0.60	0.14	<0.01	74.8	16.5	39	1.86
C306455		1.66	0.01	2.46	23.8	<0.02	<10	40	0.93	0.15	0.26	0.01	83.2	22.3	36	1.84
C306456		1.10	0.02	2.23	22.7	<0.02	<10	40	0.79	0.76	0.38	0.01	86.1	20.3	29	1.77
C306457		1.75	0.02	2.60	15.5	<0.02	<10	40	0.80	0.34	0.38	0.01	95.4	19.5	35	1.56
C306458		1.22	0.03	2.93	17.2	<0.02	<10	30	0.90	0.61	1.68	0.05	59.7	22.3	40	1.10
C306459		2.65	0.03	2.65	22.5	<0.02	<10	40	0.71	0.58	0.31	0.01	56.9	22.0	37	1.54
C306460		1.37	0.06	2.05	16.7	0.14	<10	30	0.67	7.02	0.25	0.01	28.3	16.5	28	1.46
C306461		3.15	0.02	2.66	18.7	<0.02	<10	40	0.70	1.34	0.25	0.01	41.3	19.7	38	1.59
C306462		0.19	<0.01	0.09	1.1	<0.02	<10	10	<0.05	0.04	0.02	<0.01	4.98	0.5	4	0.19
C306463		1.86	0.02	2.61	25.4	<0.02	<10	40	0.72	0.61	0.56	0.01	71.3	23.2	36	1.54
C306464		0.92	0.10	2.99	14.6	<0.02	<10	40	0.70	4.80	0.86	0.05	48.0	20.0	40	1.17
C306465		1.91	0.02	2.63	8.7	<0.02	<10	40	0.79	0.40	0.16	0.01	50.4	16.9	38	1.54
C306466		1.17	0.02	2.81	16.0	<0.02	<10	30	0.80	0.21	0.26	0.01	74.1	22.0	39	1.50
C306467		3.67	0.03	3.02	9.7	<0.02	<10	30	0.75	0.20	0.32	0.03	74.1	22.9	42	1.24
C306468		3.30	0.01	2.72	0.3	<0.02	<10	30	0.74	0.37	0.09	<0.01	64.8	20.9	42	1.69
C306469		2.76	0.01	2.55	0.3	<0.02	<10	40	0.82	0.40	0.41	0.01	30.8	17.7	36	1.94
C306470		2.21	0.01	2.74	0.4	<0.02	<10	30	0.72	1.42	0.09	0.01	69.4	23.0	41	1.48



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 6 – B
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 2–MAR–2021
 Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C306452		2.3	5.50	9.63	0.10	0.05	<0.01	0.022	0.22	35.8	79.3	0.89	649	0.10	0.05	<0.05
C306453		11.0	5.50	8.16	0.08	0.05	<0.01	0.021	0.25	24.9	71.4	0.76	626	0.07	0.05	<0.05
C306454		2.3	5.00	8.02	0.09	0.06	<0.01	0.017	0.24	38.9	71.4	0.79	566	0.07	0.04	<0.05
C306455		1.5	4.11	7.73	0.10	0.16	<0.01	0.017	0.22	43.9	64.7	0.84	776	0.07	0.05	<0.05
C306456		3.2	3.85	6.34	0.11	0.18	<0.01	0.015	0.20	45.0	61.5	0.81	907	0.08	0.03	<0.05
C306457		4.7	4.68	7.80	0.11	0.09	<0.01	0.016	0.21	50.0	70.7	0.90	1090	0.09	0.04	<0.05
C306458		7.8	5.08	9.30	0.09	0.04	<0.01	0.041	0.17	30.8	85.4	1.37	3690	0.07	0.04	<0.05
C306459		9.6	5.08	7.88	0.08	0.03	<0.01	0.022	0.19	29.0	73.7	0.90	916	0.09	0.04	<0.05
C306460		18.6	4.44	5.97	0.06	0.03	<0.01	0.018	0.18	14.9	56.6	0.59	602	0.09	0.03	<0.05
C306461		7.3	5.27	8.09	0.08	0.06	<0.01	0.021	0.20	21.5	72.6	0.90	704	0.07	0.04	<0.05
C306462		1.2	0.29	0.33	<0.05	0.12	<0.01	<0.005	0.02	2.4	1.7	0.02	35	0.09	0.01	0.07
C306463		16.9	4.81	7.96	0.10	0.04	<0.01	0.023	0.18	36.9	73.1	0.93	1320	0.07	0.04	<0.05
C306464		52.7	5.67	10.20	0.08	0.06	<0.01	0.034	0.14	24.1	88.7	1.22	1460	0.52	0.03	0.05
C306465		8.8	5.05	7.92	0.08	0.04	<0.01	0.018	0.18	25.9	67.7	0.84	674	0.20	0.04	<0.05
C306466		5.6	5.39	9.53	0.10	0.02	<0.01	0.019	0.15	38.1	77.0	0.95	814	0.16	0.04	<0.05
C306467		24.0	5.51	9.62	0.11	0.03	<0.01	0.041	0.17	37.7	83.6	1.15	1040	0.14	0.04	<0.05
C306468		5.8	5.11	8.55	0.10	0.04	<0.01	0.016	0.17	34.0	70.6	0.96	508	0.09	0.04	<0.05
C306469		13.2	4.92	7.21	0.07	0.04	<0.01	0.014	0.21	16.0	51.7	0.92	505	0.07	0.05	<0.05
C306470		9.8	5.14	8.68	0.10	0.04	<0.01	0.017	0.17	36.3	66.3	1.02	557	0.09	0.04	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306452		42.4	310	12.8	12.3	<0.001	0.05	0.05	4.2	<0.2	0.3	36.5	<0.01	0.01	15.3
C306453		43.8	310	5.1	13.9	<0.001	0.52	<0.05	3.3	<0.2	0.4	23.8	<0.01	0.03	14.2
C306454		41.5	290	5.2	13.0	<0.001	0.01	<0.05	3.2	<0.2	0.3	27.3	<0.01	0.02	14.6
C306455		43.5	310	5.4	12.1	<0.001	<0.01	<0.05	3.2	<0.2	0.2	37.4	<0.01	0.01	16.3
C306456		42.0	300	7.0	10.3	<0.001	0.01	0.05	2.3	0.2	0.2	28.9	<0.01	0.09	18.3
C306457		40.8	300	9.8	11.3	<0.001	<0.01	<0.05	3.0	<0.2	0.2	27.1	<0.01	0.01	18.3
C306458		40.8	340	14.0	9.6	<0.001	0.08	<0.05	5.2	<0.2	0.5	52.1	<0.01	0.01	16.0
C306459		44.3	320	9.2	10.4	<0.001	0.18	<0.05	3.2	<0.2	0.4	24.2	<0.01	0.04	15.3
C306460		33.0	270	12.2	9.4	<0.001	0.56	0.12	2.5	0.2	0.4	19.5	<0.01	0.08	9.0
C306461		41.9	330	6.4	10.7	<0.001	0.34	<0.05	3.5	<0.2	0.3	19.0	<0.01	0.02	13.4
C306462		1.0	20	0.7	1.1	<0.001	<0.01	<0.05	0.3	<0.2	<0.2	1.4	<0.01	<0.01	1.3
C306463		44.6	350	9.8	9.9	<0.001	0.06	0.05	3.3	<0.2	0.4	25.1	<0.01	0.01	15.8
C306464		49.3	330	17.6	7.9	<0.001	0.16	0.28	4.5	<0.2	0.4	30.3	<0.01	0.04	15.7
C306465		43.3	290	9.0	8.9	<0.001	0.07	0.10	2.9	<0.2	0.2	25.4	<0.01	0.01	14.3
C306466		50.5	320	8.5	7.5	<0.001	<0.01	0.07	3.6	0.2	0.2	34.4	<0.01	0.01	15.8
C306467		51.2	320	10.6	8.3	<0.001	0.01	0.06	3.6	<0.2	0.2	32.1	<0.01	0.01	16.6
C306468		50.2	310	2.3	8.4	<0.001	0.01	0.06	3.2	<0.2	0.2	22.8	<0.01	0.01	14.5
C306469		45.9	290	5.1	10.7	<0.001	0.39	0.07	2.7	<0.2	0.2	37.2	<0.01	0.01	11.7
C306470		56.5	330	4.5	8.8	<0.001	0.01	0.05	3.1	<0.2	0.2	21.5	<0.01	0.01	14.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21010678

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C306452		0.08	1.33	35	<0.05	2.98	107	2.2	<0.01	
C306453		0.08	1.15	26	<0.05	2.65	96	2.0	<0.01	
C306454		0.07	1.40	28	<0.05	2.92	95	2.5	<0.01	
C306455		0.07	2.44	26	<0.05	3.69	99	6.1	<0.01	
C306456		0.06	6.72	17	<0.05	4.25	94	7.4	<0.01	
C306457		0.07	1.83	24	<0.05	3.84	97	3.6	<0.01	
C306458		0.05	1.29	33	0.05	3.94	158	2.3	<0.01	
C306459		0.06	1.09	24	<0.05	2.69	108	1.4	<0.01	
C306460		0.06	1.41	19	<0.05	1.95	73	1.6	0.09	
C306461		0.07	1.13	27	<0.05	2.43	111	1.7	0.01	
C306462		<0.02	0.19	2	<0.05	0.94	3	2.9	<0.01	
C306463		0.06	1.03	24	<0.05	3.26	107	1.4	<0.01	
C306464		0.05	1.21	30	<0.05	2.92	144	2.2	0.01	
C306465		0.05	1.16	30	<0.05	2.41	101	1.6	<0.01	
C306466		0.05	1.05	32	0.08	2.80	101	1.2	<0.01	
C306467		0.05	1.04	30	<0.05	3.09	127	1.4	<0.01	
C306468		0.05	0.99	34	<0.05	2.44	106	1.6	<0.01	
C306469		0.06	0.98	29	<0.05	2.04	100	2.2	0.01	
C306470		0.04	0.92	31	<0.05	2.74	109	1.6	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21010678

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-21	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA25	Au-GRA22	ME-MS41
---------	----------	---------