



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

CERTIFICATE WH21014529

Project: Culvert - NUF

This report is for 111 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 18-JAN-2021.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306471		1.40	0.08	3.49	19.8	<0.02	<10	40	0.51	0.14	0.08	0.04	78.9	22.9	39	1.64
C306472		4.07	0.02	3.05	26.9	<0.02	<10	40	0.61	0.07	0.16	0.02	90.9	22.1	36	1.64
C306473		4.65	0.04	2.92	28.3	<0.02	<10	50	0.60	0.11	0.10	0.02	66.1	21.8	35	1.79
C306474		1.37	0.27	2.39	31.5	0.88	<10	40	0.59	12.80	0.22	0.05	52.2	22.1	29	2.13
C306475		3.62	0.01	2.80	26.7	<0.02	<10	40	0.57	0.23	0.12	0.03	64.0	21.0	34	1.61
C306476		0.07	0.17	2.55	491	2.14	<10	100	1.19	0.34	0.22	0.03	57.4	12.5	98	7.51
C306477		1.79	0.23	2.77	37.8	0.06	<10	30	0.78	6.44	0.84	5.38	22.5	29.7	41	1.53
C306478		3.74	0.08	2.55	39.0	<0.02	<10	30	0.79	1.06	0.39	0.11	34.7	40.6	35	2.00
C306479		4.51	0.04	2.82	14.5	<0.02	<10	40	0.72	0.96	0.34	0.05	55.9	23.2	35	1.93
C306480		2.65	0.05	2.87	26.9	<0.02	<10	40	0.75	1.62	0.19	0.19	58.5	33.3	34	2.02
C306481		2.30	0.04	3.30	20.3	0.02	<10	40	0.67	0.29	0.17	0.05	83.5	24.3	39	1.88
C306482		2.85	0.02	2.78	3.3	<0.02	<10	50	0.65	0.25	0.30	0.05	69.3	23.6	36	1.54
C306483		4.07	0.02	2.78	1.9	<0.02	<10	50	0.79	0.37	0.45	0.02	72.6	23.5	36	1.42
C306484		1.49	0.05	2.43	6.1	<0.02	<10	40	0.67	1.34	0.63	20.6	44.5	21.6	33	1.34
C306485		3.68	0.02	2.58	8.9	<0.02	<10	50	0.66	0.34	0.23	0.06	74.9	21.1	35	1.47
C306486		3.72	0.05	2.79	18.4	0.02	<10	40	0.69	0.24	0.13	0.02	96.1	20.4	35	1.31
C306487		1.98	0.01	2.76	4.1	<0.02	<10	40	0.63	0.22	0.24	0.01	76.8	18.3	36	1.21
C306488		4.85	<0.01	3.02	3.5	<0.02	<10	30	0.67	0.17	0.06	<0.01	64.9	22.1	37	1.52
C306489		3.49	<0.01	3.13	5.0	<0.02	<10	30	0.70	0.06	0.07	<0.01	63.6	24.2	39	1.64
C306490		0.15	0.01	0.04	0.3	<0.02	<10	10	<0.05	0.01	0.01	<0.01	3.91	0.3	2	0.06
C306491		3.87	<0.01	2.82	4.0	<0.02	<10	40	0.82	0.03	0.05	<0.01	78.3	20.4	36	1.89
C306492		1.01	0.02	2.58	3.7	<0.02	<10	40	0.84	0.02	0.06	<0.01	84.7	19.1	33	2.01
C306493		3.95	0.01	2.78	1.0	<0.02	<10	40	0.79	0.12	0.06	<0.01	88.3	21.8	35	1.84
C306494		4.08	<0.01	3.15	0.8	<0.02	<10	40	0.74	0.08	0.06	<0.01	90.2	24.0	38	1.53
C306495		4.98	0.01	3.12	4.0	<0.02	<10	40	0.75	0.08	0.07	<0.01	94.2	23.4	38	1.51
C306496		1.27	0.02	2.65	14.8	0.05	<10	40	0.66	0.22	0.06	0.01	81.4	16.3	31	1.35
C306497		2.30	0.01	2.58	7.7	0.02	<10	40	0.68	0.36	0.28	0.01	75.1	20.2	38	1.32
C306498		2.52	0.01	2.49	3.5	<0.02	<10	40	0.66	0.12	0.43	<0.01	63.0	17.0	34	1.24
C306499		4.76	0.01	2.42	5.1	<0.02	<10	40	0.71	0.56	0.56	0.01	41.2	20.3	32	1.23
C306500		4.98	<0.01	2.27	4.5	<0.02	<10	40	0.74	0.28	0.54	0.01	43.2	18.8	31	1.26
C306501		5.83	<0.01	2.31	6.1	0.02	<10	40	0.73	0.19	0.34	0.01	56.3	19.5	32	1.26
C306502		5.68	<0.01	2.38	2.5	0.02	<10	40	0.76	0.25	0.30	0.01	64.8	20.2	32	1.22
C306503		5.91	0.01	2.43	1.7	<0.02	<10	40	0.65	0.23	0.28	<0.01	61.1	19.0	33	1.13
C306504		4.64	0.01	2.53	0.7	<0.02	<10	40	0.72	0.59	0.33	0.01	53.2	18.7	36	1.14
C306505		4.53	0.01	2.41	1.9	<0.02	<10	50	0.82	0.27	0.40	0.01	51.0	17.9	32	1.37
C306506		4.07	0.01	2.31	1.1	0.28	<10	40	0.66	0.23	0.33	0.01	77.0	18.7	32	1.17
C306507		1.84	0.01	2.26	0.8	<0.02	<10	40	0.62	0.34	0.23	0.01	65.2	17.4	32	1.00
C306508		2.34	0.01	2.38	1.6	<0.02	<10	40	0.57	0.55	0.37	0.01	44.7	18.7	33	1.06
C306509		2.67	0.04	2.72	8.2	<0.02	<10	30	0.58	0.23	0.71	0.03	60.1	16.2	36	1.40
C306510		3.39	0.02	2.83	8.7	<0.02	<10	40	0.58	0.29	0.57	0.01	54.9	17.2	36	1.88



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 – B
Total # Pages: 4 (A – D)
Plus Appendix Pages
Finalized Date: 6–MAR–2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306471		6.3	6.19	10.10	0.14	0.16	<0.01	0.017	0.17	39.8	102.5	1.29	1060	0.13	0.04
C306472		3.8	5.32	8.98	0.14	0.07	<0.01	0.016	0.20	45.4	82.0	1.05	820	0.06	0.03
C306473		3.1	5.04	8.61	0.11	0.09	<0.01	0.016	0.23	33.1	76.4	0.98	797	0.06	0.04
C306474		18.7	4.39	7.12	0.09	0.11	<0.01	0.030	0.20	25.5	64.6	0.84	926	0.14	0.03
C306475		3.8	5.09	8.52	0.12	0.07	<0.01	0.017	0.19	31.6	76.8	0.96	784	0.05	0.03
C306476		27.7	3.34	8.21	0.13	0.76	0.01	0.024	0.96	29.3	31.1	1.26	207	0.54	0.08
C306477		175.5	7.69	8.51	0.09	0.14	0.03	0.217	0.16	11.5	78.7	0.98	1520	0.82	0.05
C306478		50.0	4.86	7.09	0.07	0.15	<0.01	0.017	0.18	18.3	68.5	0.99	1440	2.10	0.04
C306479		48.3	4.83	8.26	0.09	0.12	<0.01	0.017	0.20	28.8	75.7	1.09	1460	0.20	0.04
C306480		54.5	4.99	8.35	0.11	0.11	<0.01	0.021	0.18	30.8	79.0	1.12	1340	0.38	0.04
C306481		34.6	5.48	9.81	0.13	0.09	<0.01	0.022	0.21	42.6	85.9	1.27	1240	0.09	0.04
C306482		3.4	5.02	8.37	0.11	0.07	<0.01	0.017	0.21	34.1	64.9	0.98	1120	0.07	0.03
C306483		7.4	5.34	8.31	0.12	0.06	<0.01	0.019	0.21	36.3	64.6	0.84	1160	0.05	0.03
C306484		38.1	5.10	7.11	0.08	0.07	<0.01	0.569	0.19	22.1	56.5	0.68	976	0.08	0.03
C306485		4.4	5.15	7.64	0.12	0.07	<0.01	0.016	0.20	37.5	57.4	0.70	897	0.05	0.03
C306486		4.9	5.22	8.77	0.14	0.09	<0.01	0.017	0.20	47.5	71.4	0.85	873	<0.05	0.03
C306487		2.1	5.19	8.08	0.12	0.06	<0.01	0.014	0.22	39.3	67.0	0.79	676	<0.05	0.03
C306488		1.4	5.17	9.24	0.11	0.06	<0.01	0.016	0.18	35.1	90.8	1.14	607	<0.05	0.03
C306489		1.3	5.36	9.28	0.11	0.07	<0.01	0.017	0.18	35.3	94.8	1.21	633	<0.05	0.03
C306490		1.4	0.19	0.19	<0.05	0.08	<0.01	<0.005	0.01	1.9	1.0	0.01	23	0.15	0.01
C306491		1.9	4.62	8.35	0.12	0.14	<0.01	0.014	0.21	42.8	81.5	1.05	536	<0.05	0.04
C306492		2.0	4.03	7.49	0.13	0.17	<0.01	0.013	0.23	45.8	73.7	0.92	482	0.08	0.04
C306493		0.6	4.48	8.20	0.14	0.13	<0.01	0.012	0.23	47.5	78.6	1.00	527	<0.05	0.04
C306494		12.0	5.38	9.16	0.15	0.05	<0.01	0.015	0.21	48.4	88.3	1.15	594	<0.05	0.03
C306495		1.7	5.41	9.36	0.15	0.06	<0.01	0.014	0.21	49.8	89.6	1.12	643	<0.05	0.03
C306496		4.8	4.72	7.73	0.13	0.06	<0.01	0.013	0.19	42.8	76.9	0.89	617	0.09	0.03
C306497		0.9	5.20	8.97	0.13	0.04	<0.01	0.017	0.20	37.7	66.7	0.66	573	0.08	0.03
C306498		0.8	5.16	6.97	0.07	0.03	<0.01	0.016	0.18	31.4	41.3	0.66	532	0.05	0.03
C306499		0.7	5.20	6.38	0.06	0.03	<0.01	0.017	0.21	20.8	40.9	0.63	590	0.06	0.03
C306500		0.7	4.91	6.10	0.06	0.09	<0.01	0.016	0.19	21.1	39.2	0.59	560	0.06	0.03
C306501		0.9	4.99	6.20	0.08	0.04	<0.01	0.015	0.18	28.4	45.2	0.62	492	<0.05	0.02
C306502		1.2	4.90	6.64	0.08	0.06	<0.01	0.014	0.20	32.8	34.5	0.63	548	<0.05	0.03
C306503		2.6	4.93	6.62	0.08	0.05	<0.01	0.015	0.19	31.6	42.2	0.64	600	<0.05	0.02
C306504		4.7	5.38	7.31	0.08	0.08	<0.01	0.015	0.20	27.2	41.6	0.64	591	<0.05	0.03
C306505		1.0	4.86	6.90	0.07	0.05	<0.01	0.016	0.25	26.9	49.6	0.58	584	<0.05	0.03
C306506		1.8	4.62	6.24	0.09	0.08	<0.01	0.012	0.19	39.0	44.5	0.60	726	<0.05	0.02
C306507		2.3	4.62	6.01	0.08	0.04	<0.01	0.012	0.18	33.1	45.9	0.55	710	<0.05	0.02
C306508		4.9	4.89	6.30	0.07	0.04	<0.01	0.014	0.18	22.7	52.6	0.60	818	<0.05	0.02
C306509		57.1	4.53	7.60	0.08	0.09	<0.01	0.028	0.17	29.9	72.0	1.06	1400	0.18	0.04
C306510		24.9	4.77	7.93	0.08	0.12	<0.01	0.023	0.16	28.4	80.1	1.10	1320	0.27	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
															Ti %
															0.005
C306471		48.5	270	3.5	8.3	<0.001	0.01	0.07	3.3	<0.2	0.2	7.4	<0.01	0.03	15.2
C306472		41.1	510	1.2	10.1	<0.001	<0.01	0.07	3.3	<0.2	0.2	9.0	<0.01	0.03	15.2
C306473		41.4	400	1.5	11.4	<0.001	0.11	0.13	3.0	<0.2	0.3	8.8	<0.01	0.02	14.3
C306474		37.3	230	19.6	9.8	<0.001	0.23	0.36	2.8	<0.01	0.6	8.6	<0.01	0.16	13.3
C306475		36.9	500	1.9	9.8	<0.001	0.17	0.21	3.1	<0.2	0.3	7.3	0.01	0.02	15.0
C306476		56.5	490	9.2	93.0	<0.001	0.11	361	6.1	<0.2	1.3	18.0	<0.01	0.01	13.0
C306477		37.8	570	22.7	8.9	0.004	2.22	0.62	4.4	0.3	0.6	19.8	<0.01	0.08	12.0
C306478		39.4	250	12.6	9.0	0.001	0.71	0.31	3.0	0.3	0.3	12.4	<0.01	0.03	13.6
C306479		43.7	200	6.0	9.7	<0.001	0.19	0.13	3.0	<0.2	0.2	12.3	<0.01	0.02	13.9
C306480		49.9	290	6.9	9.0	<0.001	0.17	0.16	3.1	<0.2	0.3	10.5	<0.01	0.06	14.8
C306481		44.3	340	4.0	11.1	<0.001	0.02	0.09	3.5	<0.2	0.4	10.0	<0.01	0.03	14.1
C306482		44.9	300	6.7	11.1	<0.001	0.09	0.08	3.4	<0.2	0.3	9.9	<0.01	0.02	14.1
C306483		41.4	360	6.3	10.6	<0.001	0.09	0.09	3.3	<0.2	0.3	12.1	<0.01	0.02	14.0
C306484		37.8	390	7.1	9.9	<0.001	0.49	0.13	2.9	0.2	0.3	19.0	0.01	0.05	10.9
C306485		41.0	270	3.1	10.0	<0.001	0.07	0.08	2.9	<0.2	0.2	8.2	<0.01	0.02	14.1
C306486		35.9	310	4.7	10.2	<0.001	0.02	0.12	3.3	<0.2	0.3	7.3	0.01	0.03	14.9
C306487		37.2	260	2.3	11.1	<0.001	0.04	0.11	2.9	<0.2	0.2	8.7	<0.01	0.02	13.7
C306488		43.2	240	0.8	9.1	<0.001	<0.01	0.06	3.1	<0.2	0.2	7.3	<0.01	0.02	12.7
C306489		45.7	260	0.8	8.8	<0.001	<0.01	0.07	3.0	<0.2	0.2	7.8	<0.01	<0.01	13.3
C306490		0.7	10	0.6	0.6	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01	1.3
C306491		44.9	220	0.5	10.0	<0.001	<0.01	0.05	2.7	<0.2	0.2	8.7	<0.01	<0.01	14.9
C306492		40.9	210	0.6	11.0	<0.001	<0.01	0.06	2.5	<0.2	0.2	9.6	<0.01	<0.01	15.4
C306493		43.9	220	0.7	11.8	<0.001	<0.01	0.06	2.8	<0.2	0.2	9.5	<0.01	0.01	16.0
C306494		44.3	240	0.7	10.1	<0.001	<0.01	0.07	3.0	<0.2	0.2	7.2	<0.01	<0.01	15.3
C306495		43.2	260	1.1	10.7	<0.001	<0.01	0.07	3.1	<0.2	0.3	7.0	<0.01	<0.01	15.6
C306496		34.8	230	3.6	9.7	<0.001	0.01	0.09	2.7	<0.2	0.3	6.4	<0.01	0.01	13.9
C306497		40.1	250	2.3	10.3	<0.001	0.06	0.09	3.6	<0.2	0.2	9.7	<0.01	0.01	14.0
C306498		36.0	280	1.1	9.3	<0.001	0.08	0.07	3.1	<0.2	0.2	11.6	<0.01	0.01	14.5
C306499		35.3	310	1.3	10.3	<0.001	0.40	0.09	3.1	<0.2	0.3	12.9	<0.01	0.05	12.9
C306500		36.8	270	1.3	9.9	<0.001	0.33	0.08	3.0	<0.2	0.3	14.0	<0.01	0.02	13.6
C306501		37.0	470	0.9	9.6	<0.001	0.09	0.08	2.9	<0.2	0.2	10.5	<0.01	0.02	13.3
C306502		40.6	260	0.9	9.7	<0.001	0.11	0.08	2.8	<0.2	0.2	9.6	<0.01	0.03	13.9
C306503		38.9	240	3.0	9.8	<0.001	0.09	0.08	2.6	<0.2	0.2	8.7	<0.01	0.03	13.2
C306504		38.1	250	2.2	10.2	<0.001	0.18	0.09	3.1	<0.2	0.3	10.9	<0.01	0.03	13.8
C306505		37.3	230	1.0	13.1	<0.001	0.15	0.12	3.2	<0.2	0.3	12.0	<0.01	0.01	12.4
C306506		38.7	240	0.7	9.2	<0.001	<0.01	0.07	2.4	<0.2	0.2	8.5	<0.01	0.01	13.6
C306507		35.9	230	1.2	9.0	<0.001	0.02	0.08	2.4	<0.2	0.2	7.1	<0.01	0.02	12.7
C306508		36.4	230	4.7	8.9	<0.001	0.14	0.09	2.4	<0.2	0.3	8.5	<0.01	0.02	12.2
C306509		34.0	240	3.3	8.1	<0.001	0.09	0.12	3.0	<0.2	0.3	14.2	<0.01	0.01	13.5
C306510		36.5	230	5.3	7.6	<0.001	0.14	0.12	3.1	<0.2	0.3	13.6	<0.01	0.01	13.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306471		0.05	0.82	21	0.14	4.02	102	6.5	<0.01	
C306472		0.06	0.65	19	0.06	4.65	99	3.1	<0.01	
C306473		0.07	1.20	18	0.10	3.87	94	4.0	<0.01	
C306474		0.06	1.77	15	0.11	3.81	104	4.6	3.66	
C306475		0.06	1.09	18	0.05	3.82	91	3.2	0.01	
C306476		0.57	1.56	64	0.50	9.77	75	28.1	2.28	
C306477		0.08	1.39	26	420	5.70	395	5.3	0.33	
C306478		0.05	1.44	18	0.63	3.87	110	6.9	<0.01	
C306479		0.06	0.99	18	0.39	3.61	108	4.4	<0.01	
C306480		0.06	0.90	18	0.15	4.90	138	5.3	0.01	
C306481		0.06	0.74	22	0.14	4.48	127	4.0	<0.01	
C306482		0.06	0.77	21	0.12	3.99	114	2.7	<0.01	
C306483		0.06	0.67	22	0.12	4.13	91	2.2	<0.01	
C306484		0.05	0.97	19	12.75	4.37	1200	3.9	0.13	
C306485		0.06	0.79	22	0.12	4.10	93	3.0	<0.01	
C306486		0.06	0.73	20	0.11	4.38	89	3.2	<0.01	
C306487		0.07	0.75	20	0.10	3.78	79	3.0	<0.01	
C306488		0.05	0.57	18	0.07	3.10	105	2.8	<0.01	
C306489		0.05	0.61	19	0.07	3.09	123	2.9	<0.01	
C306490		<0.02	0.14	1	<0.05	0.65	<2	2.0	<0.01	
C306491		0.06	1.12	17	0.06	3.88	98	6.6	<0.01	
C306492		0.06	1.00	15	0.11	3.95	89	7.0	<0.01	
C306493		0.07	1.03	17	0.07	4.14	102	6.1	<0.01	
C306494		0.05	0.77	19	0.05	3.53	124	2.6	<0.01	
C306495		0.06	0.81	19	0.07	3.63	114	2.7	<0.01	
C306496		0.05	1.05	16	0.16	3.37	85	2.7	0.06	
C306497		0.06	0.60	27	0.30	3.68	76	1.7	0.01	
C306498		0.06	0.54	25	0.05	3.07	77	1.4	0.01	
C306499		0.06	0.62	25	<0.05	2.73	75	1.3	<0.01	
C306500		0.06	0.72	23	<0.05	2.80	71	1.9	<0.01	
C306501		0.05	0.61	22	0.05	3.47	79	1.9	0.05	
C306502		0.06	0.77	20	0.05	3.32	77	2.5	0.01	
C306503		0.06	0.65	19	0.06	3.04	74	2.1	<0.01	
C306504		0.06	0.62	23	0.06	2.86	74	1.5	0.01	
C306505		0.09	0.55	23	3.03	2.96	68	1.8	<0.01	
C306506		0.05	0.58	20	0.05	3.38	75	2.2	0.01	
C306507		0.05	0.50	20	<0.05	2.97	67	1.5	<0.01	
C306508		0.05	0.53	21	<0.05	2.63	76	1.9	0.36	
C306509		0.05	0.64	19	0.05	3.48	100	3.6	<0.01	
C306510		0.04	0.86	19	2.76	3.87	103	4.7	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306511		3.43	0.01	3.39	6.0	<0.02	<10	20	0.47	0.17	0.25	0.01	47.4	14.5	43	2.17
C306512		5.13	0.06	2.55	11.4	<0.02	<10	30	0.57	0.69	0.40	0.01	50.0	22.7	34	2.30
C306513		2.37	0.03	3.04	14.2	0.03	<10	20	0.55	0.59	0.47	0.01	41.8	23.6	39	1.89
C306514		0.06	0.13	2.48	342	1.49	<10	90	1.15	0.33	0.20	0.03	58.7	12.8	98	7.61
C306515		1.62	0.05	3.43	20.9	0.11	<10	20	0.61	1.41	0.55	0.01	49.8	29.6	42	2.13
C306516		3.48	0.12	2.17	17.4	0.12	<10	20	0.64	1.37	0.76	0.02	37.3	25.7	31	2.41
C306517		2.58	0.04	2.23	17.0	0.04	<10	30	0.65	0.69	0.57	<0.01	40.2	21.1	27	2.56
C306518		3.19	0.02	2.42	21.6	<0.02	<10	20	0.55	0.51	0.22	<0.01	45.3	21.5	31	2.30
C306519		2.71	0.05	2.65	29.8	<0.02	<10	20	0.56	0.82	0.33	<0.01	37.7	25.3	35	2.02
C306520		2.94	0.07	2.84	517	0.13	<10	20	0.63	0.93	0.64	0.01	35.3	28.1	35	2.34
C306521		2.78	0.04	2.67	950	0.26	<10	20	0.62	0.43	0.30	<0.01	42.2	14.9	32	2.46
C306522		3.69	0.03	2.93	73.6	0.19	<10	20	0.60	0.34	0.18	0.01	43.6	14.2	36	2.57
C306523		2.19	0.10	2.78	15.9	0.47	<10	20	0.59	0.67	0.26	0.01	36.2	21.5	35	2.77
C306524		2.46	0.04	2.41	13.1	<0.02	<10	20	0.53	0.53	0.12	0.01	34.9	26.6	34	2.73
C306525		3.58	0.04	2.48	6.3	<0.02	<10	20	0.54	0.47	0.16	0.01	35.2	21.8	35	2.69
C306526		0.06	0.16	2.38	474	1.96	<10	90	1.12	0.34	0.21	0.03	54.0	12.2	94	7.21
C306527		4.97	0.03	2.58	7.3	<0.02	<10	30	0.50	0.59	0.10	0.01	37.9	23.7	36	2.89
C306528		5.55	0.04	2.57	2.8	<0.02	<10	20	0.48	0.53	0.12	0.01	35.7	24.0	37	3.04
C306529		3.91	0.09	2.58	3.8	<0.02	<10	20	0.53	0.63	0.21	0.01	36.4	21.4	36	2.88
C306530		2.65	0.04	2.74	7.3	<0.02	<10	30	0.58	0.32	0.15	0.02	38.4	27.6	37	3.04
C306531		2.43	0.10	2.56	7.6	<0.02	<10	20	0.53	0.53	0.20	0.02	38.2	28.6	35	4.52
C306532		4.17	0.11	2.51	7.6	<0.02	<10	20	0.51	0.57	0.19	0.03	31.1	32.4	35	3.08
C306533		1.52	0.03	2.68	4.2	<0.02	<10	20	0.48	0.30	0.09	0.02	38.7	25.2	37	3.04
C306534		4.00	0.13	2.67	5.6	<0.02	<10	20	0.39	0.50	0.22	0.03	32.8	24.4	37	2.48
C306535		2.21	0.20	2.78	12.5	<0.02	<10	20	0.37	0.67	0.11	0.03	39.1	27.6	37	2.50
C306536		2.10	0.03	3.20	3.8	<0.02	<10	20	0.39	0.17	0.11	0.01	40.2	13.4	40	2.29
C306537		3.63	0.02	3.08	4.5	<0.02	<10	20	0.46	0.15	0.22	0.01	51.8	12.3	41	2.08
C306538		3.91	0.02	3.14	10.0	<0.02	<10	20	0.45	0.17	0.24	<0.01	54.8	16.8	41	2.07
C306539		1.29	0.02	3.08	11.2	<0.02	<10	30	0.49	0.21	0.16	0.01	46.0	19.1	40	2.11
C306540		2.73	0.07	2.87	28.2	<0.02	<10	30	0.48	0.94	0.64	0.01	29.8	36.0	37	1.80
C306541		3.31	<0.01	2.54	11.9	<0.02	<10	30	0.41	0.07	0.12	0.01	65.6	14.6	34	1.98
C306542		2.37	0.01	2.80	19.5	<0.02	<10	30	0.48	0.06	0.11	0.01	72.6	18.7	36	3.26
C306543		2.88	<0.01	3.37	13.6	<0.02	<10	30	0.43	0.12	0.23	<0.01	50.5	21.4	41	2.25
C306544		3.55	<0.01	3.27	7.5	<0.02	<10	30	0.44	0.10	0.08	<0.01	51.0	20.1	41	2.35
C306545		2.94	<0.01	2.88	4.0	<0.02	<10	30	0.51	0.11	0.07	<0.01	61.7	17.4	37	2.54
C306546		3.86	0.01	3.05	0.3	0.22	<10	40	0.51	0.08	0.07	<0.01	54.4	17.9	38	2.17
C306547		0.15	0.01	0.05	0.8	<0.02	<10	10	<0.05	0.04	0.01	<0.01	4.11	0.4	2	0.07
C306548		4.69	0.01	2.83	1.2	<0.02	<10	40	0.50	0.15	0.10	<0.01	41.2	19.0	36	2.16
C306549		3.86	<0.01	2.85	0.4	<0.02	<10	40	0.53	0.07	0.13	<0.01	57.1	16.8	36	1.99
C306550		5.10	<0.01	2.94	0.3	<0.02	<10	30	0.47	0.14	0.11	<0.01	52.6	17.7	37	2.09



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 – B
Total # Pages: 4 (A – D)
Plus Appendix Pages
Finalized Date: 6–MAR–2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306511		20.3	5.85	9.69	0.08	0.10	<0.01	0.022	0.15	24.5	102.0	1.39	1520	1.81	0.04
C306512		32.8	4.38	7.14	0.08	0.12	<0.01	0.021	0.16	26.4	73.4	0.98	1260	1.87	0.05
C306513		34.0	5.44	8.31	0.07	0.10	<0.01	0.029	0.15	21.5	84.6	1.22	1470	0.15	0.04
C306514		23.3	3.28	7.61	0.11	0.75	0.01	0.022	0.95	30.5	31.0	1.24	202	0.52	0.07
C306515		51.6	6.07	10.10	0.09	0.11	<0.01	0.027	0.16	25.9	104.5	1.38	1480	0.65	0.04
C306516		44.3	3.96	6.12	0.07	0.16	<0.01	0.021	0.16	19.5	60.7	0.85	1170	1.57	0.04
C306517		32.4	3.90	6.02	0.07	0.12	<0.01	0.021	0.18	20.6	59.7	0.84	1080	0.30	0.04
C306518		24.4	4.19	6.60	0.08	0.11	<0.01	0.017	0.16	23.5	66.5	0.93	1020	0.20	0.04
C306519		39.4	4.73	7.28	0.07	0.11	<0.01	0.020	0.16	19.2	73.5	1.04	1100	0.26	0.04
C306520		41.1	5.26	7.95	0.07	0.13	<0.01	0.022	0.17	17.5	80.5	1.16	1200	0.27	0.04
C306521		28.2	4.85	7.77	0.07	0.10	<0.01	0.025	0.17	21.8	76.8	1.09	1070	0.11	0.04
C306522		27.1	5.29	8.48	0.07	0.11	<0.01	0.022	0.15	22.7	85.9	1.19	1100	0.13	0.04
C306523		36.9	5.02	7.93	0.06	0.14	<0.01	0.021	0.15	18.7	80.4	1.11	976	0.17	0.04
C306524		37.4	4.33	6.74	0.07	0.15	<0.01	0.016	0.14	18.0	68.4	0.93	749	0.30	0.05
C306525		37.1	4.53	6.99	0.06	0.13	<0.01	0.018	0.14	18.1	72.5	0.98	792	0.26	0.05
C306526		23.4	3.21	7.03	0.11	0.72	0.01	0.024	0.92	27.7	29.1	1.20	202	0.48	0.07
C306527		39.9	4.78	7.32	0.07	0.15	<0.01	0.018	0.15	19.6	74.9	1.02	786	0.55	0.05
C306528		38.7	4.85	7.48	0.07	0.13	<0.01	0.018	0.13	18.5	75.9	1.03	780	0.75	0.05
C306529		38.4	4.65	7.24	0.07	0.14	<0.01	0.020	0.14	18.8	75.9	1.02	816	0.59	0.05
C306530		33.2	5.02	7.82	0.08	0.15	<0.01	0.021	0.16	19.7	77.8	1.07	883	1.63	0.06
C306531		36.1	4.76	7.16	0.08	0.18	<0.01	0.018	0.14	20.3	72.6	1.00	837	1.45	0.05
C306532		37.3	4.82	7.33	0.07	0.16	<0.01	0.019	0.13	16.4	72.6	0.99	823	1.55	0.05
C306533		54.8	4.89	7.87	0.08	0.15	<0.01	0.020	0.14	20.3	77.4	1.07	853	1.13	0.05
C306534		33.0	5.12	7.66	0.06	0.16	<0.01	0.019	0.13	16.7	75.4	1.06	920	1.16	0.04
C306535		40.4	5.07	8.13	0.07	0.15	<0.01	0.020	0.13	20.1	82.3	1.09	917	0.22	0.04
C306536		33.5	5.81	9.72	0.08	0.11	<0.01	0.024	0.13	20.6	100.5	1.29	1090	0.09	0.03
C306537		18.0	5.38	9.32	0.09	0.12	<0.01	0.018	0.14	27.8	94.3	1.24	1140	0.10	0.03
C306538		33.9	5.50	9.82	0.07	0.12	<0.01	0.030	0.13	28.0	103.0	1.27	1150	0.17	0.03
C306539		46.2	5.40	9.21	0.06	0.12	<0.01	0.026	0.14	23.8	99.8	1.23	1060	0.12	0.03
C306540		97.8	5.64	8.06	0.06	0.10	<0.01	0.027	0.14	15.5	89.6	1.14	1200	0.50	0.03
C306541		5.0	4.40	7.59	0.09	0.07	<0.01	0.016	0.14	33.6	79.3	0.96	829	<0.05	0.03
C306542		4.7	4.80	8.19	0.09	0.10	<0.01	0.018	0.15	39.1	82.8	1.05	886	<0.05	0.03
C306543		3.2	5.96	9.46	0.07	0.08	<0.01	0.019	0.15	28.6	101.5	1.29	1000	<0.05	0.04
C306544		0.6	5.80	9.33	0.08	0.08	<0.01	0.017	0.15	29.2	100.0	1.24	875	<0.05	0.03
C306545		1.4	5.01	8.50	0.09	0.07	<0.01	0.016	0.16	33.7	89.6	1.04	764	<0.05	0.03
C306546		4.2	5.35	8.28	0.08	0.07	<0.01	0.016	0.17	29.2	86.3	1.11	770	<0.05	0.04
C306547		1.4	0.26	0.23	<0.05	0.11	<0.01	<0.005	0.01	2.0	0.8	0.01	27	0.19	<0.01
C306548		3.8	4.98	7.92	0.06	0.08	<0.01	0.017	0.17	22.3	81.7	1.05	757	<0.05	0.04
C306549		0.6	5.06	8.38	0.08	0.05	<0.01	0.016	0.17	29.9	81.7	1.03	711	<0.05	0.03
C306550		1.6	5.34	8.30	0.07	0.07	<0.01	0.016	0.15	28.2	83.3	1.09	726	<0.05	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306511		44.6	210	3.2	7.1	0.003	0.17	0.11	3.5	<0.2	0.2	10.9	<0.01	0.01	14.1
C306512		35.9	250	17.0	8.3	0.002	0.29	0.24	2.9	<0.2	0.4	12.8	<0.01	0.02	14.7
C306513		38.9	210	12.0	7.1	<0.001	0.34	0.15	3.4	<0.2	0.5	11.7	<0.01	0.02	13.4
C306514		55.9	490	8.2	93.0	<0.001	0.08	251	6.2	<0.2	1.3	16.2	<0.01	0.02	13.2
C306515		44.2	300	9.7	7.9	<0.001	0.26	0.41	4.0	<0.2	0.5	15.8	<0.01	0.06	14.0
C306516		43.4	590	30.5	8.1	0.002	0.67	0.39	2.7	0.2	0.6	17.1	<0.01	0.02	14.0
C306517		36.8	510	8.0	8.9	<0.001	0.53	0.35	2.5	<0.2	0.6	16.1	<0.01	0.01	15.4
C306518		34.6	240	3.8	7.8	<0.001	0.32	0.22	2.5	<0.2	0.5	10.4	<0.01	0.01	13.8
C306519		40.4	390	12.4	7.8	<0.001	0.32	0.16	2.9	<0.2	0.3	11.3	<0.01	0.03	13.1
C306520		42.5	1160	17.6	8.7	<0.001	0.53	0.42	3.2	<0.2	0.3	16.3	<0.01	0.02	13.6
C306521		37.6	210	8.5	8.1	<0.001	0.43	0.39	3.0	<0.2	0.4	11.7	<0.01	0.02	15.0
C306522		39.2	230	6.1	7.4	<0.001	0.38	0.15	3.2	<0.2	0.4	9.8	<0.01	0.02	15.2
C306523		39.1	250	26.0	7.4	<0.001	0.43	0.35	2.9	<0.2	0.3	11.6	<0.01	0.02	15.1
C306524		41.1	280	12.3	7.1	<0.001	0.49	0.22	2.7	<0.2	0.2	10.4	<0.01	0.01	15.8
C306525		42.6	290	11.7	7.0	<0.001	0.51	0.22	2.6	<0.2	0.2	10.9	<0.01	0.01	16.3
C306526		53.1	470	8.3	88.2	<0.001	0.10	356	5.7	0.2	1.2	16.2	<0.01	0.02	12.4
C306527		41.9	320	8.4	7.2	<0.001	0.58	0.50	2.8	<0.2	0.2	11.3	<0.01	0.01	15.6
C306528		42.1	350	16.9	6.4	0.001	0.59	0.30	2.8	<0.2	0.2	10.8	<0.01	0.02	15.5
C306529		42.3	280	46.7	6.8	<0.001	0.51	0.32	2.8	<0.2	0.2	12.1	<0.01	0.02	15.3
C306530		45.4	340	17.8	7.9	<0.001	0.66	0.25	3.2	<0.2	0.2	12.6	<0.01	<0.01	15.8
C306531		46.6	310	64.8	6.8	<0.001	0.64	0.26	2.9	<0.2	0.2	11.7	<0.01	0.01	15.6
C306532		48.8	350	59.0	6.7	<0.001	0.85	0.29	3.0	<0.2	0.2	11.4	<0.01	0.02	15.5
C306533		42.5	310	15.7	7.0	0.001	0.49	0.18	3.1	<0.2	0.2	10.7	<0.01	0.01	15.6
C306534		41.9	360	85.2	6.0	<0.001	0.67	0.28	2.7	<0.2	0.2	11.2	<0.01	0.02	15.2
C306535		42.2	190	119.0	5.9	<0.001	0.36	0.25	2.7	<0.2	0.2	9.8	<0.01	0.04	14.8
C306536		45.3	230	11.4	6.2	<0.001	0.24	0.18	3.1	<0.2	0.2	9.3	<0.01	0.01	14.2
C306537		39.5	230	5.9	6.6	<0.001	0.07	0.09	3.2	<0.2	0.3	9.0	<0.01	0.01	14.7
C306538		43.0	360	5.7	6.5	<0.001	0.07	0.15	3.2	<0.2	0.4	9.9	<0.01	0.01	15.5
C306539		40.7	350	3.6	7.0	<0.001	0.09	0.13	3.2	<0.2	0.3	9.4	<0.01	0.02	15.2
C306540		41.3	670	9.7	6.6	<0.001	0.59	0.21	3.0	<0.2	0.3	12.1	<0.01	0.08	12.9
C306541		36.5	290	1.1	6.8	<0.001	0.02	0.08	2.5	<0.2	0.2	7.7	<0.01	0.03	14.3
C306542		42.8	280	1.8	7.4	<0.001	0.01	0.07	2.6	<0.2	0.2	9.2	<0.01	0.03	16.3
C306543		43.1	270	1.4	6.9	<0.001	<0.01	0.07	2.9	<0.2	0.2	9.1	<0.01	0.06	11.8
C306544		41.5	300	0.7	6.9	<0.001	<0.01	0.08	3.0	<0.2	0.2	8.7	<0.01	0.04	10.9
C306545		36.6	270	0.7	8.0	<0.001	<0.01	0.07	2.8	<0.2	0.2	9.1	<0.01	0.05	13.5
C306546		36.1	210	0.9	7.8	<0.001	0.02	0.08	2.7	<0.2	0.2	8.7	<0.01	0.02	14.4
C306547		0.7	20	1.0	0.6	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.1	<0.01	0.01	1.3
C306548		41.3	220	2.1	8.0	<0.001	0.12	0.12	2.6	<0.2	0.2	9.0	<0.01	0.01	15.0
C306549		37.7	260	1.2	8.7	<0.001	0.08	0.13	2.7	<0.2	0.2	9.1	<0.01	0.02	15.0
C306550		38.0	250	1.3	7.1	<0.001	0.06	0.14	2.6	<0.2	0.2	7.6	<0.01	0.02	14.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306511		0.04	0.89	23	<0.05	3.43	121	4.2	<0.01	
C306512		0.05	1.29	17	0.09	3.88	90	5.2	<0.01	
C306513		0.04	1.42	22	0.07	3.36	124	3.7		<0.05
C306514		0.61	1.52	64	0.42	9.53	74	27.7	1.63	
C306515		0.04	1.11	24	0.08	4.31	129	4.5		0.12
C306516		0.05	1.19	17	0.18	4.78	89	6.8		0.06
C306517		0.06	1.24	14	0.20	4.32	86	5.2		0.13
C306518		0.05	0.88	15	0.09	3.22	91	4.6		<0.05
C306519		0.04	1.22	18	0.14	3.21	100	4.4		0.08
C306520		0.05	1.17	20	0.12	4.72	106	5.7		0.18
C306521		0.05	1.30	18	0.08	2.98	108	4.2		0.19
C306522		0.05	1.34	19	0.06	3.10	119	4.5		0.19
C306523		0.05	1.46	18	0.11	3.08	106	5.6		2.40
C306524		0.04	1.17	15	0.07	3.10	87	6.2		<0.05
C306525		0.04	1.37	16	0.08	3.18	94	5.5		<0.05
C306526		0.57	1.43	62	0.46	8.70	72	25.9	2.26	
C306527		0.04	1.46	17	0.05	3.30	94	5.9		<0.05
C306528		0.04	1.33	17	<0.05	3.32	99	5.9		<0.05
C306529		0.04	1.10	17	0.05	3.24	96	5.9		<0.05
C306530		0.05	1.31	18	0.05	3.45	101	6.4		<0.05
C306531		0.05	1.73	17	0.07	3.65	92	6.7		<0.05
C306532		0.04	1.26	17	<0.05	3.20	93	6.8		<0.05
C306533		0.04	1.23	18	<0.05	3.14	112	6.2		<0.05
C306534		0.03	1.29	19	<0.05	3.02	103	6.1	<0.01	
C306535		0.03	1.32	19	<0.05	2.95	105	7.2	<0.01	
C306536		0.03	0.93	22	<0.05	2.82	127	4.6	<0.01	
C306537		0.04	1.16	22	<0.05	3.26	111	4.5	<0.01	
C306538		0.05	1.21	22	<0.05	3.73	119	4.7	<0.01	
C306539		0.04	1.19	21	<0.05	3.36	109	4.7	<0.01	
C306540		0.04	1.23	21	<0.05	3.95	110	4.2	0.01	
C306541		0.04	0.71	17	<0.05	3.30	89	2.5	<0.01	
C306542		0.05	1.04	17	<0.05	3.79	100	4.1	<0.01	
C306543		0.04	1.02	20	<0.05	3.28	120	3.1	<0.01	
C306544		0.04	0.63	19	<0.05	2.99	116	3.1	<0.01	
C306545		0.05	0.73	17	<0.05	3.07	93	2.9	<0.01	
C306546		0.05	1.35	19	0.15	2.80	102	3.1	0.02	
C306547		<0.02	0.20	1	<0.05	0.88	2	2.6	<0.01	
C306548		0.05	1.35	18	<0.05	2.76	100	3.0	0.01	
C306549		0.06	1.06	18	<0.05	2.99	88	1.9	0.01	
C306550		0.05	1.16	18	<0.05	2.98	97	2.5	0.02	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306551		2.16	0.01	2.97	2.5	<0.02	<10	30	0.49	0.11	0.09	<0.01	39.0	24.4	37	2.35
C306552		2.50	0.01	2.46	8.8	<0.02	<10	50	0.56	1.28	0.15	0.01	55.5	16.7	33	2.99
C306553		6.01	0.03	2.94	12.5	<0.02	<10	50	0.65	1.96	0.11	0.01	41.0	23.5	37	3.01
C306554		4.14	0.01	2.86	9.7	<0.02	<10	30	0.49	0.11	0.06	0.01	48.2	21.0	37	2.57
C306555		2.94	0.01	2.82	15.6	<0.02	<10	40	0.56	0.13	0.06	0.01	53.2	22.6	37	2.79
C306556		3.07	0.01	2.80	15.2	<0.02	<10	40	0.54	0.15	0.14	0.01	53.2	19.9	36	2.79
C306557		4.02	0.01	2.80	15.9	<0.02	<10	30	0.51	0.10	0.07	0.01	51.9	19.1	37	2.35
C306558		2.24	0.02	3.21	19.2	<0.02	<10	40	0.62	0.09	0.08	0.02	71.6	19.8	41	2.88
C306559		3.54	0.11	3.03	25.0	<0.02	<10	40	0.62	0.10	0.31	0.10	62.6	20.3	40	2.77
C306560		2.88	0.06	2.98	27.3	0.05	<10	40	0.69	0.17	0.37	0.07	67.8	19.1	40	2.65
C306561		4.15	0.02	2.72	27.3	<0.02	<10	30	0.61	0.07	0.30	0.02	64.9	15.9	37	2.33
C306562		2.25	0.03	2.52	354	0.13	<10	40	0.68	0.22	0.44	0.02	44.2	13.2	31	2.41
C306563		3.47	0.02	2.56	23.2	<0.02	<10	30	0.66	0.13	0.24	0.02	56.6	14.9	35	2.27
C306564		0.06	0.16	2.49	484	2.17	<10	90	1.10	0.32	0.22	0.04	56.6	12.0	99	7.11
C306565		3.37	0.03	2.90	33.2	<0.02	<10	30	0.62	0.61	0.23	0.02	50.7	20.3	38	2.20
C306566		2.98	0.03	2.55	63.5	<0.02	<10	30	0.92	0.81	0.20	0.02	58.7	25.4	32	2.10
C306567		1.29	0.04	2.56	1605	0.37	<10	30	0.66	0.56	0.29	0.01	45.7	17.2	23	2.12
C306568		3.36	0.03	2.22	1685	0.49	<10	40	0.91	0.21	0.19	0.01	58.3	18.0	21	2.49
C306569		2.32	0.05	2.13	1545	0.50	<10	40	1.01	0.31	0.34	0.01	37.2	16.2	20	2.66
C306570		1.62	0.06	1.99	1185	0.56	<10	30	1.08	0.22	0.47	0.01	31.0	13.8	17	3.06
C306571		1.79	0.29	1.43	>10000	4.95	<10	30	0.76	1.75	0.52	0.01	28.3	14.8	16	1.74
C306572		1.88	0.15	0.86	2010	1.13	<10	20	0.50	0.44	0.80	0.05	18.75	8.7	17	1.21
C306573		4.48	0.19	2.28	3250	1.73	<10	30	0.93	0.52	0.28	0.02	36.9	18.7	24	1.98
C306574		<0.02	0.16	2.24	3400	1.50	<10	30	0.95	0.54	0.27	0.02	38.7	19.4	24	1.98
C306575		2.04	0.05	2.24	4920	0.88	<10	30	0.93	0.72	0.38	0.01	33.0	22.4	24	1.66
C306576		3.56	0.09	1.78	1630	0.99	<10	40	0.84	1.08	0.50	0.01	29.7	17.5	21	1.50
C306577		3.65	0.02	2.44	16.5	0.17	<10	40	0.72	0.35	0.46	0.01	44.5	20.5	33	1.37
C306578		2.66	0.27	2.63	17.6	0.02	<10	40	0.62	0.19	0.38	<0.01	65.1	20.2	33	7.00
C306579		0.15	0.01	0.05	2.7	<0.02	<10	10	<0.05	0.02	<0.01	0.01	3.93	0.3	3	0.07
C306580		2.37	0.05	2.75	4.5	<0.02	<10	30	0.55	0.16	0.34	0.01	80.0	22.6	35	2.48
C306581		3.24	0.02	2.97	11.7	<0.02	<10	30	0.67	1.81	0.36	0.02	90.7	24.7	37	1.38



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 – B
Total # Pages: 4 (A – D)
Plus Appendix Pages
Finalized Date: 6–MAR–2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306551		5.7	5.30	8.59	0.06	0.17	<0.01	0.017	0.16	22.1	89.1	1.10	716	<0.05	0.04
C306552		1.1	3.73	6.54	0.07	0.18	<0.01	0.013	0.25	31.2	62.8	0.77	519	<0.05	0.06
C306553		50.7	4.58	8.10	0.06	0.14	<0.01	0.021	0.26	23.1	77.2	0.94	625	<0.05	0.07
C306554		27.4	4.92	7.87	0.06	0.11	<0.01	0.016	0.17	27.2	80.8	1.03	669	<0.05	0.04
C306555		31.0	4.76	8.42	0.07	0.12	<0.01	0.022	0.19	30.1	85.7	1.00	667	<0.05	0.05
C306556		25.6	4.68	8.19	0.07	0.11	<0.01	0.020	0.19	29.9	83.2	1.01	755	<0.05	0.05
C306557		11.9	4.76	8.39	0.07	0.07	<0.01	0.019	0.17	28.3	82.4	1.03	716	<0.05	0.04
C306558		42.5	5.32	9.54	0.09	0.09	<0.01	0.020	0.22	37.8	94.8	1.17	862	<0.05	0.05
C306559		210	5.10	8.72	0.08	0.14	<0.01	0.061	0.19	33.7	93.3	1.13	999	0.37	0.05
C306560		115.5	4.91	8.53	0.09	0.15	<0.01	0.030	0.22	36.2	86.9	1.10	1050	2.48	0.05
C306561		27.7	4.64	7.86	0.09	0.10	<0.01	0.020	0.17	33.7	79.8	1.03	940	0.06	0.03
C306562		33.8	4.32	7.30	0.07	0.08	<0.01	0.022	0.21	24.0	74.5	0.95	896	<0.05	0.03
C306563		35.2	4.30	6.94	0.08	0.11	<0.01	0.017	0.18	30.3	72.8	0.97	852	0.25	0.03
C306564		25.3	3.36	7.80	0.10	0.85	0.01	0.022	0.97	29.5	29.6	1.26	211	0.53	0.07
C306565		39.5	5.13	6.85	0.07	0.11	<0.01	0.018	0.19	26.6	66.0	1.12	987	1.42	0.03
C306566		41.8	4.51	7.31	0.08	0.15	<0.01	0.018	0.19	31.7	79.5	1.00	906	0.82	0.02
C306567		34.1	4.96	6.25	0.06	0.10	<0.01	0.022	0.19	23.9	58.0	1.06	994	0.78	0.02
C306568		31.4	3.95	6.83	0.09	0.11	<0.01	0.018	0.24	30.9	64.1	0.84	838	<0.05	0.02
C306569		33.8	3.83	6.15	0.05	0.09	<0.01	0.020	0.21	20.3	60.8	0.84	985	0.23	0.02
C306570		31.3	3.92	5.60	0.11	0.08	<0.01	0.022	0.19	16.7	55.9	0.85	1010	0.55	0.01
C306571		24.8	4.03	4.12	0.09	0.09	<0.01	0.038	0.17	14.9	37.6	0.60	765	0.54	0.01
C306572		16.1	2.22	2.65	0.08	0.08	<0.01	0.014	0.13	10.0	21.3	0.35	723	0.39	0.01
C306573		28.0	4.60	7.25	0.13	0.09	<0.01	0.025	0.19	19.2	66.9	1.02	1040	0.40	0.01
C306574		26.3	4.52	7.18	0.13	0.09	<0.01	0.024	0.19	20.0	67.7	1.00	1020	0.44	0.02
C306575		17.1	4.91	6.54	0.12	0.07	0.01	0.023	0.17	16.9	66.5	0.95	1030	0.19	0.01
C306576		16.6	4.52	4.99	0.10	0.08	<0.01	0.021	0.25	15.4	39.4	0.52	751	<0.05	0.01
C306577		2.8	5.27	7.70	0.14	0.05	<0.01	0.017	0.21	22.4	46.0	0.63	808	<0.05	0.01
C306578		6.1	4.97	7.25	0.16	0.06	0.01	0.014	0.17	31.5	54.4	0.95	1100	0.10	0.01
C306579		0.9	0.34	0.26	<0.05	0.12	<0.01	<0.005	0.01	1.9	0.9	0.01	33	0.24	<0.01
C306580		2.6	5.09	7.71	0.19	0.07	<0.01	0.015	0.16	39.5	68.3	1.06	1140	0.06	0.01
C306581		28.2	5.28	8.60	0.20	0.07	<0.01	0.016	0.15	44.4	93.1	1.20	1220	0.05	0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306551		56.0	190	3.2	7.6	<0.001	0.05	0.15	2.7	<0.2	0.2	8.9	<0.01	0.02	14.1
C306552		38.9	620	2.6	11.9	<0.001	<0.01	0.09	2.5	<0.2	0.2	14.5	<0.01	0.01	13.7
C306553		49.0	310	4.0	13.0	<0.001	0.02	0.13	2.9	<0.2	0.3	16.1	<0.01	0.05	13.6
C306554		45.4	220	0.7	8.2	<0.001	0.01	0.10	2.6	<0.2	0.2	9.6	<0.01	0.02	12.8
C306555		45.4	220	1.4	9.6	<0.001	0.01	0.14	2.7	<0.2	0.2	11.4	<0.01	0.03	12.6
C306556		45.3	230	0.9	9.4	<0.001	0.01	0.08	2.7	<0.2	0.2	11.9	<0.01	0.04	12.3
C306557		41.1	250	0.9	8.4	<0.001	<0.01	0.11	2.8	<0.2	0.2	9.8	<0.01	0.03	12.1
C306558		44.2	230	1.9	10.9	<0.001	0.01	0.11	3.1	<0.2	0.2	13.2	<0.01	0.02	16.4
C306559		46.5	470	3.6	9.7	<0.001	0.04	0.09	3.0	<0.2	0.4	14.8	<0.01	0.02	17.2
C306560		48.2	350	3.5	11.0	0.001	0.02	0.12	2.8	<0.2	0.3	15.7	<0.01	0.02	18.3
C306561		42.5	220	2.1	8.4	<0.001	0.02	0.12	2.5	<0.2	0.2	13.0	<0.01	<0.01	17.2
C306562		39.4	240	4.9	10.1	<0.001	0.11	0.18	2.6	<0.2	0.2	15.2	<0.01	0.02	15.2
C306563		37.6	230	2.3	8.2	<0.001	0.03	0.16	2.2	<0.2	0.2	11.6	<0.01	0.01	16.3
C306564		57.2	500	9.4	95.9	<0.001	0.10	323	6.0	<0.2	1.2	17.8	<0.01	0.02	13.2
C306565		40.6	320	3.2	7.8	<0.001	0.09	0.24	2.1	<0.2	0.2	10.6	<0.01	0.04	15.7
C306566		40.8	220	3.3	9.4	<0.001	0.19	0.20	2.4	<0.2	0.2	10.5	<0.01	0.05	17.4
C306567		37.7	220	5.5	8.0	<0.001	0.32	0.71	2.2	<0.2	0.2	12.9	<0.01	0.03	15.4
C306568		40.2	270	1.4	12.7	<0.001	0.26	0.41	2.3	<0.2	0.2	11.6	<0.01	0.01	16.2
C306569		40.3	210	3.8	10.7	<0.001	0.27	0.40	2.1	<0.2	0.3	13.7	<0.01	0.01	15.1
C306570		37.7	170	6.2	9.0	<0.001	0.57	0.51	2.6	0.2	0.4	16.4	<0.01	0.01	14.2
C306571		31.5	370	22.6	8.3	0.001	1.26	3.82	2.2	0.5	0.3	18.0	<0.01	0.06	11.4
C306572		15.7	120	29.2	6.2	0.001	0.84	0.78	1.6	0.2	0.2	21.6	<0.01	0.02	6.0
C306573		35.8	150	27.8	9.0	0.001	0.59	1.04	3.1	0.3	0.2	10.7	<0.01	0.03	13.1
C306574		35.6	140	29.6	9.3	<0.001	0.59	1.09	3.2	0.3	0.2	10.7	<0.01	0.02	13.2
C306575		37.3	170	3.8	8.6	<0.001	0.73	1.44	2.9	0.3	0.2	12.4	<0.01	0.03	12.0
C306576		34.5	250	5.8	12.9	<0.001	1.01	0.57	2.6	<0.2	0.4	14.4	<0.01	0.03	10.5
C306577		39.4	240	2.4	10.5	<0.001	0.34	0.23	3.7	0.2	0.2	13.9	<0.01	0.02	12.1
C306578		35.1	270	2.2	8.6	<0.001	0.09	0.12	3.1	<0.2	0.3	10.2	<0.01	0.02	13.2
C306579		0.7	10	0.8	0.6	<0.001	0.01	0.05	0.3	<0.2	<0.2	1.0	<0.01	<0.01	1.3
C306580		36.8	290	1.5	7.6	<0.001	0.03	0.09	3.4	<0.2	0.2	8.6	<0.01	0.03	13.6
C306581		36.2	290	3.5	7.5	<0.001	0.02	0.11	3.8	<0.2	0.2	11.7	<0.01	0.01	13.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21014529

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C306551		0.05	1.73	19	<0.05	3.16	104	6.3	<0.01	
C306552		0.07	2.08	16	<0.05	4.30	74	6.8	<0.01	
C306553		0.08	1.62	19	0.05	3.38	93	5.3	0.01	
C306554		0.04	1.03	18	<0.05	2.97	99	4.3	0.01	
C306555		0.06	1.31	18	<0.05	3.15	99	4.6	<0.01	
C306556		0.06	1.30	18	<0.05	3.68	103	4.3	<0.01	
C306557		0.05	0.69	18	<0.05	3.07	99	2.7	<0.01	
C306558		0.06	0.90	20	0.09	3.62	107	3.4	<0.01	
C306559		0.06	1.49	20	0.06	4.46	113	5.5	0.01	
C306560		0.07	1.52	19	0.07	4.37	112	5.5	0.10	
C306561		0.05	1.09	17	0.10	3.71	96	3.5	<0.01	
C306562		0.06	1.05	17	0.73	3.06	99	2.9		0.21
C306563		0.05	1.30	15	0.07	3.26	96	4.0	0.01	
C306564		0.60	1.55	65	0.46	9.94	73	28.6	2.21	
C306565		0.05	1.38	16	0.10	3.13	116	4.1	0.03	
C306566		0.05	1.50	15	0.12	4.10	104	5.7	0.06	
C306567		0.04	1.12	16	0.62	3.07	111	3.1	0.64	
C306568		0.08	1.46	13	0.41	5.72	87	5.0		0.55
C306569		0.06	1.31	13	0.49	3.13	90	3.9		0.76
C306570		0.06	2.25	12	0.70	2.87	83	3.1	0.54	
C306571		0.05	1.33	10	0.86	3.17	57	3.7		5.31
C306572		0.04	1.06	7	0.23	2.54	43	3.0		1.23
C306573		0.05	1.07	17	0.71	2.59	91	3.5		1.68
C306574		0.06	1.04	16	0.73	2.62	88	3.7		1.55
C306575		0.05	0.92	14	7.72	2.42	84	2.4		1.38
C306576		0.09	0.94	13	0.59	3.09	57	2.6		0.83
C306577		0.07	0.82	23	0.20	3.49	68	2.0	0.34	
C306578		0.05	1.56	17	4.90	3.82	85	2.4	0.03	
C306579		<0.02	0.22	1	<0.05	0.68	<2	2.8	<0.01	
C306580		0.05	0.80	18	0.98	3.94	96	2.5	0.03	
C306581		0.05	0.58	20	0.13	5.02	106	2.1	<0.01	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21014529

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-21	LOG-21d
LOG-23	PUL-31	PUL-31d	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA25	Au-GRA22	ME-MS41
---------	----------	---------