



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

CERTIFICATE WH21016359

Project: Culvert - NUF

This report is for 172 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 22-JAN-2021.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306582		3.90	0.07	2.06	5.8	<0.02	<10	20	0.30	0.48	0.01	<0.01	62.1	2.7	33	2.34
C306583		3.07	0.10	1.68	4.8	<0.02	<10	20	0.29	0.44	0.01	0.01	56.6	2.3	27	2.46
C306584		0.06	0.13	2.38	335	1.50	<10	90	1.14	0.29	0.19	0.04	56.7	12.3	97	8.04
C306585		2.27	0.05	2.48	12.9	<0.02	<10	20	0.36	0.61	0.17	0.03	38.3	17.0	36	2.12
C306586		5.43	0.11	2.67	12.4	<0.02	<10	20	0.37	0.57	0.06	0.03	36.5	16.6	38	2.17
C306587		3.46	0.04	3.33	14.0	<0.02	<10	20	0.45	0.48	0.08	0.02	36.3	27.9	45	2.34
C306588		6.32	0.07	2.82	19.3	<0.02	<10	20	0.32	0.46	0.05	0.01	35.8	22.2	39	2.12
C306589		6.33	0.03	2.75	27.6	<0.02	<10	20	0.38	0.41	0.22	0.02	40.6	20.2	39	2.16
C306590		4.32	0.04	2.92	32.7	<0.02	<10	20	0.51	0.50	0.22	0.02	46.2	23.3	41	2.20
C306591		1.98	0.02	2.45	25.2	<0.02	<10	20	0.39	0.47	0.13	0.01	40.0	25.6	35	2.20
C306592		2.29	0.02	2.63	29.0	<0.02	<10	30	0.47	0.33	0.40	0.01	43.3	26.4	35	1.98
C306593		3.64	0.02	2.51	18.0	<0.02	<10	20	0.41	0.35	0.40	0.01	35.5	18.0	33	1.83
C306594		3.43	0.03	2.74	35.8	<0.02	<10	20	0.43	0.37	0.36	0.01	36.6	23.6	37	1.92
C306595		2.30	0.03	2.53	619	0.04	<10	20	0.39	0.28	0.16	0.01	38.0	19.4	32	1.96
C306596		2.50	0.05	2.67	277	0.26	<10	20	0.44	0.48	0.07	<0.01	39.0	24.9	36	2.21
C306597		3.46	0.03	2.56	56.5	<0.02	<10	20	0.46	0.32	0.08	0.01	40.6	18.4	35	2.28
C306598		2.10	0.57	1.70	1400	8.01	<10	20	0.35	1.32	0.18	0.18	22.0	22.2	21	1.73
C306599		3.33	0.03	2.70	69.3	<0.02	<10	30	0.53	0.29	0.12	0.01	51.7	17.8	36	2.32
C306600		3.95	0.05	2.99	192.5	<0.02	<10	20	0.42	0.32	0.84	0.02	53.9	17.7	41	1.86
C306601		0.18	0.01	0.05	0.8	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.65	0.3	2	0.08
C306602		6.50	0.02	2.69	26.2	<0.02	<10	30	0.46	0.45	0.16	0.01	44.1	20.8	37	2.46
C306603		2.25	0.04	3.00	31.8	<0.02	<10	20	0.57	0.34	1.51	0.02	36.2	22.7	43	1.41
C306604		3.96	0.03	2.80	21.1	<0.02	<10	20	0.33	0.38	0.93	0.02	34.1	19.8	36	1.75
C306605		6.17	0.02	2.69	41.4	<0.02	<10	20	0.36	0.41	0.18	0.01	39.3	21.7	38	2.36
C306606		5.88	0.02	2.75	39.9	<0.02	<10	30	0.45	0.47	0.09	<0.01	42.6	24.4	38	2.66
C306607		2.13	0.05	2.78	18.4	<0.02	<10	20	0.35	0.33	0.88	0.02	41.3	13.1	38	1.48
C306608		4.34	0.02	2.50	24.2	<0.02	<10	40	0.44	0.47	0.20	<0.01	41.7	24.0	35	2.61
C306609		2.40	0.06	3.40	14.8	<0.02	<10	20	0.55	0.39	0.95	0.02	41.0	18.1	47	1.41
C306610		3.05	0.08	4.02	12.0	<0.02	<10	20	0.42	0.48	0.82	0.01	28.0	21.8	48	1.12
C306611		3.49	0.02	2.45	18.4	<0.02	<10	30	0.41	0.49	0.16	0.01	41.6	24.2	37	2.74
C306612		4.37	0.02	2.35	20.0	<0.02	<10	20	0.42	0.38	0.12	<0.01	43.2	22.2	35	2.93
C306613		3.60	0.03	2.82	25.8	<0.02	<10	30	0.44	0.36	0.38	0.01	54.0	23.1	40	2.30
C306614		0.06	0.13	2.44	341	1.44	<10	90	1.14	0.30	0.19	0.03	58.6	13.2	99	7.72
C306615		2.16	0.06	3.53	7.7	<0.02	<10	10	0.24	0.52	1.45	0.02	23.7	16.9	45	0.68
C306616		3.42	0.04	2.97	27.5	<0.02	<10	10	0.30	0.36	3.87	0.07	30.5	16.2	42	0.93
C306617		3.62	0.04	2.85	25.7	<0.02	<10	30	0.47	0.34	0.46	0.01	55.1	24.0	40	2.50
C306618		2.88	0.01	2.66	19.3	<0.02	<10	30	0.45	0.40	0.11	0.01	54.5	21.0	39	3.06
C306619		4.43	0.06	2.68	24.7	<0.02	<10	30	0.49	0.57	0.22	0.01	48.6	23.0	39	2.95
C306620		5.35	0.04	2.35	30.5	<0.02	<10	30	0.48	0.38	0.12	0.01	47.7	25.7	34	3.12
C306621		2.61	0.10	3.90	13.0	<0.02	<10	10	0.24	0.43	0.87	0.02	28.8	19.4	47	1.08



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306582		14.7	4.13	6.85	0.09	0.25	<0.01	0.015	0.15	31.7	54.3	0.83	603	0.39	0.06
C306583		26.7	3.83	5.80	0.07	0.31	<0.01	0.017	0.14	28.6	41.4	0.63	433	3.26	0.06
C306584		25.6	3.32	7.57	0.10	0.68	0.01	0.023	0.96	28.6	34.3	1.23	198	0.52	0.08
C306585		57.4	4.76	7.35	0.07	0.22	<0.01	0.022	0.15	19.5	79.8	0.99	856	0.41	0.06
C306586		43.2	5.09	7.48	0.06	0.21	<0.01	0.020	0.16	18.5	71.9	1.03	687	1.09	0.06
C306587		48.7	6.09	10.10	0.05	0.19	<0.01	0.024	0.17	17.3	91.2	1.29	865	0.72	0.07
C306588		37.8	5.07	7.82	0.05	0.17	<0.01	0.020	0.16	17.7	72.2	1.07	643	1.07	0.06
C306589		40.8	4.82	7.59	0.05	0.14	<0.01	0.022	0.16	20.2	74.0	1.05	732	0.38	0.05
C306590		49.5	5.04	8.53	0.06	0.16	<0.01	0.027	0.15	22.4	83.8	1.11	865	0.13	0.05
C306591		44.5	4.32	6.77	<0.05	0.14	<0.01	0.017	0.15	20.0	63.6	0.93	630	0.13	0.05
C306592		34.2	4.54	7.74	0.05	0.13	<0.01	0.021	0.18	21.4	71.3	0.98	812	0.22	0.05
C306593		32.2	4.56	7.55	<0.05	0.12	<0.01	0.022	0.12	17.7	71.4	0.97	840	0.14	0.04
C306594		39.3	5.02	7.98	<0.05	0.13	<0.01	0.023	0.13	18.0	76.8	1.06	847	0.15	0.04
C306595		33.1	4.58	7.05	0.05	0.12	<0.01	0.020	0.15	19.1	65.1	0.97	643	0.12	0.04
C306596		45.7	4.88	7.98	0.05	0.14	<0.01	0.020	0.15	19.8	78.5	1.02	621	0.20	0.04
C306597		37.2	4.61	7.48	0.05	0.14	<0.01	0.019	0.16	20.9	70.3	0.98	586	0.14	0.05
C306598		49.4	3.89	4.93	<0.05	0.14	<0.01	0.021	0.13	11.0	46.7	0.67	452	0.48	0.04
C306599		37.3	4.59	7.81	0.05	0.10	<0.01	0.021	0.19	25.1	74.1	1.02	681	0.11	0.05
C306600		33.5	5.19	9.11	0.06	0.10	<0.01	0.036	0.16	26.7	86.8	1.17	1120	0.13	0.05
C306601		0.7	0.20	0.19	<0.05	0.12	<0.01	<0.005	0.01	1.7	1.1	0.01	24	0.15	0.01
C306602		41.2	4.65	7.42	0.05	0.13	<0.01	0.019	0.18	21.9	71.8	1.00	650	0.11	0.06
C306603		33.7	5.47	9.48	0.05	0.10	<0.01	0.041	0.12	17.7	92.4	1.18	1430	0.40	0.06
C306604		35.1	5.09	8.25	<0.05	0.12	<0.01	0.030	0.14	16.5	78.9	1.07	1180	0.17	0.05
C306605		38.8	4.94	7.73	0.05	0.10	<0.01	0.020	0.12	19.7	74.4	1.04	663	0.13	0.04
C306606		42.7	4.85	7.88	0.05	0.12	<0.01	0.021	0.19	21.0	78.7	1.00	606	0.19	0.06
C306607		23.4	4.94	9.17	0.05	0.09	<0.01	0.032	0.12	19.7	82.7	1.09	1220	0.09	0.06
C306608		38.6	4.26	7.00	0.05	0.11	<0.01	0.020	0.20	20.9	65.6	0.87	654	0.20	0.07
C306609		31.0	6.15	11.40	0.05	0.08	<0.01	0.032	0.12	20.0	106.5	1.31	1250	0.15	0.07
C306610		38.1	7.60	14.05	0.05	0.11	<0.01	0.037	0.10	13.1	127.5	1.59	1470	0.39	0.06
C306611		40.3	4.40	7.07	<0.05	0.14	<0.01	0.020	0.16	20.4	70.1	0.90	638	0.37	0.06
C306612		45.6	4.18	7.11	0.05	0.13	<0.01	0.021	0.14	21.6	70.6	0.89	597	0.13	0.06
C306613		26.8	4.84	8.22	0.06	0.13	<0.01	0.024	0.18	26.4	80.5	1.05	853	0.13	0.06
C306614		25.3	3.29	7.62	0.08	0.78	0.01	0.024	0.96	29.7	35.6	1.21	204	0.52	0.07
C306615		37.4	6.92	12.60	0.05	0.09	<0.01	0.047	0.04	10.8	117.5	1.48	1840	0.10	0.05
C306616		19.6	5.51	10.65	0.05	0.08	<0.01	0.041	0.07	13.9	97.0	1.20	3190	0.09	0.06
C306617		32.8	5.00	8.88	0.06	0.12	<0.01	0.024	0.14	27.5	87.3	1.09	903	0.13	0.06
C306618		38.5	4.52	8.17	0.05	0.14	<0.01	0.019	0.17	27.3	76.7	0.96	631	0.14	0.07
C306619		44.0	4.59	8.08	0.05	0.15	<0.01	0.022	0.18	24.3	80.3	0.96	706	0.42	0.07
C306620		33.4	3.89	6.44	0.05	0.16	<0.01	0.018	0.20	23.9	64.6	0.79	589	0.58	0.07
C306621		26.9	7.52	13.25	0.05	0.10	<0.01	0.043	0.07	13.3	124.5	1.60	1800	0.15	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306582		4.5	210	10.1	7.0	<0.001	0.05	0.32	2.2	0.2	0.2	9.0	<0.01	0.02	11.1
C306583		4.5	190	23.9	6.7	<0.001	0.05	0.34	1.8	0.2	0.2	8.5	<0.01	0.02	11.2
C306584		54.8	470	7.5	93.6	0.001	0.08	238	6.3	0.4	1.2	15.8	<0.01	0.01	13.3
C306585		23.0	220	10.0	6.6	<0.001	0.25	0.44	2.8	0.2	0.3	8.7	<0.01	0.01	14.0
C306586		32.3	270	11.6	6.4	<0.001	0.37	0.46	2.9	<0.2	0.2	9.0	<0.01	0.01	14.1
C306587		51.6	300	9.1	7.4	<0.001	0.54	0.31	3.6	<0.2	0.2	9.9	<0.01	0.01	15.1
C306588		34.5	250	7.8	6.3	<0.001	0.34	0.22	2.9	<0.2	<0.2	7.6	<0.01	0.02	15.1
C306589		43.7	310	5.5	5.9	<0.001	0.27	0.15	3.0	<0.2	0.2	9.2	<0.01	0.01	16.4
C306590		54.2	310	6.5	6.2	<0.001	0.17	0.13	3.5	<0.2	0.2	10.6	<0.01	0.02	18.8
C306591		45.3	270	4.3	6.8	<0.001	0.29	0.18	2.4	<0.2	0.2	9.2	<0.01	0.02	14.4
C306592		43.5	250	5.8	8.5	<0.001	0.24	0.11	2.8	<0.2	0.3	11.8	<0.01	0.01	13.8
C306593		37.8	240	6.7	5.9	<0.001	0.25	0.15	3.0	<0.2	0.2	10.3	<0.01	0.01	13.8
C306594		43.3	270	5.0	5.9	<0.001	0.22	0.16	2.8	<0.2	0.2	9.5	<0.01	0.01	14.4
C306595		40.3	300	4.0	6.9	<0.001	0.20	0.24	2.5	<0.2	0.2	7.7	<0.01	0.02	13.1
C306596		46.5	230	4.4	7.6	<0.001	0.27	0.18	2.8	<0.2	0.2	8.4	<0.01	0.01	14.1
C306597		42.2	220	3.1	7.7	<0.001	0.31	0.14	2.5	<0.2	0.2	8.3	<0.01	0.01	13.8
C306598		34.2	170	51.6	6.0	<0.001	1.13	0.79	2.0	0.2	0.2	7.0	<0.01	0.05	11.0
C306599		40.3	330	3.7	9.1	<0.001	0.19	0.13	2.8	<0.2	0.3	10.0	<0.01	0.01	15.5
C306600		43.8	300	11.3	7.0	<0.001	0.09	0.11	3.7	<0.2	0.3	16.3	<0.01	0.01	15.4
C306601		0.7	10	1.0	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.0	<0.01	<0.01	1.1
C306602		43.5	300	4.1	7.8	<0.001	0.24	0.15	2.7	<0.2	0.2	10.1	<0.01	0.01	15.9
C306603		41.5	280	20.3	5.5	<0.001	0.38	0.14	4.5	<0.2	0.4	22.0	<0.01	0.01	15.0
C306604		36.7	270	9.3	5.9	<0.001	0.27	0.12	3.5	<0.2	0.3	13.6	<0.01	0.01	14.0
C306605		43.3	260	3.9	5.4	<0.001	0.16	0.12	2.7	<0.2	0.2	8.2	<0.01	0.01	14.0
C306606		44.2	260	3.5	8.1	<0.001	0.30	0.17	2.9	<0.2	0.2	10.2	<0.01	0.01	15.0
C306607		37.0	300	20.7	5.5	<0.001	0.17	0.10	4.0	<0.2	0.4	14.7	<0.01	0.01	12.3
C306608		41.3	260	5.7	8.3	<0.001	0.35	0.20	2.7	<0.2	0.3	11.4	<0.01	0.01	14.6
C306609		44.5	270	18.2	5.7	<0.001	0.29	0.12	5.0	<0.2	0.4	18.3	<0.01	0.01	15.2
C306610		43.7	330	26.0	5.2	<0.001	0.49	0.17	6.5	<0.2	0.3	15.2	<0.01	0.01	12.6
C306611		43.1	290	7.1	7.3	<0.001	0.45	0.21	2.8	<0.2	0.2	10.3	<0.01	0.01	14.8
C306612		40.6	290	5.0	6.5	<0.001	0.32	0.19	2.6	<0.2	0.2	10.1	<0.01	0.01	14.8
C306613		40.4	290	9.8	7.9	<0.001	0.22	0.12	2.9	<0.2	0.4	12.3	<0.01	0.01	15.5
C306614		57.3	490	8.4	96.1	<0.001	0.06	254	6.1	0.2	1.3	15.9	<0.01	0.01	12.7
C306615		32.2	280	25.5	2.3	<0.001	0.45	0.36	6.3	<0.2	0.4	17.2	<0.01	0.01	11.1
C306616		30.5	260	20.5	3.7	<0.001	0.20	0.12	6.0	<0.2	0.4	38.1	<0.01	0.01	11.7
C306617		42.3	300	11.1	7.0	<0.001	0.17	0.16	3.3	0.2	0.3	13.4	<0.01	0.01	16.0
C306618		44.4	290	3.4	7.4	<0.001	0.20	0.15	3.1	<0.2	0.3	11.6	<0.01	0.01	15.3
C306619		45.4	270	16.6	7.7	<0.001	0.27	0.17	3.2	0.2	0.3	12.6	<0.01	0.01	15.4
C306620		37.4	250	11.5	7.6	<0.001	0.34	0.22	2.5	<0.2	0.3	10.8	<0.01	<0.01	14.6
C306621		38.0	310	43.6	3.3	<0.001	0.35	0.12	6.4	<0.2	0.3	14.0	<0.01	0.01	11.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01 0.05
C306582		0.04	0.79	16	0.05	2.53	54	11.6	0.02
C306583		0.04	0.52	15	0.06	2.12	47	15.0	0.01
C306584		0.54	1.42	64	0.38	9.50	75	28.4	1.61
C306585		0.03	1.22	18	0.07	2.90	85	10.0	0.01
C306586		0.04	1.33	20	0.77	3.16	92	9.5	<0.01
C306587		0.04	1.34	24	<0.05	4.20	134	8.7	<0.01
C306588		0.04	1.16	20	<0.05	3.13	94	7.5	0.01
C306589		0.04	1.01	20	<0.05	3.69	108	5.8	<0.01
C306590		0.04	1.43	23	0.07	4.21	123	6.9	0.01
C306591		0.04	1.33	16	<0.05	3.60	101	5.9	<0.01
C306592		0.05	1.29	18	<0.05	3.52	102	5.9	<0.01
C306593		0.03	1.18	19	<0.05	3.15	104	4.9	<0.01
C306594		0.03	1.22	20	<0.05	3.13	115	5.2	<0.01
C306595		0.04	1.16	17	0.12	3.13	101	5.1	<0.05
C306596		0.04	1.48	18	0.05	3.05	107	5.6	0.05
C306597		0.04	1.09	17	0.14	3.07	104	6.0	0.12
C306598		0.04	2.17	12	0.15	2.32	194	5.8	12.10
C306599		0.05	1.13	18	0.05	3.53	108	4.3	0.04
C306600		0.04	1.42	26	<0.05	3.84	136	4.3	0.01
C306601		<0.02	0.19	1	<0.05	0.77	<2	2.7	<0.01
C306602		0.04	1.38	18	<0.05	3.40	102	5.1	<0.01
C306603		0.03	1.73	30	0.18	3.75	130	4.3	<0.01
C306604		0.03	1.36	23	0.07	2.97	118	4.0	0.01
C306605		0.03	1.19	18	<0.05	2.96	107	4.2	<0.01
C306606		0.05	1.59	19	<0.05	3.45	104	5.3	<0.01
C306607		0.03	1.11	26	<0.05	3.24	127	3.5	<0.01
C306608		0.05	1.46	18	<0.05	3.29	91	4.7	<0.01
C306609		0.04	1.73	33	0.06	3.73	137	3.8	<0.01
C306610		0.03	1.31	40	<0.05	2.89	162	4.4	<0.01
C306611		0.04	1.69	18	<0.05	3.23	95	5.6	<0.01
C306612		0.03	1.48	17	<0.05	3.34	92	5.3	<0.01
C306613		0.05	1.54	21	<0.05	3.24	110	5.4	<0.01
C306614		0.60	1.51	65	0.44	9.43	74	28.0	1.57
C306615		<0.02	1.20	40	0.05	2.89	172	3.1	<0.01
C306616		0.02	1.34	35	<0.05	4.52	132	3.1	<0.01
C306617		0.04	1.67	22	<0.05	3.61	109	5.0	<0.01
C306618		0.04	1.56	19	<0.05	3.49	97	6.2	<0.01
C306619		0.05	1.68	20	<0.05	3.56	99	6.2	<0.01
C306620		0.05	1.51	16	<0.05	3.15	83	6.1	<0.01
C306621		0.02	1.04	40	<0.05	2.58	175	3.5	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306622		5.23	0.15	2.46	140.0	<0.02	<10	30	0.53	0.85	0.51	0.01	48.8	21.6	36	2.46
C306623		2.05	0.05	2.62	1360	0.09	<10	30	0.48	0.85	0.57	0.01	41.3	26.7	35	2.42
C306624		4.31	0.01	2.72	30.2	<0.02	<10	30	0.45	0.42	0.16	0.01	46.4	26.7	37	2.78
C306625		3.49	0.02	2.77	36.1	<0.02	<10	30	0.49	0.52	0.16	0.01	44.3	29.0	38	2.82
C306626		4.11	0.03	2.83	18.4	<0.02	<10	30	0.49	0.62	0.13	0.01	47.4	22.0	38	2.75
C306627		3.44	0.03	2.77	21.8	<0.02	<10	20	0.49	0.51	0.13	0.01	55.6	21.7	38	2.67
C306628		4.12	0.03	2.97	28.5	<0.02	<10	30	0.60	0.42	0.09	0.02	68.6	24.7	40	3.03
C306629		3.85	0.03	2.68	21.8	<0.02	<10	30	0.64	0.58	0.17	0.01	46.4	24.2	36	3.43
C306630		0.06	0.17	2.42	480	2.02	<10	90	1.16	0.33	0.21	0.03	54.0	13.3	97	8.02
C306631		2.33	0.03	3.02	32.9	<0.02	<10	30	0.57	0.39	0.09	0.01	56.2	23.4	40	2.64
C306632		3.53	0.07	2.87	22.5	<0.02	<10	30	0.55	0.77	0.91	0.01	38.9	19.0	37	1.85
C306633		3.50	0.01	2.34	25.4	<0.02	<10	30	0.58	0.28	0.28	0.01	54.8	19.6	32	2.87
C306634		1.95	0.02	2.36	32.6	<0.02	<10	30	0.65	0.40	0.48	<0.01	51.7	23.4	31	2.83
C306635		2.10	0.04	2.98	15.9	<0.02	<10	10	0.38	0.37	1.20	0.02	30.3	18.9	37	1.12
C306636		3.44	0.02	2.71	22.8	<0.02	<10	30	0.52	0.44	0.15	0.01	51.0	20.9	36	2.76
C306637		5.32	0.01	2.94	21.5	<0.02	<10	30	0.55	0.39	0.12	0.01	54.2	18.9	39	2.77
C306638		4.54	0.04	3.14	31.7	<0.02	<10	40	0.71	0.45	0.24	0.01	66.8	23.9	40	2.78
C306639		3.40	0.03	2.95	26.4	<0.02	<10	40	0.72	0.49	0.18	0.01	59.8	20.3	37	2.87
C306640		2.08	0.06	2.54	26.7	<0.02	<10	20	0.67	0.68	1.27	0.06	40.8	20.7	35	2.05
C306641		2.78	0.02	2.57	29.8	<0.02	<10	20	0.49	0.66	0.77	0.05	37.0	18.6	33	2.38
C306642		3.39	0.03	3.40	39.2	<0.02	<10	20	0.59	0.61	0.26	0.15	38.6	21.6	40	2.59
C306643		1.96	0.03	2.40	71.6	<0.02	<10	20	0.61	0.60	0.64	0.14	33.5	17.6	36	1.64
C306644		2.27	0.02	2.66	36.5	<0.02	<10	30	0.54	0.66	0.40	0.02	42.2	18.7	35	2.53
C306645		0.14	0.01	0.07	0.7	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.55	0.4	5	0.11
C306646		6.28	0.03	2.76	49.1	0.02	<10	30	0.63	0.62	0.35	0.01	46.2	25.0	36	2.31
C306647		2.52	0.03	2.75	128.5	<0.02	<10	20	0.49	0.58	0.65	0.07	32.7	17.0	34	1.63
C306648		2.28	0.05	1.37	105.5	0.22	<10	20	0.97	0.45	1.50	0.15	40.2	11.9	20	1.25
C306649		3.28	0.02	2.70	33.1	<0.02	<10	30	0.68	0.67	1.37	0.15	41.3	20.6	36	2.69
C306650		2.30	0.04	2.72	35.7	<0.02	<10	30	0.48	0.71	0.44	0.06	39.6	22.9	39	2.30
C306651		3.17	0.02	2.70	38.0	<0.02	<10	20	0.51	0.59	0.13	0.01	41.9	28.0	40	2.76
C306652		3.77	0.08	2.50	19.7	<0.02	<10	20	0.48	0.51	0.79	0.02	42.6	16.3	36	2.13
C306653		5.44	0.03	2.53	30.5	<0.02	<10	30	0.53	0.31	0.22	0.01	50.0	22.3	36	2.50
C306654		3.67	0.06	2.75	28.7	<0.02	<10	30	0.47	0.48	0.28	0.01	40.4	20.1	36	2.18
C306655		3.83	0.02	2.36	30.9	<0.02	<10	20	0.41	0.50	0.12	0.01	45.6	19.5	33	2.17
C306656		3.57	0.04	2.64	45.5	<0.02	<10	20	0.42	0.70	0.50	0.02	36.8	23.8	36	1.81
C306657		2.02	0.06	2.92	34.3	0.08	<10	20	0.58	0.72	1.06	0.10	38.5	21.4	38	1.74
C306658		5.34	0.11	3.39	23.4	<0.02	<10	20	0.37	0.69	0.19	0.03	42.0	19.2	41	1.65
C306659		2.26	0.08	2.37	38.7	<0.02	<10	20	0.57	0.58	1.56	0.02	38.5	25.9	32	2.11
C306660		4.61	0.04	2.73	38.5	<0.02	<10	30	0.53	0.36	0.24	0.02	53.1	24.6	36	2.77
C306661		0.06	0.16	2.49	483	2.04	<10	90	1.12	0.32	0.22	0.03	57.4	13.3	98	7.53



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306622		30.4	4.51	7.82	0.06	0.11	<0.01	0.022	0.16	24.2	76.3	0.98	911	0.51	0.06
C306623		36.0	4.98	7.80	0.05	0.10	<0.01	0.022	0.16	21.1	77.6	1.05	959	0.85	0.06
C306624		43.8	5.07	7.81	0.05	0.12	<0.01	0.017	0.16	23.7	76.2	1.06	720	0.14	0.06
C306625		46.1	5.15	8.28	0.05	0.13	<0.01	0.022	0.16	22.9	81.5	1.07	668	0.21	0.06
C306626		41.9	5.26	8.09	0.05	0.13	<0.01	0.020	0.15	24.5	84.1	1.11	675	0.15	0.06
C306627		40.0	5.09	8.33	0.05	0.12	0.01	0.021	0.14	27.6	83.5	1.10	627	0.15	0.05
C306628		36.3	5.28	8.91	0.07	0.13	<0.01	0.022	0.18	34.7	88.9	1.13	631	0.20	0.07
C306629		35.6	5.01	7.91	0.05	0.14	<0.01	0.020	0.17	23.2	78.7	1.02	684	0.20	0.06
C306630		27.4	3.45	7.57	0.08	0.72	0.01	0.024	0.98	27.5	31.5	1.27	212	0.52	0.08
C306631		32.4	5.57	9.19	0.06	0.12	<0.01	0.025	0.16	28.1	92.2	1.20	737	0.40	0.06
C306632		41.3	5.37	8.98	0.05	0.10	<0.01	0.031	0.15	18.8	89.3	1.17	1300	0.12	0.06
C306633		30.4	4.07	7.17	0.06	0.11	0.01	0.024	0.18	27.1	68.1	0.88	684	0.18	0.06
C306634		40.2	4.22	6.99	0.05	0.12	0.01	0.024	0.18	24.8	70.5	0.90	786	0.17	0.06
C306635		59.1	6.08	10.70	<0.05	0.09	0.01	0.036	0.09	14.0	104.0	1.28	1420	0.12	0.05
C306636		41.7	4.89	7.81	0.06	0.12	<0.01	0.021	0.19	26.6	77.0	1.04	611	0.14	0.07
C306637		43.4	5.22	8.74	0.06	0.11	<0.01	0.023	0.20	28.2	87.5	1.12	622	0.13	0.07
C306638		39.4	5.39	9.21	0.07	0.12	<0.01	0.024	0.26	33.8	90.4	1.15	759	0.15	0.09
C306639		41.9	5.03	8.38	0.06	0.14	<0.01	0.020	0.28	30.6	79.3	1.06	673	0.38	0.08
C306640		51.5	4.92	7.71	0.05	0.12	<0.01	0.039	0.16	20.6	81.5	1.01	1300	0.19	0.06
C306641		37.2	5.16	7.62	0.05	0.10	<0.01	0.028	0.17	18.7	75.5	1.07	1440	0.23	0.05
C306642		50.3	6.69	11.35	0.05	0.08	<0.01	0.039	0.16	18.5	108.5	1.39	1090	0.16	0.06
C306643		23.5	4.67	7.24	<0.05	0.09	<0.01	0.047	0.13	16.0	72.1	0.98	1000	0.17	0.05
C306644		34.4	5.16	7.77	0.05	0.12	<0.01	0.025	0.20	20.6	74.1	1.05	861	0.14	0.05
C306645		2.7	0.43	0.29	<0.05	0.12	<0.01	<0.005	0.02	2.2	1.2	0.01	49	0.29	0.01
C306646		43.1	5.14	8.24	0.05	0.12	<0.01	0.023	0.22	23.1	79.7	1.07	787	0.22	0.06
C306647		42.2	5.46	8.89	<0.05	0.09	<0.01	0.040	0.15	15.5	84.7	1.17	1090	0.17	0.05
C306648		22.9	2.26	4.32	<0.05	0.07	<0.01	0.041	0.10	19.5	49.2	0.51	1230	0.20	0.05
C306649		32.3	5.09	8.93	0.05	0.10	<0.01	0.039	0.19	20.3	82.7	1.08	1620	0.18	0.06
C306650		48.6	5.27	8.57	0.05	0.09	<0.01	0.030	0.16	19.7	80.6	1.13	983	0.18	0.05
C306651		38.5	5.12	7.61	<0.05	0.12	<0.01	0.018	0.16	20.6	78.1	1.11	676	1.05	0.05
C306652		33.4	4.58	7.54	<0.05	0.08	<0.01	0.025	0.16	20.9	72.5	1.05	1150	0.11	0.06
C306653		30.0	4.58	7.60	0.05	0.10	<0.01	0.020	0.17	24.5	75.1	1.01	757	0.13	0.06
C306654		32.7	5.11	8.40	0.05	0.09	<0.01	0.020	0.16	19.6	84.4	1.12	816	0.13	0.05
C306655		29.4	4.45	7.41	0.05	0.11	<0.01	0.018	0.15	22.4	72.4	0.97	608	0.14	0.05
C306656		37.8	5.17	8.21	<0.05	0.11	<0.01	0.032	0.14	17.1	82.3	1.13	937	0.58	0.05
C306657		73.9	5.92	9.28	0.05	0.10	<0.01	0.051	0.13	18.4	95.3	1.29	1260	0.17	0.05
C306658		37.6	6.55	10.90	0.06	0.11	<0.01	0.024	0.14	19.9	99.7	1.45	946	0.53	0.05
C306659		38.0	4.48	6.88	0.06	0.09	<0.01	0.028	0.14	19.3	68.2	0.96	1460	0.44	0.06
C306660		43.9	4.96	7.93	0.06	0.10	<0.01	0.024	0.18	27.3	75.1	1.06	776	0.39	0.06
C306661		25.7	3.47	7.51	0.09	0.76	0.01	0.022	0.99	29.2	30.7	1.28	213	0.56	0.09



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306622		39.2	230	49.2	8.5	<0.001	0.23	0.12	3.1	<0.2	0.4	15.0	<0.01	0.02	15.3
C306623		40.4	230	21.1	7.7	<0.001	0.34	0.35	2.9	<0.2	0.3	14.4	<0.01	0.02	14.4
C306624		42.1	230	3.1	7.6	<0.001	0.24	0.12	2.8	<0.2	0.2	11.7	<0.01	0.01	14.9
C306625		43.5	250	4.3	7.6	<0.001	0.28	0.11	2.9	<0.2	0.2	12.2	<0.01	0.01	14.7
C306626		41.6	270	5.8	6.8	<0.001	0.22	0.14	2.8	<0.2	0.2	11.3	<0.01	0.02	15.2
C306627		42.4	280	5.2	6.5	<0.001	0.13	0.11	2.8	<0.2	0.2	12.5	<0.01	0.02	15.3
C306628		44.3	300	4.2	8.9	<0.001	0.11	0.09	3.1	<0.2	0.2	14.6	<0.01	0.01	15.4
C306629		41.6	300	6.3	8.0	<0.001	0.37	0.15	2.7	<0.2	0.3	14.8	<0.01	0.02	16.6
C306630		56.5	490	8.5	95.3	<0.001	0.10	357	6.1	<0.2	1.2	17.6	<0.01	0.02	13.2
C306631		44.3	280	4.9	7.6	<0.001	0.19	0.38	3.1	<0.2	0.4	14.0	<0.01	0.01	16.4
C306632		40.1	290	19.4	7.5	<0.001	0.36	0.10	3.5	<0.2	0.6	22.9	<0.01	0.03	14.3
C306633		40.4	230	3.0	8.4	<0.001	0.23	0.10	2.5	<0.2	0.3	16.1	<0.01	0.01	16.1
C306634		40.6	270	4.6	8.4	<0.001	0.31	0.13	2.5	<0.2	0.3	19.8	<0.01	0.01	17.4
C306635		36.3	330	12.0	4.8	<0.001	0.47	0.07	4.6	<0.2	0.3	30.7	<0.01	0.01	10.5
C306636		39.9	220	4.7	8.5	<0.001	0.25	0.11	2.8	<0.2	0.3	16.2	<0.01	0.02	15.5
C306637		42.3	250	1.9	9.1	<0.001	0.20	0.11	3.1	<0.2	0.2	17.3	<0.01	0.01	15.4
C306638		43.7	290	8.4	11.9	<0.001	0.19	0.09	3.4	<0.2	0.3	22.5	<0.01	0.02	16.9
C306639		40.5	310	8.4	12.6	<0.001	0.26	0.11	3.2	<0.2	0.4	20.7	<0.01	0.01	16.6
C306640		41.0	260	18.2	7.7	<0.001	0.41	0.09	3.7	<0.2	0.7	35.9	<0.01	0.01	15.1
C306641		41.7	280	6.7	7.9	<0.001	0.45	0.11	2.8	<0.2	0.5	27.1	<0.01	0.01	15.7
C306642		45.5	300	6.2	7.4	<0.001	0.44	0.11	4.5	<0.2	0.7	17.0	<0.01	0.01	18.4
C306643		32.8	210	6.4	6.1	<0.001	0.40	0.14	2.8	<0.2	0.6	22.6	<0.01	<0.01	12.9
C306644		38.3	290	6.6	8.6	<0.001	0.47	0.13	3.1	<0.2	0.4	18.8	<0.01	0.01	17.9
C306645		1.1	20	0.9	0.9	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.5	<0.01	<0.01	1.4
C306646		45.1	290	9.2	10.0	<0.001	0.39	0.11	3.3	<0.2	0.3	19.3	<0.01	0.01	16.1
C306647		37.3	290	8.6	7.2	<0.001	0.47	0.21	3.6	<0.2	0.6	22.6	<0.01	0.01	14.0
C306648		21.1	180	11.5	5.1	<0.001	0.09	0.06	3.2	<0.2	0.8	42.8	<0.01	0.01	10.4
C306649		37.9	260	8.4	9.1	<0.001	0.33	0.11	4.2	<0.2	0.6	29.3	<0.01	0.01	18.0
C306650		44.0	270	11.9	7.8	<0.001	0.40	0.11	3.4	<0.2	0.4	19.4	<0.01	0.01	15.2
C306651		45.4	290	5.0	7.1	<0.001	0.43	0.12	2.6	<0.2	0.2	13.6	<0.01	0.01	15.6
C306652		34.0	240	22.6	7.0	<0.001	0.22	0.08	3.0	<0.2	0.3	22.7	<0.01	0.01	13.6
C306653		36.9	260	8.1	7.5	<0.001	0.23	0.13	2.8	<0.2	0.3	15.6	<0.01	0.01	15.4
C306654		40.0	270	15.6	7.4	<0.001	0.29	0.12	2.9	<0.2	0.3	16.6	<0.01	<0.01	14.5
C306655		35.2	240	5.0	6.8	<0.001	0.33	0.13	2.4	<0.2	0.3	12.7	<0.01	<0.01	15.1
C306656		39.2	260	12.5	6.7	<0.001	0.47	0.13	2.9	<0.2	0.4	18.1	<0.01	0.01	14.0
C306657		41.5	250	14.3	6.2	<0.001	0.47	0.08	4.4	<0.2	0.5	30.1	<0.01	0.01	15.5
C306658		43.5	290	33.0	6.7	<0.001	0.28	0.24	3.6	<0.2	0.3	11.9	<0.01	0.02	12.2
C306659		39.3	270	25.1	6.4	<0.001	0.24	0.14	3.0	<0.2	0.6	42.9	<0.01	0.01	15.4
C306660		45.5	300	7.8	8.2	<0.001	0.18	0.13	2.7	<0.2	0.4	15.8	<0.01	0.01	17.3
C306661		56.5	500	8.9	90.9	<0.001	0.10	351	6.1	<0.2	1.2	17.1	<0.01	0.02	13.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306622		0.04	1.32	19	<0.05	3.16	102	4.8	0.01	
C306623		0.04	1.29	19	<0.05	3.03	109	4.7		0.19
C306624		0.04	1.42	18	<0.05	3.28	101	5.0	<0.01	
C306625		0.04	1.54	18	<0.05	3.32	105	6.1	<0.01	
C306626		0.04	1.57	19	<0.05	3.23	109	5.5	<0.01	
C306627		0.04	1.04	19	<0.05	3.29	105	5.2	<0.01	
C306628		0.05	1.45	20	<0.05	3.84	111	5.9	<0.01	
C306629		0.04	1.45	18	<0.05	3.37	101	6.1	<0.01	
C306630		0.58	1.50	64	0.44	9.68	76	28.1	2.25	
C306631		0.04	1.19	21	<0.05	3.82	115	5.2	<0.01	
C306632		0.04	1.34	24	<0.05	3.65	130	4.3	0.01	
C306633		0.05	1.43	15	<0.05	3.50	96	5.3	<0.01	
C306634		0.05	1.50	15	<0.05	4.43	92	5.5	<0.01	
C306635		0.03	1.31	29	<0.05	4.78	143	3.9	<0.01	
C306636		0.05	1.66	18	<0.05	3.28	107	5.8	<0.01	
C306637		0.05	1.36	20	<0.05	3.33	115	5.0	<0.01	
C306638		0.07	1.57	22	<0.05	4.31	115	5.7	<0.01	
C306639		0.07	1.67	20	<0.05	4.35	106	6.2	<0.01	
C306640		0.04	1.23	22	0.05	4.37	133	4.3	<0.01	
C306641		0.05	1.25	18	0.06	4.64	124	4.8	<0.01	
C306642		0.05	1.57	29	0.10	3.34	171	3.9	<0.01	
C306643		0.03	1.00	20	0.06	3.01	130	3.8	<0.01	
C306644		0.05	1.63	20	0.10	3.90	114	5.2	0.08	
C306645		<0.02	0.19	2	<0.05	0.92	4	3.1	0.04	
C306646		0.05	1.62	21	0.06	3.89	111	5.0	0.04	
C306647		0.05	1.37	24	0.07	3.36	149	3.8	0.04	
C306648		0.03	1.01	13	0.06	4.27	96	3.3	0.16	
C306649		0.05	1.64	24	0.08	4.24	127	4.5	0.02	
C306650		0.05	1.42	22	1.10	3.46	129	4.4	0.02	
C306651		0.04	1.48	19	<0.05	3.00	108	5.1	0.01	
C306652		0.04	1.21	21	<0.05	3.17	113	3.5	0.01	
C306653		0.05	1.41	19	<0.05	3.27	101	4.7	0.01	
C306654		0.05	1.32	20	<0.05	3.17	111	4.0	0.01	
C306655		0.04	1.22	17	0.05	2.90	95	4.5	0.01	
C306656		0.04	1.44	21	0.07	3.38	157	4.3	0.01	
C306657		0.04	1.42	26	0.06	3.66	178	4.4	0.06	
C306658		0.04	1.18	26	<0.05	2.96	151	4.6	0.01	
C306659		0.04	1.52	20	<0.05	4.44	116	3.8	0.01	
C306660		0.05	1.54	18	<0.05	3.53	115	4.6	0.01	
C306661		0.59	1.49	65	0.44	9.45	77	29.1	2.22	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306662		3.09	0.05	2.45	18.6	<0.02	<10	30	0.42	0.45	0.27	0.03	52.7	14.3	35	2.04
C306663		4.12	0.02	2.91	30.2	<0.02	<10	30	0.54	0.34	0.11	0.04	53.8	20.1	39	2.85
C306664		1.92	0.17	2.70	18.6	<0.02	<10	20	0.34	1.00	0.94	0.05	21.5	15.9	33	1.13
C306665		4.34	0.01	2.79	18.3	<0.02	<10	30	0.44	0.29	0.25	0.01	49.7	15.4	37	2.10
C306666		4.41	0.03	2.68	14.4	<0.02	<10	20	0.38	0.38	0.44	0.01	46.1	14.8	37	1.81
C306667		3.20	0.16	2.92	20.7	<0.02	<10	20	0.68	5.39	1.30	0.03	32.6	18.4	38	1.48
C306668		3.06	0.27	3.63	6.8	<0.02	<10	10	0.47	4.28	1.84	0.07	25.1	13.8	40	0.80
C306669		3.23	0.07	2.60	22.9	<0.02	<10	30	0.59	0.85	0.28	0.01	43.9	23.9	34	2.39
C306670		4.30	0.05	2.44	20.7	<0.02	<10	30	0.53	0.89	0.12	<0.01	41.5	28.4	33	2.52
C306671		3.89	0.05	2.73	13.5	<0.02	<10	20	0.57	0.64	0.20	0.01	40.1	23.5	38	2.71
C306672		3.03	0.02	2.17	12.4	<0.02	<10	30	0.61	1.00	0.15	0.01	43.2	22.6	31	3.24
C306673		3.80	0.03	2.57	8.5	<0.02	<10	30	0.59	0.71	0.15	0.01	42.1	20.6	36	2.92
C306674		4.50	0.04	2.71	7.2	<0.02	<10	20	0.57	0.78	0.22	0.01	39.2	22.7	39	2.84
C306675		3.19	0.04	2.40	14.2	<0.02	<10	30	0.58	1.16	0.29	0.02	35.2	23.6	34	2.88
C306676		1.53	0.05	2.84	4.1	<0.02	<10	20	0.34	0.66	0.62	0.20	30.5	10.9	33	1.17
C306677		2.39	0.10	1.62	4.8	<0.02	<10	<10	0.67	0.79	7.40	1.56	23.8	4.8	20	0.46
C306678		1.11	0.05	2.02	21.7	<0.02	<10	20	0.51	0.58	0.79	0.12	41.8	18.0	31	1.97
C306679		0.16	0.01	0.07	0.8	<0.02	<10	10	<0.05	0.02	0.07	0.01	4.61	0.4	3	0.08
C306680		3.55	0.03	2.46	20.9	<0.02	<10	30	0.62	0.61	0.18	0.01	38.9	22.5	33	3.48
C306681		4.53	0.02	2.66	12.2	<0.02	<10	30	0.57	0.56	0.17	<0.01	43.4	19.2	37	3.09
C306682		3.83	0.09	2.64	6.7	<0.02	<10	30	0.57	0.83	0.14	0.02	37.2	28.2	36	2.70
C306683		3.64	0.06	2.30	8.6	<0.02	<10	30	0.55	1.08	0.13	0.03	38.6	23.6	33	2.49
C306684		2.62	0.22	2.39	14.9	1.96	<10	20	0.84	1.01	1.20	0.04	29.1	18.7	27	1.88
C306685		2.42	0.09	1.91	7.7	0.05	<10	30	0.72	1.23	0.18	0.02	24.1	28.4	21	3.47
C306686		2.41	0.13	1.83	6.8	0.04	<10	10	0.47	0.54	1.80	0.01	15.30	13.3	26	1.17
C306687		3.46	0.11	2.88	12.5	0.03	<10	20	0.48	0.42	0.90	0.02	22.9	16.4	36	1.52
C306688		5.04	0.06	2.54	5.2	0.02	<10	30	0.50	0.47	0.22	0.01	33.4	21.2	36	2.71
C306689		1.72	0.10	2.46	1.7	0.14	<10	30	0.85	0.55	0.39	0.01	32.7	20.3	35	2.58
C306690		5.65	0.31	2.38	1.9	<0.02	<10	20	0.53	1.25	0.93	0.05	31.9	22.8	36	2.13
C306691		4.23	0.44	2.57	9.3	<0.02	<10	20	0.53	2.04	1.06	0.04	23.3	21.3	35	1.78
C306692		2.47	0.20	2.16	8.3	<0.02	<10	20	0.52	1.31	1.29	1.21	28.9	15.9	31	1.69
C306693		3.89	0.04	2.99	23.2	<0.02	<10	30	0.56	0.31	0.23	0.02	80.4	20.2	42	2.60
C306694		2.10	0.24	2.73	58.3	<0.02	<10	30	0.58	1.83	0.27	0.04	59.9	39.7	41	2.50
C306695		1.93	0.43	2.95	75.0	<0.02	<10	20	0.68	2.54	0.45	0.04	41.4	53.2	42	3.45
C306696		3.76	0.05	2.87	15.0	<0.02	<10	20	0.49	0.20	0.12	0.03	65.3	12.6	39	2.28
C306697		5.72	0.16	3.04	22.0	<0.02	<10	30	0.49	0.78	0.13	0.03	62.8	19.3	41	2.22
C306698		0.06	0.13	2.50	349	1.46	<10	90	1.24	0.30	0.20	0.03	56.0	12.1	102	7.33
C306699		4.96	0.02	2.95	20.5	<0.02	<10	30	0.43	0.06	0.12	0.04	73.0	16.5	40	2.38
C306700		6.13	0.03	2.58	16.4	<0.02	<10	30	0.55	0.62	0.58	0.02	39.7	19.9	35	2.14
C306701		3.64	0.12	2.73	16.6	<0.02	<10	30	0.52	0.65	0.59	0.06	33.6	20.8	36	1.90



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306662		22.7	4.60	7.14	0.06	0.12	<0.01	0.019	0.17	26.2	66.2	0.97	811	0.15	0.06
C306663		41.1	5.29	8.24	0.06	0.09	<0.01	0.026	0.20	26.7	78.0	1.13	743	0.14	0.06
C306664		216	6.61	8.97	0.05	0.08	<0.01	0.034	0.10	10.5	80.6	1.26	1330	0.43	0.05
C306665		23.1	5.33	8.34	0.06	0.09	<0.01	0.023	0.18	24.8	76.8	1.10	860	0.17	0.05
C306666		23.0	5.15	8.48	0.05	0.09	<0.01	0.026	0.14	22.0	75.9	1.08	939	0.15	0.05
C306667		60.0	5.93	9.62	0.05	0.10	<0.01	0.048	0.13	15.8	84.6	1.21	1380	0.12	0.06
C306668		103.0	7.64	12.60	0.06	0.09	<0.01	0.048	0.05	12.0	115.0	1.68	2120	0.27	0.05
C306669		39.7	4.85	7.72	0.05	0.11	<0.01	0.022	0.18	21.7	69.7	1.05	762	0.45	0.06
C306670		39.7	4.78	7.06	<0.05	0.14	<0.01	0.019	0.17	20.3	67.7	0.99	607	1.11	0.06
C306671		42.5	5.30	8.24	0.05	0.16	<0.01	0.021	0.17	19.9	78.6	1.13	744	0.32	0.07
C306672		41.6	4.04	6.25	0.05	0.18	<0.01	0.020	0.19	22.0	60.4	0.83	594	0.37	0.07
C306673		37.3	4.84	7.48	0.05	0.14	<0.01	0.021	0.19	21.1	73.3	1.02	672	0.27	0.07
C306674		36.2	5.24	8.14	0.05	0.15	<0.01	0.023	0.17	19.5	80.5	1.11	755	0.31	0.07
C306675		41.5	4.71	6.78	<0.05	0.16	<0.01	0.021	0.19	17.4	67.4	0.93	702	0.36	0.07
C306676		50.2	5.69	9.51	<0.05	0.06	<0.01	0.036	0.10	14.8	85.7	1.23	1140	0.11	0.06
C306677		26.7	3.29	5.36	<0.05	0.12	<0.01	0.105	0.02	11.1	50.9	0.69	5160	0.10	0.05
C306678		26.3	3.42	5.79	<0.05	0.10	<0.01	0.032	0.15	21.5	55.9	0.78	861	0.17	0.07
C306679		1.1	0.42	0.25	<0.05	0.12	<0.01	<0.005	0.01	2.1	1.2	0.01	85	0.31	0.02
C306680		37.9	4.50	6.94	0.05	0.12	<0.01	0.017	0.18	19.4	67.1	0.97	635	0.35	0.07
C306681		38.1	4.92	7.50	0.05	0.16	<0.01	0.017	0.18	21.8	74.0	1.08	681	0.26	0.08
C306682		47.7	5.82	8.39	0.05	0.22	<0.01	0.021	0.17	18.1	73.0	1.12	676	0.44	0.07
C306683		46.8	5.05	6.96	0.05	0.30	<0.01	0.018	0.19	19.6	61.6	0.92	593	3.17	0.07
C306684		27.1	4.64	6.99	<0.05	0.20	<0.01	0.036	0.13	14.4	73.8	1.06	1160	6.58	0.06
C306685		68.8	5.17	5.08	<0.05	0.25	<0.01	0.020	0.19	12.3	50.3	0.71	536	6.88	0.06
C306686		30.9	4.49	5.51	<0.05	0.08	<0.01	0.022	0.09	7.7	60.7	0.82	1520	0.73	0.05
C306687		32.7	6.15	9.56	0.05	0.12	<0.01	0.028	0.12	11.2	95.3	1.31	1360	0.34	0.07
C306688		36.7	5.36	7.30	0.05	0.16	<0.01	0.020	0.16	16.5	70.4	1.05	901	0.54	0.08
C306689		41.4	4.71	6.91	<0.05	0.15	<0.01	0.021	0.17	16.6	73.6	0.96	975	0.56	0.08
C306690		42.8	4.76	7.24	0.05	0.12	<0.01	0.026	0.15	15.6	68.9	0.98	1730	0.75	0.08
C306691		38.9	5.24	7.54	<0.05	0.10	<0.01	0.024	0.14	11.5	75.4	1.07	1820	0.98	0.08
C306692		31.8	4.44	6.59	<0.05	0.11	<0.01	0.106	0.13	13.6	65.3	0.87	1480	1.18	0.08
C306693		20.1	5.19	9.71	0.07	0.09	<0.01	0.028	0.16	39.2	92.0	1.21	1100	4.08	0.07
C306694		40.1	4.41	7.88	0.06	0.12	<0.01	0.025	0.15	30.7	88.7	1.03	1060	2.47	0.07
C306695		51.6	4.93	8.53	<0.05	0.12	<0.01	0.022	0.14	21.3	94.6	1.12	1160	1.40	0.06
C306696		35.7	4.73	8.42	0.06	0.07	<0.01	0.026	0.15	32.2	91.5	1.09	938	0.41	0.06
C306697		42.5	5.12	8.98	0.06	0.07	<0.01	0.025	0.15	30.5	97.9	1.16	906	0.11	0.07
C306698		24.8	3.37	7.43	0.08	0.72	0.01	0.021	0.97	28.7	33.9	1.25	212	0.53	0.08
C306699		31.2	4.82	8.52	0.07	0.08	<0.01	0.021	0.15	35.9	91.9	1.12	915	0.11	0.07
C306700		44.7	4.45	7.49	0.05	0.11	<0.01	0.022	0.18	21.0	81.8	0.97	1120	0.64	0.06
C306701		235	4.82	7.37	<0.05	0.11	<0.01	0.044	0.16	17.5	83.8	1.03	1140	2.14	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306662		33.3	270	10.0	7.3	<0.001	0.21	0.41	2.8	<0.2	0.3	14.6	<0.01	<0.01	15.0
C306663		43.7	300	3.3	9.1	<0.001	0.24	0.15	2.7	<0.2	0.4	13.8	<0.01	0.01	17.2
C306664		30.3	330	26.4	4.7	<0.001	1.08	0.15	4.8	0.2	0.6	28.0	<0.01	0.02	12.3
C306665		35.6	290	3.3	7.7	<0.001	0.28	0.10	3.1	<0.2	0.4	13.6	<0.01	0.01	15.3
C306666		33.5	280	6.7	6.5	<0.001	0.23	0.10	3.2	<0.2	0.4	15.0	<0.01	0.01	13.5
C306667		33.1	270	29.7	6.2	<0.001	0.74	0.19	4.6	<0.2	0.7	32.5	<0.01	0.04	14.2
C306668		31.1	240	38.3	2.7	<0.001	0.86	0.20	5.8	<0.2	0.6	37.2	<0.01	0.05	13.4
C306669		45.4	310	16.3	8.3	<0.001	0.51	0.17	2.9	<0.2	0.6	17.8	<0.01	0.02	16.6
C306670		48.2	300	11.6	7.7	<0.001	0.72	0.24	2.4	<0.2	0.3	15.2	<0.01	0.02	15.6
C306671		43.5	340	13.7	7.8	<0.001	0.73	0.25	2.8	<0.2	0.4	17.7	<0.01	0.01	14.8
C306672		41.2	260	5.7	8.6	<0.001	0.71	0.22	2.3	<0.2	0.5	17.1	<0.01	0.01	16.7
C306673		38.6	290	8.7	8.4	<0.001	0.70	0.27	2.6	<0.2	0.4	16.0	<0.01	0.01	15.2
C306674		42.1	300	10.0	7.4	<0.001	0.75	0.26	2.9	<0.2	0.4	16.5	<0.01	0.01	15.3
C306675		42.9	290	12.1	8.2	0.001	0.92	0.25	2.6	<0.2	0.4	16.5	<0.01	0.01	16.1
C306676		30.4	290	14.8	4.8	<0.001	0.74	0.18	3.5	<0.2	0.5	19.4	<0.01	<0.01	15.1
C306677		10.2	240	23.4	1.2	<0.001	0.34	0.12	3.6	<0.2	0.2	119.5	<0.01	0.01	13.9
C306678		29.3	200	12.1	6.5	<0.001	0.31	0.11	2.4	<0.2	0.4	24.9	<0.01	0.01	14.3
C306679		1.0	10	1.1	0.7	<0.001	<0.01	0.05	0.2	<0.2	<0.2	2.0	<0.01	<0.01	1.3
C306680		40.1	290	6.2	7.8	<0.001	0.64	0.23	2.3	<0.2	0.3	19.6	<0.01	0.01	17.0
C306681		37.1	260	4.7	7.5	<0.001	0.64	0.21	2.7	<0.2	0.3	16.4	<0.01	0.01	15.7
C306682		48.9	290	22.9	8.0	<0.001	1.57	0.42	3.1	<0.2	0.2	15.0	<0.01	0.02	15.1
C306683		42.8	240	15.2	8.1	0.001	1.51	0.41	2.8	<0.2	0.3	14.2	<0.01	0.01	15.7
C306684		38.3	200	14.5	5.7	0.001	0.73	0.17	3.7	<0.2	0.7	32.4	<0.01	0.01	15.5
C306685		54.8	210	15.4	8.7	0.001	2.14	0.47	2.2	<0.2	0.4	17.0	<0.01	0.02	17.6
C306686		22.4	250	24.1	4.1	<0.001	1.51	0.35	2.5	<0.2	0.2	36.5	<0.01	0.02	7.4
C306687		36.8	400	28.0	6.0	<0.001	1.42	0.23	4.0	<0.2	0.2	24.5	<0.01	0.01	13.4
C306688		40.3	300	17.8	7.2	<0.001	1.39	0.41	2.8	<0.2	0.2	15.9	<0.01	0.01	14.5
C306689		41.7	350	28.5	7.5	<0.001	0.94	0.33	3.1	<0.2	0.4	22.9	<0.01	0.01	17.0
C306690		39.7	230	94.0	6.5	<0.001	0.88	0.27	3.4	<0.2	0.3	22.8	<0.01	0.02	15.1
C306691		40.3	300	126.0	5.9	<0.001	1.03	0.28	3.1	<0.2	0.4	24.2	<0.01	0.03	13.6
C306692		27.0	320	44.8	5.9	0.001	0.98	0.43	3.3	<0.2	0.5	24.9	<0.01	0.03	14.1
C306693		37.7	250	8.3	7.5	0.002	0.03	0.09	3.4	<0.2	0.4	15.9	<0.01	0.01	16.6
C306694		36.6	180	32.1	6.0	<0.001	0.03	0.12	3.2	<0.2	0.3	16.6	<0.01	0.05	15.6
C306695		43.7	190	97.0	5.9	0.001	0.15	0.22	2.9	<0.2	0.4	24.0	<0.01	0.07	14.8
C306696		32.2	260	10.4	5.5	<0.001	0.02	0.12	3.1	<0.2	0.2	12.9	<0.01	0.01	13.5
C306697		37.2	420	25.2	5.7	<0.001	0.10	0.13	3.3	<0.2	0.2	13.9	<0.01	0.03	13.4
C306698		54.8	510	8.4	90.2	<0.001	0.07	261	5.8	<0.2	1.2	15.5	<0.01	0.02	12.2
C306699		35.2	300	2.0	5.7	<0.001	<0.01	0.35	3.0	<0.2	0.2	13.0	<0.01	0.01	14.1
C306700		36.1	270	7.7	7.5	<0.001	0.34	0.19	2.8	<0.2	0.3	17.5	<0.01	0.02	14.6
C306701		39.9	570	4.2	6.7	<0.001	0.28	0.16	3.0	<0.2	0.4	16.5	<0.01	0.02	14.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306662		0.04	1.09	20	<0.05	3.17	102	3.9	0.01	
C306663		0.06	1.39	20	0.06	3.15	122	4.2	<0.01	
C306664		0.03	1.47	25	0.09	3.78	128	3.1	0.02	
C306665		0.04	1.14	23	0.06	3.08	122	4.4	0.01	
C306666		0.04	1.11	23	<0.05	3.09	124	3.8	<0.01	
C306667		0.06	1.09	28	0.08	3.73	133	3.7	0.04	
C306668		0.03	1.55	35	0.09	4.41	179	3.4	0.01	
C306669		0.05	1.27	19	0.05	3.58	107	4.9	<0.01	
C306670		0.05	1.33	17	<0.05	3.55	98	9.2	0.01	
C306671		0.04	1.21	21	<0.05	3.76	115	7.3	<0.01	
C306672		0.05	1.52	15	0.06	3.91	89	8.7	<0.01	
C306673		0.05	1.39	19	<0.05	3.43	103	6.6	<0.01	
C306674		0.04	1.52	21	<0.05	3.58	112	6.9	<0.01	
C306675		0.06	1.51	18	0.07	3.41	99	7.4	<0.01	
C306676		0.04	1.35	24	0.05	2.97	150	2.9	<0.01	
C306677		<0.02	0.98	17	0.06	6.98	145	2.5	<0.01	
C306678		0.04	0.81	17	0.11	2.81	97	4.7	<0.01	
C306679		<0.02	0.16	1	<0.05	0.91	2	3.1	<0.01	
C306680		0.06	1.23	17	0.07	3.14	96	5.7	<0.01	
C306681		0.05	1.09	19	0.06	3.21	107	6.8	<0.01	
C306682		0.05	1.17	20	0.09	3.49	123	10.1	0.01	
C306683		0.06	1.63	19	0.07	3.55	104	13.5	0.02	
C306684		0.03	1.42	26	0.13	3.86	117	9.2	1.06	
C306685		0.05	2.46	16	0.24	2.81	74	11.9	0.10	
C306686		0.03	2.10	15	0.13	2.62	92	3.2	0.06	
C306687		0.04	1.39	25	0.06	2.99	140	5.2	0.01	
C306688		0.05	1.17	20	0.06	2.87	109	7.3	<0.01	
C306689		0.05	1.84	18	0.05	3.09	95	6.9	0.01	
C306690		0.04	1.91	21	<0.05	2.96	101	5.9	0.01	
C306691		0.04	1.56	22	0.05	2.77	113	4.5	<0.01	
C306692		0.04	1.60	20	<0.05	3.32	184	4.6	0.01	
C306693		0.04	1.21	22	0.05	3.66	120	4.4	<0.01	
C306694		0.04	1.70	21	<0.05	3.23	99	5.2	<0.01	
C306695		0.04	1.53	21	<0.05	2.95	105	5.4	<0.01	
C306696		0.03	0.82	21	<0.05	2.81	102	3.2	<0.01	
C306697		0.04	0.75	22	<0.05	3.02	106	2.8	<0.01	
C306698		0.60	1.45	67	0.41	8.94	76	26.1	1.53	
C306699		0.03	0.90	21	<0.05	3.03	106	3.1	<0.01	
C306700		0.04	1.34	19	<0.05	2.95	101	4.2	<0.01	
C306701		0.04	1.72	20	<0.05	3.43	111	4.9	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306702		4.06	0.03	3.51	22.7	<0.02	<10	40	0.56	0.07	0.11	0.05	61.4	21.2	41	2.11
C306703		3.81	0.05	4.19	36.3	<0.02	<10	30	0.57	0.15	0.22	0.03	49.0	29.0	45	2.09
C306704		0.15	0.01	0.07	0.8	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.51	0.3	3	0.11
C306705		4.07	0.02	3.02	24.9	<0.02	<10	40	0.56	0.16	0.11	0.01	49.6	20.6	37	2.27
C306706		4.94	0.04	2.71	26.3	<0.02	<10	40	0.61	1.18	0.10	0.01	59.0	21.2	34	2.33
C306707		3.31	0.05	2.80	15.5	0.02	<10	40	0.57	1.76	0.14	0.01	49.8	20.1	36	2.06
C306708		3.77	0.01	3.15	6.0	<0.02	<10	40	0.58	0.20	0.18	<0.01	50.8	18.2	37	1.85
C306709		3.27	<0.01	2.60	18.1	<0.02	<10	40	0.58	0.05	0.11	0.01	65.5	18.3	32	1.97
C306710		4.98	0.05	2.59	22.5	<0.02	<10	40	0.68	0.46	0.38	0.05	41.7	22.9	32	1.97
C306711		2.68	0.09	2.33	25.1	0.11	<10	40	0.69	0.71	0.82	0.06	31.1	19.2	29	1.62
C306712		5.01	0.13	2.98	51.8	0.02	<10	40	0.65	1.12	0.27	0.08	40.0	26.2	38	1.83
C306713		2.56	0.04	2.41	736	0.26	<10	30	0.68	0.42	0.18	0.02	34.2	19.9	27	1.88
C306714		3.76	0.04	2.56	19.7	0.52	<10	40	0.71	0.40	0.14	0.01	49.5	21.4	32	2.00
C306715		2.40	0.05	2.51	19.0	0.06	<10	40	0.63	0.48	0.15	0.03	55.9	17.3	34	1.96
C306716		6.17	0.09	3.13	16.3	<0.02	<10	40	0.53	2.48	0.76	0.04	34.1	24.5	44	1.38
C306717		5.30	0.06	4.60	26.4	<0.02	<10	30	0.75	0.51	0.53	0.02	52.6	36.3	52	1.44
C306718		2.61	0.04	3.59	33.0	<0.02	<10	40	0.64	0.33	0.37	0.05	56.4	30.9	43	1.57
C306719		4.19	0.03	2.86	27.4	<0.02	<10	40	0.63	0.61	0.13	0.04	70.2	21.3	35	1.64
C306720		2.50	0.30	2.71	419	0.09	<10	40	0.85	2.95	0.74	0.14	42.9	22.3	31	1.97
C306721		2.53	0.03	2.76	46.5	<0.02	<10	40	0.57	0.08	0.11	0.02	57.5	18.5	33	1.85
C306722		2.12	0.05	3.00	231	<0.02	<10	40	0.55	0.23	0.18	0.03	42.9	21.8	35	1.85
C306723		1.84	0.19	2.38	384	0.09	<10	30	0.59	3.98	0.71	0.04	19.70	20.7	26	1.66
C306724		2.43	0.04	2.70	184.0	0.03	<10	40	0.55	0.07	0.09	0.02	60.8	17.9	36	2.07
C306725		2.87	0.01	2.71	30.0	<0.02	<10	40	0.57	0.03	0.07	0.01	61.5	17.0	37	2.32
C306726		3.58	0.04	2.92	25.7	<0.02	<10	40	0.78	0.31	0.36	0.01	50.0	18.9	37	8.07
C306727		0.06	0.13	2.49	347	1.45	<10	90	1.22	0.30	0.20	0.03	59.5	12.6	100	7.62
C306728		3.56	0.04	2.73	11.8	<0.02	<10	40	0.66	0.77	0.14	0.02	56.8	20.0	36	2.47
C306729		2.08	0.04	2.72	16.5	<0.02	<10	40	0.55	0.70	0.41	0.01	42.9	22.3	35	2.00
C306730		4.84	0.02	2.65	14.1	<0.02	<10	30	0.50	0.61	0.50	0.01	38.0	22.2	36	1.97
C306731		4.34	0.02	2.63	10.0	<0.02	<10	30	0.52	0.72	0.37	0.01	36.7	22.9	34	2.08
C306732		2.59	0.03	2.73	15.0	<0.02	<10	30	0.50	0.83	0.49	0.01	31.2	23.3	35	1.81
C306733		2.34	0.04	2.67	8.4	<0.02	<10	40	0.54	1.05	0.12	0.01	41.6	19.7	34	2.30
C306734		3.58	0.04	2.68	11.1	<0.02	<10	40	0.49	0.17	0.12	0.03	55.6	17.4	34	2.14
C306735		5.35	0.05	2.64	7.5	<0.02	<10	40	0.48	0.24	0.15	0.03	56.7	16.8	34	2.06
C306736		0.06	0.16	2.38	476	1.95	<10	90	1.03	0.31	0.21	0.03	54.5	12.1	96	7.08
C306737		5.73	0.07	2.70	5.0	<0.02	<10	40	0.55	1.59	0.31	0.01	39.2	21.6	35	2.05
C306738		2.90	0.04	2.64	1.6	<0.02	<10	40	0.44	0.83	0.21	0.01	43.6	19.3	34	2.08
C306739		2.35	0.08	2.66	4.4	0.59	<10	40	0.44	0.08	0.29	0.03	65.5	16.1	35	1.87
C306740		4.52	0.03	2.52	10.4	<0.02	<10	40	0.46	0.02	0.17	0.02	70.7	16.8	33	1.93
C306741		3.09	0.03	2.46	8.1	<0.02	<10	40	0.53	0.02	0.13	0.02	79.7	15.0	32	1.93



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306702		47.9	6.02	10.10	0.07	0.05	<0.01	0.020	0.19	32.1	107.0	1.30	989	<0.05	0.05
C306703		82.5	7.45	12.15	0.07	0.07	<0.01	0.025	0.16	25.1	132.0	1.63	1120	<0.05	0.05
C306704		1.0	0.33	0.27	<0.05	0.12	<0.01	<0.005	0.01	2.2	1.6	0.01	35	0.17	0.01
C306705		36.9	5.08	7.99	0.05	0.09	<0.01	0.020	0.18	27.1	85.7	1.08	773	<0.05	0.06
C306706		54.8	4.47	7.72	0.06	0.11	<0.01	0.018	0.20	31.6	79.5	0.94	671	<0.05	0.06
C306707		82.1	4.89	7.59	0.05	0.11	<0.01	0.020	0.18	26.6	79.1	1.01	718	<0.05	0.05
C306708		6.6	5.54	8.73	0.06	0.05	<0.01	0.019	0.20	26.6	88.7	1.15	847	<0.05	0.05
C306709		4.0	4.32	7.19	0.07	0.07	<0.01	0.017	0.20	34.6	74.8	0.91	750	<0.05	0.05
C306710		73.7	4.37	6.98	<0.05	0.12	<0.01	0.018	0.21	22.1	75.3	0.94	1110	0.06	0.06
C306711		89.9	3.91	6.37	<0.05	0.08	<0.01	0.035	0.19	17.1	70.0	0.91	1260	0.05	0.05
C306712		168.0	4.96	8.60	0.06	0.12	<0.01	0.021	0.21	21.2	86.0	1.20	1160	0.06	0.05
C306713		43.7	4.15	7.11	<0.05	0.08	<0.01	0.021	0.19	17.8	74.6	0.96	823	0.05	0.04
C306714		54.1	4.13	7.19	0.05	0.08	<0.01	0.019	0.19	26.4	75.3	1.00	815	<0.05	0.05
C306715		92.1	4.00	6.58	0.05	0.08	<0.01	0.021	0.19	29.2	71.6	0.97	746	<0.05	0.05
C306716		91.0	5.57	10.50	0.05	0.11	<0.01	0.029	0.17	18.3	91.7	1.36	1530	<0.05	0.06
C306717		19.3	8.11	12.60	0.08	0.06	<0.01	0.023	0.15	28.5	151.0	2.00	1560	<0.05	0.04
C306718		17.9	6.25	10.50	0.06	0.07	<0.01	0.020	0.16	29.7	109.0	1.50	1180	<0.05	0.04
C306719		21.0	4.71	8.11	0.07	0.05	<0.01	0.024	0.19	36.5	85.0	1.12	862	<0.05	0.04
C306720		314	4.65	7.86	0.05	0.08	<0.01	0.046	0.17	22.4	84.5	1.09	1160	<0.05	0.05
C306721		34.7	4.65	7.37	0.06	0.09	<0.01	0.020	0.19	29.7	79.4	1.01	786	<0.05	0.04
C306722		70.1	5.14	8.03	0.05	0.12	<0.01	0.027	0.18	21.5	86.5	1.14	969	1.38	0.04
C306723		208	4.84	6.95	<0.05	0.09	<0.01	0.035	0.14	10.0	68.1	0.97	1070	0.15	0.04
C306724		56.6	4.62	7.52	0.06	0.11	<0.01	0.021	0.17	31.2	76.9	1.02	726	<0.05	0.05
C306725		15.9	4.53	7.49	0.06	0.10	<0.01	0.015	0.18	32.7	77.5	1.00	714	<0.05	0.05
C306726		33.7	4.81	8.02	0.05	0.11	<0.01	0.019	0.19	26.3	76.7	1.06	967	0.22	0.05
C306727		25.2	3.32	7.76	0.09	0.75	<0.01	0.022	0.97	30.4	34.5	1.23	211	0.52	0.07
C306728		54.0	4.52	7.40	0.06	0.09	<0.01	0.017	0.20	29.4	78.0	0.97	765	0.12	0.06
C306729		54.7	4.68	7.45	0.05	0.10	<0.01	0.024	0.19	22.4	79.3	1.00	963	0.18	0.06
C306730		39.5	4.94	7.82	0.05	0.09	<0.01	0.022	0.16	19.0	86.4	1.06	1100	0.26	0.05
C306731		35.7	4.90	7.59	<0.05	0.09	<0.01	0.019	0.16	18.4	84.8	1.04	969	0.84	0.05
C306732		34.7	5.27	7.93	0.05	0.11	<0.01	0.024	0.14	15.0	88.2	1.10	1080	0.62	0.05
C306733		42.9	4.89	7.57	<0.05	0.11	<0.01	0.020	0.18	20.7	78.3	1.03	816	0.65	0.05
C306734		67.0	4.73	7.91	0.05	0.10	<0.01	0.021	0.17	27.6	79.7	1.04	762	0.33	0.05
C306735		62.1	4.70	7.60	0.06	0.10	<0.01	0.022	0.17	28.8	77.6	1.03	781	0.57	0.06
C306736		25.0	3.43	7.34	0.07	0.76	<0.01	0.022	0.96	26.8	32.2	1.27	210	0.46	0.08
C306737		69.1	4.97	7.76	0.05	0.09	<0.01	0.022	0.18	19.0	83.6	1.05	889	1.71	0.06
C306738		62.6	4.81	7.64	0.05	0.09	<0.01	0.020	0.16	21.8	82.6	1.04	795	0.77	0.06
C306739		101.0	4.70	7.65	0.06	0.10	<0.01	0.024	0.17	32.3	77.5	1.04	836	0.13	0.06
C306740		51.6	4.40	7.17	0.06	0.08	<0.01	0.018	0.17	35.2	73.7	0.97	738	<0.05	0.06
C306741		43.5	4.20	6.96	0.07	0.09	<0.01	0.017	0.19	40.1	72.9	0.92	682	<0.05	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
C306702		44.6	240	1.1	7.9	<0.001	0.03	0.15	3.1	<0.2	0.3	11.4	<0.01	0.01	14.4
C306703		58.9	760	1.9	7.1	<0.001	0.05	0.15	3.7	<0.2	0.2	12.8	<0.01	0.01	14.1
C306704		0.9	20	1.0	0.9	<0.001	<0.01	0.06	0.2	<0.2	<0.2	1.5	<0.01	0.01	1.2
C306705		44.4	230	1.1	7.3	<0.001	<0.01	0.06	2.6	<0.2	0.2	11.6	<0.01	0.02	12.5
C306706		42.6	290	2.8	8.6	<0.001	0.02	0.10	2.6	<0.2	0.2	12.4	<0.01	0.02	14.3
C306707		41.3	300	4.1	7.8	<0.001	0.12	0.14	2.6	<0.2	0.2	11.2	<0.01	0.03	14.1
C306708		39.6	300	2.7	8.6	<0.001	0.12	0.13	2.9	<0.2	0.2	13.7	<0.01	0.01	13.4
C306709		39.6	270	0.9	8.6	<0.001	0.05	0.11	2.4	<0.2	0.2	11.8	<0.01	0.01	14.1
C306710		41.0	230	4.1	8.9	<0.001	0.24	0.13	2.4	0.2	0.3	17.1	<0.01	0.02	14.5
C306711		36.0	300	10.0	7.7	<0.001	0.24	0.13	2.6	<0.2	0.4	28.1	<0.01	0.02	13.2
C306712		45.3	250	7.4	9.1	<0.001	0.21	0.12	3.1	<0.2	0.2	17.7	<0.01	0.04	13.8
C306713		39.3	230	4.1	8.6	<0.001	0.31	0.23	2.3	<0.2	0.2	14.1	<0.01	0.02	13.5
C306714		44.9	220	2.1	8.4	<0.001	0.11	0.15	2.3	<0.2	0.2	15.2	<0.01	0.03	13.9
C306715		41.5	250	2.3	7.9	<0.001	0.07	0.13	2.1	<0.2	0.2	15.0	<0.01	0.02	14.5
C306716		45.8	250	12.0	7.8	<0.001	0.38	0.15	4.6	<0.2	0.2	24.9	<0.01	0.04	13.3
C306717		61.7	280	10.2	7.2	<0.001	0.05	0.09	4.7	<0.2	0.2	23.8	<0.01	0.02	15.0
C306718		48.3	270	6.0	8.0	<0.001	0.06	0.07	3.2	<0.2	0.4	17.6	<0.01	0.01	14.0
C306719		36.7	270	2.4	8.6	<0.001	0.03	0.07	2.5	<0.2	0.4	11.4	<0.01	0.01	14.1
C306720		40.5	290	9.4	7.9	<0.001	0.16	0.24	3.0	<0.2	0.7	23.1	<0.01	0.06	13.8
C306721		38.0	290	1.6	8.2	<0.001	0.03	0.07	2.4	<0.2	0.3	12.3	<0.01	<0.01	14.9
C306722		38.7	260	2.7	7.5	<0.001	0.07	0.12	2.7	<0.2	0.3	14.0	<0.01	0.01	14.4
C306723		36.4	330	16.3	6.8	<0.001	0.65	0.29	2.7	<0.2	0.5	25.5	<0.01	0.03	11.4
C306724		40.9	270	1.1	7.9	<0.001	0.02	0.09	2.5	<0.2	0.3	11.9	<0.01	0.01	14.0
C306725		39.0	260	0.8	8.2	<0.001	<0.01	<0.05	2.4	<0.2	0.2	13.1	<0.01	0.01	13.5
C306726		39.2	300	3.6	9.1	<0.001	0.12	0.11	2.7	<0.2	0.7	32.9	<0.01	0.02	14.6
C306727		56.2	500	8.3	92.6	<0.001	0.07	256	5.8	<0.2	1.3	16.3	<0.01	0.03	12.5
C306728		39.9	280	3.4	8.8	<0.001	0.14	0.36	2.5	<0.2	0.3	16.9	<0.01	0.03	15.4
C306729		40.8	300	6.7	8.0	<0.001	0.23	0.17	2.6	<0.2	0.4	17.1	<0.01	0.02	14.5
C306730		39.7	300	6.2	7.4	<0.001	0.26	0.13	2.7	<0.2	0.3	16.6	<0.01	0.01	15.3
C306731		40.0	290	5.1	7.5	<0.001	0.27	0.17	2.5	<0.2	0.3	16.6	<0.01	0.01	15.2
C306732		40.4	280	7.2	6.9	<0.001	0.40	0.15	2.6	<0.2	0.4	16.0	<0.01	0.01	14.5
C306733		37.8	280	4.5	7.8	<0.001	0.28	0.23	2.4	<0.2	0.3	14.5	<0.01	0.04	14.0
C306734		38.2	300	1.7	7.8	<0.001	0.04	0.06	2.4	<0.2	0.2	13.7	<0.01	0.01	14.9
C306735		39.0	270	2.6	7.9	<0.001	0.07	0.12	2.4	<0.2	0.2	12.5	<0.01	0.02	15.5
C306736		53.3	490	8.7	89.6	<0.001	0.10	345	5.7	<0.2	1.1	16.2	<0.01	0.02	12.5
C306737		38.3	260	6.6	8.0	0.001	0.29	0.46	2.6	<0.2	0.3	15.1	<0.01	0.08	14.6
C306738		38.8	270	3.6	7.4	<0.001	0.20	0.20	2.5	<0.2	0.2	13.2	<0.01	0.05	14.2
C306739		39.2	300	1.7	7.9	<0.001	0.03	0.07	2.5	<0.2	0.2	14.2	<0.01	<0.01	15.2
C306740		37.2	320	0.9	7.7	<0.001	0.01	0.05	2.3	<0.2	0.2	12.3	<0.01	<0.01	15.2
C306741		35.3	330	1.0	8.8	<0.001	0.01	<0.05	2.4	<0.2	0.2	13.4	<0.01	0.01	15.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306702		0.04	1.06	23	<0.05	2.78	134	2.3	<0.01	
C306703		0.04	1.20	26	<0.05	3.77	158	2.9	0.01	
C306704		<0.02	0.18	1	<0.05	0.84	2	3.0	<0.01	
C306705		0.04	1.23	19	<0.05	2.64	111	3.7	0.01	
C306706		0.05	1.42	18	0.05	3.16	95	3.9	<0.01	
C306707		0.05	1.63	18	0.07	2.85	102	3.9	0.02	
C306708		0.05	1.40	19	0.08	2.79	115	2.1	<0.01	
C306709		0.05	1.29	15	<0.05	3.06	94	3.2	<0.01	
C306710		0.05	1.56	16	0.10	2.80	96	4.6	0.01	
C306711		0.04	1.57	16	0.20	3.00	105	4.0	0.06	
C306712		0.05	1.65	21	0.06	3.11	122	4.5	0.05	
C306713		0.04	1.57	15	0.20	2.58	109	3.4	0.53	
C306714		0.05	1.31	15	0.07	2.77	108	3.5	0.14	
C306715		0.05	1.36	15	<0.05	2.76	105	3.5	0.01	
C306716		0.05	1.58	28	<0.05	3.18	145	4.3	<0.01	
C306717		0.04	1.21	32	<0.05	3.54	196	2.8	<0.01	
C306718		0.04	1.23	22	<0.05	3.27	159	2.7	<0.01	
C306719		0.05	0.98	17	<0.05	2.94	123	2.2	0.01	
C306720		0.05	1.30	19	5.67	3.25	136	3.6	0.11	
C306721		0.05	1.19	17	0.16	3.11	105	3.8	<0.01	
C306722		0.05	1.20	19	0.13	2.86	118	4.7	0.02	
C306723		0.05	1.79	16	0.19	3.06	120	4.1	0.33	
C306724		0.05	1.15	17	0.12	2.99	106	4.4	0.08	
C306725		0.05	1.05	17	0.06	3.05	96	4.3	<0.01	
C306726		0.06	1.80	19	0.19	3.55	105	5.0	<0.01	
C306727		0.60	1.51	66	0.41	9.46	75	27.8	1.57	
C306728		0.06	1.49	18	0.11	3.23	96	4.5	<0.01	
C306729		0.05	1.61	18	0.05	3.10	108	4.0	0.02	
C306730		0.04	1.46	19	0.07	2.91	109	3.2	<0.01	
C306731		0.04	1.56	17	<0.05	2.96	106	3.4	0.01	
C306732		0.04	1.24	18	<0.05	2.77	120	3.8	0.01	
C306733		0.06	1.27	17	<0.05	2.80	101	4.0	<0.01	
C306734		0.05	1.18	17	<0.05	3.17	99	4.0	<0.01	
C306735		0.04	1.38	17	<0.05	3.13	103	3.3	<0.01	
C306736		0.57	1.42	64	0.44	8.89	75	24.9	2.13	
C306737		0.05	1.52	18	<0.05	2.92	108	3.6	<0.01	
C306738		0.04	1.39	17	<0.05	2.97	100	3.5	<0.01	
C306739		0.05	1.36	17	<0.05	3.52	102	3.9	0.01	
C306740		0.04	1.27	16	<0.05	3.43	93	3.2	0.01	
C306741		0.05	1.13	16	<0.05	3.62	84	3.5	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg 0.02	ppm 0.01	% 0.01	ppm 0.1	ppm 0.02	ppm 10	ppm 10	ppm 0.05	ppm 0.01	% 0.01	ppm 0.01	ppm 0.02	ppm 0.1	ppm 1	ppm 0.05
C306742 C306743 C306744 C306745 C306746		2.90	0.06	2.49	8.9	<0.02	<10	30	0.47	0.03	0.22	0.03	66.5	15.1	32	1.74
		6.15	0.02	2.62	8.6	<0.02	<10	40	0.45	0.14	0.61	0.01	44.3	15.8	33	1.40
		4.35	0.01	2.76	8.5	<0.02	<10	40	0.49	0.13	0.41	0.01	55.5	16.1	35	1.59
		3.94	0.06	5.38	9.6	0.22	<10	20	0.72	0.45	1.54	0.02	24.7	35.5	50	1.20
		4.19	0.01	2.83	3.1	<0.02	<10	40	0.51	0.09	0.31	<0.01	52.4	16.0	37	1.64
C306747 C306748 C306749 C306750 C306751		4.34	0.01	3.10	3.8	<0.02	<10	40	0.45	0.13	0.28	0.01	44.4	20.8	39	1.57
		3.86	0.01	2.45	1.8	<0.02	<10	40	0.42	0.09	0.28	<0.01	52.1	15.5	32	1.52
		4.37	0.02	2.85	10.0	<0.02	<10	40	0.43	0.25	0.37	0.01	41.8	20.9	35	1.60
		3.65	0.06	2.54	17.2	<0.02	<10	40	0.46	1.09	0.28	0.05	52.1	17.6	33	1.73
		2.96	0.02	2.43	17.5	<0.02	<10	40	0.51	0.17	0.23	0.02	72.0	17.9	33	1.92
C306752 C306753		2.18	0.08	2.44	16.4	<0.02	<10	40	0.52	1.37	1.71	0.02	26.4	24.0	38	1.41
		4.61	0.06	2.36	12.0	<0.02	<10	30	0.54	2.65	0.56	0.01	31.6	21.5	34	1.56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 6 – B
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 10-MAR-2021
 Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306742		105.0	4.40	6.95	0.06	0.09	<0.01	0.024	0.16	32.9	71.2	0.97	792	<0.05	0.05
C306743		15.7	4.86	7.47	<0.05	0.06	<0.01	0.022	0.17	20.7	74.8	1.03	1100	<0.05	0.05
C306744		6.6	5.02	7.81	0.05	0.06	<0.01	0.019	0.18	27.2	82.1	1.09	920	<0.05	0.05
C306745		8.1	11.05	17.40	0.06	0.06	<0.01	0.035	0.11	11.6	170.5	2.37	2110	<0.05	0.06
C306746		1.4	5.24	8.20	0.05	0.06	<0.01	0.016	0.17	26.3	82.8	1.13	821	<0.05	0.05
C306747		0.6	5.94	9.73	0.05	0.06	<0.01	0.019	0.17	21.5	89.3	1.28	859	<0.05	0.05
C306748		1.5	4.47	7.30	0.05	0.06	<0.01	0.015	0.16	25.5	73.6	0.97	711	<0.05	0.05
C306749		7.5	5.32	8.44	<0.05	0.07	<0.01	0.016	0.17	20.9	84.8	1.14	872	<0.05	0.05
C306750		54.9	4.53	7.37	0.05	0.10	<0.01	0.018	0.17	25.8	77.4	0.96	796	<0.05	0.06
C306751		35.4	4.18	6.86	0.06	0.10	<0.01	0.025	0.18	35.4	74.4	0.92	740	0.14	0.06
C306752		93.7	5.20	7.66	<0.05	0.12	<0.01	0.027	0.16	13.2	78.1	0.93	1260	0.48	0.07
C306753		92.5	4.95	6.92	<0.05	0.09	<0.01	0.022	0.15	15.2	71.0	0.91	876	0.13	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306742		36.7	310	1.0	7.2	<0.001	0.02	<0.05	2.2	<0.2	0.2	13.3	<0.01	<0.01	15.4
C306743		33.8	290	4.8	7.7	<0.001	0.21	0.09	2.9	<0.2	0.3	16.7	<0.01	0.01	14.6
C306744		33.5	340	2.9	8.0	<0.001	0.13	0.10	2.7	<0.2	0.4	13.1	<0.01	<0.01	15.5
C306745		74.4	360	13.5	5.4	<0.001	0.69	0.17	6.9	<0.2	0.3	30.3	<0.01	0.02	17.3
C306746		36.2	330	2.9	7.7	<0.001	0.14	0.10	2.6	<0.2	0.2	13.2	<0.01	<0.01	15.4
C306747		44.7	290	3.5	8.2	<0.001	0.31	0.13	3.4	<0.2	0.2	13.1	<0.01	0.01	15.7
C306748		34.7	290	2.4	7.7	<0.001	0.09	0.10	2.4	<0.2	0.2	11.7	<0.01	0.02	15.1
C306749		43.6	270	4.4	7.5	<0.001	0.20	0.12	2.7	<0.2	0.2	13.0	<0.01	0.01	14.7
C306750		37.1	260	4.6	7.5	<0.001	0.08	0.10	2.5	<0.2	0.3	12.0	<0.01	0.01	15.2
C306751		37.9	260	2.4	8.1	<0.001	0.04	0.08	2.1	<0.2	0.4	12.0	<0.01	0.01	15.2
C306752		47.5	290	16.4	7.2	<0.001	0.94	0.17	3.8	<0.2	0.5	24.1	<0.01	0.03	14.6
C306753		35.5	230	10.4	7.0	<0.001	0.76	0.17	2.7	<0.2	0.6	15.6	<0.01	0.03	13.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21016359

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306742		0.04	1.25	16	<0.05	3.47	97	3.5	0.01	
C306743		0.04	1.28	21	<0.05	3.21	105	2.4	0.01	
C306744		0.05	1.14	19	<0.05	3.37	101	2.1	0.01	
C306745		0.03	1.48	45	0.19	3.74	209	2.4	1.21	
C306746		0.05	1.27	20	<0.05	2.81	104	2.2	0.02	
C306747		0.04	1.48	23	<0.05	2.74	119	2.7	<0.01	
C306748		0.05	1.14	17	<0.05	2.65	94	2.0	<0.01	
C306749		0.05	1.37	20	<0.05	2.78	111	2.6	0.01	
C306750		0.04	1.49	17	<0.05	3.03	98	3.6	<0.01	
C306751		0.04	1.21	15	0.06	3.54	95	4.8	<0.01	
C306752		0.04	1.76	22	0.22	3.26	104	4.7	0.01	
C306753		0.05	1.75	18	0.17	3.07	94	3.9	0.03	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21016359

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41