



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

CERTIFICATE WH21019140

Project: Culvert - NUF

This report is for 92 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 25-JAN-2021.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306754		1.99	0.07	2.47	8.9	<0.02	<10	20	0.40	3.18	1.35	0.03	24.5	15.1	25	1.09
C306755		1.73	0.38	2.50	8.4	0.20	<10	30	1.29	38.0	0.35	0.04	16.20	24.6	30	1.64
C306756		0.16	0.01	0.04	1.0	<0.02	<10	30	<0.05	0.04	0.04	<0.01	4.42	0.3	2	0.07
C306757		1.75	0.05	3.08	6.7	<0.02	<10	30	0.55	0.47	0.14	0.02	60.9	14.5	41	3.08
C306758		5.16	0.03	3.11	10.8	<0.02	<10	30	0.48	0.17	0.13	0.02	83.7	16.5	42	2.52
C306759		4.66	0.04	3.13	16.9	<0.02	<10	20	0.49	0.44	0.22	0.02	54.6	21.8	42	2.84
C306760		1.91	0.06	2.92	15.9	0.02	<10	30	0.52	0.68	0.19	0.02	57.7	20.8	39	2.65
C306761		2.83	0.03	3.06	14.4	<0.02	<10	30	0.56	0.51	0.16	0.01	58.7	22.7	41	2.78
C306762		2.05	0.04	3.21	14.1	<0.02	<10	30	0.55	0.64	0.31	0.01	57.1	23.3	44	2.35
C306763		0.17	0.01	0.07	1.0	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.89	0.4	3	0.10
C306764		6.38	0.02	3.02	16.0	<0.02	<10	30	0.55	0.42	0.10	0.02	65.1	21.5	40	2.46
C306765		1.77	0.14	2.71	12.3	0.02	<10	30	0.51	13.75	0.18	0.04	55.6	17.4	37	2.16
C306766		2.79	0.02	3.01	5.3	<0.02	<10	30	0.56	0.12	0.13	0.02	73.3	12.4	40	2.38
C306767		5.20	0.03	3.15	9.5	<0.02	<10	40	0.57	0.17	0.24	0.02	70.0	14.2	40	2.26
C306768		3.90	0.03	2.96	24.8	<0.02	<10	40	0.63	0.65	0.28	0.02	52.2	26.1	39	2.45
C306769		3.66	0.02	2.75	19.6	<0.02	<10	40	0.64	0.35	0.22	0.01	58.6	18.8	36	2.25
C306770		3.35	0.07	3.30	1200	0.43	<10	40	0.57	0.40	0.53	0.01	57.3	11.9	39	1.90
C306771		2.78	0.03	2.83	240	0.06	<10	40	0.61	0.42	0.32	0.01	53.0	18.8	37	2.04
C306772		3.52	0.04	2.61	28.2	0.08	<10	40	0.63	0.78	0.47	0.02	40.6	30.9	35	1.97
C306773		3.77	0.04	2.86	19.1	<0.02	<10	40	0.74	0.45	1.04	0.02	46.7	21.5	38	1.75
C306774		2.48	0.04	2.68	18.9	0.26	<10	40	0.73	0.86	0.87	0.01	35.7	25.1	33	2.14
C306775		3.72	0.02	2.83	15.7	0.02	<10	40	0.68	0.86	0.43	0.01	42.6	21.6	36	2.38
C306776		2.53	0.04	2.76	21.8	<0.02	<10	40	0.81	1.53	0.15	0.01	44.0	27.5	34	2.78
C306777		2.22	0.05	2.59	124.5	0.07	<10	40	0.74	1.24	0.20	0.02	50.8	22.1	31	1.86
C306778		1.76	0.05	2.60	99.8	0.34	<10	40	0.84	0.72	0.27	0.01	41.7	16.0	26	2.29
C306779		2.33	0.03	2.95	126.0	0.03	<10	30	0.95	0.56	0.15	0.01	41.4	15.3	29	2.37
C306780		2.74	0.09	2.23	51.7	0.82	<10	30	0.75	0.91	0.62	0.01	27.5	22.3	21	2.04
C306781		3.97	0.05	2.63	22.3	0.14	<10	30	0.76	0.22	0.18	0.04	52.5	16.7	33	1.71
C306782		4.05	0.04	2.76	24.8	<0.02	<10	40	0.74	0.06	0.19	0.04	72.4	18.4	33	1.87
C306783		1.64	0.06	2.72	13.1	0.08	<10	30	0.86	0.05	3.23	0.03	61.2	13.8	31	1.65
C306784		0.07	0.17	2.56	482	2.13	<10	100	1.19	0.31	0.22	0.03	60.2	12.1	100	7.27
C306785		2.26	0.02	3.07	9.4	0.10	<10	40	0.72	0.09	0.51	0.01	49.0	17.6	32	1.94
C306786		2.34	0.01	2.58	3.4	0.04	<10	40	0.74	0.09	0.33	0.01	43.5	17.2	27	2.14
C306787		2.74	0.05	2.66	6.3	0.06	<10	40	0.61	0.15	0.49	0.02	30.0	18.2	30	1.82
C306788		2.19	0.05	2.69	3.0	0.31	<10	40	0.66	0.24	0.49	0.02	29.4	18.9	27	1.94
C306789		2.14	0.07	2.54	561	0.75	<10	30	0.63	0.36	0.22	0.01	37.9	16.2	27	2.03
C306790		2.46	0.05	2.53	165.0	0.38	<10	40	0.69	0.31	0.16	0.01	40.8	20.5	26	1.97
C306791		0.15	0.01	0.06	1.4	<0.02	<10	10	<0.05	0.02	0.01	<0.01	3.79	0.6	5	0.10
C306792		2.56	0.08	2.62	254	0.85	<10	30	0.64	0.78	0.29	0.01	34.3	32.1	30	1.82
C306793		5.20	0.02	2.70	16.5	0.04	<10	30	0.58	0.33	0.23	0.02	55.2	16.2	35	2.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306754		95.4	5.35	8.08	0.06	0.10	<0.01	0.034	0.11	12.0	73.3	0.93	1200	0.27	0.04
C306755		552	9.94	6.99	0.05	0.16	<0.01	0.029	0.12	8.3	66.9	0.61	616	1.10	0.07
C306756		1.0	0.27	0.19	<0.05	0.10	<0.01	<0.005	0.01	2.2	0.5	<0.01	30	0.24	<0.01
C306757		42.7	5.36	8.96	0.09	0.12	<0.01	0.026	0.16	31.0	85.1	1.15	839	0.09	0.05
C306758		22.0	5.40	9.35	0.12	0.13	<0.01	0.021	0.16	42.8	85.7	1.16	839	0.12	0.06
C306759		38.9	5.74	9.07	0.08	0.13	<0.01	0.024	0.13	27.7	92.9	1.22	915	0.27	0.04
C306760		33.3	5.23	8.37	0.09	0.15	<0.01	0.021	0.15	30.1	87.3	1.11	811	0.18	0.05
C306761		39.3	5.42	9.05	0.09	0.14	<0.01	0.022	0.17	30.1	92.6	1.14	803	0.26	0.06
C306762		37.3	5.83	9.11	0.09	0.12	<0.01	0.022	0.15	29.5	98.4	1.25	938	0.52	0.05
C306763		0.9	0.34	0.28	<0.05	0.13	<0.01	<0.005	0.01	2.3	1.2	0.01	39	0.25	<0.01
C306764		36.6	5.41	8.55	0.09	0.12	<0.01	0.022	0.16	33.6	90.8	1.14	822	0.24	0.05
C306765		54.7	4.92	7.58	0.07	0.12	<0.01	0.031	0.16	27.9	80.5	1.02	770	0.15	0.04
C306766		11.6	5.28	8.60	0.09	0.11	<0.01	0.019	0.17	37.4	91.2	1.13	799	0.06	0.04
C306767		31.9	5.44	8.67	0.09	0.09	<0.01	0.019	0.19	36.0	93.4	1.18	914	<0.05	0.05
C306768		40.5	5.35	8.11	0.08	0.13	<0.01	0.017	0.17	26.6	92.6	1.14	966	0.56	0.04
C306769		33.1	4.87	7.87	0.08	0.10	<0.01	0.020	0.17	29.7	85.1	1.05	849	0.18	0.04
C306770		24.4	5.97	9.17	0.09	0.07	<0.01	0.022	0.18	28.7	98.2	1.31	1240	<0.05	0.04
C306771		38.1	5.14	7.90	0.08	0.10	<0.01	0.018	0.20	26.9	83.4	1.10	1020	0.12	0.04
C306772		49.9	5.09	7.17	0.07	0.11	<0.01	0.018	0.18	20.4	79.9	1.03	970	0.23	0.04
C306773		33.7	5.28	8.07	0.08	0.10	<0.01	0.023	0.17	23.7	89.2	1.14	1440	0.42	0.03
C306774		46.4	5.28	7.33	0.07	0.12	<0.01	0.019	0.19	18.4	79.6	1.04	1110	1.13	0.03
C306775		40.4	5.23	7.73	0.07	0.11	<0.01	0.020	0.19	21.6	82.5	1.09	977	0.59	0.03
C306776		58.1	5.17	7.36	0.07	0.10	<0.01	0.019	0.20	22.5	77.6	1.02	793	0.68	0.03
C306777		55.7	4.75	7.08	0.07	0.12	<0.01	0.022	0.20	26.1	73.2	0.99	831	0.79	0.03
C306778		54.1	4.91	7.58	0.07	0.16	<0.01	0.020	0.19	21.0	79.9	1.07	909	0.53	0.02
C306779		44.9	5.70	8.43	0.07	0.11	<0.01	0.025	0.18	20.7	94.0	1.22	995	0.05	0.02
C306780		73.1	4.79	6.21	0.06	0.14	<0.01	0.018	0.17	13.9	66.4	0.92	939	1.23	0.02
C306781		72.8	4.79	7.40	0.08	0.10	<0.01	0.026	0.18	26.8	77.0	1.04	841	0.24	0.02
C306782		56.0	4.84	7.86	0.09	0.08	<0.01	0.022	0.19	36.2	80.9	1.05	833	<0.05	0.02
C306783		63.3	4.81	7.74	0.08	0.06	<0.01	0.027	0.16	30.6	77.7	1.06	2330	<0.05	0.02
C306784		24.5	3.44	7.74	0.10	0.74	<0.01	0.023	1.00	30.8	33.0	1.25	223	0.52	0.07
C306785		7.3	5.75	8.49	0.08	0.06	<0.01	0.017	0.18	23.9	88.7	1.21	1090	<0.05	0.02
C306786		8.8	5.00	7.15	0.08	0.06	<0.01	0.015	0.18	21.9	76.0	1.04	854	<0.05	0.02
C306787		8.1	5.23	7.73	0.05	0.07	<0.01	0.015	0.19	15.9	67.3	1.12	877	0.56	0.02
C306788		20.6	5.43	7.78	0.06	0.08	<0.01	0.019	0.17	15.4	77.1	1.15	964	0.11	0.02
C306789		33.3	4.78	7.74	0.05	0.10	<0.01	0.019	0.18	18.9	69.7	1.04	856	0.09	0.02
C306790		51.7	4.77	7.75	0.07	0.11	<0.01	0.023	0.19	21.0	70.2	0.99	840	0.07	0.02
C306791		1.7	0.34	0.25	<0.05	0.11	<0.01	<0.005	0.01	1.9	0.9	0.01	55	0.28	<0.01
C306792		66.8	5.20	7.72	0.06	0.12	<0.01	0.020	0.16	18.0	76.0	1.04	903	5.23	0.02
C306793		31.6	4.83	7.92	0.09	0.08	<0.01	0.019	0.16	28.7	78.1	1.04	886	0.07	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
															Ti %
															0.005
C306754		26.3	240	10.9	5.4	0.001	0.79	0.28	3.2	<0.2	0.6	23.0	<0.01	0.06	12.0
C306755		29.7	280	53.1	5.8	<0.001	4.54	0.49	3.4	1.3	1.7	23.9	<0.01	0.72	14.7
C306756		0.7	10	0.7	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.8	<0.01	0.01	1.0
C306757		43.5	290	6.1	7.5	<0.001	0.12	0.14	3.0	<0.2	0.5	14.6	<0.01	0.01	14.5
C306758		43.5	290	4.1	7.0	<0.001	0.05	0.10	3.2	<0.2	0.3	13.4	<0.01	0.01	15.0
C306759		44.6	350	7.1	5.5	<0.001	0.15	0.18	3.1	<0.2	0.3	12.4	<0.01	0.01	14.1
C306760		41.9	250	13.0	6.7	<0.001	0.10	0.13	2.9	<0.2	0.2	12.9	<0.01	0.01	14.9
C306761		44.1	280	6.5	7.7	<0.001	0.17	0.18	3.1	<0.2	0.3	14.6	<0.01	0.01	15.2
C306762		43.8	280	8.4	6.9	<0.001	0.18	0.26	3.1	<0.2	0.2	14.1	<0.01	0.01	15.1
C306763		0.9	10	0.8	0.9	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.2	<0.01	<0.01	1.4
C306764		44.8	290	2.2	7.1	<0.001	0.13	0.15	2.9	<0.2	0.3	11.4	<0.01	0.02	15.4
C306765		44.1	280	15.8	7.1	<0.001	0.15	0.57	2.6	<0.2	0.4	10.9	<0.01	0.08	15.0
C306766		42.3	330	2.1	7.9	<0.001	0.07	0.12	2.9	<0.2	0.3	11.8	<0.01	<0.01	15.8
C306767		42.3	310	1.9	8.9	<0.001	0.07	0.14	3.0	<0.2	0.3	12.8	<0.01	<0.01	15.0
C306768		43.0	290	3.8	8.0	<0.001	0.28	0.24	2.7	<0.2	0.2	12.6	<0.01	0.03	14.8
C306769		40.7	300	2.1	8.2	<0.001	0.15	0.15	2.6	<0.2	0.5	12.3	<0.01	0.01	15.1
C306770		43.7	330	8.4	8.6	<0.001	0.17	0.62	3.3	<0.2	0.3	14.0	<0.01	0.01	15.1
C306771		40.7	300	3.8	9.5	<0.001	0.31	0.27	2.7	0.2	0.2	12.8	<0.01	0.01	15.3
C306772		44.3	360	6.2	8.4	<0.001	0.52	0.25	2.7	0.2	0.2	14.6	<0.01	0.01	15.6
C306773		41.3	320	6.9	8.2	<0.001	0.42	0.25	3.0	<0.2	0.3	23.0	<0.01	0.01	15.0
C306774		40.3	280	6.1	9.1	<0.001	0.94	0.76	2.4	<0.2	0.4	24.5	<0.01	0.01	14.4
C306775		42.5	310	3.9	8.9	<0.001	0.47	0.46	2.4	<0.2	0.3	16.4	<0.01	0.02	15.4
C306776		41.5	300	4.2	9.5	<0.001	0.54	0.27	2.3	<0.2	0.3	14.2	<0.01	0.04	15.1
C306777		41.1	280	3.8	9.5	<0.001	0.33	0.21	2.4	<0.2	0.3	10.7	<0.01	0.05	15.5
C306778		41.4	290	4.0	9.1	<0.001	0.40	0.15	2.7	<0.2	0.4	13.5	<0.01	0.02	16.0
C306779		46.1	330	2.6	8.8	<0.001	0.47	0.17	3.0	<0.2	0.5	12.5	<0.01	0.01	15.7
C306780		41.2	200	5.9	8.7	<0.001	1.07	0.35	2.2	<0.2	0.3	13.9	<0.01	0.02	13.9
C306781		42.5	310	1.9	8.9	<0.001	0.21	0.16	2.5	0.2	0.3	11.2	<0.01	0.01	15.0
C306782		43.3	330	1.5	9.3	<0.001	0.05	0.11	2.4	<0.2	0.2	11.5	<0.01	<0.01	15.4
C306783		34.5	310	2.8	8.3	<0.001	0.03	0.08	2.8	<0.2	0.2	56.2	0.01	<0.01	13.7
C306784		57.7	510	8.7	92.7	<0.001	0.10	351	5.8	0.2	1.3	17.8	<0.01	0.02	12.6
C306785		41.2	340	3.1	9.1	<0.001	0.33	0.46	2.8	<0.2	0.2	15.6	<0.01	0.01	15.7
C306786		37.8	340	2.8	9.2	<0.001	0.46	0.29	2.4	<0.2	0.2	13.7	<0.01	0.01	15.2
C306787		41.1	300	8.0	10.2	<0.001	0.70	0.55	2.5	<0.2	0.2	15.1	<0.01	0.01	16.1
C306788		41.1	290	4.8	9.3	<0.001	0.76	0.58	2.4	<0.2	0.2	15.5	<0.01	0.01	15.6
C306789		40.2	320	4.3	9.2	<0.001	0.40	0.37	2.7	<0.2	0.2	11.7	<0.01	0.02	15.3
C306790		43.0	290	3.2	10.3	<0.001	0.31	0.23	2.8	<0.2	0.2	11.2	<0.01	0.02	16.6
C306791		1.3	20	1.1	0.9	<0.001	<0.01	0.08	0.2	<0.2	<0.2	1.0	<0.01	0.01	1.4
C306792		41.5	280	6.5	8.6	0.003	0.46	0.27	2.6	0.2	0.2	11.9	<0.01	0.03	17.6
C306793		40.5	290	2.7	8.3	<0.001	0.12	0.18	2.5	0.2	0.2	11.6	<0.01	0.01	17.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306754		0.04	2.41	19	14.75	4.14	105	4.0	0.03	
C306755		0.05	1.86	18	0.52	3.86	72	6.7	2.01	
C306756		<0.02	0.15	1	<0.05	0.80	2	2.5	<0.01	
C306757		0.05	1.12	20	0.10	3.48	117	5.3	<0.01	
C306758		0.04	1.31	22	0.07	4.05	116	5.5	<0.01	
C306759		0.03	1.51	23	0.05	3.40	130	5.3	0.05	
C306760		0.04	1.44	20	0.07	3.40	108	4.9	0.05	
C306761		0.05	1.51	21	0.05	3.78	117	5.6	<0.01	
C306762		0.04	1.58	23	<0.05	3.71	124	5.5	0.01	
C306763		<0.02	0.23	2	<0.05	0.87	2	2.9	<0.01	
C306764		0.04	1.40	20	<0.05	3.77	119	4.7	<0.01	
C306765		0.04	1.46	18	0.05	3.50	110	5.0	0.14	
C306766		0.04	1.21	20	0.06	3.79	118	4.5	<0.01	
C306767		0.05	1.20	21	0.49	3.53	122	4.1	<0.01	
C306768		0.05	1.40	19	0.06	3.46	114	5.7	0.01	
C306769		0.05	1.22	18	0.17	3.30	108	4.3	0.01	
C306770		0.05	1.07	23	0.23	3.28	137	3.0	0.44	
C306771		0.05	1.33	19	0.10	3.31	115	4.1	0.12	
C306772		0.05	1.46	18	0.11	3.34	107	4.3	0.33	
C306773		0.05	1.74	21	0.08	3.65	124	4.1	0.03	
C306774		0.06	1.42	17	0.16	3.69	112	5.0	0.11	
C306775		0.07	1.66	17	0.06	3.24	111	5.0	0.08	
C306776		0.06	1.31	16	0.09	3.24	104	4.6	0.04	
C306777		0.05	1.27	15	0.09	3.29	102	4.9	0.23	
C306778		0.05	1.77	18	0.19	3.01	100	5.1		0.65
C306779		0.04	1.67	19	0.19	3.03	126	4.3	0.27	
C306780		0.05	2.90	14	0.26	3.08	92	5.4	0.44	
C306781		0.05	1.43	16	0.20	3.12	116	4.2	0.25	
C306782		0.05	1.32	17	0.10	3.52	109	3.4	0.02	
C306783		0.04	1.32	21	0.09	5.55	107	2.7	0.05	
C306784		0.56	1.45	66	0.44	9.30	79	28.3	2.21	
C306785		0.05	1.45	20	0.14	3.15	116	2.3	0.12	
C306786		0.06	1.39	16	0.37	3.06	98	2.7	0.25	
C306787		0.06	1.51	18	0.37	2.89	105	3.1	0.25	
C306788		0.08	1.48	15	0.24	2.83	115	2.9	0.38	
C306789		0.06	1.47	17	0.24	2.85	104	4.4		1.94
C306790		0.06	1.75	17	0.25	3.06	102	4.3		0.72
C306791		<0.02	0.17	2	<0.05	0.83	2	2.8		<0.05
C306792		0.05	1.94	18	0.19	3.20	101	4.8		0.82
C306793		0.05	1.48	17	0.09	3.41	102	3.6	0.03	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306794		2.02	0.03	2.78	18.2	0.05	<10	30	0.50	0.83	0.21	0.01	38.9	24.3	35	2.12
C306795		4.15	0.02	2.71	17.1	<0.02	<10	30	0.57	0.61	0.21	0.01	43.3	27.1	35	2.12
C306796		3.56	0.02	2.69	29.3	<0.02	<10	30	0.47	0.82	0.17	<0.01	40.3	32.1	36	2.01
C306797		4.29	0.04	2.89	22.7	<0.02	<10	30	0.40	0.84	0.26	0.01	31.2	35.4	39	1.93
C306798		3.80	0.02	2.74	21.8	<0.02	<10	30	0.40	0.74	0.19	0.01	37.5	36.4	37	1.99
C306799		2.09	0.03	2.67	11.1	0.04	<10	30	0.41	0.70	0.32	0.01	33.1	31.7	34	2.02
C306800		4.67	0.02	2.97	3.6	<0.02	<10	30	0.41	0.45	0.27	0.01	38.0	19.5	39	1.81
C306801		3.90	0.03	2.89	5.5	<0.02	<10	30	0.49	0.43	0.30	0.01	43.4	20.5	38	1.90
C306802		3.21	0.09	2.97	1.2	0.92	<10	30	0.47	0.12	0.29	0.02	59.2	11.9	39	1.68
C306803		3.13	0.12	2.86	9.7	<0.02	<10	40	0.60	0.44	0.86	0.02	38.6	18.0	38	5.17
C306804		4.79	0.01	2.89	16.1	<0.02	<10	20	0.40	0.03	0.09	0.02	71.4	15.8	40	1.80
C306805		4.94	0.02	2.85	15.8	<0.02	<10	20	0.34	0.27	0.12	0.03	50.7	17.6	40	1.84
C306806		2.45	0.11	2.70	12.7	<0.02	<10	20	0.38	0.52	0.61	0.02	50.3	15.4	38	1.79
C306807		5.34	0.03	3.14	17.4	<0.02	<10	30	0.51	0.18	0.11	0.01	69.0	17.5	41	1.90
C306808		4.56	0.04	3.18	22.0	<0.02	<10	30	0.58	0.26	0.27	0.03	65.1	17.6	42	2.15
C306809		2.59	0.05	3.14	23.9	<0.02	<10	30	0.53	0.28	0.17	0.02	60.3	18.3	39	2.14
C306810		2.93	0.03	3.17	22.8	<0.02	<10	30	0.51	0.26	0.11	0.02	67.0	18.2	42	2.15
C306811		1.65	0.06	2.99	58.1	<0.02	<10	30	0.63	0.47	0.13	0.01	46.4	17.0	35	2.12
C306812		1.74	0.04	2.74	1410	0.19	<10	40	0.58	0.38	0.21	0.01	41.7	19.4	25	1.67
C306813		4.33	0.03	3.06	24.6	<0.02	<10	40	0.61	0.25	0.12	0.01	55.8	20.0	40	1.34
C306814		3.89	0.08	2.74	36.6	<0.02	<10	40	0.60	0.56	0.12	0.06	61.3	24.1	34	1.69
C306815		2.12	0.20	3.04	26.3	0.12	<10	40	0.55	14.30	0.64	0.03	30.8	26.6	36	1.42
C306816		2.30	0.05	2.57	23.5	<0.02	<10	50	1.11	0.51	0.77	<0.01	43.8	16.0	26	2.12
C306817		2.20	0.04	3.24	110.5	0.10	<10	40	0.73	0.79	0.22	0.01	46.6	26.5	35	1.96
C306818		3.18	0.03	3.19	39.6	<0.02	<10	40	0.62	0.87	0.38	0.01	50.3	28.2	40	1.62
C306819		0.15	0.01	0.10	0.8	<0.02	<10	10	<0.05	0.02	0.02	0.01	6.02	0.6	3	0.10
C306820		2.23	0.07	2.44	42.8	<0.02	<10	30	0.48	2.37	1.16	0.01	25.9	23.6	31	1.36
C306821		2.75	0.07	2.22	24.0	0.03	<10	40	0.80	5.46	0.76	0.02	26.9	25.1	25	1.67
C306822		2.05	0.07	2.35	21.1	0.02	<10	40	0.79	3.15	0.50	0.01	36.3	18.6	24	1.56
C306823		2.39	0.05	2.40	27.4	<0.02	<10	30	0.65	0.73	0.27	<0.01	29.3	23.1	25	1.69
C306824		0.07	0.13	2.45	355	1.47	<10	90	1.08	0.31	0.19	0.03	51.5	12.4	103	7.34
C306825		3.69	0.02	3.01	26.0	<0.02	<10	30	0.57	0.55	0.08	<0.01	45.2	22.4	36	1.61
C306826		5.54	0.02	2.86	21.2	<0.02	<10	40	0.54	0.53	0.19	0.01	43.2	22.3	34	1.49
C306827		6.23	0.03	2.83	9.5	<0.02	<10	30	0.57	1.67	0.37	0.01	51.4	18.7	36	1.52
C306828		5.88	0.01	2.93	9.8	<0.02	<10	40	0.56	0.48	0.30	0.01	55.0	21.1	37	1.61
C306829		5.72	0.01	2.96	5.7	<0.02	<10	30	0.53	0.13	0.33	0.01	50.5	18.8	37	1.66
C306830		4.16	0.03	2.84	3.6	<0.02	<10	30	0.52	0.38	0.54	0.01	47.2	19.4	38	1.64
C306831		4.13	0.02	3.05	1.5	<0.02	<10	30	0.57	0.33	0.27	<0.01	55.4	20.4	39	1.71
C306832		4.09	0.03	2.82	2.1	<0.02	<10	30	0.56	0.54	0.51	0.01	61.3	18.7	39	1.63
C306833		4.82	0.01	2.84	3.6	<0.02	<10	40	0.61	0.10	0.12	<0.01	73.2	18.2	36	2.09



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306794		45.5	5.13	7.80	0.08	0.10	<0.01	0.018	0.17	20.6	77.2	1.07	879	0.18	0.03
C306795		42.4	4.79	7.59	0.07	0.11	<0.01	0.017	0.16	22.1	77.7	1.02	828	0.22	0.03
C306796		43.2	4.85	7.30	0.06	0.12	<0.01	0.017	0.16	21.1	74.1	1.00	792	0.63	0.04
C306797		55.6	5.50	8.10	0.05	0.11	<0.01	0.019	0.14	16.3	82.3	1.13	886	0.56	0.04
C306798		47.9	4.99	7.42	0.06	0.10	<0.01	0.018	0.16	19.8	76.5	1.03	829	0.88	0.04
C306799		45.1	4.94	7.19	0.06	0.10	<0.01	0.017	0.16	17.4	76.4	1.02	865	0.59	0.04
C306800		34.6	5.36	7.98	0.06	0.11	<0.01	0.019	0.15	19.3	86.0	1.15	955	0.15	0.04
C306801		43.6	5.10	8.23	0.07	0.11	<0.01	0.020	0.16	22.4	86.8	1.10	949	0.15	0.04
C306802		18.2	5.13	8.40	0.09	0.12	<0.01	0.017	0.15	29.7	85.2	1.14	1020	<0.05	0.04
C306803		55.1	5.15	8.42	0.07	0.14	<0.01	0.028	0.14	19.7	89.5	1.10	1220	0.29	0.03
C306804		8.4	5.10	8.78	0.10	0.10	<0.01	0.017	0.11	37.5	91.0	1.11	776	0.07	0.04
C306805		31.7	5.13	8.47	0.08	0.08	<0.01	0.024	0.09	25.7	88.1	1.12	788	0.11	0.03
C306806		50.8	4.81	8.23	0.09	0.09	<0.01	0.027	0.11	27.1	86.7	1.05	998	0.12	0.04
C306807		40.4	5.31	9.27	0.09	0.10	<0.01	0.027	0.16	36.2	96.6	1.16	805	0.14	0.06
C306808		29.3	5.33	9.16	0.09	0.10	<0.01	0.023	0.19	33.9	101.0	1.15	944	0.11	0.07
C306809		48.9	5.49	9.06	0.09	0.11	<0.01	0.027	0.16	32.0	102.5	1.19	917	0.19	0.05
C306810		69.6	5.48	9.11	0.10	0.09	<0.01	0.029	0.16	35.7	98.9	1.19	892	0.15	0.05
C306811		38.9	5.39	8.60	0.07	0.13	<0.01	0.022	0.15	25.0	97.9	1.15	855	0.57	0.04
C306812		23.1	5.28	7.84	0.07	0.07	<0.01	0.019	0.20	22.1	85.2	1.01	863	0.25	0.03
C306813		9.6	5.64	9.37	0.09	0.06	<0.01	0.021	0.19	30.2	100.5	1.10	816	<0.05	0.03
C306814		103.5	4.85	7.70	0.08	0.09	<0.01	0.027	0.19	32.4	86.3	0.99	838	0.05	0.03
C306815		129.5	6.48	8.77	0.06	0.07	<0.01	0.029	0.18	16.3	98.9	1.20	1440	0.16	0.03
C306816		33.5	4.58	7.33	0.07	0.07	<0.01	0.028	0.22	22.9	78.9	0.94	1300	0.07	0.04
C306817		52.5	6.19	9.45	0.08	0.09	<0.01	0.032	0.20	25.1	101.5	1.25	1180	0.19	0.03
C306818		44.5	6.00	8.94	0.08	0.25	<0.01	0.022	0.19	26.4	98.6	1.22	1300	0.46	0.03
C306819		0.9	0.39	0.35	<0.05	0.17	<0.01	<0.005	0.02	2.8	1.3	0.02	46	0.27	<0.01
C306820		103.0	5.38	7.20	0.06	0.07	0.01	0.026	0.15	13.4	79.2	0.95	1610	0.32	0.03
C306821		90.1	4.69	6.17	0.06	0.09	<0.01	0.028	0.18	13.9	61.3	0.79	1220	2.99	0.04
C306822		57.8	4.37	6.93	0.06	0.05	<0.01	0.029	0.18	19.9	66.7	0.85	1050	0.39	0.04
C306823		53.9	4.42	6.16	0.07	0.04	<0.01	0.023	0.17	15.2	62.7	0.90	922	0.22	0.03
C306824		23.1	3.43	7.19	0.11	0.70	0.01	0.021	0.99	26.5	31.7	1.26	212	0.50	0.06
C306825		24.9	5.56	8.41	0.10	0.06	<0.01	0.022	0.15	23.5	84.5	1.17	939	0.14	0.02
C306826		29.2	5.26	7.58	0.09	0.07	<0.01	0.019	0.18	22.3	81.5	1.09	973	0.18	0.03
C306827		24.7	5.00	7.47	0.09	0.06	<0.01	0.019	0.18	26.7	80.4	1.09	1120	0.08	0.03
C306828		25.8	5.08	7.73	0.10	0.08	<0.01	0.019	0.19	29.3	85.5	1.11	1110	0.18	0.04
C306829		20.6	5.15	7.56	0.10	0.08	<0.01	0.018	0.17	26.3	83.7	1.13	1070	<0.05	0.04
C306830		20.1	4.99	8.32	0.10	0.08	<0.01	0.022	0.16	24.4	83.3	1.09	1160	<0.05	0.04
C306831		20.6	5.28	8.10	0.10	0.08	<0.01	0.021	0.16	29.1	82.4	1.17	1040	<0.05	0.04
C306832		23.8	4.86	7.99	0.11	0.07	<0.01	0.020	0.15	31.6	78.3	1.08	1100	<0.05	0.04
C306833		2.7	4.57	7.61	0.11	0.14	<0.01	0.019	0.21	38.5	69.8	1.02	870	<0.05	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306794		43.9	270	3.8	7.7	<0.001	0.25	0.22	2.5	<0.2	0.2	11.4	<0.01	0.03	17.2
C306795		39.2	250	3.5	7.4	<0.001	0.21	0.30	2.5	<0.2	0.2	12.3	<0.01	0.02	15.4
C306796		39.9	250	4.4	7.2	<0.001	0.35	0.32	2.4	0.2	0.3	12.1	<0.01	0.02	16.2
C306797		43.0	280	9.8	6.4	<0.001	0.46	0.27	2.7	0.2	0.2	11.2	<0.01	0.03	16.2
C306798		37.2	250	4.2	7.5	<0.001	0.38	0.32	2.4	0.2	0.2	11.6	<0.01	0.02	15.8
C306799		37.9	260	5.5	7.1	<0.001	0.39	0.23	2.5	<0.2	0.2	12.2	<0.01	0.02	15.5
C306800		40.2	310	3.5	6.9	<0.001	0.31	0.18	2.7	<0.2	0.2	12.4	<0.01	0.01	16.5
C306801		41.8	300	3.4	7.4	<0.001	0.23	0.23	2.7	0.2	0.2	13.1	<0.01	0.03	16.4
C306802		41.5	350	2.1	7.4	<0.001	0.05	0.13	2.6	<0.2	0.2	14.0	<0.01	0.01	16.8
C306803		40.5	340	6.1	7.3	<0.001	0.27	0.24	3.1	<0.2	0.6	23.6	<0.01	0.02	16.7
C306804		40.7	310	2.1	5.2	<0.001	0.02	0.17	2.8	<0.2	0.2	11.8	<0.01	<0.01	16.0
C306805		41.5	270	4.2	4.2	<0.001	0.04	0.08	2.6	<0.2	0.2	10.9	<0.01	0.02	14.5
C306806		37.8	270	23.0	5.4	<0.001	0.07	0.11	2.7	<0.2	0.2	19.2	<0.01	0.01	13.9
C306807		42.9	300	5.0	7.4	<0.001	0.04	0.09	3.1	<0.2	0.2	15.9	0.01	0.01	16.4
C306808		42.2	270	11.1	8.3	<0.001	0.07	0.09	3.3	<0.2	0.2	20.3	<0.01	0.01	17.0
C306809		42.9	280	11.1	7.1	<0.001	0.06	0.10	3.1	0.2	0.2	16.3	<0.01	0.02	17.5
C306810		43.1	310	3.2	7.0	<0.001	0.05	0.07	3.0	<0.2	0.2	15.6	<0.01	0.01	17.1
C306811		45.1	280	10.6	7.2	<0.001	0.17	0.16	3.0	<0.2	0.2	16.0	<0.01	0.02	17.0
C306812		38.6	250	7.4	9.6	<0.001	0.40	0.41	2.6	<0.2	0.2	15.3	<0.01	0.04	15.7
C306813		41.9	290	5.1	9.5	<0.001	0.15	0.13	3.3	<0.2	0.2	11.8	<0.01	0.02	15.5
C306814		43.6	280	3.1	9.3	<0.001	0.06	0.09	2.4	0.2	0.3	12.3	<0.01	0.03	16.2
C306815		40.6	320	26.5	8.9	<0.001	0.82	0.30	3.4	0.3	0.6	21.6	<0.01	0.18	16.2
C306816		39.1	340	9.8	10.0	<0.001	0.36	0.15	2.9	0.2	0.7	29.4	<0.01	<0.01	19.8
C306817		52.8	310	5.8	10.3	<0.001	0.44	0.15	3.3	<0.2	0.5	15.9	<0.01	0.02	19.6
C306818		43.5	290	5.2	9.4	<0.001	0.29	0.11	3.3	<0.2	0.3	18.5	<0.01	0.04	15.4
C306819		1.2	20	1.1	1.1	<0.001	<0.01	0.06	0.3	<0.2	<0.2	1.8	<0.01	<0.01	1.4
C306820		38.1	340	8.9	7.2	0.001	0.72	0.15	3.6	0.2	0.5	38.7	0.01	0.06	12.1
C306821		33.7	270	12.3	8.6	0.001	0.80	0.30	2.9	0.3	0.8	32.4	<0.01	0.14	15.5
C306822		32.9	560	10.2	8.7	<0.001	0.46	0.18	2.6	0.2	0.8	27.0	<0.01	0.05	13.8
C306823		34.1	380	7.7	8.0	<0.001	0.34	0.25	2.4	0.2	0.6	17.2	<0.01	0.01	14.1
C306824		58.0	510	7.9	92.8	<0.001	0.07	273	5.6	<0.2	1.2	15.5	<0.01	0.01	12.5
C306825		45.2	230	2.4	8.0	<0.001	0.18	0.46	3.0	<0.2	0.4	12.3	<0.01	0.02	16.0
C306826		40.3	300	4.1	8.8	<0.001	0.34	0.59	3.0	<0.2	0.3	15.7	<0.01	0.02	12.8
C306827		40.4	370	7.6	8.6	<0.001	0.08	0.12	2.8	<0.2	0.3	16.0	0.01	0.03	14.2
C306828		42.7	290	5.5	9.6	<0.001	0.10	0.09	3.0	0.2	0.2	16.6	<0.01	0.02	15.0
C306829		42.7	340	4.1	8.1	<0.001	0.08	0.08	2.9	<0.2	0.2	16.5	<0.01	<0.01	14.8
C306830		43.0	330	9.8	8.0	<0.001	0.17	0.07	3.6	<0.2	0.2	26.7	<0.01	0.03	14.5
C306831		45.8	340	4.1	7.9	<0.001	0.09	0.09	3.1	<0.2	0.2	18.3	<0.01	0.03	16.2
C306832		41.2	430	5.7	7.9	<0.001	0.07	0.09	3.2	<0.2	0.2	23.8	<0.01	0.01	15.6
C306833		42.9	270	1.6	10.0	<0.001	0.03	<0.05	2.9	<0.2	0.2	24.1	<0.01	0.01	17.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306794		0.05	1.55	18	0.17	3.05	106	3.4		0.27
C306795		0.04	1.29	17	<0.05	3.07	100	4.5	0.01	
C306796		0.04	1.34	17	<0.05	3.04	101	4.7	0.04	
C306797		0.04	1.64	20	<0.05	2.70	115	4.1	0.01	
C306798		0.04	1.59	17	<0.05	2.82	103	4.5	0.03	
C306799		0.03	1.58	17	0.08	2.66	99	4.1	0.06	
C306800		0.04	1.46	19	<0.05	2.80	113	3.7	0.01	
C306801		0.04	1.52	19	<0.05	3.08	110	3.9	0.01	
C306802		0.04	1.26	20	<0.05	3.34	109	3.5	<0.01	
C306803		0.05	1.99	22	1.84	3.98	113	5.4	0.01	
C306804		0.03	1.11	20	<0.05	3.27	108	4.4	0.01	
C306805		0.02	1.00	20	<0.05	2.58	125	4.0	0.01	
C306806		0.03	1.91	19	<0.05	3.11	111	4.0	0.01	
C306807		0.04	1.40	22	<0.05	3.36	114	4.2	0.01	
C306808		0.05	1.34	23	<0.05	3.51	120	4.6	0.01	
C306809		0.04	1.71	22	0.06	3.56	119	4.1	<0.01	
C306810		0.04	1.53	22	<0.05	3.26	119	3.8	0.01	
C306811		0.04	1.72	21	0.07	3.19	115	4.8		<0.05
C306812		0.06	1.43	18	0.15	2.85	103	3.1		0.57
C306813		0.06	1.13	22	0.06	3.08	113	2.9	0.01	
C306814		0.05	1.49	16	0.08	3.26	113	4.2	0.01	
C306815		0.05	1.54	21	23.3	3.27	136	3.0	0.50	
C306816		0.06	1.67	18	0.18	3.64	113	2.3	<0.01	
C306817		0.07	1.73	21	0.18	3.65	143	3.8	0.12	
C306818		0.05	1.13	22	0.12	3.42	123	3.9	0.02	
C306819		<0.02	0.19	2	<0.05	1.10	3	4.3	<0.01	
C306820		0.04	1.06	19	50.2	4.38	107	2.8	0.10	
C306821		0.05	1.46	15	1.29	3.10	88	3.0	0.12	
C306822		0.05	1.19	16	0.52	3.34	95	2.9	0.07	
C306823		0.04	1.28	15	0.11	2.48	94	2.1	<0.01	
C306824		0.55	1.33	67	0.41	9.23	78	27.3	1.61	
C306825		0.04	1.15	19	0.10	2.61	118	2.5	0.01	
C306826		0.09	0.97	20	0.07	2.67	107	2.7	0.01	
C306827		0.04	1.04	18	<0.05	2.95	104	2.8	0.03	
C306828		0.05	1.09	20	<0.05	3.02	104	2.9	0.01	
C306829		0.04	1.11	19	<0.05	2.70	106	2.6	0.01	
C306830		0.04	1.08	24	<0.05	2.90	103	3.6	0.01	
C306831		0.04	1.43	21	<0.05	3.00	115	3.7	0.01	
C306832		0.03	1.18	23	<0.05	3.41	104	3.5	0.01	
C306833		0.05	1.33	19	<0.05	3.66	102	3.3	0.03	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306834		2.63	0.05	3.22	1.6	<0.02	<10	30	0.63	1.57	0.58	<0.01	46.0	23.2	41	1.87
C306835		2.28	0.01	2.85	2.8	<0.02	<10	40	0.57	0.35	0.23	0.01	61.2	18.8	38	1.88
C306836		2.66	0.08	3.17	3.4	<0.02	<10	40	0.54	0.73	0.89	0.02	34.7	25.2	39	1.85
C306837		3.06	0.16	2.62	10.0	<0.02	<10	30	0.60	0.74	0.23	0.02	58.1	19.8	35	2.69
C306838		2.22	0.04	2.85	4.1	<0.02	<10	40	0.59	0.29	0.11	0.01	75.8	17.9	37	2.41
C306839		2.67	0.12	2.76	14.0	<0.02	<10	30	0.52	0.95	0.12	0.01	38.5	26.9	35	2.41
C306840		3.67	0.03	3.00	1.8	<0.02	<10	30	0.56	0.24	0.12	0.01	61.2	20.1	37	2.50
C306841		1.21	0.07	2.35	1.3	<0.02	<10	30	0.49	0.51	0.39	0.01	47.4	14.8	30	2.12
C306842		0.07	0.13	2.47	358	1.51	<10	90	1.06	0.30	0.20	0.03	53.2	12.8	103	7.86
C306843		3.83	0.04	3.08	0.5	<0.02	<10	40	0.59	0.37	0.14	0.01	66.4	18.3	37	2.67
C306844		6.64	0.06	3.15	6.2	<0.02	<10	30	0.47	0.88	0.13	0.02	36.1	24.2	39	2.31
C306845		5.95	0.03	3.06	4.3	<0.02	<10	30	0.57	1.17	0.11	0.01	41.6	20.5	38	2.33



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 – B
Total # Pages: 4 (A – D)
Plus Appendix Pages
Finalized Date: 6–MAR–2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306834		40.7	5.58	9.68	0.11	0.08	<0.01	0.023	0.17	24.5	86.5	1.27	1220	<0.05	0.05
C306835		36.2	4.66	8.08	0.11	0.09	<0.01	0.018	0.19	31.3	71.8	1.05	916	0.05	0.05
C306836		105.0	5.78	9.38	0.09	0.08	<0.01	0.030	0.15	17.8	84.9	1.25	1440	0.81	0.05
C306837		28.5	4.35	7.26	0.11	0.12	<0.01	0.019	0.17	30.7	69.2	0.90	824	0.56	0.06
C306838		16.4	4.60	7.75	0.12	0.10	<0.01	0.016	0.22	40.6	71.9	0.95	790	0.22	0.07
C306839		35.4	5.05	7.49	0.08	0.09	<0.01	0.018	0.14	19.9	73.6	1.03	834	0.48	0.05
C306840		24.9	5.19	8.60	0.11	0.10	<0.01	0.019	0.15	33.6	82.8	1.10	875	0.18	0.05
C306841		14.4	4.07	6.61	0.09	0.10	<0.01	0.018	0.13	25.1	62.4	0.85	824	0.26	0.04
C306842		23.9	3.44	7.45	0.11	0.70	0.01	0.022	0.99	28.3	33.1	1.27	214	0.52	0.06
C306843		27.7	4.98	8.53	0.10	0.09	<0.01	0.019	0.23	35.7	79.4	1.05	877	0.16	0.07
C306844		62.2	5.56	8.70	0.08	0.10	<0.01	0.024	0.16	19.6	85.7	1.14	886	1.40	0.05
C306845		35.8	5.25	8.19	0.09	0.11	<0.01	0.017	0.19	23.1	77.5	1.07	875	0.83	0.07



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306834		50.6	690	11.8	8.7	<0.001	0.24	0.17	4.0	<0.2	0.3	34.2	<0.01	0.04	16.7
C306835		38.3	360	2.8	9.5	<0.001	0.08	0.10	3.3	<0.2	0.3	33.1	<0.01	<0.01	16.4
C306836		42.9	540	9.7	7.6	<0.001	0.36	0.27	3.8	<0.2	0.3	43.6	<0.01	0.02	15.6
C306837		41.6	350	45.2	8.5	<0.001	0.07	0.08	2.8	<0.2	0.3	19.7	<0.01	0.01	17.8
C306838		40.3	360	10.2	10.5	<0.001	0.01	0.07	3.0	<0.2	0.3	17.8	<0.01	<0.01	17.5
C306839		43.4	410	29.4	6.8	<0.001	0.27	0.09	2.6	<0.2	0.2	13.8	<0.01	0.03	16.8
C306840		47.1	370	6.9	7.6	<0.001	0.02	0.07	3.0	<0.2	0.2	16.4	<0.01	0.01	18.3
C306841		35.1	340	22.1	6.4	<0.001	0.04	0.06	2.5	<0.2	0.2	20.1	<0.01	0.02	14.8
C306842		60.0	510	8.0	98.3	<0.001	0.07	262	6.3	<0.2	1.3	15.4	<0.01	0.02	12.8
C306843		42.5	310	14.2	11.2	<0.001	0.03	0.25	3.3	<0.2	0.3	20.7	<0.01	0.01	17.6
C306844		51.0	430	11.1	7.6	0.001	0.12	0.14	3.2	<0.2	0.2	15.2	<0.01	0.02	16.1
C306845		44.9	350	8.0	8.8	<0.001	0.14	0.11	3.1	<0.2	0.3	16.7	<0.01	0.03	15.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21019140

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C306834		0.04	1.65	26	<0.05	3.90	121	4.0	0.01	
C306835		0.04	1.11	22	<0.05	3.23	102	3.6	<0.01	
C306836		0.05	1.78	25	<0.05	3.29	134	3.3	0.01	
C306837		0.04	1.36	17	<0.05	3.11	106	4.0	0.01	
C306838		0.05	1.37	19	<0.05	3.47	101	4.8	<0.01	
C306839		0.03	1.49	18	<0.05	2.77	116	4.0	0.02	
C306840		0.03	1.50	19	<0.05	3.24	120	4.3	0.01	
C306841		0.03	1.14	16	<0.05	2.74	99	4.0	0.13	
C306842		0.56	1.37	67	0.43	9.60	78	27.7	1.54	
C306843		0.05	1.90	20	<0.05	3.27	117	3.8	0.01	
C306844		0.04	1.88	21	<0.05	3.03	131	5.6	0.01	
C306845		0.05	1.74	21	<0.05	3.14	114	4.7	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21019140

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41