



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

CERTIFICATE WH21022416

Project: Culvert - NUF

This report is for 91 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 29-JAN-2021.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306846		1.53	0.22	2.02	4360	2.32	<10	30	0.45	1.88	0.05	0.07	31.8	16.5	26	1.62
C306847		2.08	0.13	2.94	47.0	0.02	<10	40	0.54	0.76	0.18	0.05	48.9	18.2	35	1.86
C306848		3.21	0.45	2.67	33.9	<0.02	<10	30	0.44	1.31	0.13	0.03	46.2	21.3	35	1.78
C306849		5.14	0.08	2.89	10.8	<0.02	<10	40	0.63	0.20	0.23	0.04	89.3	20.7	37	2.01
C306850		3.47	0.02	3.23	10.0	<0.02	<10	30	0.47	0.04	0.15	0.02	94.5	22.2	40	1.86
C306851		3.99	0.02	3.17	6.3	<0.02	<10	30	0.53	0.04	0.10	0.02	94.0	21.7	40	2.18
C306852		0.19	0.01	0.06	1.4	<0.02	<10	10	<0.05	0.02	0.01	<0.01	4.51	0.4	2	0.09
C306853		4.71	0.05	2.95	7.4	<0.02	<10	30	0.61	0.93	0.13	0.03	89.7	25.3	38	2.20
C306854		5.47	0.04	2.94	6.0	<0.02	<10	30	0.52	0.16	0.14	0.04	82.9	22.5	37	1.79
C306855		3.79	0.17	3.22	16.3	<0.02	<10	40	0.55	1.34	0.32	0.15	84.1	25.8	40	1.81
C306856		4.06	0.06	2.95	5.9	<0.02	<10	40	0.62	0.49	0.09	0.02	67.0	19.0	37	1.91
C306857		4.62	0.04	2.99	11.3	<0.02	<10	40	0.61	0.52	0.08	0.01	84.6	24.8	37	2.06
C306858		2.08	0.03	3.29	13.7	0.02	<10	40	0.69	0.58	0.28	0.01	57.1	25.4	39	2.15
C306859		5.07	0.03	3.25	20.6	0.18	<10	30	0.74	0.55	0.32	0.01	74.4	26.7	38	2.17
C306860		2.64	0.11	3.18	10.4	<0.02	<10	20	1.02	0.58	4.67	0.11	39.3	15.6	29	1.24
C306861		2.35	0.75	3.06	13.8	0.02	<10	30	0.85	2.63	1.79	0.06	42.7	18.0	41	1.82
C306862		2.63	0.24	2.85	45.0	0.04	<10	40	0.90	0.82	0.31	0.02	84.7	20.7	33	2.19
C306863		2.41	0.08	2.67	120.0	0.36	<10	40	0.89	0.39	0.39	0.03	96.3	22.5	27	2.36
C306864		4.23	0.06	2.49	275	0.18	<10	40	0.87	0.49	0.24	0.01	86.2	22.3	27	2.18
C306865		2.79	0.05	2.54	115.5	0.12	<10	40	0.89	0.45	0.28	0.02	87.4	20.3	28	3.18
C306866		1.58	0.03	2.42	27.7	<0.02	<10	30	0.80	0.52	7.59	0.01	36.6	24.8	28	2.07
C306867		0.06	0.18	2.74	503	2.18	<10	110	1.22	0.32	0.24	0.04	64.8	13.1	101	7.52
C306868		4.45	0.25	3.71	19.1	3.57	<10	60	0.89	0.54	0.87	0.02	67.7	26.1	41	2.62
C306869		1.54	0.02	3.33	5.9	<0.02	<10	40	0.65	0.20	0.31	0.02	51.8	14.9	39	2.01
C306870		3.37	0.01	3.27	2.2	<0.02	<10	40	0.62	0.09	0.16	0.01	73.8	12.1	39	2.04
C306871		3.24	0.05	3.35	7.4	<0.02	<10	40	0.76	0.29	0.50	0.03	100.5	17.2	40	3.18
C306872		4.01	0.02	2.63	7.7	<0.02	<10	20	0.41	0.27	0.20	0.03	99.5	15.9	35	2.45
C306873		3.83	0.02	2.84	7.5	<0.02	<10	40	0.60	0.42	0.24	0.01	85.6	16.6	37	2.47
C306874		1.97	0.06	2.76	30.2	<0.02	<10	30	0.54	1.28	0.40	0.01	61.8	31.0	32	2.48
C306875		2.54	0.10	3.56	10.6	<0.02	<10	20	0.52	1.34	1.23	0.04	40.6	22.0	42	1.46
C306876		1.94	0.05	3.28	14.9	<0.02	<10	40	0.54	0.31	0.39	0.03	79.9	19.9	40	2.63
C306877		1.97	0.02	2.87	16.9	<0.02	<10	40	0.60	0.11	0.23	0.01	99.0	17.3	34	2.80
C306878		2.25	0.04	3.04	17.4	<0.02	<10	40	0.59	0.45	0.28	0.02	77.2	19.7	38	2.62
C306879		4.14	0.05	2.89	13.7	0.02	<10	40	0.62	0.84	0.66	0.01	69.7	23.7	36	2.34
C306880		2.01	0.07	3.10	17.0	<0.02	<10	30	0.80	0.45	0.69	0.02	74.1	19.8	36	2.60
C306881		2.65	0.02	2.89	13.0	<0.02	<10	40	0.58	0.15	0.12	0.02	80.7	16.6	38	3.06
C306882		2.51	0.02	2.85	13.0	<0.02	<10	40	0.63	0.03	0.16	0.01	118.0	15.3	36	3.05
C306883		5.16	0.07	3.42	6.7	<0.02	<10	40	0.56	0.97	0.18	0.03	71.5	22.8	41	2.92
C306884		0.06	0.15	2.72	356	1.56	<10	100	1.23	0.34	0.21	0.03	66.5	12.7	101	7.94
C306885		4.57	0.05	3.11	9.6	<0.02	<10	40	0.53	0.77	0.22	0.03	95.1	22.2	39	2.88



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306846		32.5	4.21	6.10	0.07	0.16	<0.01	0.019	0.15	16.6	54.6	0.72	697	0.21	0.03
C306847		48.4	5.59	8.97	0.10	0.20	<0.01	0.025	0.17	25.5	82.1	1.13	1080	0.74	0.04
C306848		35.3	4.86	7.88	0.09	0.16	<0.01	0.020	0.15	24.2	76.0	1.02	1150	0.25	0.04
C306849		89.6	4.89	8.53	0.14	0.18	<0.01	0.029	0.17	44.9	82.0	1.11	1500	0.65	0.04
C306850		21.6	5.56	9.70	0.14	0.09	<0.01	0.022	0.16	48.1	92.7	1.27	1400	0.13	0.04
C306851		33.8	5.38	9.47	0.14	0.16	<0.01	0.019	0.18	47.6	91.2	1.24	1320	0.06	0.04
C306852		0.6	0.27	0.24	<0.05	0.13	<0.01	<0.005	0.01	2.2	1.1	0.01	34	0.18	<0.01
C306853		44.9	4.94	8.62	0.14	0.11	<0.01	0.023	0.18	46.2	80.8	1.13	1600	0.28	0.04
C306854		74.5	5.00	8.53	0.12	0.09	<0.01	0.022	0.17	41.9	80.7	1.15	1220	0.56	0.03
C306855		161.5	5.59	9.51	0.13	0.13	<0.01	0.035	0.16	43.5	88.1	1.28	1390	<0.05	0.03
C306856		34.9	4.98	8.59	0.10	0.11	<0.01	0.019	0.21	34.2	88.0	1.09	979	0.87	0.04
C306857		37.6	5.22	8.92	0.13	0.13	<0.01	0.020	0.20	44.5	90.3	1.13	957	0.30	0.04
C306858		37.3	5.78	9.61	0.11	0.13	<0.01	0.020	0.23	30.2	99.8	1.24	1080	0.18	0.04
C306859		41.7	5.81	9.16	0.11	0.15	<0.01	0.020	0.21	38.8	96.3	1.25	1440	0.14	0.04
C306860		45.5	5.87	9.36	0.09	0.10	<0.01	0.031	0.14	19.1	92.3	1.26	5130	0.13	0.04
C306861		95.1	5.82	9.26	0.09	0.13	0.01	0.032	0.19	23.0	89.5	1.18	2380	0.11	0.03
C306862		41.2	5.07	8.29	0.14	0.14	<0.01	0.019	0.24	43.6	78.3	1.08	1380	0.17	0.03
C306863		37.2	5.36	8.18	0.15	0.23	<0.01	0.022	0.23	48.4	77.4	1.08	1120	0.28	0.02
C306864		46.7	4.61	7.18	0.13	0.20	<0.01	0.019	0.24	46.4	69.2	0.97	954	0.18	0.02
C306865		33.2	4.75	7.76	0.12	0.16	<0.01	0.020	0.23	45.9	68.6	0.99	917	0.14	0.02
C306866		32.6	4.52	6.66	0.07	0.13	<0.01	0.015	0.17	20.7	65.1	0.91	2570	0.19	0.02
C306867		27.1	3.57	8.63	0.14	0.80	0.01	0.026	1.04	32.6	33.5	1.30	223	0.57	0.08
C306868		41.0	6.27	10.45	0.14	0.22	<0.01	0.024	0.36	34.1	95.6	1.33	1180	0.14	0.05
C306869		24.6	5.93	9.04	0.10	0.13	<0.01	0.018	0.22	26.5	86.9	1.28	1050	0.08	0.03
C306870		10.0	5.69	9.35	0.12	0.12	<0.01	0.018	0.22	38.9	94.5	1.23	947	0.07	0.03
C306871		28.5	5.76	10.10	0.15	0.14	<0.01	0.022	0.21	51.9	97.9	1.25	1060	0.14	0.04
C306872		17.3	4.82	7.95	0.15	0.10	<0.01	0.016	0.10	51.5	80.1	1.03	836	0.11	0.02
C306873		22.0	4.91	8.25	0.12	0.10	<0.01	0.018	0.20	43.7	81.8	1.05	828	0.20	0.04
C306874		43.8	5.17	7.94	0.10	0.13	<0.01	0.019	0.18	31.6	85.6	1.02	921	1.96	0.04
C306875		79.6	6.57	11.65	0.09	0.09	<0.01	0.047	0.10	20.8	117.0	1.46	1980	0.78	0.05
C306876		54.1	5.90	9.83	0.11	0.13	<0.01	0.020	0.18	41.3	92.1	1.24	1080	0.05	0.05
C306877		10.4	4.92	8.76	0.14	0.12	<0.01	0.020	0.20	52.8	83.0	1.04	875	0.05	0.04
C306878		24.9	5.22	9.05	0.12	0.09	<0.01	0.027	0.19	40.3	92.4	1.13	1040	0.15	0.04
C306879		44.3	5.25	9.05	0.12	0.11	<0.01	0.029	0.19	35.3	83.7	1.07	1270	0.79	0.05
C306880		25.9	5.34	9.43	0.11	0.12	0.01	0.027	0.17	38.2	92.9	1.15	1160	0.34	0.05
C306881		18.7	4.86	8.72	0.13	0.12	<0.01	0.017	0.20	43.3	81.7	1.04	814	<0.05	0.06
C306882		15.9	4.71	8.87	0.16	0.12	<0.01	0.017	0.20	62.9	80.9	1.01	745	<0.05	0.05
C306883		72.0	5.94	9.88	0.12	0.13	<0.01	0.027	0.21	37.2	96.3	1.26	888	0.22	0.06
C306884		25.6	3.54	8.49	0.12	0.82	0.01	0.027	1.03	35.1	37.5	1.29	213	0.60	0.08
C306885		49.8	5.30	9.09	0.14	0.13	<0.01	0.020	0.20	51.4	91.2	1.14	819	0.13	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
															Ti %
															0.005
C306846		33.5	250	9.8	8.7	<0.001	0.60	1.45	2.2	0.2	0.4	10.7	<0.01	0.04	12.6
C306847		38.3	310	12.0	9.7	0.001	0.23	0.12	3.3	0.2	0.5	13.4	<0.01	0.02	16.8
C306848		33.5	270	63.3	8.4	0.001	0.18	0.14	2.9	0.2	0.3	9.7	<0.01	0.03	14.2
C306849		48.4	340	7.7	10.0	0.001	0.02	0.07	3.2	<0.2	0.3	11.5	0.01	0.04	14.6
C306850		47.2	380	2.8	9.0	<0.001	<0.01	0.05	3.3	<0.2	0.2	10.3	<0.01	<0.01	14.3
C306851		43.8	290	2.2	9.7	<0.001	<0.01	0.05	3.3	<0.2	0.2	10.9	<0.01	<0.01	14.6
C306852		0.7	10	0.9	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.1	<0.01	<0.01	1.3
C306853		42.8	250	7.3	9.3	<0.001	0.01	0.12	3.0	<0.2	0.2	10.5	0.01	0.08	14.8
C306854		40.7	280	2.6	8.8	0.001	<0.01	0.06	3.0	<0.2	0.3	9.9	<0.01	0.01	14.1
C306855		46.9	650	7.2	8.8	<0.001	0.02	0.10	3.6	<0.2	0.4	12.1	0.01	0.05	14.7
C306856		41.1	280	6.9	10.8	0.001	0.06	0.40	2.9	<0.2	0.3	11.3	<0.01	0.02	14.8
C306857		39.5	290	5.9	10.2	<0.001	0.15	0.23	2.9	<0.2	0.2	10.5	<0.01	0.02	14.6
C306858		43.6	1060	7.6	12.0	<0.001	0.26	0.22	3.2	<0.2	0.3	15.3	0.01	0.03	14.9
C306859		47.8	440	7.2	10.6	<0.001	0.27	0.23	2.9	<0.2	0.4	14.0	<0.01	0.03	16.3
C306860		30.6	820	35.7	7.6	<0.001	0.38	0.26	4.8	0.2	0.6	67.7	<0.01	0.02	11.5
C306861		40.4	240	173.0	10.2	0.001	0.54	0.22	4.0	<0.2	0.4	34.9	<0.01	0.06	15.4
C306862		39.6	300	61.1	12.8	<0.001	0.30	0.28	3.0	<0.2	0.4	14.2	0.01	0.02	17.8
C306863		45.3	650	12.9	13.2	<0.001	0.88	0.38	3.0	<0.2	0.3	16.6	0.01	0.01	15.7
C306864		38.2	290	6.5	12.5	<0.001	0.44	0.32	2.8	<0.2	0.4	12.2	0.01	0.01	16.6
C306865		41.6	310	5.6	12.3	<0.001	0.50	0.27	2.9	<0.2	0.3	14.1	<0.01	0.02	16.3
C306866		34.9	280	3.8	8.9	<0.001	0.41	0.33	2.3	0.3	0.2	53.0	<0.01	0.02	12.7
C306867		61.6	530	10.0	95.0	0.001	0.11	378	6.2	<0.2	1.4	19.9	<0.01	0.02	13.8
C306868		51.7	2650	4.8	18.5	<0.001	0.32	0.58	3.7	<0.2	0.5	25.7	0.01	0.02	16.9
C306869		45.7	690	2.1	10.9	<0.001	0.13	0.21	2.9	<0.2	0.2	11.9	<0.01	0.01	16.3
C306870		45.2	350	1.8	10.7	<0.001	0.01	0.12	2.9	<0.2	0.2	11.1	<0.01	0.01	15.7
C306871		48.4	640	5.3	10.5	<0.001	0.03	0.23	3.5	<0.2	0.3	17.6	<0.01	0.02	17.7
C306872		43.4	410	2.1	5.3	<0.001	0.03	0.11	2.2	<0.2	0.2	8.3	<0.01	0.01	18.1
C306873		44.5	420	2.6	9.9	<0.001	0.04	0.13	2.7	<0.2	0.2	12.0	<0.01	0.01	16.8
C306874		43.1	350	8.4	9.2	0.003	0.37	0.40	2.7	<0.2	0.4	14.0	<0.01	0.02	17.1
C306875		38.8	360	18.3	5.5	0.001	0.45	0.30	5.9	0.2	0.6	26.6	<0.01	0.04	16.5
C306876		48.4	840	6.2	9.5	<0.001	0.15	0.20	3.3	<0.2	0.4	14.2	<0.01	0.01	19.4
C306877		45.1	380	3.9	10.5	<0.001	0.03	0.11	2.8	<0.2	0.4	14.5	<0.01	0.01	18.1
C306878		45.6	720	4.9	10.2	<0.001	0.07	0.21	2.9	<0.2	0.8	13.2	<0.01	0.03	18.5
C306879		36.5	380	11.4	10.4	<0.001	0.48	0.37	3.6	<0.2	0.6	19.4	0.01	0.02	17.1
C306880		45.0	450	10.5	8.8	<0.001	0.11	0.16	3.2	<0.2	0.6	25.2	<0.01	0.02	19.9
C306881		44.3	400	2.1	10.6	<0.001	0.03	0.15	2.9	<0.2	0.4	13.2	<0.01	0.01	19.8
C306882		44.9	330	2.2	10.2	<0.001	0.01	0.07	2.9	<0.2	0.3	15.1	<0.01	<0.01	19.2
C306883		52.0	670	4.5	11.1	<0.001	0.17	0.23	3.3	<0.2	0.3	14.9	<0.01	0.06	18.4
C306884		59.6	510	9.5	96.5	<0.001	0.08	259	5.9	<0.2	1.4	18.0	<0.01	0.02	14.3
C306885		45.3	540	4.0	9.9	<0.001	0.08	0.53	3.0	<0.2	0.3	14.0	<0.01	0.05	19.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01
C306846		0.06	1.00	14	0.23	3.09	84	6.6	2.64
C306847		0.05	1.52	22	0.20	4.21	113	8.7	0.07
C306848		0.05	1.15	19	0.09	3.90	93	6.9	0.02
C306849		0.05	0.81	21	0.05	5.94	130	4.8	0.01
C306850		0.04	0.79	22	<0.05	5.41	120	4.0	<0.01
C306851		0.05	0.76	22	<0.05	5.16	116	4.2	<0.01
C306852		<0.02	0.18	1	<0.05	0.90	2	3.2	<0.01
C306853		0.06	0.89	20	<0.05	5.86	114	4.5	<0.01
C306854		0.05	0.69	20	<0.05	7.34	118	3.9	<0.01
C306855		0.05	0.91	23	0.06	8.24	132	4.3	0.04
C306856		0.06	1.06	21	0.06	5.80	103	5.1	<0.01
C306857		0.06	1.04	20	0.06	5.41	110	5.5	<0.01
C306858		0.07	1.26	21	0.06	6.72	114	6.8	0.12
C306859		0.05	1.41	20	0.09	7.16	117	7.2	0.11
C306860		0.04	1.75	24	0.13	12.20	122	4.3	0.07
C306861		0.06	2.50	26	58.7	7.79	120	5.3	0.31
C306862		0.08	1.61	19	0.24	11.00	101	6.3	0.21
C306863		0.07	2.28	17	0.35	14.85	101	7.4	0.91
C306864		0.07	1.73	16	0.22	12.20	90	7.3	0.43
C306865		0.07	1.67	17	0.21	11.60	98	7.7	0.80
C306866		0.05	3.29	14	0.10	20.2	87	5.5	0.11
C306867		0.61	1.57	67	0.58	10.25	78	30.0	2.18
C306868		0.11	1.60	24	0.19	13.20	127	7.8	0.18
C306869		0.06	1.29	22	0.16	7.51	120	6.4	0.05
C306870		0.06	0.93	21	0.06	6.62	113	5.7	<0.01
C306871		0.06	1.15	23	0.05	9.19	115	6.5	<0.01
C306872		0.03	1.02	17	<0.05	6.19	112	4.2	<0.01
C306873		0.05	1.28	19	0.08	5.69	104	4.8	<0.01
C306874		0.05	1.70	19	0.05	4.71	104	5.6	0.01
C306875		0.03	1.88	34	0.17	7.57	163	4.6	<0.01
C306876		0.06	1.82	22	<0.05	8.46	124	5.9	<0.01
C306877		0.06	1.49	18	<0.05	6.89	106	5.0	0.01
C306878		0.06	1.35	20	<0.05	7.71	127	4.6	0.01
C306879		0.06	1.56	22	0.21	7.31	121	5.4	0.03
C306880		0.05	1.51	22	<0.05	6.91	132	5.3	<0.01
C306881		0.06	1.60	18	<0.05	5.80	106	6.0	0.01
C306882		0.06	1.37	18	0.05	6.83	97	5.9	0.25
C306883		0.06	1.69	23	<0.05	5.58	129	6.1	<0.01
C306884		0.63	1.64	67	0.52	10.15	77	30.5	1.60
C306885		0.06	1.75	20	<0.05	6.27	119	6.2	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306886		4.15	0.07	2.93	10.1	<0.02	<10	40	0.53	1.49	0.14	0.03	79.0	22.4	39	3.09
C306887		5.95	0.03	3.00	15.1	<0.02	<10	30	0.48	0.78	0.12	0.02	62.8	20.2	40	2.86
C306888		2.01	0.09	2.87	15.5	<0.02	<10	40	0.68	1.29	0.80	0.05	82.9	18.8	35	2.29
C306889		2.33	0.11	3.00	13.2	<0.02	<10	60	0.57	0.69	2.31	1.08	34.5	21.0	41	2.21
C306890		3.23	0.16	3.02	23.5	<0.02	<10	50	0.50	0.26	0.63	0.12	51.7	24.5	38	1.85
C306891		3.87	0.08	2.95	16.9	<0.02	<10	40	0.57	0.15	0.42	0.06	52.9	24.6	37	1.94
C306892		2.42	0.06	2.80	5.0	<0.02	<10	30	0.54	0.16	0.27	0.04	58.7	24.4	36	1.83
C306893		3.52	0.04	2.97	1.2	<0.02	<10	40	0.57	0.32	0.39	0.04	87.3	23.5	38	1.69
C306894		1.75	0.02	2.88	5.5	<0.02	<10	30	0.59	0.17	0.34	0.02	86.6	26.4	38	1.52
C306895		5.34	0.02	2.91	4.3	<0.02	<10	30	0.59	0.08	0.29	0.02	82.2	24.9	37	1.64
C306896		4.92	0.03	2.96	5.6	<0.02	<10	30	0.54	0.06	0.33	0.04	63.7	23.8	37	1.52
C306897		1.94	0.09	3.13	8.7	<0.02	<10	30	0.63	0.15	0.44	0.06	76.0	24.9	36	1.54
C306898		5.14	0.08	3.08	5.8	<0.02	<10	30	0.63	0.16	0.49	0.07	80.7	24.4	40	1.89
C306899		1.63	0.20	2.99	7.8	<0.02	<10	30	0.63	0.62	0.43	0.11	74.9	25.9	38	1.89
C306900		6.60	0.04	2.96	9.7	<0.02	<10	30	0.57	0.29	0.33	0.03	74.5	23.3	37	1.84
C306901		4.66	0.03	2.74	5.8	<0.02	<10	30	0.64	0.13	0.54	0.04	79.3	21.1	36	1.93
C306902		5.00	0.03	2.97	7.3	<0.02	<10	30	0.69	0.06	0.21	0.03	94.7	24.8	38	2.27
C306903		6.14	0.01	3.15	4.2	<0.02	<10	30	0.73	0.03	0.15	0.02	95.7	24.5	39	2.32
C306904		4.49	0.02	3.13	5.2	<0.02	<10	30	0.63	0.07	0.44	0.03	93.0	22.5	39	2.14
C306905		2.25	0.06	3.03	9.3	<0.02	<10	40	0.80	0.19	0.47	0.08	88.8	26.4	37	2.38
C306906		5.64	0.05	3.14	14.0	<0.02	<10	40	0.63	0.54	0.38	0.03	84.4	29.4	39	1.93
C306907		0.15	0.01	0.06	1.3	<0.02	<10	10	<0.05	0.03	0.03	<0.01	6.76	0.6	3	0.11
C306908		4.98	0.06	3.03	14.8	<0.02	<10	40	0.71	0.18	0.19	0.04	93.2	28.8	37	2.31
C306909		5.26	0.03	3.03	10.3	<0.02	<10	30	0.59	0.33	0.19	0.02	71.7	25.0	37	2.13
C306910		2.47	0.03	2.99	8.9	<0.02	<10	20	0.54	0.30	0.66	0.01	50.5	19.8	36	2.14
C306911		4.53	0.07	2.90	12.1	<0.02	<10	40	0.70	0.72	0.41	0.02	50.4	32.0	37	2.64
C306912		2.60	0.05	3.09	3.4	<0.02	<10	30	0.69	0.32	0.26	0.02	61.1	25.5	38	2.64
C306913		3.64	0.03	2.98	1.4	<0.02	<10	30	0.69	0.44	0.11	0.02	57.6	22.3	37	2.49
C306914		4.22	0.07	2.89	1.6	<0.02	<10	30	0.68	0.56	0.20	0.02	57.0	24.6	37	2.54
C306915		2.19	0.08	3.20	2.7	<0.02	<10	30	0.65	0.59	0.26	0.02	49.7	19.1	40	2.33
C306916		4.40	0.02	3.16	1.6	<0.02	<10	40	0.65	0.18	0.20	0.01	72.4	16.3	39	2.41
C306917		3.80	0.05	2.64	19.5	<0.02	<10	30	0.71	0.87	0.34	0.01	52.7	36.4	34	2.66
C306918		3.69	0.09	2.72	19.3	<0.02	<10	30	0.65	0.87	0.34	0.01	47.2	28.7	35	2.24
C306919		1.47	0.03	3.02	9.6	<0.02	<10	30	0.75	0.29	0.13	0.01	65.8	14.0	37	2.83
C306920		1.87	0.08	2.43	28.7	0.06	<10	30	0.76	2.53	0.21	0.01	36.6	23.9	24	2.88
C306921		2.89	0.04	2.64	25.2	<0.02	<10	30	0.73	0.97	0.11	0.01	58.7	19.1	33	2.96
C306922		0.06	0.15	2.52	348	1.62	<10	90	1.27	0.34	0.20	0.03	62.0	13.2	99	8.50
C306923		3.94	0.02	2.78	30.3	<0.02	<10	30	0.64	0.22	0.13	0.01	43.0	21.2	33	2.96
C306924		1.95	0.12	2.22	17.6	0.51	<10	20	0.48	2.70	0.88	0.03	29.3	16.8	27	1.86
C306925		4.40	0.04	2.86	43.5	<0.02	<10	30	0.78	1.91	0.11	0.01	58.6	23.6	32	3.39



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306886		70.1	5.04	8.60	0.12	0.12	<0.01	0.020	0.20	42.2	89.9	1.05	787	0.65	0.06
C306887		34.8	5.29	8.81	0.11	0.12	<0.01	0.021	0.16	32.8	91.0	1.13	903	0.21	0.05
C306888		106.0	5.09	8.61	0.13	0.12	<0.01	0.044	0.18	42.3	85.8	1.06	1240	0.27	0.05
C306889		225	5.97	9.51	0.08	0.12	<0.01	0.128	0.16	18.4	88.0	1.10	2280	0.12	0.06
C306890		191.0	5.22	8.70	0.09	0.09	<0.01	0.030	0.17	26.2	91.6	1.14	1210	0.21	0.04
C306891		128.5	5.00	8.45	0.08	0.09	<0.01	0.029	0.19	26.7	87.6	1.09	1160	<0.05	0.04
C306892		110.0	4.84	8.70	0.09	0.08	<0.01	0.023	0.16	30.7	89.9	1.09	1120	0.07	0.03
C306893		75.6	4.98	8.85	0.12	0.08	<0.01	0.026	0.18	43.2	85.9	1.17	1360	0.05	0.04
C306894		22.8	4.99	9.09	0.11	0.08	<0.01	0.020	0.15	45.5	93.8	1.15	1330	0.07	0.03
C306895		28.7	4.98	8.84	0.10	0.12	<0.01	0.019	0.16	41.4	87.6	1.16	1300	<0.05	0.03
C306896		51.4	5.08	8.30	0.08	0.08	<0.01	0.020	0.16	33.5	83.6	1.19	1390	<0.05	0.03
C306897		141.0	5.48	9.57	0.10	0.08	<0.01	0.030	0.15	38.8	96.0	1.26	1510	0.47	0.04
C306898		108.0	5.25	10.10	0.11	0.09	<0.01	0.028	0.17	40.7	102.5	1.21	1510	1.06	0.04
C306899		264	5.20	9.72	0.11	0.08	<0.01	0.059	0.16	38.9	103.0	1.18	1450	3.80	0.04
C306900		35.6	5.14	9.31	0.10	0.11	<0.01	0.027	0.15	38.8	94.2	1.18	1460	0.26	0.03
C306901		49.2	4.65	8.65	0.10	0.09	<0.01	0.020	0.16	40.6	90.5	1.07	1520	0.84	0.04
C306902		48.4	5.12	10.10	0.12	0.10	<0.01	0.024	0.15	52.6	105.5	1.16	1290	0.57	0.04
C306903		16.6	5.39	10.80	0.12	0.10	<0.01	0.021	0.18	50.2	109.0	1.22	1250	0.30	0.04
C306904		34.3	5.37	9.53	0.10	0.09	<0.01	0.022	0.17	47.6	101.5	1.23	1410	0.58	0.04
C306905		125.0	5.09	10.10	0.11	0.14	<0.01	0.035	0.18	45.9	105.0	1.16	1360	0.73	0.04
C306906		54.9	5.43	10.40	0.11	0.08	<0.01	0.029	0.17	43.8	107.5	1.24	1190	<0.05	0.03
C306907		1.7	0.36	0.37	<0.05	0.18	<0.01	<0.005	0.01	3.4	1.5	0.01	47	0.32	<0.01
C306908		70.7	5.28	9.95	0.11	0.12	<0.01	0.026	0.17	49.5	97.2	1.15	1040	1.04	0.04
C306909		30.4	5.40	9.76	0.09	0.12	<0.01	0.024	0.17	37.8	98.9	1.14	1060	0.26	0.04
C306910		28.6	5.58	9.87	0.08	0.10	<0.01	0.027	0.12	26.7	101.5	1.17	1620	0.20	0.03
C306911		57.8	5.35	9.13	0.08	0.12	<0.01	0.026	0.19	26.9	92.1	1.09	1380	0.31	0.05
C306912		47.7	5.67	10.35	0.09	0.14	<0.01	0.025	0.15	32.6	105.5	1.20	1260	0.27	0.04
C306913		37.2	5.40	9.22	0.08	0.10	<0.01	0.022	0.17	30.2	89.8	1.13	1090	0.08	0.04
C306914		36.3	5.31	9.00	0.09	0.12	<0.01	0.024	0.17	30.4	95.4	1.12	1200	0.12	0.05
C306915		44.0	5.93	9.87	0.08	0.10	<0.01	0.024	0.16	25.9	102.5	1.26	1290	0.14	0.04
C306916		51.9	5.67	9.71	0.10	0.10	<0.01	0.030	0.17	38.4	95.8	1.20	1170	0.10	0.04
C306917		53.0	5.08	8.12	0.07	0.12	<0.01	0.020	0.16	26.5	82.2	0.99	1320	0.34	0.04
C306918		36.8	5.14	7.32	0.07	0.11	<0.01	0.021	0.17	25.2	79.8	1.05	1460	0.24	0.04
C306919		33.5	5.40	9.57	0.09	0.11	<0.01	0.026	0.18	35.9	101.0	1.16	1180	0.14	0.04
C306920		63.5	4.80	7.48	0.07	0.10	<0.01	0.032	0.14	19.5	77.3	0.93	975	0.47	0.03
C306921		24.9	4.65	8.41	0.08	0.11	<0.01	0.022	0.18	31.6	80.3	0.93	842	0.78	0.04
C306922		25.7	3.46	8.38	0.12	0.76	<0.01	0.025	0.98	32.8	37.1	1.26	207	0.54	0.07
C306923		17.7	5.09	8.77	0.08	0.12	<0.01	0.020	0.14	23.9	87.7	1.01	794	0.14	0.04
C306924		99.1	4.42	6.69	0.07	0.08	<0.01	0.026	0.11	16.0	71.8	0.89	1140	1.48	0.03
C306925		55.3	5.24	9.11	0.08	0.12	<0.01	0.025	0.17	31.3	87.4	1.01	787	0.12	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306886		42.5	390	4.8	10.2	<0.001	0.13	0.26	2.9	<0.2	0.3	13.3	<0.01	0.05	19.4
C306887		44.2	380	3.0	8.5	<0.001	0.08	0.17	2.9	<0.2	0.3	10.8	<0.01	0.03	17.9
C306888		36.4	360	10.5	9.6	<0.001	0.47	1.03	3.3	<0.2	0.7	22.7	<0.01	0.05	18.9
C306889		36.7	330	7.7	8.4	0.001	0.93	0.17	4.4	0.3	0.8	43.5	<0.01	0.02	16.7
C306890		42.5	700	2.9	9.0	<0.001	0.04	0.08	3.2	<0.2	0.4	13.7	<0.01	0.06	14.6
C306891		40.7	360	4.0	9.8	<0.001	0.03	0.08	3.0	<0.2	0.3	12.2	0.02	0.05	14.4
C306892		41.7	340	3.2	8.6	<0.001	0.01	0.07	3.2	0.2	0.2	11.7	<0.01	0.02	14.3
C306893		39.4	390	3.1	8.5	<0.001	<0.01	0.05	3.0	<0.2	0.2	17.7	<0.01	0.02	15.3
C306894		44.0	280	2.0	7.7	<0.001	0.01	0.06	3.3	0.2	0.2	13.5	<0.01	0.01	15.5
C306895		42.8	310	2.8	7.8	<0.001	<0.01	0.08	3.3	<0.2	0.2	13.4	<0.01	0.01	15.2
C306896		39.6	340	2.6	7.6	<0.001	<0.01	0.10	3.1	<0.2	0.2	11.9	<0.01	0.01	13.9
C306897		44.4	290	4.9	7.6	<0.001	0.01	0.12	3.9	0.3	0.3	14.8	0.01	0.02	14.8
C306898		45.4	460	4.4	9.3	<0.001	0.02	0.09	4.1	0.3	0.3	15.1	<0.01	0.02	15.7
C306899		44.8	260	9.4	8.9	<0.001	0.06	0.15	3.8	0.2	0.4	14.5	<0.01	0.11	16.4
C306900		42.8	320	4.6	8.0	<0.001	0.03	0.08	3.6	<0.2	0.3	12.8	<0.01	0.01	14.6
C306901		40.2	250	3.1	8.7	<0.001	0.01	0.07	3.4	0.2	0.3	14.4	<0.01	0.02	15.5
C306902		46.8	270	3.8	8.8	<0.001	0.01	0.06	3.7	0.2	0.2	13.6	<0.01	0.01	17.4
C306903		47.1	280	2.6	10.2	<0.001	<0.01	0.07	4.0	<0.2	0.3	13.5	<0.01	<0.01	17.4
C306904		42.7	290	3.6	8.4	<0.001	0.01	0.07	3.5	<0.2	0.2	14.4	<0.01	0.01	14.9
C306905		48.4	650	6.1	10.8	<0.001	0.03	0.10	3.8	0.2	0.3	17.5	<0.01	0.02	17.4
C306906		48.5	370	5.3	9.9	<0.001	0.02	0.08	3.9	<0.2	0.3	14.4	<0.01	0.02	15.7
C306907		1.4	20	2.4	1.1	<0.001	<0.01	0.07	0.3	<0.2	<0.2	1.8	<0.01	<0.01	1.6
C306908		48.4	310	3.0	9.7	<0.001	<0.01	0.09	3.8	<0.2	0.3	13.7	<0.01	0.04	17.2
C306909		45.8	300	7.1	9.2	<0.001	0.10	0.10	3.8	0.2	0.3	12.7	<0.01	0.03	17.2
C306910		47.2	590	9.2	6.7	<0.001	0.15	0.11	3.9	0.2	0.4	20.3	<0.01	0.01	15.3
C306911		49.7	280	25.7	10.5	<0.001	0.47	0.25	4.0	0.2	0.3	16.4	<0.01	0.04	16.0
C306912		52.5	480	17.1	8.7	<0.001	0.28	0.18	4.0	0.2	0.3	14.2	<0.01	0.02	16.2
C306913		43.6	240	11.4	9.1	<0.001	0.31	0.13	3.7	0.2	0.2	11.2	<0.01	0.03	15.2
C306914		44.2	210	21.5	8.8	<0.001	0.33	0.15	4.0	0.2	0.2	11.3	<0.01	0.02	15.5
C306915		45.9	510	21.5	8.5	<0.001	0.33	0.18	4.0	0.3	0.3	12.2	<0.01	0.04	14.4
C306916		47.2	380	5.1	8.9	<0.001	0.09	0.09	3.9	<0.2	0.3	12.3	<0.01	0.01	16.1
C306917		48.8	210	12.0	8.7	0.001	0.48	0.26	3.6	0.3	0.2	15.4	<0.01	0.06	15.1
C306918		40.7	230	21.1	8.2	<0.001	0.37	0.15	3.3	0.2	0.3	14.1	<0.01	0.03	14.5
C306919		52.6	250	6.0	9.8	<0.001	0.14	0.09	3.5	<0.2	0.5	12.8	<0.01	<0.01	17.0
C306920		42.8	370	16.6	7.9	<0.001	0.47	0.32	3.2	0.3	0.5	15.6	<0.01	0.04	17.5
C306921		41.4	290	6.9	9.9	<0.001	0.16	0.13	3.0	<0.2	0.3	14.8	<0.01	0.02	18.8
C306922		62.1	510	8.9	100.5	<0.001	0.07	241	6.7	0.2	1.4	18.3	<0.01	0.01	13.5
C306923		48.4	430	4.0	7.8	<0.001	0.16	0.40	3.0	0.2	0.3	13.7	<0.01	0.02	16.7
C306924		30.5	320	13.2	5.9	0.001	0.28	0.19	3.1	0.3	0.3	27.8	<0.01	0.03	11.7
C306925		50.0	380	4.8	9.7	<0.001	0.15	0.18	3.3	<0.2	0.4	16.5	<0.01	0.03	21.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01
C306886		0.06	1.66	19	<0.05	5.80	105	5.7	<0.01
C306887		0.05	1.56	19	<0.05	5.33	119	5.5	0.01
C306888		0.08	1.58	21	0.06	11.60	128	5.3	0.01
C306889		0.05	1.78	29	48.4	9.31	181	4.8	0.38
C306890		0.06	0.78	22	0.07	6.59	110	3.6	<0.01
C306891		0.06	0.81	21	0.06	6.15	104	4.3	<0.01
C306892		0.05	0.66	19	0.07	6.97	103	3.2	<0.01
C306893		0.05	0.69	20	<0.05	8.10	111	3.5	<0.01
C306894		0.05	0.73	19	<0.05	6.43	104	3.8	<0.01
C306895		0.06	0.82	20	0.05	7.14	105	3.5	<0.01
C306896		0.05	0.72	20	<0.05	6.21	110	3.4	<0.01
C306897		0.05	0.76	23	<0.05	6.69	117	3.2	<0.01
C306898		0.05	0.84	23	0.05	9.34	111	3.8	<0.01
C306899		0.06	0.83	22	0.05	7.90	118	3.3	<0.01
C306900		0.05	0.82	22	<0.05	7.73	108	3.2	<0.01
C306901		0.06	0.83	20	<0.05	8.96	95	3.6	<0.01
C306902		0.05	0.90	20	<0.05	6.89	101	4.1	<0.01
C306903		0.06	0.93	21	<0.05	6.80	106	4.0	<0.01
C306904		0.05	1.38	22	<0.05	6.54	108	3.8	<0.01
C306905		0.07	0.90	21	<0.05	5.64	111	4.3	<0.01
C306906		0.07	0.93	23	<0.05	4.55	119	3.5	<0.01
C306907		<0.02	0.27	1	<0.05	1.32	2	4.4	<0.01
C306908		0.06	1.09	21	<0.05	4.91	108	4.8	<0.01
C306909		0.05	1.31	21	<0.05	4.54	110	4.8	<0.01
C306910		0.04	1.27	21	<0.05	5.04	118	4.0	0.02
C306911		0.07	1.29	21	<0.05	4.14	99	5.3	<0.01
C306912		0.05	1.18	22	<0.05	4.61	108	5.6	<0.01
C306913		0.06	1.44	21	<0.05	3.83	100	4.7	<0.01
C306914		0.05	1.44	20	<0.05	3.82	102	5.1	<0.01
C306915		0.05	1.19	23	<0.05	3.85	114	4.6	<0.01
C306916		0.05	1.13	22	<0.05	4.02	109	4.5	<0.01
C306917		0.06	1.62	18	<0.05	3.88	91	4.5	<0.01
C306918		0.05	1.49	19	0.07	3.45	94	4.4	<0.01
C306919		0.06	2.15	20	0.11	3.90	111	4.1	<0.01
C306920		0.06	2.63	16	0.10	3.49	104	4.2	0.14
C306921		0.06	1.66	17	0.06	3.54	103	4.8	0.01
C306922		0.65	1.59	66	0.46	10.25	75	29.0	1.59
C306923		0.05	1.48	18	0.05	3.61	109	5.4	0.01
C306924		0.04	2.42	14	0.16	4.21	103	3.2	0.41
C306925		0.06	1.86	17	0.09	3.90	110	4.9	0.12



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
C306926		2.76	0.13	3.01	34.7	0.04	<10	20	0.86	2.81	0.85	0.02	20.2	35.9	27	2.61
C306927		3.46	0.02	2.95	44.4	<0.02	<10	40	0.69	0.18	0.16	0.01	68.5	25.3	33	3.48
C306928		3.79	0.01	2.46	30.2	<0.02	<10	30	0.64	0.16	0.13	<0.01	62.4	20.1	28	2.83
C306929		1.64	0.02	2.62	3.9	<0.02	<10	30	0.58	0.83	0.10	0.01	56.5	14.7	35	2.01
C306930		4.33	0.04	2.36	0.5	<0.02	<10	30	0.83	0.57	0.18	0.01	63.7	22.5	31	2.75
C306931		4.27	0.01	2.53	0.3	<0.02	<10	40	0.80	0.40	0.22	0.01	43.3	18.5	34	2.57
C306932		3.29	0.02	2.26	0.2	<0.02	<10	20	0.67	0.43	0.18	0.01	42.1	20.8	30	2.98
C306933		2.95	0.03	2.46	0.1	<0.02	<10	30	0.75	0.37	0.15	0.01	63.7	21.8	31	3.25
C306934		4.97	0.01	2.20	0.2	<0.02	<10	40	0.70	0.46	0.14	<0.01	72.6	18.4	33	3.07
C306935		6.08	0.01	1.98	0.2	<0.02	<10	180	0.68	0.73	0.13	<0.01	55.0	16.1	32	3.10
C306936		2.11	0.07	2.46	0.1	<0.02	<10	30	0.71	0.91	0.18	0.01	72.7	22.0	31	3.25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 – B
 Total # Pages: 4 (A – D)
 Plus Appendix Pages
 Finalized Date: 23–MAR–2021
 Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306926		152.0	7.18	10.40	0.06	0.14	<0.01	0.040	0.12	11.0	97.3	1.23	1880	0.07	0.03
C306927		10.6	5.36	9.17	0.09	0.12	<0.01	0.032	0.19	36.4	86.7	1.08	946	<0.05	0.04
C306928		3.1	4.55	6.87	0.07	0.12	<0.01	0.018	0.16	32.7	70.0	0.85	801	0.07	0.04
C306929		2.0	5.28	6.39	0.06	0.07	<0.01	0.013	0.17	28.9	57.2	0.73	774	<0.05	0.04
C306930		47.8	4.10	7.13	0.07	0.10	<0.01	0.017	0.17	33.2	58.0	0.98	1120	0.05	0.04
C306931		8.0	4.99	7.35	0.05	0.08	<0.01	0.016	0.17	21.9	55.4	0.86	854	0.05	0.05
C306932		28.8	4.12	6.51	0.05	0.09	<0.01	0.012	0.09	21.9	86.1	1.03	809	0.05	0.03
C306933		48.3	4.01	7.24	0.07	0.10	<0.01	0.015	0.16	32.6	87.5	1.09	927	0.07	0.05
C306934		5.6	4.72	6.61	0.08	0.10	<0.01	0.013	0.14	37.0	82.9	0.88	797	0.09	0.04
C306935		10.8	4.83	5.90	0.07	0.10	<0.01	0.011	0.14	27.9	72.8	0.75	720	0.09	0.04
C306936		58.8	4.15	7.11	0.08	0.09	<0.01	0.014	0.14	37.2	92.0	1.10	1200	0.07	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C306926		47.8	220	21.3	7.2	<0.001	1.53	0.82	5.6	0.5	0.7	20.3	<0.01	0.08	12.9
C306927		49.2	320	3.2	10.8	<0.001	0.15	0.09	3.1	<0.2	0.5	13.6	<0.01	0.01	21.1
C306928		40.9	260	4.2	7.9	<0.001	0.07	0.08	2.3	<0.2	0.3	9.7	<0.01	0.01	15.7
C306929		33.7	310	5.4	7.4	<0.001	0.05	0.06	2.1	<0.2	<0.2	7.5	<0.01	0.01	14.2
C306930		43.3	270	5.3	9.0	<0.001	0.11	0.08	2.6	<0.2	0.2	11.9	<0.01	0.01	17.4
C306931		40.8	290	5.8	9.2	<0.001	0.18	0.13	2.7	<0.2	0.2	13.6	<0.01	0.02	13.4
C306932		44.0	270	1.0	5.1	<0.001	0.02	0.07	2.0	<0.2	<0.2	9.2	<0.01	0.08	16.7
C306933		42.8	260	1.5	8.9	<0.001	0.01	0.08	2.3	<0.2	0.2	13.4	<0.01	0.01	16.5
C306934		37.9	300	1.6	8.1	<0.001	<0.01	0.11	2.2	<0.2	0.4	11.1	<0.01	0.03	17.3
C306935		37.2	290	1.8	7.5	<0.001	0.01	0.13	1.9	<0.2	0.5	14.3	<0.01	0.02	14.8
C306936		47.2	300	1.7	7.4	<0.001	0.01	0.18	2.3	<0.2	0.2	11.5	<0.01	0.03	17.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21022416

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01
C306926		0.07	4.86	25	0.19	4.92	147	5.8	0.15
C306927		0.07	1.82	21	0.15	4.14	136	4.9	<0.01
C306928		0.04	1.29	18	0.08	3.29	106	5.3	<0.01
C306929		0.04	0.92	27	<0.05	2.71	92	3.1	<0.01
C306930		0.04	1.42	21	<0.05	3.48	122	4.1	<0.01
C306931		0.05	1.46	30	<0.05	3.18	103	3.4	<0.01
C306932		0.03	1.31	20	<0.05	2.84	124	4.0	<0.01
C306933		0.05	1.25	21	<0.05	3.22	129	4.6	<0.01
C306934		0.04	1.29	29	<0.05	3.18	103	4.2	<0.01
C306935		0.04	1.15	30	<0.05	2.81	88	4.0	<0.01
C306936		0.04	1.50	21	<0.05	3.34	125	4.5	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21022416

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41