



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

CERTIFICATE WH21027515

Project: Culvert - NUF

This report is for 123 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 4-FEB-2021.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306937		2.40	0.43	2.09	14.6	7.67	<10	40	0.65	0.59	0.16	0.03	25.1	17.1	28	1.82
C306938		3.16	0.04	2.86	0.7	<0.02	<10	20	0.73	0.20	0.08	0.01	65.7	23.0	37	2.71
C306939		0.15	0.01	0.07	0.7	<0.02	<10	10	<0.05	0.02	0.02	<0.01	3.82	0.4	2	0.07
C306940		3.12	0.05	3.02	3.1	0.05	<10	30	0.91	0.46	0.15	0.03	41.1	25.3	34	2.61
C306941		3.73	0.10	2.65	4.4	0.43	<10	30	0.91	0.51	0.13	0.02	35.5	23.9	29	2.57
C306942		0.06	0.17	2.43	478	2.13	<10	90	1.13	0.30	0.21	0.03	53.1	12.2	99	7.27
C306943		2.69	0.26	2.84	3.0	0.02	<10	30	1.13	0.66	0.17	0.03	35.7	24.6	30	2.48
C306944		1.87	0.43	2.43	5.2	0.07	<10	30	1.14	0.86	0.09	0.09	35.0	30.2	26	2.93
C306945		3.68	0.23	2.54	9.4	1.51	<10	30	1.50	0.94	0.33	0.05	24.6	32.0	26	2.79
C306946		2.70	0.20	2.16	13.0	0.99	<10	30	1.23	0.74	0.05	0.07	33.7	29.7	21	2.72
C306947		2.29	0.18	1.88	50.2	1.34	<10	30	0.77	1.43	0.04	0.06	25.2	32.3	18	2.16
C306948		2.36	0.06	2.16	19.5	1.05	<10	30	0.69	0.73	0.06	0.02	36.1	19.2	22	2.51
C306949		4.27	0.04	2.48	2.2	<0.02	<10	30	0.84	0.24	0.11	0.02	52.6	19.7	32	2.11
C306950		3.82	0.45	2.50	10.8	4.72	<10	30	0.72	0.45	0.09	0.03	52.2	19.4	30	2.34
C306951		4.09	0.02	2.37	16.9	0.17	<10	30	0.85	0.51	0.07	0.01	35.6	14.0	27	2.49
C306952		2.60	0.04	2.65	30.6	0.16	<10	30	0.73	0.23	0.07	0.02	35.8	24.4	28	2.64
C306953		3.74	0.01	2.59	28.2	0.06	<10	30	0.73	0.15	0.08	0.01	48.0	21.1	31	2.26
C306954		2.05	0.02	2.15	47.7	0.11	<10	20	0.68	0.22	0.18	0.01	33.6	19.6	23	2.14
C306955		1.71	0.02	2.22	39.5	<0.02	<10	20	0.62	0.14	0.19	0.01	26.6	16.3	20	1.95
C306956		2.02	0.04	3.04	74.4	0.16	<10	30	1.30	0.41	0.75	0.01	39.5	25.3	24	5.65
C306957		1.90	0.09	1.93	140.5	0.67	<10	20	0.68	0.42	1.66	0.01	17.65	14.9	11	1.40
C306958		3.57	0.03	2.73	30.8	0.21	<10	30	0.90	0.29	1.02	0.01	33.0	21.7	29	5.89
C306959		1.69	0.02	2.43	15.9	0.19	<10	30	1.72	0.22	3.29	0.01	37.7	17.2	26	20.5
C306960		1.55	0.02	2.97	4.2	<0.02	<10	30	0.61	0.37	0.23	0.01	52.4	23.1	36	1.86
C306961		3.26	0.02	2.77	3.6	<0.02	<10	30	0.47	0.25	0.08	0.01	63.7	20.6	35	1.62
C306962		0.17	0.01	0.05	0.6	<0.02	<10	10	<0.05	0.01	0.01	0.01	3.00	0.3	1	0.07
C306963		1.69	0.01	2.73	1.5	<0.02	<10	30	0.54	0.13	0.10	0.01	82.7	17.7	35	2.71
C306964		2.99	0.01	3.13	0.3	<0.02	<10	20	0.49	0.16	0.11	0.01	71.3	13.3	39	2.01
C306965		2.80	0.02	2.74	4.2	<0.02	<10	30	0.71	0.30	0.30	0.01	64.0	23.2	35	9.24
C306966		4.74	0.01	2.29	0.3	<0.02	<10	30	0.53	0.07	0.13	<0.01	79.2	19.2	30	2.06
C306967		2.27	0.02	2.23	0.3	<0.02	<10	20	0.53	0.25	0.37	0.02	49.1	22.1	30	2.04
C306968		5.01	0.09	2.51	0.3	<0.02	<10	20	0.44	0.99	0.41	0.04	53.6	22.9	36	1.63
C306969		5.88	0.06	2.66	0.6	<0.02	<10	30	0.49	0.36	0.25	0.02	63.5	23.6	36	1.73
C306970		5.78	<0.01	2.26	1.3	<0.02	<10	30	0.44	0.07	0.10	0.01	80.7	16.6	30	1.85
C306971		5.15	0.01	3.18	1.5	<0.02	<10	30	0.50	0.20	0.32	<0.01	39.1	21.2	41	1.59
C306972		4.06	<0.01	2.94	0.7	<0.02	<10	30	0.48	0.07	0.12	<0.01	59.2	18.8	37	1.82
C306973		2.35	<0.01	2.87	8.0	<0.02	<10	30	0.46	0.22	0.29	<0.01	36.8	24.0	36	2.18
C306974		4.34	<0.01	3.01	0.3	<0.02	<10	30	0.47	0.13	0.06	<0.01	42.3	17.5	38	1.79
C306975		4.64	0.01	3.20	0.9	<0.02	<10	30	0.38	0.21	0.07	<0.01	40.7	19.0	37	1.71
C306976		0.06	0.18	2.47	479	2.03	<10	90	1.12	0.32	0.21	0.04	54.5	13.0	98	7.49



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306937		40.1	4.72	6.45	0.07	0.11	<0.01	0.017	0.14	13.4	70.1	0.87	1110	0.20	0.03
C306938		31.1	5.04	9.17	0.12	0.14	<0.01	0.017	0.12	34.6	100.5	1.12	1100	0.81	0.03
C306939		1.6	0.33	0.30	<0.05	0.16	<0.01	<0.005	0.01	1.9	1.1	0.02	32	0.19	0.01
C306940		61.6	5.59	9.68	0.09	0.14	<0.01	0.019	0.13	21.1	111.0	1.23	1320	0.79	0.04
C306941		45.7	4.84	8.07	0.08	0.16	<0.01	0.024	0.14	18.9	95.4	1.09	1300	0.75	0.03
C306942		25.4	3.39	7.83	0.11	0.76	0.01	0.021	0.97	27.4	33.2	1.24	212	0.53	0.07
C306943		47.1	5.21	7.86	0.06	0.13	0.01	0.029	0.14	17.8	106.5	1.14	1440	0.95	0.02
C306944		90.6	4.53	7.03	0.05	0.13	<0.01	0.023	0.14	17.7	94.2	0.98	1200	1.63	0.02
C306945		203	5.43	7.90	0.08	0.18	<0.01	0.033	0.16	13.0	92.1	1.15	1200	1.70	0.03
C306946		94.5	4.09	7.04	0.06	0.17	<0.01	0.024	0.16	17.6	78.8	0.90	858	0.36	0.03
C306947		72.3	4.67	5.64	0.07	0.16	<0.01	0.015	0.15	13.1	58.5	0.73	1020	0.38	0.03
C306948		27.0	4.69	6.85	0.07	0.13	0.01	0.014	0.16	18.8	69.1	0.76	762	0.07	0.03
C306949		32.2	4.68	8.08	0.08	0.12	<0.01	0.018	0.14	27.5	76.8	0.88	938	0.07	0.03
C306950		58.3	4.71	7.95	0.09	0.16	<0.01	0.019	0.15	27.0	82.1	0.87	686	0.05	0.03
C306951		16.4	4.89	7.25	0.07	0.17	<0.01	0.013	0.15	18.3	77.0	0.87	787	0.08	0.03
C306952		34.7	4.88	7.77	0.08	0.14	<0.01	0.016	0.14	18.6	92.0	1.09	970	0.06	0.03
C306953		11.5	4.60	7.69	0.09	0.16	<0.01	0.016	0.16	25.2	83.8	1.01	931	<0.05	0.03
C306954		19.6	3.98	6.66	0.07	0.10	<0.01	0.012	0.13	18.1	72.0	0.83	762	0.07	0.03
C306955		14.2	4.11	6.51	0.06	0.06	<0.01	0.016	0.12	14.0	75.6	0.88	836	0.12	0.03
C306956		31.3	5.65	8.56	0.08	0.11	0.01	0.024	0.17	20.7	98.6	1.21	1340	<0.05	0.03
C306957		44.4	3.85	5.83	0.06	0.04	<0.01	0.018	0.09	9.8	66.8	0.81	1600	0.11	0.02
C306958		33.8	5.24	8.03	0.07	0.15	<0.01	0.021	0.13	17.4	84.1	1.06	1460	0.07	0.03
C306959		18.4	4.51	6.85	0.08	0.13	<0.01	0.022	0.14	20.6	72.4	0.83	2570	<0.05	0.03
C306960		29.0	5.47	8.81	0.09	0.09	<0.01	0.017	0.14	26.6	92.5	1.16	1100	0.12	0.03
C306961		15.4	4.93	8.14	0.11	0.09	0.01	0.018	0.14	33.7	85.6	1.07	914	0.14	0.03
C306962		0.9	0.20	0.20	<0.05	0.13	<0.01	<0.005	0.01	1.5	1.2	0.01	24	0.14	<0.01
C306963		10.1	4.76	8.10	0.13	0.13	<0.01	0.016	0.14	42.9	87.3	1.04	870	<0.05	0.03
C306964		17.4	5.55	9.31	0.09	0.10	<0.01	0.020	0.13	37.7	96.0	1.23	1060	<0.05	0.03
C306965		30.8	4.69	8.25	0.11	0.11	<0.01	0.017	0.14	33.3	73.2	1.08	852	0.08	0.04
C306966		0.9	3.88	7.14	0.12	0.09	<0.01	0.011	0.15	41.4	54.9	0.94	636	0.05	0.04
C306967		3.3	3.87	6.61	0.09	0.14	<0.01	0.011	0.14	26.7	55.9	0.94	745	<0.05	0.04
C306968		144.5	4.39	7.49	0.10	0.10	<0.01	0.019	0.12	29.1	63.9	1.07	1060	<0.05	0.04
C306969		59.6	4.68	8.07	0.11	0.10	<0.01	0.016	0.15	34.0	66.3	1.04	895	0.05	0.05
C306970		5.3	3.86	6.61	0.11	0.07	<0.01	0.011	0.16	41.8	50.9	0.81	611	<0.05	0.04
C306971		1.5	6.01	9.75	0.08	0.07	<0.01	0.017	0.14	21.0	85.1	1.25	909	<0.05	0.05
C306972		0.8	5.20	8.45	0.10	0.09	<0.01	0.015	0.15	31.2	89.1	1.06	756	<0.05	0.04
C306973		11.1	5.05	8.21	0.08	0.11	<0.01	0.015	0.16	19.8	85.6	1.04	733	<0.05	0.05
C306974		1.9	5.36	8.74	0.08	0.05	<0.01	0.017	0.15	23.3	95.0	1.10	815	<0.05	0.04
C306975		1.8	5.75	9.06	0.08	0.05	<0.01	0.015	0.14	21.7	100.0	1.19	863	<0.05	0.04
C306976		25.1	3.40	7.79	0.12	0.74	0.01	0.024	0.95	28.1	33.8	1.24	210	0.52	0.07



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306937		32.1	340	17.8	7.0	<0.001	1.16	0.11	2.3	<0.2	0.3	12.4	<0.01	<0.01	11.7
C306938		42.0	340	4.7	6.3	<0.001	0.01	0.07	2.8	<0.2	0.2	10.1	<0.01	0.01	16.8
C306939		0.9	30	0.9	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.8	<0.01	<0.01	1.2
C306940		47.6	410	9.8	6.5	0.001	0.12	0.35	3.0	<0.2	0.2	17.5	<0.01	0.02	14.2
C306941		47.9	310	14.7	6.9	<0.001	0.23	0.17	2.5	<0.2	0.3	9.8	<0.01	0.02	16.0
C306942		55.1	510	8.8	90.4	<0.001	0.11	376	5.7	0.2	1.2	17.3	<0.01	0.01	12.0
C306943		46.4	360	82.0	6.7	0.001	0.21	0.22	3.0	<0.2	0.4	9.5	<0.01	0.02	14.1
C306944		46.4	300	231	7.3	0.001	0.30	0.17	2.7	<0.2	0.3	8.3	<0.01	0.02	15.0
C306945		68.5	980	24.3	9.1	0.001	1.31	0.26	2.9	<0.2	0.4	28.7	<0.01	0.02	15.3
C306946		53.5	200	16.9	8.6	0.001	0.55	0.23	2.1	0.3	0.3	8.4	<0.01	0.01	16.3
C306947		43.6	280	24.2	7.9	<0.001	1.29	0.23	1.9	0.5	0.3	7.9	<0.01	0.07	14.7
C306948		41.8	300	4.3	8.6	<0.001	0.88	0.21	2.1	<0.2	<0.2	8.7	<0.01	0.03	12.1
C306949		41.5	320	5.7	7.1	<0.001	0.14	0.08	2.4	<0.2	0.2	9.2	<0.01	<0.01	16.0
C306950		39.6	270	2.7	7.6	0.001	0.12	0.22	2.3	0.2	0.2	10.8	<0.01	0.01	14.2
C306951		31.5	260	2.9	7.5	<0.001	0.43	0.29	2.1	<0.2	0.2	11.0	<0.01	0.02	14.0
C306952		48.4	270	3.8	7.3	<0.001	0.27	0.19	2.4	<0.2	0.2	10.5	<0.01	0.01	16.5
C306953		46.0	280	1.9	8.2	<0.001	0.18	0.15	2.2	0.2	0.2	10.6	<0.01	<0.01	17.5
C306954		44.3	320	2.5	6.4	<0.001	0.14	0.23	2.4	<0.2	0.2	10.8	<0.01	0.01	13.7
C306955		31.7	190	3.2	5.5	<0.001	0.14	0.16	2.1	<0.2	0.3	9.9	<0.01	<0.01	10.2
C306956		54.5	420	5.2	8.7	<0.001	0.22	0.67	3.1	0.2	0.4	22.7	<0.01	0.01	21.7
C306957		25.4	250	6.4	4.7	<0.001	0.36	0.67	2.5	0.2	0.2	28.1	<0.01	0.01	5.7
C306958		44.0	430	3.1	7.1	<0.001	0.35	1.02	2.4	<0.2	0.2	23.3	<0.01	0.02	15.4
C306959		37.7	300	3.4	7.8	<0.001	0.25	0.73	2.9	0.2	0.7	45.0	<0.01	0.02	12.7
C306960		42.1	630	5.4	6.9	<0.001	0.16	0.24	2.7	<0.2	0.2	10.3	<0.01	0.02	13.9
C306961		38.0	270	2.8	6.6	<0.001	0.06	0.12	2.4	0.2	0.2	7.9	<0.01	0.02	13.7
C306962		0.7	10	0.8	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.0
C306963		36.2	270	1.8	6.5	<0.001	0.04	0.10	2.5	<0.2	0.2	13.3	<0.01	0.01	13.7
C306964		42.8	240	2.7	6.2	<0.001	0.07	0.14	2.6	<0.2	0.2	16.7	<0.01	<0.01	15.0
C306965		43.1	300	3.2	7.5	<0.001	0.11	0.12	2.5	0.2	0.3	42.3	<0.01	0.02	14.7
C306966		39.4	340	1.1	7.3	<0.001	0.06	0.06	2.0	<0.2	0.2	16.4	<0.01	0.01	15.2
C306967		41.1	240	3.4	6.7	0.001	0.22	0.06	2.0	<0.2	<0.2	19.4	<0.01	0.01	15.2
C306968		42.0	340	3.4	5.7	<0.001	0.07	0.12	2.4	0.2	0.2	16.6	<0.01	0.04	15.6
C306969		45.0	280	3.8	7.2	<0.001	0.10	0.11	2.6	0.3	0.2	15.5	<0.01	0.02	16.1
C306970		35.2	270	0.9	7.7	<0.001	0.01	0.06	2.1	<0.2	0.2	11.4	<0.01	0.03	15.0
C306971		47.8	290	3.8	6.5	<0.001	0.41	0.09	3.4	<0.2	0.2	15.4	<0.01	0.02	14.4
C306972		40.5	280	1.1	7.6	<0.001	0.02	0.06	2.7	<0.2	0.2	11.4	<0.01	0.03	13.6
C306973		44.2	1240	1.9	7.5	<0.001	0.06	0.09	2.6	0.2	0.2	13.4	<0.01	0.10	12.1
C306974		39.3	240	0.8	7.1	<0.001	0.02	0.07	2.8	<0.2	0.2	9.2	<0.01	0.04	10.7
C306975		40.4	260	1.5	6.7	<0.001	0.02	0.07	2.9	<0.2	0.2	8.6	<0.01	0.05	10.4
C306976		57.3	510	8.4	92.2	<0.001	0.11	361	5.9	0.3	1.3	17.2	<0.01	0.02	12.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 29-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306937		0.04	1.15	15	1.03	2.89	93	5.1	10.20	
C306938		0.04	0.66	18	0.07	3.03	110	6.2	0.04	
C306939		<0.02	0.19	2	0.22	0.86	2	3.6	0.01	
C306940		0.05	1.94	21	0.27	3.79	135	5.9	0.14	
C306941		0.05	1.57	18	0.32	3.35	120	6.6	0.57	
C306942		0.53	1.36	65	0.53	9.07	76	27.5	2.23	
C306943		0.05	1.39	19	0.16	3.13	114	5.6	0.07	
C306944		0.04	1.31	17	0.26	3.17	105	5.8	0.15	
C306945		0.05	2.96	20	32.6	7.12	185	7.9	2.22	
C306946		0.05	3.02	16	0.48	4.76	116	7.4	1.17	
C306947		0.05	2.84	15	0.84	2.66	95	6.3	1.90	
C306948		0.05	1.51	15	0.56	2.76	92	5.5	0.69	
C306949		0.04	1.25	19	0.18	3.36	105	5.2	0.03	
C306950		0.05	1.36	18	0.14	3.05	107	6.1	0.20	
C306951		0.04	1.41	18	0.18	2.87	90	7.5	0.28	
C306952		0.04	2.05	18	0.13	3.46	121	6.3	0.43	
C306953		0.04	1.49	17	0.08	3.46	124	6.6	0.04	
C306954		0.04	1.37	15	0.11	2.94	93	4.2		0.14
C306955		0.03	0.62	14	0.11	2.18	115	2.5		<0.05
C306956		0.06	2.59	19	0.13	3.75	129	5.3		0.23
C306957		0.05	0.83	14	0.07	2.79	89	1.8		0.30
C306958		0.06	3.30	17	0.09	3.99	118	5.6		0.12
C306959		0.06	12.65	16	0.07	8.06	85	5.2		0.11
C306960		0.05	0.92	19	<0.05	3.73	106	3.8	0.01	
C306961		0.04	0.96	17	<0.05	3.28	98	3.7	<0.01	
C306962		<0.02	0.15	1	<0.05	0.66	<2	3.1	<0.01	
C306963		0.04	1.35	18	<0.05	4.10	95	3.7	<0.01	
C306964		0.03	0.94	19	<0.05	3.71	115	4.9	<0.01	
C306965		0.04	3.32	18	0.05	4.20	116	4.6		<0.05
C306966		0.04	0.98	15	<0.05	4.11	105	3.7	<0.01	
C306967		0.04	1.10	15	0.05	3.68	109	4.5	0.01	
C306968		0.03	1.26	17	<0.05	3.56	124	3.9	0.02	
C306969		0.04	1.45	18	<0.05	3.81	113	4.4	0.01	
C306970		0.05	0.87	14	<0.05	3.49	81	3.0	0.01	
C306971		0.04	1.04	24	0.06	2.94	123	2.7	<0.01	
C306972		0.04	0.96	18	<0.05	3.15	100	2.7	<0.01	
C306973		0.05	1.17	18	<0.05	4.37	98	4.9	<0.01	
C306974		0.04	0.64	19	<0.05	2.46	111	2.4	0.01	
C306975		0.04	0.64	20	<0.05	2.50	113	2.6	<0.01	
C306976		0.53	1.36	65	0.50	9.26	76	28.4	2.21	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C306977		5.66	0.03	2.84	20.2	<0.02	<10	40	0.50	0.12	0.15	0.04	60.9	20.7	38	2.10
C306978		2.12	0.04	2.59	24.8	<0.02	<10	30	0.46	0.74	0.68	0.78	35.2	29.0	36	1.79
C306979		2.25	0.02	2.79	20.5	<0.02	<10	30	0.45	0.43	0.34	0.01	34.4	25.9	37	1.64
C306980		4.68	0.03	2.87	22.4	<0.02	<10	30	0.48	0.51	0.30	0.01	33.7	24.7	38	1.65
C306981		4.16	0.13	2.73	29.6	0.03	<10	30	0.49	0.58	0.23	0.02	35.2	25.3	36	1.72
C306982		4.01	0.13	2.64	26.7	<0.02	<10	30	0.50	0.52	0.37	0.03	35.7	29.1	36	1.73
C306983		4.31	0.11	2.85	20.5	0.07	<10	30	0.53	0.39	0.32	0.05	38.2	25.6	38	1.96
C306984		4.17	0.10	2.94	23.4	<0.02	<10	30	0.57	0.43	0.49	0.03	38.5	23.6	38	1.88
C306985		4.43	0.03	3.67	23.6	<0.02	<10	30	0.52	0.20	0.34	0.03	44.5	22.7	45	1.80
C306986		4.69	0.03	4.03	160.5	0.03	<10	20	0.51	0.18	0.31	0.02	39.8	18.5	46	1.64
C306987		2.25	0.21	2.29	281	0.09	<10	20	0.58	1.04	0.46	0.07	32.2	30.9	30	1.78
C306988		3.32	0.08	2.92	18.1	<0.02	<10	20	0.52	0.35	0.24	0.02	39.8	23.8	39	1.92
C306989		4.17	0.06	2.60	11.3	<0.02	<10	20	0.48	0.39	0.40	0.02	38.7	18.4	36	2.03
C306990		0.16	0.01	0.06	0.8	<0.02	<10	10	<0.05	0.07	0.01	0.01	3.75	0.4	2	0.11
C306991		2.08	0.02	3.09	158.5	<0.02	<10	20	0.50	0.31	0.43	0.01	41.2	21.1	37	1.61
C306992		6.13	0.03	2.75	23.2	<0.02	<10	20	0.47	0.46	0.48	0.02	41.9	27.8	35	1.66
C306993		6.57	0.05	2.89	15.8	0.22	<10	30	0.55	0.90	0.72	0.04	42.5	32.9	39	1.60
C306994		6.24	0.04	2.77	24.6	<0.02	<10	30	0.49	1.38	0.88	0.04	47.7	40.3	37	1.42
C306995		4.50	0.03	2.84	9.4	<0.02	<10	30	0.53	0.05	0.67	0.04	85.6	17.2	36	1.37
C306996		5.76	0.05	2.87	20.9	<0.02	<10	30	0.50	0.09	0.70	0.06	87.3	23.6	37	1.44
C306997		5.43	0.06	2.61	26.3	<0.02	<10	30	0.50	0.40	0.44	0.06	76.9	24.3	33	1.43
C306998		3.57	0.04	2.73	25.5	<0.02	<10	30	0.59	0.80	0.22	0.03	57.5	24.4	34	1.29
C306999		1.67	0.01	2.53	6.4	<0.02	<10	30	0.66	0.09	0.36	0.01	73.6	25.2	31	1.31
C307000		2.77	0.01	2.33	1.5	0.03	<10	30	0.63	0.28	0.59	0.02	51.5	20.6	31	1.34
C307001		4.29	<0.01	2.06	0.3	<0.02	<10	30	0.77	0.27	0.48	0.01	52.4	20.8	29	1.54
C307002		3.99	<0.01	1.99	0.5	<0.02	<10	30	0.82	0.33	0.39	0.01	52.8	19.9	30	1.72
C307003		4.06	0.08	2.42	0.4	2.72	<10	30	0.79	0.79	0.28	0.01	53.2	19.0	34	1.58
C307004		0.06	0.13	2.52	345	1.51	<10	100	1.17	0.29	0.20	0.03	58.7	12.8	101	7.59
C307005		2.49	0.01	2.49	0.9	<0.02	<10	40	0.75	0.25	0.47	0.01	51.1	22.3	34	1.70
C307006		4.01	0.07	2.53	12.9	0.02	<10	40	0.70	0.43	0.16	0.04	72.4	22.1	34	2.33
C307007		6.40	0.02	3.12	4.4	<0.02	<10	40	0.64	0.60	0.09	<0.01	55.3	17.6	38	1.88
C307008		3.83	0.01	2.69	17.3	<0.02	<10	40	0.65	0.21	0.20	0.01	60.0	18.9	35	2.25
C307009		3.09	0.05	2.87	18.7	<0.02	<10	30	0.59	0.05	0.14	0.03	70.6	19.2	38	2.17
C307010		2.20	0.05	2.18	8.1	<0.02	<10	20	0.61	1.38	0.51	0.01	20.6	32.1	32	2.22
C307011		3.69	0.05	2.96	21.0	<0.02	<10	20	0.66	0.51	0.98	0.02	41.2	21.1	44	2.25
C307012		3.40	0.09	2.97	16.7	<0.02	<10	20	0.52	0.43	0.17	0.04	84.3	14.7	41	2.16
C307013		3.57	0.31	3.07	46.3	<0.02	<10	20	0.55	1.31	0.63	0.04	50.8	33.0	44	2.08
C307014		3.97	0.59	2.80	26.4	<0.02	<10	20	0.57	2.07	0.74	0.07	29.6	32.8	39	1.73
C307015		2.12	0.42	2.79	19.8	<0.02	<10	20	0.57	2.15	1.37	0.06	25.2	26.5	36	1.26
C307016		2.76	0.12	2.45	8.1	<0.02	<10	20	0.50	1.07	0.73	0.03	19.05	42.9	31	1.31



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C306977		37.7	4.81	8.13	0.10	0.09	<0.01	0.018	0.18	32.7	88.9	1.04	956	<0.05	0.05
C306978		54.1	4.71	7.85	0.08	0.12	<0.01	0.085	0.14	18.0	86.7	1.02	1320	0.25	0.04
C306979		34.1	5.09	8.24	0.08	0.08	<0.01	0.021	0.14	17.6	91.5	1.11	1280	0.27	0.03
C306980		37.4	5.27	8.78	0.08	0.08	<0.01	0.021	0.14	17.3	97.3	1.15	1320	0.28	0.03
C306981		36.1	5.17	7.91	0.08	0.10	<0.01	0.018	0.15	18.0	87.0	1.09	1200	0.20	0.04
C306982		40.4	4.96	7.71	0.08	0.12	<0.01	0.019	0.15	18.3	84.3	1.05	1260	0.21	0.04
C306983		35.2	5.39	8.38	0.08	0.14	<0.01	0.021	0.14	19.3	90.8	1.15	1310	0.15	0.04
C306984		31.7	5.42	8.82	0.08	0.10	<0.01	0.022	0.14	19.6	97.0	1.18	1440	0.21	0.04
C306985		36.6	6.70	10.50	0.10	0.08	<0.01	0.022	0.15	22.7	116.0	1.48	1580	0.21	0.04
C306986		38.5	7.40	11.85	0.10	0.08	<0.01	0.032	0.13	20.1	132.0	1.67	1830	0.09	0.04
C306987		59.1	4.60	6.61	0.08	0.13	0.01	0.019	0.14	17.1	72.0	0.90	1240	1.82	0.04
C306988		37.2	5.42	8.51	0.10	0.16	<0.01	0.022	0.14	20.6	93.3	1.17	1340	0.80	0.04
C306989		32.8	4.72	7.44	0.08	0.13	<0.01	0.017	0.13	20.3	81.5	1.03	1300	1.42	0.04
C306990		0.9	0.30	0.24	<0.05	0.12	<0.01	<0.005	0.01	1.8	1.5	0.01	29	0.14	<0.01
C306991		40.1	5.74	9.05	0.07	0.09	<0.01	0.022	0.14	21.3	99.6	1.27	1400	0.15	0.03
C306992		43.9	5.16	8.29	0.09	0.11	<0.01	0.021	0.12	21.0	93.6	1.12	1340	0.24	0.03
C306993		51.8	5.46	8.48	0.08	0.08	<0.01	0.024	0.15	21.8	88.1	1.14	1660	0.49	0.04
C306994		53.1	5.17	8.37	0.09	0.05	<0.01	0.028	0.16	24.2	82.3	1.09	1730	1.15	0.04
C306995		37.0	4.99	8.67	0.12	0.06	<0.01	0.023	0.14	44.7	88.8	1.11	1450	0.64	0.03
C306996		77.7	5.07	8.89	0.13	0.07	<0.01	0.028	0.14	43.7	90.0	1.12	1520	<0.05	0.03
C306997		108.5	4.57	7.85	0.14	0.09	<0.01	0.033	0.15	38.6	80.2	1.01	1240	<0.05	0.03
C306998		39.0	4.90	7.88	0.11	0.05	<0.01	0.020	0.15	28.3	83.3	1.07	1140	<0.05	0.02
C306999		2.1	4.45	7.48	0.10	0.06	<0.01	0.012	0.16	36.7	79.3	0.99	1340	<0.05	0.02
C307000		2.0	4.89	7.01	0.10	0.03	<0.01	0.014	0.16	25.7	51.5	0.71	1030	0.05	0.02
C307001		0.5	4.95	5.81	0.08	0.06	0.01	0.014	0.17	26.9	57.9	0.62	926	<0.05	0.02
C307002		1.7	5.00	5.83	0.09	0.04	<0.01	0.012	0.17	27.5	55.6	0.60	680	<0.05	0.02
C307003		2.0	5.38	7.36	0.08	0.03	<0.01	0.015	0.17	26.6	51.8	0.63	548	0.07	0.03
C307004		24.0	3.41	8.07	0.12	0.71	0.01	0.024	0.97	29.3	34.1	1.25	211	0.54	0.07
C307005		5.4	5.02	7.14	0.10	0.08	<0.01	0.013	0.18	27.1	51.9	0.79	792	<0.05	0.03
C307006		93.9	3.99	6.63	0.11	0.09	<0.01	0.020	0.19	38.8	78.1	0.96	783	0.57	0.04
C307007		15.3	5.26	7.73	0.09	0.08	<0.01	0.016	0.20	29.1	90.5	1.09	721	0.27	0.05
C307008		22.1	4.50	7.22	0.10	0.13	<0.01	0.014	0.17	32.2	82.2	0.97	639	0.12	0.05
C307009		87.9	4.84	7.85	0.11	0.10	<0.01	0.020	0.15	37.4	94.2	1.09	794	0.26	0.04
C307010		111.0	5.06	5.76	0.06	0.14	<0.01	0.013	0.10	10.9	69.6	0.86	895	1.10	0.03
C307011		42.8	5.24	8.70	0.10	0.13	0.01	0.026	0.12	21.0	99.8	1.19	1580	1.48	0.06
C307012		39.0	4.99	8.66	0.11	0.12	0.01	0.027	0.12	41.1	94.8	1.16	972	0.12	0.05
C307013		40.4	5.32	8.58	0.10	0.12	0.01	0.028	0.13	25.7	98.4	1.22	1570	1.59	0.06
C307014		79.9	5.63	7.79	0.08	0.13	0.01	0.030	0.12	14.9	88.9	1.10	1460	0.97	0.05
C307015		65.5	5.44	8.56	0.09	0.10	0.01	0.039	0.10	12.4	93.5	1.15	1900	0.88	0.06
C307016		252	7.43	7.07	0.07	0.11	<0.01	0.038	0.10	8.7	70.8	0.86	1120	0.39	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C306977		43.6	290	2.8	8.3	<0.001	0.02	0.48	2.7	<0.2	0.2	11.3	<0.01	0.03	14.6
C306978		44.6	480	7.2	7.0	<0.001	0.20	0.24	2.9	<0.2	0.3	14.1	<0.01	0.03	14.3
C306979		40.7	220	4.2	7.0	<0.001	0.24	0.20	2.7	0.2	0.2	10.8	<0.01	0.03	13.0
C306980		42.2	220	9.8	6.9	<0.001	0.28	0.22	3.0	0.2	0.2	10.9	<0.01	0.03	13.2
C306981		41.4	220	52.7	7.0	<0.001	0.38	0.23	2.8	0.2	0.2	10.2	<0.01	0.03	12.8
C306982		41.1	230	73.9	7.0	<0.001	0.39	0.28	2.7	0.2	0.2	12.0	<0.01	0.05	14.0
C306983		46.2	270	72.7	6.9	<0.001	0.36	0.25	3.1	0.2	0.2	12.5	<0.01	0.02	13.9
C306984		42.6	390	54.7	7.2	<0.001	0.25	0.23	3.2	<0.2	0.2	14.4	<0.01	0.01	13.4
C306985		46.1	490	16.8	7.2	<0.001	0.20	0.20	3.6	<0.2	0.2	11.8	<0.01	0.02	13.2
C306986		49.7	570	8.9	6.3	<0.001	0.23	0.21	4.0	<0.2	0.3	10.7	<0.01	0.02	12.8
C306987		45.0	260	98.9	7.0	0.001	0.66	0.38	2.6	0.3	0.3	14.0	<0.01	0.05	13.8
C306988		47.1	210	40.6	7.1	<0.001	0.40	0.27	2.9	0.3	0.2	12.0	<0.01	0.01	13.4
C306989		38.7	360	21.1	6.2	0.001	0.30	0.23	2.4	<0.2	0.2	12.1	<0.01	0.02	13.9
C306990		0.9	20	0.8	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	1.1
C306991		40.5	250	6.1	6.5	<0.001	0.37	0.26	3.0	<0.2	0.2	12.6	0.01	0.04	13.5
C306992		41.1	290	5.8	6.2	<0.001	0.39	0.28	2.8	0.2	0.3	11.3	<0.01	0.04	13.4
C306993		42.2	260	9.8	7.1	<0.001	0.51	0.27	3.1	<0.2	0.4	14.0	<0.01	0.05	13.5
C306994		38.9	270	7.5	7.7	<0.001	0.39	0.26	3.1	0.2	0.3	14.5	<0.01	0.05	12.9
C306995		39.2	330	2.5	6.9	<0.001	0.01	0.16	2.9	<0.2	0.2	12.8	<0.01	0.01	13.3
C306996		42.1	420	3.9	6.9	<0.001	0.02	0.15	3.3	<0.2	0.2	14.0	<0.01	0.01	14.3
C306997		38.3	280	2.7	7.5	<0.001	0.04	0.15	2.6	0.3	0.3	11.2	<0.01	0.08	12.9
C306998		36.5	280	3.2	6.9	<0.001	0.07	0.10	2.5	<0.2	0.2	8.9	<0.01	0.02	13.1
C306999		42.0	270	1.9	8.6	<0.001	0.01	0.09	2.3	0.2	0.2	10.6	<0.01	0.02	13.8
C307000		35.8	750	6.3	8.6	<0.001	0.19	0.10	2.6	<0.2	0.2	17.8	<0.01	0.02	13.4
C307001		40.4	260	1.2	8.5	<0.001	0.43	0.23	2.2	0.2	<0.2	17.6	<0.01	0.01	14.2
C307002		40.6	520	1.4	8.9	<0.001	0.32	0.17	2.2	<0.2	<0.2	15.3	<0.01	0.03	13.6
C307003		37.9	310	3.2	8.9	<0.001	0.24	0.19	2.8	<0.2	0.2	15.9	<0.01	0.05	15.0
C307004		58.7	520	7.9	92.5	<0.001	0.08	258	5.9	0.2	1.3	16.0	<0.01	0.02	12.8
C307005		45.0	240	2.1	9.1	<0.001	0.17	0.46	2.5	0.2	0.2	18.6	<0.01	0.03	15.1
C307006		48.3	280	3.9	10.0	<0.001	0.02	0.29	2.2	<0.2	0.2	14.6	<0.01	0.02	16.4
C307007		43.6	280	2.2	9.2	<0.001	0.02	0.21	2.6	<0.2	0.2	11.8	<0.01	0.02	12.6
C307008		45.5	760	1.1	8.6	<0.001	<0.01	0.09	2.5	<0.2	0.2	14.3	<0.01	0.02	11.8
C307009		48.1	270	1.0	7.4	<0.001	0.02	0.11	2.5	<0.2	0.2	16.4	<0.01	0.01	14.0
C307010		54.1	270	5.5	4.6	<0.001	1.48	0.52	2.1	0.2	0.2	16.6	<0.01	0.04	12.7
C307011		42.9	310	11.0	7.2	0.001	0.47	0.32	3.8	<0.2	0.3	29.4	0.01	0.02	14.1
C307012		35.9	350	14.3	5.2	<0.001	0.01	0.08	3.1	<0.2	0.2	14.3	0.01	0.02	14.7
C307013		46.7	330	61.6	6.5	<0.001	0.18	0.18	3.8	<0.2	0.3	19.5	<0.01	0.04	15.6
C307014		50.4	230	386	6.9	<0.001	0.96	0.37	3.4	0.4	0.5	21.2	<0.01	0.02	14.1
C307015		41.7	290	110.0	4.9	<0.001	0.79	0.38	4.9	0.3	0.6	27.7	<0.01	0.02	14.7
C307016		33.1	320	22.9	5.0	<0.001	2.99	0.27	4.4	0.7	0.8	21.8	<0.01	0.02	11.7



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C306977		0.06	1.18	18	<0.05	3.59	104	4.3	<0.01	
C306978		0.04	1.33	18	1.45	3.63	148	4.4	0.01	
C306979		0.04	0.94	19	<0.05	2.79	110	3.8	<0.01	
C306980		0.04	1.01	20	4.04	2.85	114	3.4	<0.01	
C306981		0.04	1.00	20	0.07	2.76	103	4.1	0.02	
C306982		0.04	1.16	18	0.06	3.13	98	5.0	0.05	
C306983		0.04	1.08	21	0.12	3.20	108	4.4	0.05	
C306984		0.04	1.09	22	0.48	3.40	112	4.2	0.01	
C306985		0.04	0.90	27	0.11	3.63	136	3.4	0.01	
C306986		0.03	0.96	29	0.06	3.90	159	3.5	0.09	
C306987		0.04	1.21	17	0.09	3.38	90	5.5	0.33	
C306988		0.04	1.14	21	<0.05	3.50	112	5.3	0.01	
C306989		0.03	1.35	19	0.07	3.71	94	5.7	<0.01	
C306990		<0.02	0.18	1	<0.05	0.84	2	2.8	<0.01	
C306991		0.03	0.96	22	0.07	3.78	120	4.7	0.02	
C306992		0.03	0.99	19	0.06	4.10	107	3.7	<0.01	
C306993		0.04	0.94	22	<0.05	4.14	105	3.8	0.02	
C306994		0.04	0.77	21	<0.05	4.11	103	2.2	<0.01	
C306995		0.04	0.76	19	<0.05	4.89	104	2.7	<0.01	
C306996		0.04	0.81	20	<0.05	4.70	106	3.0	<0.01	
C306997		0.04	0.66	17	<0.05	3.97	102	2.4	0.01	
C306998		0.04	0.67	18	0.06	3.30	105	2.6	0.02	
C306999		0.04	0.81	16	<0.05	3.69	98	2.1	<0.01	
C307000		0.05	0.73	20	0.08	3.69	75	1.4	0.12	
C307001		0.06	0.99	20	<0.05	2.88	75	2.2	<0.01	
C307002		0.05	0.88	21	0.05	3.21	77	2.4	<0.01	
C307003		0.05	0.81	26	0.37	2.73	79	1.3	0.37	
C307004		0.55	1.44	66	0.45	9.56	77	29.0	1.53	
C307005		0.06	1.06	22	<0.05	2.89	99	2.8	0.01	
C307006		0.05	1.17	16	<0.05	3.93	114	4.8	0.04	
C307007		0.05	1.01	19	<0.05	2.61	106	2.8	<0.01	
C307008		0.04	1.05	17	<0.05	4.03	100	5.1	<0.01	
C307009		0.03	0.90	18	<0.05	2.94	112	4.6	<0.01	
C307010		0.03	1.20	14	0.05	2.33	89	5.6	0.01	
C307011		0.04	1.23	24	0.05	2.97	120	5.7	<0.01	
C307012		0.03	0.66	21	<0.05	3.10	110	3.4	<0.01	
C307013		0.03	1.38	25	<0.05	3.17	133	4.8	<0.01	
C307014		0.05	1.46	22	0.06	2.51	122	5.0	0.01	
C307015		0.03	1.32	26	0.06	2.68	143	4.4	<0.01	
C307016		0.03	1.11	22	0.24	4.35	110	5.1		0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C307017		2.33	0.06	1.84	5.4	0.04	<10	10	0.53	1.04	0.20	0.03	16.30	17.1	23	2.65
C307018		2.36	0.05	2.26	7.8	<0.02	<10	20	0.54	0.74	0.62	0.03	29.8	19.4	32	2.08
C307019		1.74	0.06	2.35	5.6	<0.02	<10	20	0.57	0.64	0.24	0.02	25.8	21.2	33	2.32
C307020		2.24	0.06	2.69	3.7	<0.02	<10	20	0.64	0.60	0.24	0.02	27.8	18.6	38	2.55
C307021		2.47	0.03	2.49	11.0	<0.02	<10	20	0.54	0.58	0.42	0.18	31.2	14.0	35	2.29
C307022		0.17	0.01	0.06	0.7	<0.02	<10	10	<0.05	0.02	0.02	<0.01	4.27	0.4	3	0.08
C307023		1.77	0.04	1.70	8.6	<0.02	<10	10	0.26	0.49	1.65	0.09	21.1	5.7	25	0.47
C307024		2.31	0.04	2.48	11.6	<0.02	<10	20	0.46	0.38	3.25	0.08	22.5	10.1	29	1.76
C307025		3.57	0.04	2.32	18.6	<0.02	<10	20	0.52	0.81	0.58	0.04	38.4	18.5	36	2.00
C307026		4.77	0.04	2.65	12.8	<0.02	<10	20	0.48	0.54	0.40	0.01	32.4	20.5	38	2.18
C307027		4.06	0.07	2.96	8.2	<0.02	<10	20	0.50	0.63	0.47	0.01	34.3	21.1	42	2.10
C307028		3.72	0.06	2.73	17.7	<0.02	<10	20	0.53	0.50	0.33	0.01	38.8	21.8	38	2.17
C307029		3.49	0.02	2.35	17.5	<0.02	<10	30	0.53	0.46	0.27	0.01	52.8	19.2	34	2.20
C307030		2.01	0.09	1.61	83.7	<0.02	<10	10	0.50	4.94	2.02	0.13	20.1	7.4	22	0.44
C307031		2.17	0.15	2.36	309	0.05	<10	30	0.66	5.86	1.24	0.17	38.7	27.3	26	1.74
C307032		2.11	0.02	2.74	31.4	<0.02	<10	20	0.49	0.28	0.16	0.01	62.7	16.7	36	2.19
C307033		2.24	0.06	2.73	19.0	<0.02	<10	20	0.49	0.31	0.94	0.02	59.3	15.6	36	1.72
C307034		4.66	0.03	3.00	27.3	<0.02	<10	20	0.53	0.21	0.23	0.02	75.7	19.0	40	2.36
C307035		2.47	0.02	2.92	26.0	<0.02	<10	20	0.50	0.38	0.12	0.01	77.9	20.2	40	2.58
C307036		0.06	0.13	2.61	339	1.36	<10	100	1.17	0.25	0.20	0.03	61.0	12.0	102	7.18
C307037		5.57	0.02	2.84	27.4	<0.02	<10	20	0.46	0.48	0.23	0.01	57.9	21.7	40	2.35
C307038		4.12	0.06	2.85	17.2	<0.02	<10	20	0.50	1.97	0.49	0.01	48.8	16.1	39	2.18
C307039		3.54	0.03	2.86	26.1	<0.02	<10	20	0.47	0.50	0.18	<0.01	49.5	23.8	40	2.44
C307040		4.35	0.03	2.72	17.0	<0.02	<10	20	0.45	0.53	0.43	0.01	43.7	19.4	38	2.20
C307041		2.37	0.04	2.92	6.7	<0.02	<10	20	0.32	0.53	1.98	0.04	34.8	12.5	36	1.16
C307042		6.37	0.09	2.73	17.8	<0.02	<10	20	0.49	0.55	0.19	0.04	46.3	20.9	39	2.67
C307043		5.83	0.20	2.86	20.9	<0.02	<10	20	0.51	0.85	0.12	0.02	47.5	25.1	40	2.68
C307044		3.59	0.19	2.88	16.3	<0.02	<10	20	0.56	0.92	1.16	0.04	39.5	20.7	40	2.02
C307045		3.78	0.27	2.88	19.9	<0.02	<10	20	0.55	1.01	0.52	0.03	46.9	21.1	40	2.02
C307046		4.08	0.13	3.03	14.9	<0.02	<10	30	0.56	0.62	0.16	0.01	58.3	21.0	41	2.35
C307047		4.00	0.02	3.00	16.0	<0.02	<10	30	0.60	0.39	0.21	0.01	46.6	26.1	41	2.22
C307048		3.54	0.03	2.67	19.8	<0.02	<10	30	0.60	0.78	0.46	0.01	36.5	32.7	37	1.89
C307049		3.46	0.05	2.55	19.1	<0.02	<10	30	0.68	0.42	0.83	0.01	48.1	17.1	35	1.58
C307050		4.08	0.04	2.58	20.3	<0.02	<10	30	0.63	0.96	0.57	0.01	35.1	18.7	33	1.70
C307051		0.07	0.17	2.39	467	2.08	<10	90	1.14	0.29	0.20	0.04	55.6	13.1	95	7.46
C307052		2.33	0.13	2.59	32.3	<0.02	<10	30	0.74	2.78	1.02	0.04	19.50	35.5	32	1.28
C307053		2.68	0.02	2.86	8.9	<0.02	<10	30	0.52	0.53	0.38	0.01	39.4	19.2	37	1.56
C307054		5.36	0.04	2.62	20.6	<0.02	<10	30	0.64	0.49	0.37	0.01	33.1	25.5	36	1.94
C307055		3.19	0.07	2.96	11.9	<0.02	<10	30	0.81	0.53	0.73	0.01	35.2	19.4	38	6.45
C307056		6.17	0.05	2.68	10.5	<0.02	<10	10	0.55	0.35	0.73	0.02	23.6	20.5	39	2.92



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C307017		47.3	4.28	5.08	0.07	0.16	<0.01	0.020	0.08	8.2	58.2	0.72	668	3.40	0.03
C307018		37.8	4.88	6.61	0.08	0.22	<0.01	0.017	0.13	15.0	71.6	0.92	935	4.87	0.05
C307019		37.3	4.88	6.55	0.08	0.18	<0.01	0.020	0.11	13.1	73.3	0.94	726	2.11	0.05
C307020		53.9	5.26	7.71	0.08	0.18	<0.01	0.024	0.12	13.9	85.4	1.08	780	0.44	0.05
C307021		40.4	4.64	7.26	0.07	0.10	<0.01	0.034	0.13	15.5	75.1	0.97	804	0.22	0.05
C307022		1.1	0.38	0.26	<0.05	0.12	<0.01	<0.005	0.01	1.9	1.0	0.01	36	0.24	0.01
C307023		35.3	3.42	5.35	0.06	0.06	<0.01	0.028	0.04	10.0	51.7	0.64	1350	0.14	0.05
C307024		36.8	4.82	7.83	0.06	0.09	<0.01	0.049	0.09	11.1	78.4	0.99	2510	0.15	0.05
C307025		20.5	4.34	6.97	0.10	0.13	<0.01	0.022	0.13	19.0	70.4	0.90	856	0.38	0.05
C307026		41.2	5.11	7.80	0.09	0.13	<0.01	0.022	0.13	15.9	84.0	1.06	808	0.30	0.05
C307027		42.3	5.73	8.51	0.08	0.19	<0.01	0.023	0.12	17.2	93.3	1.20	907	0.32	0.05
C307028		36.8	5.11	7.77	0.07	0.15	<0.01	0.022	0.15	19.3	83.5	1.07	787	0.53	0.05
C307029		33.8	4.22	6.69	0.09	0.15	<0.01	0.018	0.17	26.3	67.8	0.89	705	0.96	0.05
C307030		64.0	3.32	5.32	0.06	0.06	<0.01	0.043	0.03	10.2	55.3	0.72	1590	0.48	0.04
C307031		104.0	4.90	7.43	0.09	0.12	<0.01	0.067	0.14	19.7	74.9	0.99	1320	0.18	0.06
C307032		37.6	4.84	7.81	0.10	0.10	<0.01	0.021	0.14	32.5	82.4	1.03	696	0.12	0.04
C307033		33.4	4.95	8.08	0.09	0.09	<0.01	0.025	0.12	30.8	88.4	1.05	944	0.11	0.04
C307034		33.0	5.23	8.73	0.12	0.13	<0.01	0.022	0.14	38.9	92.6	1.11	731	0.10	0.05
C307035		45.5	5.07	8.17	0.12	0.16	<0.01	0.021	0.15	40.4	84.8	1.06	627	0.12	0.05
C307036		24.3	3.38	7.48	0.12	0.72	0.01	0.022	0.99	31.2	31.8	1.24	216	0.52	0.08
C307037		39.4	5.15	8.09	0.11	0.15	<0.01	0.021	0.14	29.5	83.7	1.06	696	0.12	0.05
C307038		50.6	5.19	8.14	0.09	0.10	<0.01	0.021	0.14	24.8	85.4	1.06	874	0.13	0.05
C307039		41.6	5.22	8.21	0.09	0.13	<0.01	0.019	0.13	25.3	86.0	1.08	794	0.18	0.05
C307040		42.5	5.11	8.32	0.08	0.11	0.01	0.024	0.13	22.1	83.6	1.04	985	0.11	0.05
C307041		31.4	5.57	8.94	0.07	0.10	<0.01	0.034	0.10	16.7	87.9	1.15	2010	0.13	0.05
C307042		45.7	5.13	7.85	0.10	0.16	<0.01	0.022	0.12	23.8	87.9	1.06	744	0.20	0.04
C307043		44.7	5.40	8.22	0.08	0.13	<0.01	0.019	0.13	24.6	92.9	1.09	702	0.49	0.05
C307044		41.3	5.35	8.65	0.10	0.11	<0.01	0.037	0.14	20.0	93.6	1.12	1400	0.47	0.06
C307045		40.1	5.32	8.36	0.09	0.10	<0.01	0.024	0.13	23.7	94.0	1.12	1000	0.81	0.04
C307046		39.1	5.56	8.85	0.10	0.15	<0.01	0.022	0.14	29.6	97.1	1.17	760	0.82	0.04
C307047		42.7	5.65	8.81	0.10	0.13	<0.01	0.025	0.14	23.6	99.1	1.18	834	0.76	0.04
C307048		48.1	5.45	7.49	0.08	0.16	<0.01	0.016	0.15	18.5	85.6	1.07	864	0.67	0.04
C307049		69.5	4.76	7.59	0.10	0.11	<0.01	0.032	0.15	24.3	79.8	1.01	1020	0.15	0.04
C307050		42.8	5.15	7.12	0.07	0.17	<0.01	0.027	0.14	17.7	80.1	1.02	925	0.27	0.03
C307051		25.2	3.31	7.41	0.11	0.73	0.01	0.023	0.94	28.5	33.9	1.20	207	0.52	0.07
C307052		225	6.55	8.12	0.07	0.12	<0.01	0.034	0.12	9.9	82.8	1.14	1180	0.53	0.04
C307053		35.6	5.35	8.61	0.09	0.10	<0.01	0.020	0.14	19.5	94.3	1.19	1030	0.69	0.03
C307054		41.3	4.89	7.47	0.08	0.12	<0.01	0.021	0.14	16.8	83.9	1.08	898	0.30	0.04
C307055		33.6	5.12	8.28	0.08	0.11	<0.01	0.021	0.15	17.6	91.9	1.19	1140	0.14	0.05
C307056		37.3	5.03	7.90	0.07	0.11	<0.01	0.023	0.07	11.9	87.3	1.17	1120	0.14	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C307017		40.3	210	16.8	4.8	0.001	1.23	0.30	2.3	<0.2	0.4	12.3	<0.01	0.01	15.4
C307018		45.9	260	15.5	7.1	0.001	1.41	0.53	2.6	<0.2	0.3	19.9	<0.01	0.02	14.6
C307019		45.1	220	20.4	6.3	<0.001	1.07	0.35	2.7	<0.2	0.3	15.7	<0.01	0.02	14.0
C307020		45.9	450	17.4	6.4	<0.001	0.90	0.42	2.9	<0.2	0.3	16.7	<0.01	0.02	15.0
C307021		39.7	350	7.5	6.9	<0.001	0.63	0.23	2.6	<0.2	0.5	17.8	<0.01	0.01	16.5
C307022		0.9	30	1.5	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.3	<0.01	<0.01	1.0
C307023		16.8	220	5.7	1.9	<0.001	0.25	0.05	3.3	<0.2	0.2	38.3	<0.01	0.01	10.9
C307024		26.5	250	9.2	4.2	<0.001	0.41	0.08	6.0	<0.2	0.4	71.5	<0.01	0.01	14.6
C307025		45.4	320	11.5	6.9	<0.001	0.49	0.20	3.2	<0.2	0.4	19.5	<0.01	0.01	16.0
C307026		48.3	340	11.4	7.2	<0.001	0.70	0.30	3.1	<0.2	0.3	18.2	<0.01	0.01	13.9
C307027		43.5	320	13.8	6.9	<0.001	0.79	0.38	3.4	<0.2	0.3	17.9	<0.01	0.01	14.5
C307028		47.1	340	15.1	7.9	<0.001	0.64	0.30	3.1	<0.2	0.2	18.1	<0.01	0.02	14.4
C307029		41.9	350	4.3	9.1	<0.001	0.41	0.17	2.6	<0.2	0.4	16.2	<0.01	0.01	16.1
C307030		17.8	150	17.0	1.8	<0.001	0.55	0.20	3.4	<0.2	0.6	43.5	<0.01	0.03	7.4
C307031		47.9	280	28.1	8.1	<0.001	0.80	0.33	4.4	0.2	0.8	31.3	<0.01	0.05	17.2
C307032		43.6	290	3.3	7.4	<0.001	0.13	0.12	2.6	<0.2	0.3	13.4	<0.01	0.01	15.4
C307033		38.7	270	13.6	6.4	<0.001	0.12	0.11	3.2	<0.2	0.3	25.8	<0.01	0.01	14.6
C307034		45.2	310	4.3	7.4	<0.001	0.05	0.10	3.1	<0.2	0.3	15.9	<0.01	0.01	15.5
C307035		44.3	260	2.5	7.3	<0.001	0.10	0.09	3.0	<0.2	0.2	15.7	<0.01	0.02	15.4
C307036		59.5	510	7.7	92.1	<0.001	0.08	267	6.3	0.2	1.3	16.2	<0.01	0.02	12.1
C307037		45.1	300	4.4	7.1	<0.001	0.28	0.43	3.0	<0.2	0.3	15.3	<0.01	0.02	14.0
C307038		43.8	280	11.2	7.6	<0.001	0.32	0.17	3.2	<0.2	0.4	18.8	0.01	0.03	14.7
C307039		48.4	300	6.3	7.2	<0.001	0.32	0.18	2.9	<0.2	0.3	15.6	<0.01	0.02	14.5
C307040		41.0	290	9.9	7.4	<0.001	0.43	0.17	3.3	<0.2	0.4	17.9	<0.01	0.01	14.2
C307041		30.1	320	14.4	4.9	<0.001	0.39	0.12	4.4	<0.2	0.4	31.9	<0.01	0.01	10.9
C307042		44.9	300	24.8	5.4	<0.001	0.34	0.23	2.9	<0.2	0.2	16.5	<0.01	0.02	13.4
C307043		46.0	300	79.4	6.2	<0.001	0.43	0.24	3.1	<0.2	0.2	18.1	<0.01	0.02	12.4
C307044		42.7	300	64.5	6.4	<0.001	0.38	0.19	4.1	<0.2	0.4	30.1	<0.01	0.03	14.5
C307045		45.4	300	100.0	5.9	<0.001	0.29	0.16	3.5	<0.2	0.4	22.0	<0.01	0.02	15.4
C307046		45.9	300	43.5	6.8	<0.001	0.28	0.17	3.2	0.2	0.2	18.9	<0.01	0.02	15.9
C307047		49.3	310	5.6	6.9	<0.001	0.42	0.19	3.4	<0.2	0.2	18.5	<0.01	0.01	14.7
C307048		46.9	330	6.4	7.3	<0.001	0.81	0.24	3.0	<0.2	0.2	19.8	<0.01	0.01	15.4
C307049		43.2	330	8.1	7.0	<0.001	0.39	0.13	3.3	0.2	0.5	25.5	<0.01	0.01	16.6
C307050		41.9	300	4.4	6.7	<0.001	0.69	0.21	2.7	<0.2	0.5	25.7	<0.01	0.02	15.0
C307051		58.6	490	8.8	91.1	<0.001	0.11	346	5.9	<0.2	1.2	18.2	<0.01	0.01	12.5
C307052		42.8	400	11.7	5.6	<0.001	1.76	0.47	4.5	0.5	0.8	35.3	<0.01	0.04	13.5
C307053		41.0	310	4.4	6.8	<0.001	0.43	0.19	3.0	<0.2	0.3	18.0	<0.01	0.01	15.4
C307054		43.3	300	6.4	6.4	<0.001	0.59	0.44	2.6	<0.2	0.2	32.3	<0.01	0.01	14.8
C307055		41.4	280	25.2	7.1	<0.001	0.51	0.35	2.9	<0.2	0.6	74.4	<0.01	0.01	14.9
C307056		41.9	310	27.4	3.1	<0.001	0.45	0.32	3.1	<0.2	0.3	55.4	<0.01	0.02	14.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C307017		0.02	1.49	13	0.13	2.02	84	7.0		<0.05
C307018		0.04	2.03	18	0.12	2.82	98	10.0		<0.05
C307019		0.03	1.75	18	0.09	2.63	104	9.0		<0.05
C307020		0.04	1.45	19	0.10	3.44	121	6.6		<0.05
C307021		0.04	1.42	18	0.10	2.53	189	4.4		<0.05
C307022		<0.02	0.17	2	<0.05	0.75	2	2.7	<0.01	
C307023		<0.02	0.92	17	0.08	3.75	91	1.9		<0.05
C307024		0.02	2.01	22	0.13	9.26	113	4.0	<0.01	
C307025		0.04	1.76	20	0.14	3.31	97	5.7	<0.01	
C307026		0.03	1.49	20	0.07	3.02	112	5.7	0.01	
C307027		0.04	1.43	23	0.07	3.01	128	6.1	<0.01	
C307028		0.04	1.35	20	0.06	3.11	119	5.4	<0.01	
C307029		0.05	1.17	16	0.06	3.03	95	4.7	<0.01	
C307030		<0.02	0.57	17	0.13	2.90	83	2.5		0.46
C307031		0.04	1.26	21	0.16	3.14	135	5.0		0.33
C307032		0.04	1.30	18	0.05	2.95	112	5.0	<0.01	
C307033		0.03	1.21	20	0.07	4.39	120	4.4	<0.01	
C307034		0.04	1.15	20	<0.05	3.70	116	4.8	<0.01	
C307035		0.04	1.35	20	<0.05	3.83	109	6.1	<0.01	
C307036		0.54	1.33	67	0.45	9.54	78	29.8	1.55	
C307037		0.03	1.35	20	<0.05	3.49	118	5.7	<0.01	
C307038		0.04	1.20	21	0.05	3.59	117	4.8	<0.01	
C307039		0.04	1.35	20	<0.05	2.98	109	5.4	<0.01	
C307040		0.03	1.22	21	0.05	3.05	121	4.8	<0.01	
C307041		0.03	0.88	26	<0.05	4.39	149	3.7	<0.01	
C307042		0.04	1.28	19	0.08	2.87	115	5.0	<0.01	
C307043		0.04	1.39	20	<0.05	3.11	109	6.0	<0.01	
C307044		0.04	1.36	24	0.05	3.59	123	4.4	<0.01	
C307045		0.03	1.31	23	0.08	3.25	123	3.9	0.02	
C307046		0.04	1.43	20	0.05	3.48	120	5.5	<0.01	
C307047		0.03	1.44	20	<0.05	3.23	121	5.5	<0.01	
C307048		0.04	1.52	17	0.05	3.15	107	6.2	<0.01	
C307049		0.04	1.21	20	0.07	3.41	120	4.9	<0.01	
C307050		0.05	1.18	17	0.28	3.21	114	5.0	<0.01	
C307051		0.54	1.39	63	0.46	9.22	74	26.3	2.20	
C307052		0.03	1.24	21	0.10	3.49	131	4.8	0.02	
C307053		0.04	1.30	20	0.05	2.80	117	3.7	<0.01	
C307054		0.07	1.23	17	0.14	2.82	108	4.9	<0.01	
C307055		0.05	2.76	20	0.40	3.27	117	5.2	<0.01	
C307056		0.02	1.20	21	0.72	2.73	118	4.8	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
C307057		1.37	0.09	3.26	15.4	<0.02	<10	30	0.59	0.39	0.70	0.02	33.3	23.2	41
C307058		1.69	0.17	2.94	15.5	<0.02	<10	30	0.69	0.41	0.68	0.01	34.5	18.1	40
C307059		0.65	0.08	3.37	8.8	<0.02	<10	30	0.72	0.45	0.74	0.02	30.9	20.5	42



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21027515

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5	0.01	0.05
C307057		0.05	1.28	24	1.22	3.14	142	4.9	<0.01	
C307058		0.05	1.94	21	3.26	3.15	125	4.2	<0.01	
C307059		0.04	1.74	28	0.33	3.31	136	4.6	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21027515

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 Au-GRA22 ME-MS41