



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

CERTIFICATE WH21032724

Project: Culvert - NUF

This report is for 168 samples of Drill Core submitted to our lab in Whitehorse, YT, Canada on 8-FEB-2021.

The following have access to data associated with this certificate:

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C307060		1.97	0.14	2.07	1205	0.67	<10	40	0.64	0.59	0.05	0.06	63.6	11.9	26	1.68
C307061		2.38	0.09	2.45	25.8	<0.02	<10	40	0.63	0.39	0.07	0.04	69.4	14.9	31	1.89
C307062		5.54	0.14	2.83	52.9	<0.02	<10	40	0.61	0.44	0.11	0.03	79.9	15.4	34	2.22
C307063		3.39	0.07	2.86	44.5	<0.02	<10	40	0.75	0.48	0.27	0.03	62.8	25.2	35	2.03
C307064		3.02	0.03	3.11	24.8	<0.02	<10	40	0.73	0.18	0.08	0.02	82.8	18.3	37	2.20
C307065		2.56	0.04	2.67	15.7	<0.02	<10	30	0.58	0.33	0.12	0.01	79.6	15.2	32	1.61
C307066		3.68	0.03	2.96	32.4	<0.02	<10	40	0.71	0.39	0.21	0.01	69.3	20.4	37	2.02
C307067		3.19	0.07	2.65	50.2	0.34	<10	40	0.65	0.29	0.09	0.02	82.1	23.2	34	3.97
C307068		0.25	0.01	0.08	1.9	<0.02	<10	10	<0.05	0.02	0.02	0.01	4.77	0.6	5	0.12
C307069		2.03	0.10	2.59	517	0.11	<10	30	0.88	2.91	0.30	0.02	42.8	19.7	29	3.28
C307070		2.21	0.05	2.55	473	0.10	<10	40	0.73	1.29	0.34	0.02	49.9	18.3	30	2.11
C307071		2.32	0.04	2.86	55.4	0.07	<10	40	0.83	0.38	0.25	0.02	57.0	19.4	33	1.71
C307072		2.03	0.05	2.07	107.0	0.04	<10	30	0.77	0.52	0.07	0.02	39.8	27.6	22	1.76
C307073		2.32	0.03	2.96	54.6	<0.02	<10	30	0.84	0.34	0.09	0.01	59.9	24.7	33	1.63
C307074		1.46	0.03	2.59	110.5	<0.02	<10	40	0.82	0.65	0.13	0.03	69.3	33.2	33	1.67
C307075		4.26	0.05	2.88	33.0	<0.02	<10	40	0.72	0.34	0.35	0.02	71.8	19.8	36	1.42
C307076		4.29	0.03	2.81	23.1	<0.02	<10	50	0.76	0.07	0.23	0.02	85.1	13.8	34	1.45
C307077		4.20	0.04	2.70	53.0	<0.02	<10	40	0.78	0.11	0.18	0.02	92.6	20.6	32	1.44
C307078		2.38	0.05	2.90	49.8	0.04	<10	50	0.83	1.07	0.32	0.02	72.5	22.5	34	1.52
C307079		5.42	0.04	2.94	49.4	0.02	<10	40	0.77	0.79	0.35	0.03	78.1	20.5	34	1.35
C307080		2.67	0.01	2.66	44.6	<0.02	<10	50	0.86	0.17	0.30	0.02	82.2	26.3	33	1.39
C307081		5.84	0.01	2.72	9.7	0.02	<10	50	0.64	0.19	0.17	0.01	60.9	20.6	33	1.35
C307082		6.34	0.03	2.41	7.7	0.11	<10	60	0.73	0.53	0.17	0.02	50.2	18.7	29	1.46
C307083		0.06	0.13	2.59	356	1.46	<10	100	1.18	0.29	0.21	0.03	60.1	12.2	102	7.36
C307084		2.19	0.07	2.28	4.3	1.23	<10	50	0.76	0.52	0.29	0.01	59.1	18.6	31	1.50
C307085		2.60	<0.01	2.25	4.4	<0.02	<10	50	0.91	0.30	0.27	0.01	78.7	19.0	30	1.44
C307086		5.85	0.01	2.73	5.8	0.03	<10	50	0.76	0.31	0.14	<0.01	73.0	21.8	34	1.57
C307087		6.46	0.01	2.99	8.3	<0.02	<10	50	0.73	0.71	0.15	<0.01	81.7	19.6	37	1.70
C307088		5.60	0.05	2.64	19.2	<0.02	<10	40	0.72	0.50	0.12	0.04	77.6	21.4	34	1.93
C307089		4.11	<0.01	2.98	12.3	<0.02	<10	40	0.70	0.10	0.07	<0.01	82.2	16.3	36	1.77
C307090		2.93	0.02	3.14	9.8	0.02	<10	50	0.67	0.28	0.07	<0.01	84.5	11.7	38	1.95
C307091		3.68	0.02	2.98	20.4	<0.02	<10	50	0.79	0.17	0.06	0.01	76.2	19.7	38	2.35
C307092		2.15	0.03	2.35	384	0.17	<10	40	0.68	0.29	0.07	0.01	54.9	13.0	30	1.89
C307093		2.00	0.05	2.76	101.0	<0.02	<10	40	0.68	0.17	0.08	0.02	63.7	20.7	35	1.90
C307094		3.47	0.11	2.56	116.0	<0.02	<10	40	0.78	0.95	1.08	0.03	38.1	25.9	37	1.88
C307095		3.22	0.05	2.61	294	0.02	<10	30	0.69	0.29	0.49	0.02	69.0	19.7	36	2.00
C307096		4.86	0.03	2.81	29.0	<0.02	<10	30	0.76	0.39	0.35	0.02	77.7	20.5	38	2.24
C307097		0.06	0.17	2.49	471	2.00	<10	90	1.19	0.29	0.21	0.03	60.2	12.0	95	7.31
C307098		1.50	0.04	2.54	212	0.04	<10	30	0.65	0.62	0.61	0.02	59.4	19.4	37	1.82
C307099		2.62	0.05	2.62	130.0	0.67	<10	30	0.63	0.83	0.22	<0.01	55.8	15.5	34	1.90



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C307060		26.1	3.79	6.26	0.10	0.14	<0.01	0.017	0.19	32.9	50.7	0.65	611	0.28	0.04
C307061		24.5	4.47	7.62	0.10	0.15	<0.01	0.017	0.18	36.3	66.9	0.83	731	0.23	0.04
C307062		36.3	4.92	8.73	0.13	0.16	<0.01	0.019	0.19	41.8	81.1	1.00	881	0.21	0.05
C307063		50.8	5.03	8.61	0.10	0.09	<0.01	0.026	0.19	32.5	80.6	1.06	1320	0.27	0.04
C307064		23.6	5.20	9.44	0.12	0.10	<0.01	0.021	0.23	42.5	87.9	1.12	1160	0.10	0.05
C307065		24.0	4.64	8.70	0.13	0.11	<0.01	0.023	0.17	40.7	80.1	1.00	1090	0.10	0.03
C307066		29.4	5.12	8.30	0.11	0.13	<0.01	0.023	0.21	36.3	78.4	1.10	1100	0.17	0.04
C307067		22.3	4.47	8.05	0.13	0.15	<0.01	0.027	0.19	42.4	72.9	1.02	1340	0.21	0.04
C307068		1.2	0.29	0.35	<0.05	0.11	<0.01	<0.005	0.02	2.3	1.6	0.02	42	0.14	<0.01
C307069		59.2	5.17	7.65	0.09	0.16	<0.01	0.022	0.19	21.7	70.6	1.01	1380	0.20	0.03
C307070		48.2	4.72	7.64	0.09	0.15	<0.01	0.024	0.22	26.2	70.8	1.00	1480	0.27	0.03
C307071		36.5	5.14	8.46	0.10	0.11	<0.01	0.024	0.24	29.4	81.3	1.12	1340	0.19	0.03
C307072		44.1	4.47	6.09	0.08	0.14	<0.01	0.019	0.18	20.3	54.8	0.81	857	0.42	0.02
C307073		38.8	5.51	8.79	0.11	0.14	<0.01	0.021	0.21	30.4	81.6	1.17	1180	0.21	0.03
C307074		52.5	4.67	7.71	0.11	0.14	<0.01	0.023	0.22	34.7	70.8	0.95	1230	0.36	0.02
C307075		46.6	4.97	8.14	0.13	0.09	<0.01	0.021	0.22	36.7	79.4	1.09	1490	0.51	0.02
C307076		51.7	4.53	7.75	0.12	0.07	<0.01	0.023	0.28	43.0	70.5	1.02	1300	<0.05	0.03
C307077		61.7	4.45	7.75	0.14	0.06	<0.01	0.021	0.25	46.6	69.6	0.99	1220	<0.05	0.03
C307078		56.3	4.87	8.14	0.12	0.07	<0.01	0.023	0.28	36.1	74.7	1.07	1370	<0.05	0.03
C307079		59.0	4.93	8.10	0.12	0.07	<0.01	0.020	0.26	38.8	72.9	1.08	1280	<0.05	0.02
C307080		4.5	4.45	7.28	0.13	0.07	<0.01	0.014	0.26	41.0	64.3	0.96	1330	<0.05	0.02
C307081		2.5	5.05	7.49	0.11	0.06	<0.01	0.014	0.25	30.1	57.8	0.93	1200	<0.05	0.02
C307082		4.2	4.98	7.02	0.09	0.07	<0.01	0.017	0.33	25.4	36.3	0.63	813	0.06	0.03
C307083		24.7	3.44	8.06	0.15	0.72	0.01	0.026	1.00	29.9	32.4	1.27	218	0.54	0.07
C307084		2.0	4.81	6.89	0.11	0.08	<0.01	0.015	0.23	29.8	37.5	0.58	707	<0.05	0.02
C307085		0.3	5.11	7.11	0.12	0.06	<0.01	0.015	0.27	40.6	57.2	0.58	522	<0.05	0.02
C307086		1.7	4.97	7.55	0.13	0.10	<0.01	0.014	0.24	38.4	66.1	0.89	667	<0.05	0.03
C307087		19.6	4.94	8.32	0.14	0.08	<0.01	0.017	0.25	42.7	85.7	1.09	805	<0.05	0.03
C307088		122.5	4.31	7.19	0.14	0.14	<0.01	0.020	0.24	41.8	73.0	0.93	628	<0.05	0.04
C307089		10.2	4.96	8.62	0.14	0.12	<0.01	0.015	0.25	43.4	88.9	1.07	630	<0.05	0.05
C307090		19.9	5.15	8.62	0.16	0.11	0.01	0.019	0.25	45.6	87.7	1.12	634	<0.05	0.05
C307091		50.6	4.71	8.31	0.14	0.14	<0.01	0.019	0.29	40.6	83.9	1.03	594	<0.05	0.06
C307092		33.0	3.98	6.71	0.10	0.13	<0.01	0.016	0.21	29.0	68.5	0.86	557	0.07	0.04
C307093		65.2	4.71	8.16	0.11	0.11	0.01	0.024	0.22	33.4	85.0	1.02	675	0.08	0.04
C307094		158.0	5.17	7.75	0.10	0.18	<0.01	0.030	0.21	20.2	76.1	0.95	1340	2.35	0.07
C307095		53.1	4.33	7.91	0.13	0.12	<0.01	0.028	0.20	36.2	79.0	0.99	1000	0.06	0.05
C307096		29.9	4.62	8.97	0.15	0.15	<0.01	0.025	0.19	40.3	91.1	1.06	966	0.22	0.05
C307097		26.1	3.29	7.99	0.15	0.71	0.01	0.025	0.95	30.5	32.1	1.21	209	0.51	0.07
C307098		29.0	4.31	8.11	0.13	0.14	<0.01	0.027	0.17	30.4	77.8	0.99	1270	0.53	0.05
C307099		36.4	4.70	8.24	0.12	0.13	<0.01	0.018	0.20	27.5	78.6	0.99	879	0.10	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
															Ti %
															0.005
C307060		27.7	240	8.3	9.4	<0.001	0.03	0.60	2.1	0.3	0.4	11.8	<0.01	0.02	12.3
C307061		36.8	310	7.4	9.0	<0.001	0.03	0.09	2.5	0.2	0.6	10.8	<0.01	0.02	14.0
C307062		37.9	330	7.5	9.5	<0.001	0.02	0.15	2.8	0.2	0.5	12.6	<0.01	0.02	16.2
C307063		51.0	500	7.6	9.6	<0.001	0.10	0.17	3.2	<0.2	0.7	11.8	<0.01	0.02	15.8
C307064		37.8	350	2.5	11.6	<0.001	0.04	0.14	3.0	0.2	0.6	11.4	<0.01	0.01	15.7
C307065		34.1	310	6.2	8.8	<0.001	0.05	0.18	2.8	<0.2	0.6	9.4	<0.01	0.02	14.9
C307066		40.1	530	6.6	9.8	<0.001	0.11	0.13	2.7	<0.2	0.5	10.1	<0.01	0.02	13.5
C307067		31.2	280	14.7	8.8	<0.001	0.06	0.15	2.5	<0.2	0.9	9.5	<0.01	<0.01	14.6
C307068		1.2	20	1.0	0.9	<0.001	0.01	<0.05	0.2	<0.2	<0.2	1.6	<0.01	<0.01	1.1
C307069		38.6	500	13.3	9.2	0.001	0.70	0.41	2.7	<0.2	0.6	18.5	<0.01	0.07	12.9
C307070		39.1	330	7.2	10.8	<0.001	0.52	0.33	2.6	0.2	0.7	17.1	<0.01	0.04	13.1
C307071		47.1	300	3.5	11.3	<0.001	0.36	0.19	2.8	0.2	0.6	11.5	<0.01	0.01	14.0
C307072		35.0	170	5.2	8.6	<0.001	0.79	0.26	2.1	<0.2	0.4	7.4	<0.01	0.03	12.9
C307073		40.5	280	2.9	9.8	<0.001	0.30	0.21	2.9	<0.2	0.4	8.1	<0.01	0.03	13.5
C307074		44.6	250	3.3	10.5	<0.001	0.16	0.22	2.6	<0.2	0.4	8.6	<0.01	0.02	12.4
C307075		42.5	310	4.7	10.3	<0.001	0.10	0.13	2.6	<0.2	0.3	10.6	<0.01	0.02	12.6
C307076		34.6	290	1.6	12.2	<0.001	0.05	0.06	2.5	0.2	0.3	9.9	<0.01	0.02	11.9
C307077		36.8	260	1.8	11.8	<0.001	0.02	0.10	2.6	<0.2	0.3	9.0	0.01	0.01	12.5
C307078		36.3	520	3.8	12.5	<0.001	0.10	0.17	3.0	<0.2	0.3	10.9	<0.01	0.01	13.3
C307079		36.6	980	2.5	11.8	<0.001	0.04	0.14	2.8	<0.2	0.3	11.3	<0.01	0.02	12.7
C307080		42.6	280	2.3	12.1	<0.001	0.03	0.12	2.6	0.2	0.2	9.6	<0.01	0.03	12.8
C307081		38.1	290	3.2	11.2	<0.001	0.20	0.11	2.6	<0.2	0.2	7.1	<0.01	0.03	12.0
C307082		36.1	270	4.3	15.8	<0.001	0.63	0.16	2.9	<0.2	0.3	11.0	<0.01	0.04	11.8
C307083		57.4	510	8.3	89.4	<0.001	0.09	262	5.7	<0.2	1.3	15.5	<0.01	0.02	12.5
C307084		39.7	280	3.1	11.6	<0.001	0.19	0.30	2.9	<0.2	0.3	10.6	<0.01	0.05	12.5
C307085		40.9	270	1.2	13.9	<0.001	0.03	0.11	2.7	0.2	0.3	10.6	<0.01	0.02	13.8
C307086		44.7	270	2.4	11.4	<0.001	0.10	0.09	2.4	<0.2	0.3	9.3	<0.01	0.02	14.4
C307087		41.9	290	2.7	11.8	<0.001	0.04	0.08	2.8	<0.2	0.3	10.1	<0.01	0.01	14.6
C307088		43.1	280	1.7	11.1	<0.001	0.04	0.08	2.3	<0.2	0.2	10.2	<0.01	0.03	15.3
C307089		40.4	280	0.8	10.9	<0.001	0.02	0.09	2.7	<0.2	0.2	10.0	<0.01	0.02	13.9
C307090		37.0	270	0.8	11.3	<0.001	0.01	0.07	2.7	<0.2	0.2	10.8	<0.01	0.03	12.7
C307091		45.4	240	0.9	12.8	<0.001	0.07	0.11	2.7	<0.2	0.3	13.4	<0.01	0.02	15.1
C307092		34.4	210	2.0	9.8	<0.001	0.18	0.24	2.2	<0.2	0.2	9.6	<0.01	0.02	12.4
C307093		43.4	230	1.2	10.2	<0.001	0.16	0.14	2.7	<0.2	0.3	10.0	<0.01	0.02	14.2
C307094		45.4	240	11.6	10.0	<0.001	1.14	0.25	3.9	0.2	0.8	25.8	<0.01	0.01	14.0
C307095		45.9	240	4.6	9.3	<0.001	0.15	0.19	2.9	0.2	0.5	17.3	<0.01	0.01	14.2
C307096		42.0	360	4.3	9.2	<0.001	0.07	0.09	3.1	<0.2	0.4	16.3	<0.01	0.02	15.6
C307097		58.2	490	8.9	88.7	<0.001	0.11	352	5.6	<0.2	1.3	17.1	<0.01	0.02	12.2
C307098		37.0	260	13.1	8.2	<0.001	0.22	0.67	2.9	<0.2	0.6	17.6	<0.01	0.02	15.0
C307099		34.6	270	6.9	9.3	<0.001	0.44	0.31	2.9	<0.2	0.5	12.2	<0.01	0.02	12.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C307060		0.06	1.03	15	0.98	3.29	85	5.8		1.81
C307061		0.05	1.06	18	0.67	3.65	95	7.0	<0.01	
C307062		0.05	1.23	19	1.96	4.58	98	6.9	0.03	
C307063		0.05	1.39	20	0.35	5.43	136	4.2	<0.01	
C307064		0.06	1.06	19	0.38	4.75	92	4.9	<0.01	
C307065		0.05	0.94	18	0.07	5.60	100	5.0	<0.01	
C307066		0.05	1.41	20	0.13	6.20	121	5.6	0.01	
C307067		0.05	1.04	19	0.17	5.15	101	6.3		<0.05
C307068		<0.02	0.17	1	<0.05	0.85	3	2.6	<0.01	
C307069		0.05	1.10	19	1.29	4.77	116	7.5		1.21
C307070		0.06	0.89	18	2.36	4.62	111	6.9		0.29
C307071		0.06	1.21	20	0.28	4.18	129	4.8		<0.05
C307072		0.05	1.14	14	0.19	2.88	82	6.0		0.16
C307073		0.05	1.03	20	0.10	3.83	118	5.6	0.02	
C307074		0.06	1.41	18	0.07	4.15	116	5.3	0.01	
C307075		0.04	0.64	20	0.10	4.05	120	3.8	0.01	
C307076		0.07	0.50	18	0.07	4.25	96	3.3	<0.01	
C307077		0.07	0.59	18	0.08	4.64	97	3.4	0.01	
C307078		0.07	0.77	21	0.21	3.86	105	3.5	0.04	
C307079		0.06	0.83	19	0.07	4.83	109	3.4	0.01	
C307080		0.06	0.88	17	0.08	4.14	100	3.2	0.02	
C307081		0.06	0.58	19	0.11	3.25	98	2.4	0.06	
C307082		0.09	0.68	20	0.42	3.05	78	3.0	0.35	
C307083		0.56	1.49	68	0.40	9.28	78	28.6	1.60	
C307084		0.07	0.66	22	0.15	3.37	72	3.3	0.45	
C307085		0.08	0.58	24	0.10	3.59	75	2.4	<0.01	
C307086		0.06	0.81	18	0.12	3.32	106	3.7	0.03	
C307087		0.06	0.86	18	0.05	3.59	113	3.8	0.02	
C307088		0.06	1.05	16	0.05	3.69	97	6.5	0.01	
C307089		0.06	0.81	18	0.05	3.37	97	5.1	<0.01	
C307090		0.06	0.57	19	<0.05	3.10	92	4.3	<0.01	
C307091		0.07	1.06	18	<0.05	3.61	103	6.5	0.01	
C307092		0.05	0.95	14	0.08	2.99	87	5.3	0.25	
C307093		0.06	0.88	17	0.10	3.15	108	4.7	0.01	
C307094		0.06	1.81	21	0.09	3.43	114	8.4	0.01	
C307095		0.06	1.04	17	0.05	3.67	122	5.7		<0.05
C307096		0.04	1.14	19	<0.05	4.12	112	6.4	0.01	
C307097		0.53	1.50	63	0.47	9.22	74	28.6	2.20	
C307098		0.05	1.06	20	<0.05	3.56	115	6.7	0.01	
C307099		0.06	0.66	18	0.07	3.19	96	5.4		0.64



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C307100		2.24	0.07	2.19	138.0	0.02	<10	30	0.65	0.34	1.08	0.03	29.3	18.1	28	2.87
C307101		1.39	0.11	1.90	199.5	<0.02	<10	20	0.59	0.33	1.20	0.03	29.9	13.3	23	2.15
C307102		3.56	0.10	2.13	161.5	<0.02	<10	20	0.63	0.80	1.23	0.11	26.0	15.9	27	2.05
C307103		7.26	0.08	2.69	11.1	<0.02	10	20	0.61	0.73	0.80	0.03	30.5	17.5	35	1.88
C307104		4.87	0.10	2.14	9.9	<0.02	<10	20	0.44	0.73	0.60	0.06	24.5	17.5	30	1.96
C307105		5.54	0.09	2.37	10.7	<0.02	<10	20	0.48	0.75	0.36	0.03	26.5	17.5	31	1.99
C307106		6.31	0.08	2.09	9.8	<0.02	<10	20	0.51	0.45	1.04	0.10	28.4	16.8	31	2.21
C307107		3.41	0.19	2.21	50.3	<0.02	<10	20	0.53	0.50	0.42	0.10	28.1	17.8	31	2.20
C307108		6.48	0.12	2.47	14.8	<0.02	<10	20	0.46	0.53	0.17	0.02	34.1	18.4	35	2.21
C307109		5.01	0.05	2.70	17.4	<0.02	<10	20	0.53	0.47	0.34	0.01	33.9	18.9	39	2.35
C307110		5.39	0.02	2.78	22.6	<0.02	<10	30	0.56	0.33	0.70	0.01	45.4	17.7	37	2.18
C307111		3.18	0.04	2.01	27.2	<0.02	<10	20	0.60	0.56	0.93	0.01	41.2	18.3	29	2.22
C307112		2.08	0.04	2.95	12.6	<0.02	<10	10	0.43	0.38	0.86	0.01	30.1	15.2	34	1.41
C307113		2.31	0.05	2.64	19.8	<0.02	<10	20	0.46	0.39	1.22	0.02	30.4	15.1	31	1.43
C307114		2.24	0.07	3.28	31.4	<0.02	<10	20	0.55	0.58	0.70	0.02	37.4	25.5	43	2.11
C307115		4.46	0.09	2.72	29.6	<0.02	<10	20	0.45	0.65	0.10	0.01	43.4	21.8	37	2.42
C307116		0.24	0.01	0.07	1.0	<0.02	<10	10	<0.05	0.02	0.02	<0.01	3.91	0.4	2	0.10
C307117		4.76	0.03	2.85	30.5	<0.02	<10	20	0.43	0.37	0.08	0.01	37.1	22.7	39	2.56
C307118		4.43	0.03	2.88	23.8	<0.02	<10	30	0.56	0.20	0.46	0.02	56.8	17.3	38	2.37
C307119		4.69	0.04	3.00	27.2	<0.02	<10	30	0.52	0.26	0.21	0.02	59.7	19.4	39	2.44
C307120		4.86	0.05	2.90	26.7	<0.02	<10	20	0.51	0.69	0.17	0.01	38.8	24.3	39	2.55
C307121		2.35	0.11	2.92	27.5	<0.02	<10	30	0.57	0.64	0.19	0.02	46.5	24.4	39	2.39
C307122		2.97	0.07	2.73	26.3	<0.02	<10	20	0.52	0.37	0.22	0.01	54.1	19.6	37	3.01
C307123		3.16	0.06	3.11	29.6	<0.02	<10	30	0.56	0.27	0.49	0.02	65.1	19.8	41	2.11
C307124		0.06	0.14	2.43	342	1.47	<10	90	1.19	0.29	0.19	0.03	54.8	12.1	100	7.45
C307125		4.19	0.07	2.81	29.0	<0.02	<10	30	0.52	0.26	0.32	0.03	60.4	20.4	38	2.12
C307126		1.96	0.14	2.70	27.3	<0.02	<10	30	0.56	0.53	0.28	0.05	59.0	20.3	38	2.29
C307127		6.09	0.07	2.64	23.2	<0.02	<10	30	0.52	0.21	0.18	0.04	57.1	17.8	35	2.25
C307128		5.12	0.01	2.75	14.2	<0.02	<10	30	0.55	0.07	0.35	0.01	68.5	12.7	35	1.91
C307129		4.20	0.03	2.22	11.8	<0.02	<10	40	0.53	0.54	0.86	0.01	38.9	16.3	30	1.83
C307130		4.79	0.09	2.30	17.0	<0.02	<10	40	0.47	1.63	1.46	0.02	23.7	34.2	35	1.56
C307131		4.19	0.02	2.68	8.6	<0.02	<10	30	0.56	0.53	0.47	0.01	36.3	18.3	34	1.86
C307132		4.26	0.02	2.88	7.5	<0.02	<10	40	0.58	0.33	0.67	0.01	41.4	14.2	37	1.82
C307133		3.84	0.03	2.60	19.9	<0.02	<10	40	0.59	0.39	0.45	0.01	40.6	20.3	34	1.93
C307134		3.01	0.03	2.73	20.5	<0.02	<10	40	0.68	0.47	0.30	0.01	37.9	22.1	35	2.02
C307135		4.19	0.04	2.79	24.0	<0.02	<10	30	0.61	0.43	0.40	0.01	33.5	24.8	35	2.01
C307136		5.75	0.04	3.03	28.7	<0.02	<10	40	0.64	0.44	0.26	0.01	37.8	26.0	38	2.13
C307137		5.06	0.03	2.55	30.6	<0.02	<10	30	0.60	0.41	0.30	0.01	35.6	23.1	34	2.06
C307138		4.59	0.04	3.08	45.7	<0.02	<10	40	0.66	0.90	0.42	0.01	37.0	33.5	39	2.00
C307139		3.67	0.03	2.82	31.9	<0.02	<10	40	0.64	0.45	0.19	0.01	47.8	21.8	36	2.10



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C307100		28.9	4.62	6.62	0.08	0.14	<0.01	0.018	0.18	14.7	60.4	0.87	1100	0.59	0.05
C307101		27.3	3.80	5.42	0.07	0.12	<0.01	0.018	0.16	14.7	52.1	0.75	1180	0.52	0.04
C307102		47.2	4.54	6.37	0.07	0.14	<0.01	0.024	0.15	12.5	63.3	0.85	1260	3.04	0.05
C307103		39.0	5.23	7.73	0.07	0.12	<0.01	0.030	0.15	14.8	82.4	1.05	1120	1.43	0.08
C307104		35.8	4.48	6.43	0.07	0.11	<0.01	0.021	0.13	11.7	64.1	0.83	853	1.09	0.07
C307105		33.9	5.02	7.05	0.08	0.10	<0.01	0.020	0.14	12.5	71.7	0.93	755	2.67	0.07
C307106		37.8	4.24	6.18	0.07	0.15	<0.01	0.021	0.13	13.7	62.8	0.82	1160	2.44	0.06
C307107		38.8	4.52	6.45	0.08	0.15	<0.01	0.018	0.15	13.8	68.3	0.84	736	1.96	0.06
C307108		38.1	4.62	7.48	0.08	0.12	<0.01	0.020	0.13	16.8	83.2	0.97	648	0.38	0.05
C307109		41.9	4.79	7.92	0.09	0.13	<0.01	0.019	0.13	16.9	87.5	1.05	765	0.29	0.05
C307110		24.4	4.70	7.71	0.11	0.10	<0.01	0.028	0.16	22.0	83.1	1.06	1040	0.24	0.06
C307111		16.8	3.48	5.90	0.10	0.10	<0.01	0.025	0.14	20.9	60.8	0.75	975	0.24	0.05
C307112		43.8	5.74	9.57	0.10	0.07	<0.01	0.033	0.09	13.7	100.5	1.21	1300	0.13	0.04
C307113		29.0	4.88	8.53	0.09	0.07	<0.01	0.034	0.10	14.5	87.7	1.07	1440	0.22	0.04
C307114		40.9	5.94	10.05	0.10	0.10	<0.01	0.030	0.14	18.2	108.0	1.25	1120	0.27	0.05
C307115		40.1	4.90	8.25	0.10	0.09	<0.01	0.020	0.10	22.0	88.6	1.03	653	0.22	0.04
C307116		0.9	0.33	0.30	<0.05	0.11	<0.01	<0.005	0.01	1.9	1.4	0.02	38	0.21	0.01
C307117		35.8	5.22	8.17	0.09	0.10	<0.01	0.019	0.10	18.9	89.4	1.08	692	0.13	0.04
C307118		26.5	5.01	8.51	0.12	0.11	<0.01	0.020	0.14	27.9	90.1	1.05	952	0.08	0.05
C307119		37.0	5.25	8.72	0.12	0.10	<0.01	0.022	0.14	29.7	92.3	1.10	806	0.09	0.05
C307120		43.0	5.33	8.08	0.10	0.12	<0.01	0.019	0.13	19.3	87.2	1.07	775	0.26	0.05
C307121		65.5	5.20	8.35	0.11	0.12	<0.01	0.029	0.13	23.2	88.7	1.06	796	0.49	0.05
C307122		27.4	4.85	8.04	0.11	0.11	<0.01	0.021	0.11	27.5	86.1	1.02	813	0.09	0.04
C307123		31.6	5.40	8.81	0.13	0.09	<0.01	0.025	0.15	32.8	97.3	1.15	1020	<0.05	0.05
C307124		25.9	3.31	7.71	0.15	0.67	<0.01	0.025	0.97	27.1	33.5	1.21	208	0.52	0.07
C307125		23.3	4.86	8.09	0.12	0.11	<0.01	0.018	0.14	29.7	87.2	1.04	864	<0.05	0.04
C307126		50.4	4.60	7.71	0.12	0.13	<0.01	0.024	0.15	29.2	83.5	0.98	827	1.25	0.05
C307127		65.9	4.57	7.68	0.11	0.11	<0.01	0.026	0.13	28.0	85.6	0.99	789	0.05	0.04
C307128		13.9	4.65	7.81	0.14	0.09	<0.01	0.020	0.16	33.2	82.9	1.04	899	<0.05	0.04
C307129		41.5	4.01	6.45	0.10	0.10	<0.01	0.024	0.15	19.3	68.4	0.86	1110	0.07	0.05
C307130		65.0	5.17	6.64	0.09	0.13	<0.01	0.031	0.14	12.0	70.3	0.90	1420	0.83	0.06
C307131		32.9	5.00	7.60	0.11	0.10	<0.01	0.020	0.16	18.1	86.6	1.04	941	0.19	0.04
C307132		36.8	5.11	8.16	0.10	0.09	<0.01	0.022	0.17	20.3	90.9	1.12	1100	0.11	0.04
C307133		42.2	4.64	7.14	0.12	0.11	<0.01	0.019	0.17	20.0	77.1	0.99	873	0.35	0.05
C307134		43.6	5.02	7.71	0.11	0.12	<0.01	0.018	0.17	18.8	81.3	1.02	839	0.17	0.05
C307135		43.2	5.12	7.89	0.10	0.10	<0.01	0.021	0.15	16.6	83.5	1.06	879	0.29	0.04
C307136		45.9	5.52	8.48	0.11	0.09	<0.01	0.021	0.17	18.8	87.7	1.15	863	0.38	0.05
C307137		40.3	4.59	7.27	0.09	0.08	<0.01	0.019	0.15	18.0	79.5	0.97	791	0.57	0.04
C307138		63.1	5.55	8.56	0.10	0.09	<0.01	0.023	0.20	18.4	87.1	1.15	975	1.86	0.06
C307139		34.8	4.86	8.41	0.11	0.10	<0.01	0.019	0.19	24.2	81.0	1.04	796	0.49	0.06



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
															Ti %
															0.005
C307100		31.7	270	19.4	8.6	<0.001	1.68	0.51	2.2	0.2	0.3	26.5	<0.01	0.01	10.7
C307101		27.0	250	20.4	7.5	<0.001	1.10	0.26	2.1	0.2	0.3	27.1	<0.01	0.01	10.0
C307102		35.3	270	16.5	7.5	<0.001	1.49	0.53	2.7	0.2	0.5	30.7	<0.01	0.02	13.2
C307103		37.2	340	13.0	6.6	<0.001	0.99	0.25	3.0	<0.2	0.5	24.8	<0.01	<0.01	14.0
C307104		36.2	320	18.6	6.0	<0.001	1.18	0.32	2.5	<0.2	0.3	18.1	<0.01	0.02	12.8
C307105		38.0	350	15.5	6.4	<0.001	1.45	0.29	2.5	0.2	0.3	15.6	<0.01	0.02	11.6
C307106		34.4	300	16.9	5.7	<0.001	1.12	0.29	2.5	<0.2	0.2	20.4	<0.01	0.01	12.8
C307107		37.7	250	101.0	6.2	<0.001	1.18	0.48	2.5	0.2	0.2	16.0	<0.01	0.01	14.9
C307108		37.0	260	52.7	5.6	<0.001	0.60	0.32	2.5	0.2	0.2	12.0	<0.01	0.02	14.0
C307109		39.1	270	15.3	5.5	<0.001	0.37	0.29	2.9	<0.2	0.3	15.0	<0.01	0.01	15.0
C307110		38.4	310	11.3	7.0	<0.001	0.20	0.10	2.7	<0.2	0.6	17.1	<0.01	0.01	16.1
C307111		33.4	280	15.9	6.3	<0.001	0.32	0.16	2.4	<0.2	0.5	19.5	<0.01	0.01	15.6
C307112		32.7	300	15.2	4.1	<0.001	0.46	0.15	4.0	<0.2	0.4	19.6	<0.01	0.01	11.8
C307113		32.2	270	15.5	4.4	<0.001	0.28	0.13	3.5	0.3	0.4	23.7	<0.01	0.01	11.9
C307114		47.5	250	20.8	6.5	<0.001	0.34	0.18	3.8	<0.2	0.4	17.0	<0.01	0.02	14.6
C307115		42.9	270	18.5	4.7	<0.001	0.13	0.15	2.6	<0.2	0.2	9.4	<0.01	0.02	14.4
C307116		1.0	30	1.0	0.7	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.4	<0.01	<0.01	1.2
C307117		42.7	300	7.0	4.2	<0.001	0.19	0.21	2.6	<0.2	0.2	8.7	<0.01	0.01	14.1
C307118		40.4	290	11.3	6.2	<0.001	0.07	0.12	2.9	<0.2	0.2	15.2	<0.01	0.01	14.7
C307119		40.9	290	9.9	5.9	<0.001	0.06	0.09	2.9	<0.2	0.2	12.8	<0.01	0.01	14.8
C307120		39.6	270	19.6	5.4	<0.001	0.31	0.28	2.7	<0.2	0.2	12.2	<0.01	0.01	14.1
C307121		41.9	270	33.6	5.8	<0.001	0.15	0.19	2.8	0.2	0.2	13.7	<0.01	0.02	14.4
C307122		37.2	260	26.6	5.0	<0.001	0.04	0.07	2.6	<0.2	0.2	12.2	<0.01	0.01	15.0
C307123		42.3	340	27.2	6.2	<0.001	0.04	0.09	3.1	<0.2	0.2	14.8	<0.01	0.02	16.7
C307124		55.8	500	8.7	89.3	<0.001	0.08	238	5.8	0.3	1.3	15.7	<0.01	0.02	13.0
C307125		38.8	290	25.8	6.0	<0.001	0.03	0.38	2.5	<0.2	0.2	13.2	<0.01	0.01	14.7
C307126		39.4	300	41.8	6.5	0.002	0.04	0.16	2.6	<0.2	0.2	13.3	<0.01	0.02	15.4
C307127		40.6	260	16.1	5.7	<0.001	0.04	0.10	2.5	<0.2	0.2	12.6	<0.01	0.01	14.7
C307128		39.1	360	5.3	7.0	<0.001	0.05	0.12	2.6	<0.2	0.3	15.6	<0.01	0.01	15.0
C307129		35.4	270	7.0	7.4	<0.001	0.43	0.19	2.5	<0.2	0.5	19.0	<0.01	0.01	14.4
C307130		42.4	290	17.6	6.7	0.001	1.28	0.32	3.2	<0.2	0.6	22.1	<0.01	0.02	14.2
C307131		41.8	310	5.5	7.4	<0.001	0.56	0.24	2.6	<0.2	0.4	13.6	<0.01	0.01	15.2
C307132		41.9	320	4.5	8.2	<0.001	0.31	0.19	2.9	<0.2	0.3	16.8	0.01	0.01	15.8
C307133		37.6	320	5.8	7.8	<0.001	0.35	0.19	2.5	<0.2	0.2	15.3	<0.01	0.01	14.8
C307134		41.4	310	8.7	8.0	<0.001	0.55	0.29	2.6	<0.2	0.2	16.5	<0.01	0.02	15.0
C307135		40.9	290	12.2	7.6	<0.001	0.47	0.22	2.8	<0.2	0.2	19.6	<0.01	0.02	14.3
C307136		43.7	300	9.2	8.2	<0.001	0.46	0.20	2.8	<0.2	0.3	14.7	<0.01	0.02	14.9
C307137		38.0	300	6.8	7.5	<0.001	0.38	0.29	2.4	<0.2	0.2	15.9	<0.01	0.02	15.8
C307138		46.8	320	11.9	9.8	0.001	0.58	0.36	3.1	<0.2	0.2	17.7	<0.01	0.02	15.5
C307139		38.5	280	7.8	9.3	<0.001	0.33	0.14	2.8	0.2	0.2	17.1	<0.01	0.01	15.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C307100		0.07	2.14	16	0.50	2.93	96	6.3	0.02	
C307101		0.04	0.85	13	0.55	2.92	116	5.0	0.03	
C307102		0.05	1.24	17	0.13	3.11	107	6.1		<0.05
C307103		0.04	1.97	22	0.07	3.09	120	5.4	<0.01	
C307104		0.04	1.26	18	<0.05	2.53	101	4.7	<0.01	
C307105		0.04	1.10	18	<0.05	2.59	112	4.0	<0.01	
C307106		0.03	1.20	19	<0.05	3.02	103	5.7	<0.01	
C307107		0.04	1.80	17	<0.05	2.98	98	6.8		<0.05
C307108		0.04	1.25	18	<0.05	2.68	102	4.8		<0.05
C307109		0.03	1.54	21	<0.05	2.81	111	5.6	<0.01	
C307110		0.04	1.16	20	<0.05	3.13	130	3.8	<0.01	
C307111		0.04	1.22	16	<0.05	2.94	91	4.0	<0.01	
C307112		0.03	1.09	26	<0.05	2.91	140	3.0	<0.01	
C307113		0.03	0.92	23	<0.05	3.60	125	3.0		<0.05
C307114		0.05	1.42	27	<0.05	3.32	139	4.0	0.01	
C307115		0.03	1.31	18	<0.05	2.62	112	3.9	<0.01	
C307116		<0.02	0.18	2	<0.05	0.93	2	2.7	<0.01	
C307117		0.03	1.26	19	<0.05	2.50	110	4.1	<0.01	
C307118		0.04	1.25	20	<0.05	3.35	111	4.0	0.03	
C307119		0.04	1.09	20	<0.05	2.95	116	4.0	0.01	
C307120		0.04	1.23	19	<0.05	2.75	110	4.7	0.01	
C307121		0.03	1.28	19	<0.05	3.19	112	4.9		<0.05
C307122		0.03	0.97	18	<0.05	3.00	103	4.6	<0.01	
C307123		0.04	1.08	22	<0.05	3.36	122	3.5	<0.01	
C307124		0.56	1.43	66	0.42	9.21	77	26.1	1.57	
C307125		0.04	1.11	19	<0.05	3.11	108	4.3	0.02	
C307126		0.04	1.33	19	<0.05	3.31	104	5.2	<0.01	
C307127		0.04	1.10	17	<0.05	2.99	108	4.6	<0.01	
C307128		0.04	1.00	18	<0.05	3.22	114	3.7	<0.01	
C307129		0.04	1.33	15	0.06	3.09	103	4.8	0.01	
C307130		0.04	1.42	19	0.05	2.66	109	4.5	<0.01	
C307131		0.05	1.21	17	<0.05	2.55	115	3.7	<0.01	
C307132		0.05	1.30	19	<0.05	2.84	123	3.7	<0.01	
C307133		0.05	1.50	17	<0.05	2.83	109	4.6	0.01	
C307134		0.05	1.33	17	0.05	2.89	110	4.7	0.02	
C307135		0.04	1.28	17	<0.05	2.89	114	4.2	0.02	
C307136		0.05	1.38	19	<0.05	2.87	119	3.8	0.02	
C307137		0.05	1.08	16	<0.05	2.76	98	3.3	<0.01	
C307138		0.06	1.60	20	<0.05	2.99	118	3.9	0.01	
C307139		0.06	1.30	18	<0.05	3.22	107	3.8	0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C307140		3.14	0.03	2.84	41.6	<0.02	<10	40	0.57	1.27	0.16	0.01	41.1	26.3	37	2.01
C307141		3.53	0.05	2.89	49.3	0.02	<10	40	0.68	2.73	0.28	0.02	31.1	32.2	36	2.27
C307142		3.69	0.08	2.94	37.4	<0.02	<10	40	0.66	0.77	0.18	0.02	48.2	23.8	37	3.51
C307143		5.74	0.02	2.63	9.3	<0.02	<10	40	0.62	0.21	0.17	<0.01	51.3	18.3	35	1.93
C307144		0.16	0.01	0.08	0.9	<0.02	<10	10	<0.05	0.01	0.08	<0.01	4.48	0.3	4	0.09
C307145		5.10	0.03	2.80	15.3	<0.02	<10	40	0.74	0.54	0.14	0.01	59.7	19.1	35	2.06
C307146		3.15	0.09	2.43	25.8	0.57	<10	40	0.70	0.70	0.11	<0.01	46.6	17.9	30	2.47
C307147		2.43	0.05	2.81	28.2	<0.02	<10	40	0.64	0.58	0.12	0.01	65.5	19.6	35	1.93
C307148		4.58	0.04	3.21	32.5	<0.02	<10	40	0.67	0.68	0.12	0.01	47.1	24.2	37	1.97
C307149		2.42	0.07	2.64	50.7	0.97	<10	40	0.72	0.26	0.08	0.02	54.3	19.1	27	1.97
C307150		2.06	3.74	1.04	>10000	>25.0	<10	30	0.43	1.12	0.21	0.06	22.9	11.1	13	1.21
C307151		1.81	0.14	0.69	2890	3.40	<10	10	0.21	0.60	0.75	0.04	13.15	4.6	17	0.37
C307152		1.65	0.18	0.96	2470	3.84	<10	20	0.35	1.20	0.29	0.02	19.65	7.5	17	0.92
C307153		3.54	0.23	2.23	3340	4.50	<10	40	0.67	1.43	0.10	0.03	40.6	19.2	23	1.83
C307154		4.63	0.09	2.83	130.0	0.97	<10	30	0.73	0.84	0.11	0.01	47.8	22.8	30	1.86
C307155		4.47	0.12	2.41	86.1	1.91	<10	40	0.72	0.54	0.11	0.01	43.5	19.0	26	1.84
C307156		3.18	0.06	2.56	56.4	0.73	<10	30	0.61	0.50	0.12	0.01	38.9	18.9	30	1.58
C307157		5.01	0.05	2.77	16.2	0.05	<10	40	0.61	0.71	0.13	0.01	70.6	20.4	36	1.77
C307158		4.23	0.04	2.94	6.7	<0.02	<10	30	0.61	0.39	0.28	0.01	49.5	23.1	38	4.51
C307159		3.37	0.15	2.70	4.8	<0.02	<10	30	0.53	0.42	0.26	0.01	62.9	19.0	37	3.86
C307160		3.18	0.03	3.17	11.7	<0.02	<10	30	0.49	0.06	0.20	0.01	67.1	18.4	40	1.86
C307161		1.82	0.12	2.99	17.4	<0.02	<10	40	0.49	0.29	0.31	0.04	56.0	17.1	37	3.07
C307162		5.63	0.03	2.81	7.1	<0.02	<10	40	0.54	0.63	0.31	0.01	37.3	20.4	36	1.60
C307163		0.07	0.14	2.61	355	1.51	<10	100	1.19	0.30	0.20	0.04	59.9	12.4	103	7.69
C307164		6.16	0.07	2.69	27.2	<0.02	<10	40	0.54	0.99	0.95	0.01	27.0	27.6	38	1.53
C307165		5.22	0.03	2.97	12.5	<0.02	<10	40	0.56	0.37	0.20	0.01	47.4	18.1	37	1.74
C307166		4.29	0.03	3.00	27.7	<0.02	<10	40	0.49	0.06	0.13	0.01	74.3	19.1	35	1.95
C307167		1.90	0.59	3.32	52.0	0.86	<10	30	0.53	16.45	0.74	0.07	14.20	48.5	38	1.39
C307168		2.32	0.04	1.17	12.7	<0.02	<10	20	0.27	0.11	0.08	0.02	21.5	7.4	19	1.04
C307169		5.31	0.01	3.68	24.1	<0.02	<10	40	0.59	0.05	0.11	0.01	58.5	21.2	42	2.59
C307170		3.22	0.36	2.96	20.9	0.04	<10	40	0.61	0.78	0.84	0.29	55.6	20.7	36	1.71
C307171		1.94	0.01	3.05	12.3	<0.02	<10	40	0.71	0.03	0.19	0.02	79.0	22.6	39	1.88
C307172		5.71	0.05	2.98	0.2	<0.02	<10	40	0.71	0.33	0.10	<0.01	73.4	17.7	38	1.64
C307173		4.17	0.01	2.74	0.2	<0.02	<10	40	0.77	0.42	0.23	<0.01	76.1	20.9	38	1.50
C307174		0.06	0.20	2.42	466	2.03	<10	90	1.23	0.29	0.20	0.04	55.3	12.2	96	7.43
C307175		4.71	<0.01	2.27	0.7	<0.02	<10	40	0.86	0.34	0.22	0.01	54.5	17.8	33	1.82
C307176		2.45	<0.01	2.00	0.5	<0.02	<10	40	1.04	0.13	0.60	<0.01	34.4	15.7	27	2.02
C307177		4.78	<0.01	1.97	0.4	0.10	<10	470	0.80	0.20	0.23	0.01	56.0	17.5	34	2.01
C307178		2.61	<0.01	1.87	0.3	<0.02	<10	40	0.76	0.17	0.10	<0.01	48.3	16.7	34	2.21
C307179		5.60	<0.01	1.94	0.4	<0.02	<10	30	0.80	0.24	0.09	<0.01	43.2	17.3	33	2.46



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C307140		39.2	5.05	8.18	0.09	0.10	<0.01	0.020	0.17	20.2	80.7	1.08	771	0.73	0.05
C307141		59.4	5.46	8.36	0.09	0.13	<0.01	0.021	0.18	15.2	81.9	1.10	821	2.40	0.05
C307142		112.5	4.96	8.80	0.09	0.15	<0.01	0.026	0.17	23.9	83.6	1.10	746	3.67	0.05
C307143		30.7	4.32	7.51	0.10	0.08	<0.01	0.017	0.19	26.2	65.4	1.02	646	0.06	0.05
C307144		1.4	0.25	0.29	<0.05	0.12	<0.01	<0.005	0.02	2.1	1.3	0.01	31	0.16	0.01
C307145		45.4	4.61	7.93	0.13	0.08	<0.01	0.017	0.19	30.0	72.8	1.09	685	<0.05	0.05
C307146		31.8	4.05	6.75	0.10	0.09	<0.01	0.013	0.18	23.4	61.0	0.93	578	0.06	0.05
C307147		114.5	4.64	7.79	0.14	0.09	<0.01	0.021	0.18	33.4	72.3	1.09	671	0.07	0.05
C307148		74.0	5.53	8.84	0.13	0.09	<0.01	0.020	0.19	23.6	84.9	1.29	774	0.05	0.05
C307149		43.1	4.52	7.55	0.12	0.09	<0.01	0.018	0.21	27.6	69.9	1.03	591	0.18	0.05
C307150		18.2	2.72	3.21	0.07	0.06	0.01	0.014	0.15	11.8	25.5	0.37	382	0.46	0.03
C307151		12.7	1.51	2.27	0.06	0.03	<0.01	0.011	0.05	6.8	18.1	0.29	845	0.87	0.02
C307152		29.7	1.88	2.86	0.07	0.04	<0.01	0.007	0.10	10.0	24.4	0.34	445	0.15	0.03
C307153		69.5	4.08	6.65	0.10	0.07	<0.01	0.019	0.18	20.6	63.8	0.87	551	0.78	0.04
C307154		76.1	4.91	8.14	0.11	0.08	<0.01	0.018	0.18	24.0	81.9	1.15	706	1.20	0.04
C307155		43.8	4.21	6.84	0.10	0.08	<0.01	0.015	0.20	21.3	66.9	0.99	604	0.43	0.04
C307156		54.1	4.50	7.17	0.11	0.09	<0.01	0.019	0.17	19.2	69.2	1.08	673	0.19	0.04
C307157		94.0	4.48	8.18	0.14	0.12	<0.01	0.020	0.17	36.2	72.2	1.09	677	1.42	0.05
C307158		68.0	4.98	8.33	0.11	0.13	0.01	0.021	0.14	25.2	62.8	1.21	844	2.51	0.05
C307159		37.6	4.53	7.90	0.13	0.12	<0.01	0.015	0.14	31.7	53.2	1.08	840	0.49	0.05
C307160		15.4	5.45	8.94	0.13	0.09	<0.01	0.017	0.15	32.8	72.8	1.25	910	0.07	0.05
C307161		27.0	5.00	8.64	0.12	0.10	<0.01	0.019	0.15	27.9	76.5	1.16	945	0.21	0.05
C307162		37.9	5.13	7.78	0.10	0.11	<0.01	0.017	0.18	18.0	74.8	1.06	918	0.21	0.06
C307163		25.9	3.43	8.28	0.15	0.76	0.01	0.024	1.00	30.2	33.2	1.25	217	0.55	0.08
C307164		42.5	5.28	7.96	0.10	0.12	<0.01	0.022	0.15	13.2	72.9	1.04	1340	1.18	0.06
C307165		43.5	5.09	8.28	0.11	0.10	<0.01	0.020	0.18	23.9	79.3	1.11	844	0.18	0.06
C307166		41.8	5.08	8.73	0.15	0.11	<0.01	0.023	0.15	37.2	80.0	1.11	736	<0.05	0.05
C307167		830	7.73	9.46	0.10	0.10	<0.01	0.095	0.13	7.2	88.0	1.29	1510	0.42	0.04
C307168		68.7	1.97	3.37	0.06	0.05	<0.01	0.022	0.08	11.2	28.9	0.42	317	0.08	0.03
C307169		3.3	6.23	10.55	0.12	0.10	<0.01	0.020	0.15	29.3	99.3	1.41	841	<0.05	0.05
C307170		461	4.90	8.90	0.13	0.09	<0.01	0.327	0.15	27.3	84.6	1.23	1200	2.07	0.05
C307171		0.9	4.41	8.75	0.17	0.14	<0.01	0.019	0.19	39.3	87.2	1.41	859	<0.05	0.06
C307172		15.7	5.28	8.54	0.14	0.06	<0.01	0.018	0.19	37.3	72.4	1.05	707	0.08	0.05
C307173		9.5	5.41	8.25	0.15	0.04	<0.01	0.017	0.17	38.3	59.7	0.84	813	0.14	0.04
C307174		30.0	3.26	7.38	0.14	0.74	0.01	0.022	0.95	28.1	31.8	1.19	209	1.22	0.07
C307175		2.7	4.57	6.77	0.12	0.06	<0.01	0.014	0.17	27.4	64.5	0.74	609	0.21	0.04
C307176		0.4	4.62	5.29	0.09	0.11	<0.01	0.012	0.17	17.2	54.1	0.68	637	0.09	0.04
C307177		0.4	4.99	5.63	0.12	0.06	<0.01	0.013	0.18	28.5	59.1	0.76	544	<0.05	0.05
C307178		0.5	5.13	5.28	0.10	0.06	<0.01	0.012	0.17	24.8	55.2	0.71	341	<0.05	0.05
C307179		0.7	5.15	5.46	0.10	0.07	<0.01	0.013	0.14	22.0	58.4	0.75	354	<0.05	0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C307140		39.7	300	7.0	8.1	<0.001	0.44	0.13	2.7	<0.2	0.2	17.0	<0.01	0.02	15.0
C307141		42.8	300	11.0	8.4	<0.001	0.92	0.38	2.7	0.3	0.2	33.9	<0.01	0.05	15.0
C307142		41.5	310	5.2	8.1	0.001	0.19	0.09	2.8	<0.2	0.2	37.9	<0.01	0.05	16.5
C307143		38.4	270	1.7	9.0	<0.001	0.16	0.07	2.5	<0.2	0.2	24.5	<0.01	0.01	15.8
C307144		0.8	10	1.2	0.9	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	2.7	<0.01	<0.01	1.2
C307145		40.9	280	1.6	9.4	<0.001	0.10	0.10	2.7	0.2	0.2	17.6	<0.01	0.02	15.4
C307146		34.7	260	2.0	8.5	<0.001	0.21	0.09	2.3	<0.2	0.2	22.7	<0.01	0.03	14.4
C307147		39.3	280	1.7	8.3	<0.001	0.03	0.08	2.6	<0.2	0.2	22.3	<0.01	0.01	15.9
C307148		45.7	280	2.4	9.5	<0.001	0.21	0.10	2.9	<0.2	0.2	19.1	<0.01	0.02	16.3
C307149		37.7	250	2.2	10.0	<0.001	0.19	0.09	2.6	<0.2	0.3	21.1	<0.01	0.01	14.9
C307150		21.2	40	31.0	7.5	<0.001	0.79	4.67	1.3	0.3	0.2	14.2	<0.01	0.03	8.1
C307151		9.2	20	5.9	2.7	<0.001	0.17	1.12	1.1	0.2	<0.2	18.5	<0.01	0.02	2.7
C307152		15.0	50	6.5	4.9	<0.001	0.24	0.90	1.2	<0.2	<0.2	13.6	<0.01	0.05	5.2
C307153		35.9	140	4.1	9.5	0.001	0.35	0.90	2.3	0.2	0.2	15.0	<0.01	0.06	14.6
C307154		41.5	220	2.7	8.6	0.001	0.20	0.16	2.7	0.2	0.3	15.6	<0.01	0.02	16.1
C307155		34.5	230	2.6	10.4	<0.001	0.53	0.12	2.4	<0.2	0.3	14.9	<0.01	0.02	15.2
C307156		37.2	240	2.4	8.5	<0.001	0.47	0.12	2.4	<0.2	0.2	16.8	<0.01	0.01	15.5
C307157		41.0	280	2.3	8.5	0.002	0.04	0.08	2.7	<0.2	0.2	24.7	<0.01	0.01	16.7
C307158		40.8	300	2.9	7.8	<0.001	0.19	0.07	2.6	<0.2	0.3	39.0	<0.01	0.02	16.8
C307159		39.4	280	23.9	6.8	<0.001	0.04	0.08	2.6	<0.2	0.3	32.4	<0.01	0.02	15.9
C307160		40.9	300	5.6	7.0	<0.001	0.03	0.06	2.9	<0.2	0.2	22.1	<0.01	0.01	16.3
C307161		38.4	320	168.0	7.3	<0.001	0.11	0.10	2.9	<0.2	0.2	35.2	<0.01	0.01	16.0
C307162		37.6	290	8.0	8.5	0.001	0.74	0.29	2.8	<0.2	0.3	22.1	<0.01	0.01	15.4
C307163		57.2	520	8.9	94.3	<0.001	0.08	258	6.0	0.2	1.4	16.9	<0.01	0.02	13.4
C307164		39.7	300	14.1	7.5	<0.001	1.04	0.61	3.3	0.2	0.4	33.5	<0.01	0.02	15.3
C307165		39.4	290	3.7	8.8	<0.001	0.29	0.14	2.9	0.2	0.2	23.3	<0.01	0.02	15.2
C307166		43.8	340	2.6	7.9	<0.001	0.01	0.07	2.9	<0.2	0.3	19.5	<0.01	<0.01	16.5
C307167		42.1	250	30.6	6.2	0.001	2.09	0.91	4.0	0.9	0.9	32.1	<0.01	0.37	15.1
C307168		16.6	110	2.8	3.7	<0.001	0.05	0.06	1.2	<0.2	0.2	10.1	<0.01	0.01	6.9
C307169		47.7	330	2.1	7.5	0.001	0.01	0.05	3.4	<0.2	0.2	25.7	<0.01	0.01	14.4
C307170		39.9	310	9.7	7.6	<0.001	0.05	0.17	3.2	<0.2	1.4	28.7	<0.01	0.03	15.6
C307171		44.1	330	2.1	9.5	<0.001	<0.01	0.08	2.9	<0.2	0.4	26.3	<0.01	0.01	16.6
C307172		41.0	320	9.2	9.7	<0.001	0.02	0.10	2.9	<0.2	0.5	13.8	<0.01	0.01	15.9
C307173		47.3	320	2.1	9.1	<0.001	<0.01	0.09	3.0	<0.2	0.3	16.6	<0.01	0.03	15.9
C307174		58.4	490	12.2	88.7	<0.001	0.10	358	5.6	0.2	1.3	17.4	<0.01	0.03	12.8
C307175		40.3	290	2.4	8.9	<0.001	0.03	0.34	2.5	<0.2	0.2	21.7	<0.01	0.01	14.8
C307176		36.7	320	2.9	9.0	<0.001	0.32	0.59	2.1	<0.2	0.2	31.7	<0.01	0.01	14.1
C307177		41.3	320	2.4	9.4	<0.001	0.01	0.15	2.2	<0.2	0.3	25.5	<0.01	0.01	15.1
C307178		38.5	310	2.5	8.3	<0.001	<0.01	0.15	2.0	<0.2	0.4	19.2	<0.01	0.01	14.0
C307179		39.7	280	2.6	7.0	<0.001	0.01	0.16	2.0	<0.2	0.4	21.6	<0.01	0.01	11.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C307140		0.04	1.26	18	<0.05	2.92	109	3.9	0.02	
C307141		0.05	1.26	18	0.05	3.05	113	5.4	0.01	
C307142		0.04	1.22	18	0.05	3.19	115	4.9	<0.01	
C307143		0.05	1.15	17	0.06	3.10	102	3.6	0.17	
C307144		<0.02	0.19	1	<0.05	0.76	2	3.1	<0.01	
C307145		0.05	1.56	18	<0.05	3.10	111	3.4	<0.01	
C307146		0.04	1.30	15	0.12	2.78	96	3.6	0.09	
C307147		0.05	1.17	17	<0.05	3.13	112	3.8	0.01	
C307148		0.05	1.36	20	0.07	3.00	131	4.4	0.01	
C307149		0.06	1.14	16	0.12	3.10	115	3.8	1.01	
C307150		0.05	0.78	7	0.13	1.67	68	2.1		86.6
C307151		0.02	2.73	6	0.07	2.07	61	1.2		14.15
C307152		0.03	0.46	6	0.10	1.55	41	1.7		5.16
C307153		0.05	1.30	13	0.28	2.53	92	3.0		3.98
C307154		0.05	1.39	17	0.13	2.81	120	3.2	1.36	
C307155		0.05	1.17	14	0.12	2.69	100	3.4	1.37	
C307156		0.05	1.37	16	0.08	2.60	117	3.8	0.97	
C307157		0.05	1.24	18	<0.05	3.75	111	4.5	0.04	
C307158		0.05	1.21	20	0.05	3.26	124	5.6	<0.01	
C307159		0.03	1.30	18	0.07	3.37	108	5.1	<0.01	
C307160		0.04	1.06	21	0.46	3.20	124	3.8	<0.01	
C307161		0.04	1.74	19	0.43	3.36	116	4.6	<0.01	
C307162		0.06	1.48	18	0.05	3.37	114	5.2	<0.01	
C307163		0.55	1.54	68	0.42	9.65	80	28.5	1.59	
C307164		0.06	1.34	21	0.06	3.22	111	5.1	<0.01	
C307165		0.05	1.15	19	<0.05	3.34	114	4.9	<0.01	
C307166		0.04	1.09	18	<0.05	3.62	117	3.9	<0.01	
C307167		0.05	3.22	23	0.06	3.47	166	4.3	4.06	
C307168		0.02	0.51	8	<0.05	1.33	50	1.9	<0.01	
C307169		0.03	0.84	24	<0.05	2.95	145	3.7	<0.01	
C307170		0.04	1.41	20	<0.05	4.34	156	3.8	0.01	
C307171		0.05	1.58	19	0.05	3.66	148	5.2	<0.01	
C307172		0.05	1.13	23	<0.05	2.91	112	2.4	<0.01	
C307173		0.05	0.98	23	<0.05	3.03	108	1.9	<0.01	
C307174		0.52	1.37	64	0.47	9.03	80	27.6	2.21	
C307175		0.05	1.81	24	0.05	3.48	94	2.3	<0.01	
C307176		0.10	3.09	27	0.16	6.36	86	4.3	<0.01	
C307177		0.05	1.10	34	<0.05	2.47	97	2.7	<0.01	
C307178		0.04	1.06	37	0.06	2.04	91	2.7	<0.01	
C307179		0.04	1.74	33	0.05	2.59	93	3.4	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
C307180		3.63	0.01	2.36	0.5	<0.02	<10	30	0.72	0.40	0.18	0.01	32.6	19.5	35	2.24
C307181		2.58	<0.01	1.95	0.6	<0.02	<10	30	0.73	0.13	0.12	0.01	52.1	17.8	32	2.28
C307182		3.29	0.03	2.41	0.4	<0.02	<10	30	0.63	0.32	0.31	0.02	39.1	18.0	33	1.82
C307183		5.27	0.03	2.51	0.4	<0.02	<10	30	0.57	0.34	0.18	0.02	41.1	19.0	35	1.94
C307184		2.42	0.01	2.50	0.2	<0.02	<10	30	0.84	0.09	0.52	0.05	65.4	26.6	34	1.76
C307185		3.05	0.01	2.61	0.1	<0.02	<10	40	0.68	0.08	0.16	0.01	50.3	18.8	36	2.19
C307186		0.16	0.01	0.07	0.5	<0.02	<10	10	<0.05	0.01	0.01	<0.01	4.02	0.3	2	0.09
C307187		3.22	0.42	2.91	0.3	<0.02	<10	30	0.67	0.59	0.36	0.04	54.2	23.9	38	1.94
C307188		4.74	0.05	2.72	<0.1	<0.02	<10	30	0.67	0.28	0.30	0.03	59.0	22.6	36	2.21
C307189		3.88	0.27	2.93	0.4	<0.02	<10	30	0.66	0.89	0.63	0.09	53.7	27.7	39	1.90
C307190		3.42	0.01	2.61	0.2	<0.02	<10	30	0.62	0.07	0.24	0.01	72.5	22.8	35	2.39
C307191		4.85	<0.01	2.42	0.2	<0.02	<10	30	0.65	0.07	0.19	0.01	77.2	20.8	38	2.48
C307192		5.89	<0.01	2.82	0.3	<0.02	<10	30	0.60	0.05	0.19	0.01	84.4	20.3	36	2.10
C307193		4.10	0.02	2.96	0.2	<0.02	<10	30	0.58	0.13	0.17	0.01	72.8	19.9	38	2.42
C307194		2.91	0.07	2.59	0.3	<0.02	<10	30	0.60	0.99	0.35	0.03	42.5	21.8	36	2.62
C307195		1.88	0.06	2.67	0.4	<0.02	<10	30	0.55	0.13	0.16	0.01	63.9	18.5	36	2.44
C307196		3.68	0.11	2.77	0.4	<0.02	<10	30	0.55	0.20	0.15	0.02	61.9	18.4	38	2.40
C307197		6.05	0.03	3.07	<0.1	<0.02	<10	30	0.63	0.33	0.14	0.01	75.9	20.6	41	2.33
C307198		1.91	0.02	3.15	0.2	<0.02	<10	20	0.60	0.28	0.14	0.01	80.9	26.3	41	2.41
C307199		1.75	0.09	2.52	0.4	<0.02	<10	30	0.66	0.14	0.20	0.02	67.3	18.3	29	1.96
C307200		4.58	0.06	2.59	0.7	<0.02	<10	30	0.70	0.28	0.37	0.02	50.9	17.7	33	3.20
C307201		5.56	0.06	2.47	0.4	<0.02	<10	30	0.72	0.42	0.21	0.01	53.0	21.1	32	2.07
C307202		3.85	0.04	2.80	0.9	<0.02	<10	30	0.73	0.27	0.28	0.02	66.0	23.3	36	1.98
C307203		2.18	0.15	2.02	1.6	<0.02	<10	30	0.67	0.70	0.38	0.02	77.8	20.4	27	2.02
C307204		0.06	0.14	2.60	350	1.47	<10	100	1.28	0.29	0.20	0.04	60.4	12.8	103	7.89
C307205		4.33	0.03	2.41	0.4	<0.02	<10	30	0.73	0.11	0.19	0.01	63.7	19.3	33	2.36
C307206		3.51	0.04	2.61	0.3	<0.02	<10	30	0.69	0.12	0.27	0.02	66.7	20.8	36	2.17
C307207		4.44	0.10	2.66	0.3	<0.02	<10	40	0.67	1.77	0.58	0.08	65.0	22.5	36	1.95
C307208		2.87	0.02	2.31	0.2	<0.02	<10	30	0.57	0.05	0.25	0.03	89.2	21.1	31	2.38
C307209		2.99	0.27	2.92	1.0	<0.02	<10	30	0.70	0.27	0.95	0.20	57.3	30.3	39	1.73
C307210		3.31	0.06	2.23	1.3	<0.02	<10	30	0.51	0.04	0.43	0.07	70.5	25.2	29	2.16
C307211		3.54	0.13	2.70	0.1	<0.02	<10	30	0.63	0.26	0.70	0.12	62.6	26.4	37	1.70
C307212		5.59	0.03	2.43	0.2	<0.02	<10	30	0.54	0.21	0.16	0.02	74.3	20.8	34	2.22
C307213		6.27	0.01	2.65	7.6	<0.02	<10	30	0.62	0.12	0.12	<0.01	82.2	22.7	36	2.15
C307214		0.06	0.16	2.37	473	1.95	<10	90	1.12	0.32	0.20	0.03	54.2	12.0	95	7.22
C307215		2.13	0.10	2.52	11.0	<0.02	<10	20	0.50	0.79	0.18	0.01	25.8	20.8	36	1.68
C307216		4.91	0.01	2.49	6.0	<0.02	<10	30	0.59	0.14	0.12	<0.01	50.2	16.6	34	2.02
C307217		4.84	0.01	2.42	3.8	<0.02	<10	30	0.53	0.18	0.22	0.01	48.4	18.7	33	1.87
C307218		4.63	0.01	2.38	2.6	<0.02	<10	30	0.48	0.35	0.24	0.01	46.9	18.0	32	1.83
C307219		1.27	0.03	2.73	10.9	<0.02	<10	30	0.50	0.24	0.33	0.02	53.8	22.4	35	1.47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
C307180		1.9	4.93	6.51	0.09	0.06	<0.01	0.015	0.16	16.4	72.9	0.89	548	0.11	0.05	<0.05
C307181		0.4	4.88	5.71	0.11	0.06	<0.01	0.013	0.15	26.0	62.0	0.77	439	<0.05	0.05	<0.05
C307182		16.9	4.53	6.98	0.10	0.06	<0.01	0.017	0.17	20.0	65.6	0.94	1110	0.15	0.05	<0.05
C307183		26.1	4.56	7.24	0.10	0.05	<0.01	0.015	0.16	20.6	68.8	0.94	910	0.06	0.05	<0.05
C307184		3.5	3.75	7.94	0.13	0.11	<0.01	0.018	0.14	32.5	89.9	1.30	1430	0.08	0.05	<0.05
C307185		3.5	4.53	7.50	0.12	0.06	<0.01	0.015	0.15	25.1	87.2	1.01	818	<0.05	0.05	<0.05
C307186		1.3	0.23	0.27	<0.05	0.13	<0.01	<0.005	0.02	2.0	1.2	0.01	31	0.16	0.01	0.09
C307187		292	5.03	8.58	0.13	0.05	0.01	0.028	0.15	27.1	102.0	1.27	1520	0.13	0.06	<0.05
C307188		51.7	4.45	7.70	0.12	0.06	<0.01	0.014	0.15	30.0	91.8	1.24	1480	0.11	0.05	<0.05
C307189		485	4.48	8.64	0.12	0.08	<0.01	0.026	0.13	27.2	98.6	1.62	2350	0.21	0.06	<0.05
C307190		5.1	4.08	7.56	0.13	0.07	<0.01	0.015	0.14	36.4	88.2	1.22	1050	<0.05	0.05	<0.05
C307191		1.1	5.14	7.22	0.14	0.09	<0.01	0.014	0.16	39.0	76.1	1.07	918	<0.05	0.06	<0.05
C307192		1.2	4.78	8.08	0.15	0.06	0.01	0.015	0.15	41.7	84.6	1.20	937	<0.05	0.05	<0.05
C307193		50.6	4.61	8.47	0.14	0.05	<0.01	0.017	0.14	36.9	96.7	1.35	1020	0.05	0.06	<0.05
C307194		142.5	4.13	7.49	0.11	0.08	<0.01	0.018	0.12	21.4	73.0	1.24	1220	0.10	0.06	<0.05
C307195		80.0	4.35	8.09	0.12	0.07	<0.01	0.018	0.12	32.0	65.7	1.15	869	0.74	0.06	<0.05
C307196		78.1	4.55	8.36	0.13	0.09	<0.01	0.017	0.13	31.5	59.7	1.14	883	1.02	0.06	<0.05
C307197		108.0	5.09	9.26	0.15	0.08	<0.01	0.024	0.12	37.9	67.9	1.27	1040	5.81	0.06	<0.05
C307198		63.6	5.29	9.13	0.16	0.10	<0.01	0.022	0.12	41.9	79.2	1.33	1100	3.18	0.06	0.05
C307199		31.4	4.42	7.22	0.12	0.09	<0.01	0.019	0.12	34.4	65.3	1.01	905	0.28	0.04	<0.05
C307200		14.6	4.85	7.68	0.11	0.05	<0.01	0.019	0.16	25.3	60.5	0.85	888	0.13	0.05	<0.05
C307201		62.1	4.27	7.19	0.12	0.08	<0.01	0.018	0.15	27.3	55.9	0.99	797	0.07	0.05	<0.05
C307202		54.1	4.98	8.44	0.14	0.06	<0.01	0.019	0.15	32.9	62.7	1.14	1140	0.08	0.05	<0.05
C307203		7.1	3.22	6.53	0.13	0.07	<0.01	0.019	0.14	39.0	50.8	0.93	966	0.07	0.05	0.05
C307204		27.0	3.44	8.20	0.16	0.71	<0.01	0.024	1.02	30.1	33.8	1.26	218	0.57	0.08	0.31
C307205		2.2	3.98	7.04	0.12	0.07	<0.01	0.014	0.17	32.2	52.3	1.00	828	0.05	0.06	<0.05
C307206		11.2	4.50	7.87	0.13	0.04	<0.01	0.017	0.16	34.0	62.6	1.09	1180	0.06	0.05	<0.05
C307207		198.0	4.43	8.23	0.13	0.05	<0.01	0.028	0.17	33.1	64.1	1.27	2080	0.06	0.06	<0.05
C307208		33.6	3.43	6.55	0.15	0.06	<0.01	0.012	0.16	45.3	57.9	1.10	1340	0.10	0.05	<0.05
C307209		573	4.45	9.23	0.13	0.08	<0.01	0.054	0.12	29.1	82.0	1.75	3020	<0.05	0.06	<0.05
C307210		98.2	3.28	6.63	0.11	0.07	<0.01	0.016	0.13	35.3	59.9	1.21	1610	0.37	0.04	<0.05
C307211		284	4.22	8.94	0.11	0.07	<0.01	0.031	0.13	31.4	75.5	1.60	2430	0.11	0.04	<0.05
C307212		70.2	3.91	7.26	0.12	0.08	<0.01	0.021	0.14	37.3	58.8	1.13	963	0.07	0.04	<0.05
C307213		12.3	4.49	8.05	0.13	0.08	<0.01	0.017	0.14	41.3	62.9	1.15	802	0.10	0.04	<0.05
C307214		25.0	3.27	7.49	0.12	0.70	0.01	0.022	0.95	27.3	29.9	1.20	206	0.52	0.06	0.26
C307215		17.2	5.25	7.88	0.08	0.03	<0.01	0.020	0.09	13.1	55.8	0.99	827	<0.05	0.02	<0.05
C307216		0.8	4.86	7.60	0.09	0.04	<0.01	0.014	0.15	24.5	49.8	0.88	658	<0.05	0.03	<0.05
C307217		2.9	4.60	8.00	0.09	0.05	<0.01	0.016	0.15	24.0	48.9	0.91	751	0.07	0.03	<0.05
C307218		2.3	4.46	7.48	0.10	0.06	<0.01	0.016	0.14	23.0	46.1	0.92	823	0.05	0.03	<0.05
C307219		44.2	4.94	8.76	0.09	0.06	<0.01	0.020	0.14	26.8	63.2	1.15	1060	0.08	0.03	<0.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
C307180		46.0	290	7.5	8.0	<0.001	0.12	0.14	2.7	<0.2	0.2	22.6	<0.01	0.02	11.7
C307181		40.9	310	2.2	7.6	<0.001	0.01	0.13	2.1	<0.2	0.3	22.4	<0.01	0.01	12.9
C307182		35.4	270	5.9	8.7	<0.001	0.12	0.08	2.8	<0.2	0.2	27.2	<0.01	0.02	13.1
C307183		35.7	260	8.0	7.6	<0.001	0.12	0.07	2.9	<0.2	0.2	21.7	<0.01	0.02	13.9
C307184		51.0	330	2.7	7.3	<0.001	<0.01	0.06	3.1	<0.2	<0.2	42.0	<0.01	0.02	16.0
C307185		35.4	260	1.8	7.3	<0.001	0.02	0.07	3.0	<0.2	<0.2	24.6	<0.01	0.01	13.7
C307186		0.8	20	1.0	1.0	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	1.6	<0.01	<0.01	1.2
C307187		47.3	290	2.7	8.0	<0.001	0.04	0.08	3.4	<0.2	0.2	24.6	<0.01	0.01	15.3
C307188		41.5	310	2.1	7.6	<0.001	0.02	0.08	2.9	<0.2	0.2	28.8	<0.01	0.01	15.6
C307189		47.8	350	2.2	6.7	<0.001	0.04	0.11	3.6	0.2	<0.2	30.9	<0.01	0.04	15.4
C307190		46.6	290	1.9	7.0	<0.001	<0.01	0.08	2.6	<0.2	<0.2	28.6	<0.01	0.02	15.6
C307191		43.9	330	2.0	7.9	<0.001	<0.01	0.10	2.6	<0.2	0.3	24.7	<0.01	0.02	15.3
C307192		40.9	350	1.4	7.6	<0.001	<0.01	0.06	2.9	<0.2	0.2	20.0	<0.01	0.01	15.9
C307193		41.9	330	1.3	7.4	<0.001	0.01	0.06	3.0	<0.2	0.2	19.1	<0.01	0.01	15.1
C307194		40.6	330	2.3	6.2	<0.001	0.13	0.08	2.9	<0.2	0.2	34.3	<0.01	0.01	15.7
C307195		41.1	290	2.1	5.8	<0.001	0.05	<0.05	3.0	<0.2	0.2	24.2	<0.01	0.01	15.7
C307196		42.5	290	12.1	6.3	<0.001	0.06	0.06	3.1	<0.2	0.2	29.9	<0.01	0.01	16.9
C307197		42.4	290	2.6	5.8	0.002	0.02	<0.05	3.4	<0.2	0.2	30.2	<0.01	<0.01	16.8
C307198		43.9	340	2.4	5.6	0.001	0.01	<0.05	3.3	<0.2	0.2	23.0	<0.01	0.02	16.8
C307199		45.6	270	10.1	5.8	<0.001	0.02	<0.05	2.6	<0.2	0.3	31.1	<0.01	0.01	16.2
C307200		42.2	290	12.4	7.9	<0.001	0.10	0.06	3.0	<0.2	0.3	77.6	<0.01	0.03	15.3
C307201		41.8	310	15.9	7.7	<0.001	0.08	0.06	2.7	<0.2	0.2	41.1	<0.01	0.02	14.1
C307202		45.5	310	9.7	7.6	<0.001	0.04	0.07	3.2	<0.2	0.2	35.9	<0.01	0.02	15.9
C307203		41.4	270	35.9	7.7	<0.001	<0.01	0.07	2.8	<0.2	<0.2	25.9	<0.01	0.02	15.3
C307204		59.9	520	8.5	95.7	<0.001	0.08	261	6.2	0.2	1.4	17.1	<0.01	0.03	12.6
C307205		38.4	280	10.5	8.2	<0.001	0.03	0.23	2.7	<0.2	0.2	20.1	<0.01	<0.01	13.3
C307206		41.9	280	5.9	8.3	<0.001	0.03	0.10	3.1	<0.2	0.2	19.7	<0.01	<0.01	14.5
C307207		39.2	300	6.4	9.0	<0.001	0.06	0.09	3.8	<0.2	0.2	25.5	<0.01	0.03	15.0
C307208		37.7	290	1.6	8.1	<0.001	<0.01	0.08	2.4	<0.2	0.2	19.6	<0.01	0.01	15.2
C307209		50.8	310	9.4	6.3	<0.001	0.06	0.07	4.5	0.2	0.4	38.1	<0.01	0.02	16.9
C307210		40.6	270	4.1	6.8	<0.001	0.01	0.19	2.2	0.2	0.2	23.2	<0.01	0.01	15.2
C307211		45.0	330	4.7	6.7	<0.001	0.03	0.08	4.5	0.2	0.2	27.8	<0.01	0.02	17.5
C307212		40.6	290	1.3	7.1	<0.001	0.01	0.12	2.6	<0.2	0.2	17.4	<0.01	0.03	16.3
C307213		45.0	310	1.8	7.0	<0.001	<0.01	0.08	2.9	<0.2	0.2	17.5	<0.01	0.02	17.4
C307214		54.4	480	9.3	87.2	<0.001	0.10	352	5.7	0.2	1.2	16.2	<0.01	0.02	12.5
C307215		41.4	280	18.8	4.8	<0.001	0.29	0.26	3.1	0.2	<0.2	17.1	<0.01	0.04	14.5
C307216		37.1	270	2.2	7.5	<0.001	0.11	0.13	3.1	0.2	0.2	15.4	<0.01	0.01	14.4
C307217		37.8	280	3.9	7.4	<0.001	0.13	0.06	3.1	<0.2	0.2	17.6	<0.01	0.01	15.6
C307218		35.4	270	4.1	7.5	<0.001	0.13	0.06	2.9	0.2	0.3	20.1	<0.01	0.02	14.9
C307219		42.5	300	4.5	7.3	<0.001	0.09	0.06	3.2	<0.2	0.2	15.5	<0.01	0.02	15.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA25	Au-GRA22
		Tl	U	V	W	Y	Zn	Zr	Au	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.01	ppm 0.05
C307180		0.04	1.63	29	<0.05	2.68	106	2.6	<0.01	
C307181		0.04	1.00	32	<0.05	2.20	94	2.3	<0.01	
C307182		0.05	1.07	24	<0.05	2.59	107	2.3	<0.01	
C307183		0.05	1.09	25	<0.05	2.08	105	2.1	<0.01	
C307184		0.04	1.28	19	0.11	3.21	135	4.6	<0.01	
C307185		0.04	1.25	27	0.11	2.19	107	2.3	<0.01	
C307186		<0.02	0.19	1	<0.05	0.92	2	3.2	<0.01	
C307187		0.04	1.30	24	1.53	2.58	132	2.2	<0.01	
C307188		0.04	1.22	21	0.17	2.58	130	2.3	<0.01	
C307189		0.04	1.35	23	<0.05	3.02	167	3.1	0.01	
C307190		0.04	1.21	21	0.14	3.01	126	3.3	<0.01	
C307191		0.04	1.02	31	<0.05	2.86	112	2.6	0.01	
C307192		0.04	1.19	22	<0.05	3.11	112	2.6	0.01	
C307193		0.03	1.05	20	<0.05	2.86	121	1.8	<0.01	
C307194		0.03	1.24	18	<0.05	2.57	115	3.5	<0.01	
C307195		0.03	1.14	19	0.06	2.90	108	3.0	<0.01	
C307196		0.03	1.16	20	<0.05	3.09	109	3.4	0.01	
C307197		0.02	1.15	23	<0.05	3.36	124	3.5	<0.01	
C307198		0.03	1.23	22	<0.05	3.54	138	4.2	<0.01	
C307199		0.03	1.22	19	0.36	3.08	112	2.7	<0.01	
C307200		0.04	1.17	25	0.44	2.91	99	1.9	<0.01	
C307201		0.04	1.40	22	0.12	2.85	111	3.0	<0.01	
C307202		0.04	1.43	24	<0.05	3.07	125	2.2	0.01	
C307203		0.04	1.51	16	<0.05	3.56	93	2.9	<0.01	
C307204		0.56	1.43	68	0.44	9.48	80	28.9	1.59	
C307205		0.05	1.64	22	0.06	2.79	110	2.7	<0.01	
C307206		0.04	1.23	24	<0.05	2.85	117	1.4	<0.01	
C307207		0.05	1.24	23	<0.05	3.43	129	1.8	<0.01	
C307208		0.04	1.28	14	<0.05	3.53	120	2.5	<0.01	
C307209		0.03	1.36	24	<0.05	4.12	185	3.9	0.01	
C307210		0.04	1.13	13	<0.05	3.35	130	2.6	<0.01	
C307211		0.04	1.47	24	<0.05	4.09	152	3.5	<0.01	
C307212		0.04	1.36	17	<0.05	3.26	117	2.9	<0.01	
C307213		0.04	1.34	20	<0.05	3.33	117	2.8	<0.01	
C307214		0.54	1.42	63	0.46	8.80	74	26.4	2.27	
C307215		0.03	1.20	25	<0.05	1.98	106	1.4	<0.01	
C307216		0.05	1.42	24	<0.05	2.39	89	1.9	0.01	
C307217		0.04	1.80	21	<0.05	2.58	94	2.1	<0.01	
C307218		0.04	1.32	21	<0.05	2.45	92	2.2	<0.01	
C307219		0.04	1.20	20	0.09	2.87	119	2.5	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg 0.02	ppm 0.01	% 0.01	ppm 0.1	ppm 0.02	ppm 10	ppm 10	ppm 0.05	ppm 0.01	% 0.01	ppm 0.01	ppm 0.02	ppm 0.1	ppm 1	ppm 0.05
C307220		1.95	0.04	2.14	14.0	<0.02	<10	30	0.47	0.08	0.86	0.02	55.1	18.1	29	1.55
C307221		2.86	0.01	2.60	8.1	<0.02	<10	30	0.48	0.50	0.21	0.01	52.4	21.1	34	1.70
C307222		3.83	0.02	2.67	4.9	<0.02	<10	30	0.48	0.23	0.11	<0.01	45.3	17.4	37	1.78
C307223		5.00	0.04	2.56	10.0	<0.02	<10	30	0.52	0.03	0.11	<0.01	79.9	18.7	33	2.03
C307224		2.27	0.05	2.53	17.4	<0.02	<10	20	0.50	0.50	0.63	0.02	46.2	18.7	28	1.36
C307225		2.83	0.04	3.07	16.1	<0.02	<10	20	0.52	0.10	0.25	0.01	52.3	20.1	34	1.95
C307226		3.27	0.01	2.68	12.9	<0.02	<10	30	0.50	0.03	0.18	<0.01	80.7	17.5	36	1.97
C307227		3.72	0.01	2.83	8.1	<0.02	<10	30	0.48	0.06	0.23	0.01	73.3	18.2	37	2.09



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 – B
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
C307220		63.5	3.67	6.28	0.10	0.06	<0.01	0.020	0.15	26.7	50.7	0.92	1240	0.06	0.03
C307221		14.1	4.64	8.26	0.10	0.12	<0.01	0.016	0.13	25.3	63.1	1.09	899	0.05	0.03
C307222		0.8	5.17	8.41	0.09	0.05	<0.01	0.017	0.14	22.5	65.9	0.94	692	0.05	0.03
C307223		2.3	4.28	7.73	0.12	0.06	<0.01	0.015	0.14	39.7	67.0	1.06	760	<0.05	0.03
C307224		11.3	4.43	8.10	0.09	0.05	<0.01	0.021	0.09	23.4	66.6	1.11	1170	0.09	0.03
C307225		13.3	5.49	9.69	0.11	0.05	<0.01	0.031	0.12	25.9	84.3	1.25	1090	<0.05	0.03
C307226		2.7	4.53	8.49	0.13	0.06	<0.01	0.020	0.14	40.5	72.2	1.04	875	0.05	0.04
C307227		6.6	4.82	8.60	0.11	0.08	<0.01	0.021	0.14	36.1	78.4	1.15	918	<0.05	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C307220		34.2	280	3.0	7.5	<0.001	0.05	0.05	2.2	<0.2	0.2	30.3	<0.01	0.01	14.6
C307221		41.5	280	4.8	7.1	<0.001	0.11	0.06	3.0	0.2	0.2	18.0	<0.01	0.01	15.2
C307222		37.3	300	3.8	7.7	<0.001	0.25	0.08	3.3	<0.2	0.2	19.8	<0.01	<0.01	15.8
C307223		37.5	300	1.8	7.0	<0.001	<0.01	0.05	2.6	<0.2	0.3	18.4	<0.01	0.01	15.4
C307224		36.6	270	6.3	4.8	<0.001	0.03	0.05	3.0	0.2	0.3	28.4	<0.01	0.01	14.1
C307225		46.9	310	4.7	6.1	<0.001	0.07	0.06	3.4	<0.2	0.5	19.6	<0.01	0.01	17.2
C307226		36.6	280	1.6	7.8	<0.001	0.02	<0.05	3.0	0.2	0.3	21.4	<0.01	<0.01	15.4
C307227		37.9	330	2.0	6.8	<0.001	0.02	0.07	3.1	0.2	0.3	19.3	<0.01	0.01	15.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-MAR-2021
 Account: NUF

Project: Culvert - NUF

CERTIFICATE OF ANALYSIS WH21032724

Sample Description	Method Analyte Units LOD	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-AA25 Au ppm 0.01	Au-GRA22 Au ppm 0.05
C307220		0.04	1.23	13	0.40	3.61	83	2.8	<0.01	
C307221		0.04	1.28	20	0.06	2.65	108	2.4	<0.01	
C307222		0.05	1.31	25	0.19	2.52	95	1.8	<0.01	
C307223		0.04	1.22	16	0.59	3.15	93	2.2	<0.01	
C307224		0.03	1.30	19	0.08	3.46	109	2.1	<0.01	
C307225		0.04	1.82	20	0.06	2.96	131	2.0	<0.01	
C307226		0.04	1.08	17	0.09	3.31	92	2.0	<0.01	
C307227		0.04	1.16	18	<0.05	3.22	103	1.7	<0.01	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-MAR-2021
Account: NUF

Project: Culvert – NUF

CERTIFICATE OF ANALYSIS WH21032724

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-21	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA25	Au-GRA22	ME-MS41
---------	----------	---------