

MAP NO.: PLACER ASSESSMENT REPORT X
116 B 2 PROSPECTUS X
CONFIDENTIAL X
OPEN FILE

DOCUMENT NO: 120067
MINING DISTRICT: DAWSON
TYPE OF WORK: DRILLING

REPORT FILED UNDER: L. F. BUSCH

DATE PERFORMED: AUGUST 7-9 1985

DATE FILED: SEPTEMBER 27, 1985

LOCATION: LAT.: 64° 00'N

AREA: GORING CREEK

LONG.: 138° 53'W

VALUE \$:6080.00

CLAIM NAME & NO.:

TOK 23-29 P13839-13845
KARLI 1-10 P14719-14728
YM 1-19 P21166-21184

WORK DONE BY: L.F. BUSCH

WORK DONE FOR: L.F. BUSCH

DATE TO GOOD STANDING:


REMARKS:

DAWSON

120067

FROM: Mining Recorder at _____

TO: Regional Manager, Mineral Rights at Whitehorse, Y.T.



FOR ACTION ARE:

NEW APPL'N for PLACER LEASE to PROSPECT: Name:

Lease No.

RENEWAL APPL'N PLACER LEASE to PROSPECT: Name:

Lease No.

AFFIDAVIT of EXPENDITURE on PLACER LEASE. Name:

SECURITY DEPOSIT

FINANCIAL ABILITY/ADDITIONAL INFORMATIONLease No.

ASSIGNMENT of PLACER LEASE No.

From: _____ To: _____

GROUPING APPL'N UNDER SEC. 52(2) PLACER MINING ACT.

Owner: _____

DIAMOND DRILL LOGS:

Claims: P13839-45, P14719-28, P21166-84 Claim sheet no: 116 B 2(P)

QUARTZ ASSESSMENT REPORT:

Claims: _____ Claim sheet no: _____

Type of report: _____

Submitted by: _____

Cls. work performed on _____

\$ Req. for ren. application

For INFORMATION ONLY.

Signature _____

REPLY ACTION.

Date Ret. _____



DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

YUKON PLACER MINING ACT

SCHEDULE "B" FORM 2

APPLICATION FOR RENEWAL OF GRANT FOR PLACER MINING

FILE DOCUMENT NUMBER D836 (FILE)



NOTE: This form to be submitted in triplicate to the Mining Recorder for the District in which the claim recorded, with a sketch of the location.

Mining District <u>Dawson</u>	
I, (name) <u>Lawrence F Busch</u>	Occupation <u>Miner</u>
Of, (postal address) <u>Box 6073 Helena, Montana 59604 USA</u>	

OFFICE DATE STAMP

Hereby apply under the Yukon Placer Mining Act for a renewal of a grant to a placer mining claim number(s) P 21166 thru P 21184 Y.M. 1-19, P. 14719 thru P. 14728 Kerli. 1-10; sheet 116-B-2 grouping D 764

I MAKE OATH AND SAY THAT:-

1. I am the owner of the said placer mining claim and hold a grant (or renewal) for the said claim(s) dated the 7th and 24th day of June and Sept respectively 19 87.

2. Work has been done on the said claim(s) to the value of at least \$ 6080.00 dollars in accordance with the schedule of representation work prepared by the Commissioner of the Yukon Territory, since the 5th day of Aug 19 85.

The following is a detailed statement of such work:- Total of 27 holes drilled. Total of 449 feet drilled @ 20.00 per ft. I wish to claim 1 year assessment work on these 29 claims or approximately 304 feet of drilling
DRILLING PROGRAM INITIATED AS DESCRIBED IN THE ATTACHED REPORT, PERFORMED BY: Larry F Busch, Kevin E Busch, Lane K Busch
LOCATIONS OF DRILL SITES ARE SHOWN ON THE ATTACHED MAP AND DRILL LOGS INDICATING DEPTH OF DRILL HOLES ARE INCLUDED.

TOTAL VALUE OF WORK	\$ <u>6080.00</u>
AMOUNT REQUIRED	\$ <u>None Now</u>
CREDIT IF ANY	\$ <u>5900.00</u> credit to be

applied equally for renewal of claim in 1987
I ACKNOWLEDGE SECTION 41 OF THE YUKON PLACER MINING ACT.

I WISH TO RENEW _____ CLAIMS FOR _____ YEAR(S) EACH.

Sworn before me at HELENA, MONTANA

in the Yukon Territory.

this 13th day of SEPTEMBER 19 85.


[Signature]
(Notary Public)

[Signature]
Owner or Agent

My COMMISSION EXPIRES JAN. 23, 1987

120067


39°00'



wooded bench



old hydraulic area that early miners did.



ground slopes off very rapidly starting in here
All holes are numbered & flagged

All the above area here is on a bench above Goring Creek +

Goring Creek down this way about

600 feet or more

Next to or above old hydraulic area



CONFIDENTIAL

FILE DOCUMENT
NUMBER D836(F/k)

Loring Creek
Placer Chart No-B-2

PLACER DRILL SAMPLING REPORT

Claims 4-14720, 4-14721

P-21171 and P-21172

all on left limit of creek
on bench.

DATE: Aug 7, 1985 TIME: 7:15 AM DRILL HOLE NO. 1

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LARINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 0-4 DRILLING TIME: 1 hr
 DEPTH TO BEDROCK: 14 DRILL PREPARATION: 30 min
 TOTAL FOOTAGE DRILLED: 14 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
<u>0-4</u>		<u>muck + light color materials</u>
<u>5-11</u>		<u>sands + gravel</u>
<u>12-14</u>		<u>rock materials + bed rock</u>

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

BORING CREEK PLACER DRILL SAMPLING REPORT CLAIMS P-14720, P-14721
 PLACER SHEET 116-B-2 P-21171 and P-21172
 ALL ON LEFT LIMIT OF CREEK OR BENCH
 DRILL HOLE NO. 2

DATE: Aug 7, 1985 TIME: 8:25 AM

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 0-7 DRILLING TIME: 1 hr 15 min
 DEPTH TO BEDROCK: 22 DRILL PREPARATION: 10 min
 TOTAL FOOTAGE DRILLED: 22 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
0-7		muck + some sand
8-16		sand reddish + gravel
17-22		gravel grayish to brown then hard rock

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Spring Creek
Black Shale 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720 P-14721
P-21171 and P-21172
all on Left limit of Creek
or Bench


DATE: Aug 7 1985 TIME: 9 50 Am DRILL HOLE NO. 3

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
DEPTH OF OVERBURDEN: 7 DRILLING TIME: 1 hr 10 min
DEPTH TO BEDROCK: 23 DRILL PREPARATION: 10 min
TOTAL FOOTAGE DRILLED: 23 DOWNTIME: none

FOOTAGE	SAMPLE NUMBER	REMARKS
0-7		muck + some gravel
8-18		sand + reddish gravel
19-23		gravel brownish + greyish

GENERAL COMMENTS:
THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
400-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
(CO-REP) [Signature]

CONFIDENTIAL

Young Creek
Placer: Unit 116-B-2

PLACER DRILL SAMPLING REPORT

Claims F-14720, P-14721
F-21171 and P-21172

US on left limit of creek
on bench

DATE: Aug 7, 1985 TIME: 11:00 AM DRILL HOLE NO. 4


DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 0-5 DRILLING TIME: 1 hr 15 min
 DEPTH TO BEDROCK: 29 DRILL PREPARATION: 10 min
 TOTAL FOOTAGE DRILLED: 29 DOWNTIME: _____

FOOTAGE	SAMPLE NUMBER	REMARKS
0-5		muck + yellow sandy material
6-19		yellow sandy material lots of Bl. sand
20-26		green grayish material + Bl. sand
27-29		rock gravel + rock

GENERAL COMMENTS:

THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HENDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
 (CO-REP) [Signature]

PLACER DRILL SAMPLING REPORT

*Spring Creek
Placer Unit 116-B-2*

PLACER DRILL SAMPLING REPORT

*Claims P-14720, P-14721
P-21171 and P-21172
all on left limit of creek
of bench*


DATE: Aug 7 1985 TIME: 12.50 DRILL HOLE NO. 5

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: - DRILLING TIME: 1 hr
 DEPTH TO BEDROCK: 24 DRILL PREPARATION: -10 min
 TOTAL FOOTAGE DRILLED: 24 DOWNTIME: had sandwich 20 min

FOOTAGE	SAMPLE NUMBER	REMARKS
0-2		muck
3-23		redish material with black spots
24		rock

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Young Creek
 4 page sheet 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
 P-21171 and P-21172

All on left limit of creek
 or Leach.


DATE: Aug 7, 1985 TIME: 2:00 pm DRILL HOLE NO. 0

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 0-3 DRILLING TIME: 1 hr 10 min
 DEPTH TO BEDROCK: 22 DRILL PREPARATION: 10 min
 TOTAL FOOTAGE DRILLED: 22 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
0-3		mac k & some sand
4-21		black sand material & gravel
22	22	rock

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Young Creek
 Claim - 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
 P-21171 and P-21172
 All on left bank of creek
 of bench.

DATE: Aug 7 1985 TIME: 3:20 p.m. DRILL HOLE NO. 7

DRILLER: LARRY F. EUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. EUSCH
LAVINA E. EUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 7 DRILLING TIME: 1 hr - 15 min
 DEPTH TO BEDROCK: _____ DRILL PREPARATION: 10 min
 TOTAL FOOTAGE DRILLED: 26 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
0-7		muck & sand
8-15		yellow sand & some black sand
16-22		dark color sand with lots of black sand in it

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P w/ RECUMSE-ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT SPECIAL FLEATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR FEEDERS:



SIGNED

(DRILLER) Larry F. Eusch
 (CO-REP) Lane K. Eusch

CONFIDENTIAL

Brown Creek
Placer Sheet 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
 P-21171 and P-21172

*All on left limit of creek
 or bench*

DATE: Aug 8, 1985 TIME: 4:50 pm DRILL HOLE NO. 83

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 0-4 DRILLING TIME: 1 hr
 DEPTH TO BEDROCK: _____ DRILL PREPARATION: 15 min
 TOTAL FOOTAGE DRILLED: 18 DOWNTIME: None

FOOTAGE	SAMPLE NUMBER	REMARKS
0-4		Rock + sands.
5-15		reddish sandy material + some black sands.

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HINDA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) *[Signature]*
 (CO-REP) *[Signature]*

CONFIDENTIAL

Young Creek
Placer Sheet 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P. 14720, P. 14721
P. 21171 and P. 21172

All on left limit of block
of block

DATE: Aug 7 1985 TIME: 6:00 pm DRILL HOLE NO. 9

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"

HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE

DEPTH OF OVERBURDEN: 5 DRILLING TIME: 245 min

DEPTH TO BEDROCK: 14 DRILL PREPARATION: 10 min

TOTAL FOOTAGE DRILLED: 14 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
0-5		muck with light sands
6-14		sand, but mainly yellowish color with lots of black sand till we hit rock

GENERAL COMMENTS:
THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
AOC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
(CO-REP) Lavina E. Busch

Spring Creek
Placer Sheet 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172
all on left limit of creek
of bench.

DATE: Aug 7, 1985 TIME: 6:50 pm DRILL HOLE NO. 10

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
HELPER: LANE K. BUSCH DEPTH OF CASING: NONE
DEPTH OF OVERBURDEN: 6 DRILLING TIME: 70 MIN
DEPTH TO BEDROCK: _____ DRILL PREPARATION: 5 MIN
TOTAL FOOTAGE DRILLED: 13 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
0-6		lots of light sand & some muds
7-13		reddish color sands & rocks drilled real easy until encountering rock or what I believe is rock

GENERAL COMMENTS:

THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HUSKA
AOC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
(CO-REP) [Signature]

CONFIDENTIAL

PLACER DRILL SAMPLING REPORT

Spring Creek
Placer Unit 1-3-2

Claims P-14723, P-14724
P-2471 and P-2472
all on left limit of creek
on bench
DRILL HOLE NO. 11

DATE: Aug 7 1985 TIME: 7:45 pm

DRILLER: LARRY F. BUSCH

DIAMETER OF HOLE: 2"

HELPER: LANE K. BUSCH
LAURIE E. BUSCH

DEPTH OF CASING: NONE

DEPTH OF OVERBURDEN: 6

DRILLING TIME: 35

DEPTH TO BEDROCK: _____

DRILL PREPARATION: _____

TOTAL FOOTAGE DRILLED: 14


DOWNTIME: _____

FOOTAGE	SAMPLE NUMBER	REMARKS
0-6		plain marks on cut skirts
7-14		of stripped ground
7-14		had light sand with lots of mark & ice. Drift before we hit bedrock. More tired & quit for day

GENERAL COMMENTS:

THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HONDA
ACC-P WITH TECUMSEH E GINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MARK
CARBIDE TIPPED BITS FOR T-S AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER)

(CO-REP)

[Signature]
[Signature]

CONFIDENTIAL

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172

Location: 116-B-2

(W on left limit of creek)
on bench


DATE: 9/8/1985 TIME: 7:35 AM DRILL HOLE NO. 12

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
AVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 3 DRILLING TIME: 1:50 MIN
 DEPTH TO BEDROCK: 15 DRILL PREPARATION: 30 minutes
 TOTAL FOOTAGE DRILLED: 15 DOWNTIME: getting new bit on water
coming up the hill & hole
to string

FOOTAGE	SAMPLE NUMBER	REMARKS
0-3		muck with lot of light sands.
4-14		drill went easy thru reddish colored sand & black sands then seem to just stop. It got stuck in hole & we couldn't drill any more.

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA 200-P WITH TECUMSEH ENGINE. BITS USED HEAVY DUTY PROBE BIT, ROCK CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
 (CO-REP) [Signature]

Young Creek
Placer Unit 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172

all on left limit of creek
of bench

DATE: Aug 8 1985 TIME: 8:30 AM DRILL HOLE NO. 13

DRILLER: LARRY F. BUSCH

DIAMETER OF HOLE: 2"

HELPER: LANE K. BUSCH
LAKINA E. BUSCH

DEPTH OF CASING: NONE

DEPTH OF OVERBURDEN: 3

DRILLING TIME: 1 hr 10 min

DEPTH TO BEDROCK: 19

DRILL PREPARATION: 5 min

TOTAL FOOTAGE DRILLED: 19

DOWNTIME: _____

FOOTAGE	SAMPLE NUMBER	REMARKS
<u>0-3</u>		<u>muck with light color sand</u>
<u>4-17</u>		<u>yellowish sand & lots of black sand</u>
<u>18-19</u>		<u>rock wouldn't go any more.</u>
		<u>even with new bit again on it</u>

GENERAL COMMENTS:

THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HINDA
ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
(CO-REP) [Signature]

CONFIDENTIAL

Spring Creek
 Placer Unit 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
 P-21171 and P-21172
 all on left bank of creek
 57-feet


DATE: Aug 8 1985 TIME: 9:45 AM DRILL HOLE NO. 14

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 2 DRILLING TIME: 40 MIN
 DEPTH TO BEDROCK: 10 DRILL PREPARATION: 5 MIN
 TOTAL FOOTAGE DRILLED: 10 DOWNTIME: _____

FOOTAGE	SAMPLE NUMBER	REMARKS
0-2		muck + reddish sands
3-9		easy drill with red + black sands
10		rock wouldn't drill any more more got caught + stuck also

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Young Creek
Placer Sheet 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172

all on left limit of
Creek & bench

DATE: Aug 8, 1985 TIME: 11:00 am DRILL HOLE NO. 15

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 4 DRILLING TIME: 50 min
 DEPTH TO BEDROCK: 10 DRILL PREPARATION: 15 min put
 TOTAL FOOTAGE DRILLED: 10 DOWNTIME: on new bit + re-
string hose

FOOTAGE	SAMPLE NUMBER	REMARKS
0-4		muck & sands
0-9		yellow reddish sand & black
10		sand then muck or what I believe is bedrock Drill got stuck again & bit was completely gone as far as combine tipped

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYNDA
 AOC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
 (CO-REP) [Signature]



Boring Creek
Placer - lot 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172
all on left limit of
Creek of bench


DATE: Aug 8 1985 TIME: 12:05 pm DRILL HOLE NO. 16

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
DEPTH OF OVERBURDEN: 8- DRILLING TIME: 1 hr
DEPTH TO BEDROCK: 14 DRILL PREPARATION: 15 new bit
TOTAL FOOTAGE DRILLED: 14 DOWNTIME: again rock rot old one
which was also new prior
to hole drilling

FOOTAGE	SAMPLE NUMBER	REMARKS
0-8		spack got up on edge of trees & trunden some sand
9-14		sand red yellowish in color than block

GENERAL COMMENTS:
THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
AOC-P WITH TECUMSEH ENGINE. BITS USED HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
(CO-REP) [Signature]

Spring Creek
Quartz/Sheet No. B-2

PLACER DRILL SAMPLING REPORT

Claims A-14720, A-14721
A-21171 and A-2172
all on left limit of creek
or Busch
DRILL HOLE NO. 17

DATE: Aug 8 1985 TIME: 1:35 pm

DRILLER: LARRY F. BUSCH
HELPER: LANE K. BUSCH
LAVINA E. BUSCH
DEPTH OF OVERBURDEN: 6
DEPTH TO BEDROCK: _____
TOTAL FOOTAGE DRILLED: 16

DIAMETER OF HOLE: 2"
DEPTH OF CASING: NONE
DRILLING TIME: 45 min
DRILL PREPARATION: .10 min
DOWNTIME: lunch + new bit
20 minutes

FOOTAGE	SAMPLE NUMBER	REMARKS
0-6		muck + reddish sand,
7-16		mainly reddish sand + lots of black sand until it would go down any more easy drilling

GENERAL COMMENTS:
THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HENDRA
AOC-P WITH TECUMSEH ENGINE. BITS USED HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS PLACER. ALL RECOVERED IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
(CO-REP) [Signature]

CONFIDENTIAL

(Spring Creek)
 Prospect sheet 116-B-2
PLACER DRILL SAMPLING REPORT
Claims P-14720, P-14721
 P-21171 and P-21172
 all on left limit of Creek
 or Bench

DATE: Aug 8 1985 TIME: 2:30 pm DRILL HOLE NO. 18

DRILLER: <u>LARRY F. BUSCH</u>	DIAMETER OF HOLE: <u>2"</u>
HELPER: <u>LANE K. BUSCH LAKINA E. BUSCH</u>	DEPTH OF CASING: <u>NONE</u>
DEPTH OF OVERBURDEN: <u>8</u>	DRILLING TIME: <u>50 min</u>
DEPTH TO BEDROCK: <u>15</u>	DRILL PREPARATION: <u>10 min</u>
TOTAL FOOTAGE DRILLED: <u>15</u>	DOWNTIME: <u>NONE</u>

FOOTAGE	SAMPLE NUMBER	REMARKS
0-8		mud with lots of red sand reddish sand, black sand & some other gravel in this hole until we hit what I believe is rock
9-15		

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 AOC-P WITH TECUMSEH ENGINE. BITS USED HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED	(DRILLER) <u>[Signature]</u>
	(CO-REP) <u>[Signature]</u>

CONFIDENTIAL

Young Trace
Green Lake S-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172
All on left limit of
Creek or Bench


DATE: Aug 8 1985 TIME: 3 25 pm DRILL HOLE NO. 19

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LARRY K. BUSCH
LEONAE E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 6 DRILLING TIME: 40 min
 DEPTH TO BEDROCK: _____ DRILL PREPARATION: 5 min
 TOTAL FOOTAGE DRILLED: 12 DOWNTIME: _____

FOOTAGE	SAMPLE NUMBER	REMARKS
0-6		mucl + red sand
12		red sand & black sand near edge of lip of old hydraulic workings

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HENRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Goring Creek
Placer Sheet 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172
All on left limit of
Creek or Bench
DRILL HOLE NO. 20

DATE: Aug 8 1985 TIME: 4:15

DRILLER: LARRY F. BUSCH

DIAMETER OF HOLE: 2"

HELPER: LANE K. BUSCH
LAVINA E. BUSCH

DEPTH OF CASING: NONE

DEPTH OF OVERBURDEN: 6

DRILLING TIME: 45 MIN

DEPTH TO BEDROCK: 12-13

DRILL PREPARATION: 5 MIN

TOTAL FOOTAGE DRILLED: 13

DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
6		muck + red ss-s
7-12		red ss-s & black
13		rock - couldn't drill any more

GENERAL COMMENTS:

THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HENDRA
AOC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
HARRIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
(CO-REP) [Signature]

CONFIDENTIAL

Young Creek Placer Drill Sampling Report
 Claims P-14720, P-14721
 P-21171 and P-21172
 all on left limit of
 Creek or Creek


DATE: Aug 9 1985 TIME: 7:30 AM DRILL HOLE NO. 21

DRILLER: LARRY F. EUSCH DIAMETER OF HOLE: 2"
 HELPER: LARRY F. EUSCH
LAVINE E. EUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 6 DRILLING TIME: 40 min
 DEPTH TO BEDROCK: _____ DRILL PREPARATION: 20 min put up
 TOTAL FOOTAGE DRILLED: 11 DOWNTIME: New drill + get pump
going

FOOTAGE	SAMPLE NUMBER	REMARKS
0-6		soak with yellow sand
7-11		easy drilling first 9 feet very hard drilling with both black sand & some yellow sand - then either rock or some thing that wouldn't permit us further drilling

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 CO-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL F-TEED -ARD FACED REAMER BIT, AND SOME SPECIAL MADE
 BESIDE TIPPED BITS FROM THE AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES

CENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Young Creek
Placer Shot 116-B-2

PLACER DRILL SAMPLING REPORT

Claims P-14720, P-14721
P-21171 and P-21172
all on left bank of
Creek or bench

DATE: Aug 9 1985 TIME: 8:20 am DRILL HOLE NO. 22


DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
DEPTH OF OVERBURDEN: 5 DRILLING TIME: 1 hr
DEPTH TO BEDROCK: 17 DRILL PREPARATION: 20 min put
TOTAL FOOTAGE DRILLED: 17 DOWNTIME: on new pit

FOOTAGE	SAMPLE NUMBER	REMARKS
0-5		muck & yellow sand
6-16		yellow & black sands then
17	1	rock which we couldn't get thru as drill got caught

GENERAL COMMENTS:

THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
(CO-REP) [Signature]

CONFIDENTIAL

GORING CREEK
PLACER SHEET 116-B-2

PLACER DRILL SAMPLING REPORT

Clerks P. 14730, P-14721

P-21171 and P-21172

All on left bend of
Creek on bench.

DATE: Aug 9 1985 TIME: 9:30 AM DRILL HOLE NO. 23

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"

HELPER: LANE K. BUSCH
LAKINA E. BUSCH DEPTH OF CASING: NONE

DEPTH OF OVERBURDEN: 4 DRILLING TIME: 50 min

DEPTH TO BEDROCK: 13 DRILL PREPARATION: 10 min


TOTAL FOOTAGE DRILLED: 13 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
0-4		rock & light sands
5-13		reddish color sands & black sands then we apparently hit bed rock

GENERAL COMMENTS:

THE FOLLOWING INFORMATION ON DRILL BITS USED. DRILL IS HYDRA
ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED

(DRILLER) [Signature]
(CO-REP) [Signature]

CONFIDENTIAL

Young Creek PLACER DRILL SAMPLING REPORT Claims P-14720, P-14721
 (Placer) Sheet H-B-2 P-21171 and P-21172
 All on left limit of creek
 or bench


DATE: Aug 9 1985 TIME: 10:45 AM DRILL HOLE NO. 24

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 8 DRILLING TIME: 1 hr
 DEPTH TO BEDROCK: 14 DRILL PREPARATION: 15 min moving base
 TOTAL FOOTAGE DRILLED: 14 DOWNTIME: new bit

FOOTAGE	SAMPLE NUMBER	REMARKS
0-8		rock not much else
8-14		on wire in tree line
9-14		on non stripped ground had drilling from here down believe we are on bedrock - grey sandy material here

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 GRADE TYPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Young Creek
Placer Sheet 116-B-2

PLACER DRILL SAMPLING REPORT

Claims 7-14720, 8-14721
8-21171 and 8-21172
All on left limit of creek
of bench

DATE: Aug 9 1985 TIME: 11:55 AM DRILL HOLE NO. 25

DRILLER: LARRY F. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 7 DRILLING TIME: 1:50 MIN
 DEPTH TO BEDROCK: _____ DRILL PREPARATION: 1:10 MIN
 TOTAL FOOTAGE DRILLED: 14 DOWNTIME: NONE

FOOTAGE	SAMPLE NUMBER	REMARKS
7		drilling on frozen - now stripped muck
8-14		grayish color sandy material then hard rock or frozen

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED. HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
 (CO-REP) [Signature]

CONFIDENTIAL

Spring Creek
Placer Sheet No. 2-2
PLACER DRILL SAMPLING REPORT
Claims P-14720, P-14721
P-21171 and P-21172
All on left limit of creek
of Section


DATE: Aug 10 1985 TIME: 1:05 pm DRILL HOLE NO. 26

DRILLER: LARRY E. BUSCH DIAMETER OF HOLE: 2"
 HELPER: LARRY E. BUSCH DEPTH OF CASING: NONE
 DEPTH OF OVERBURDEN: 7 DRILLING TIME: 140 min
 DEPTH TO BEDROCK: _____ DRILL PREPARATION: 10 min
 TOTAL FOOTAGE DRILLED: 16 DOWNTIME: None

FOOTAGE	SAMPLE NUMBER	REMARKS
0-7		Muck + Tundra
8-16		sands starting to turn yellow in color & black sand,

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED DRILL IS HYDRA
 20-P WITH TECUMSEH ENGINE. BITS USED HEAVY DUTY PROBE BIT, ROCK
 RE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MADE
 WINE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES

OPERATOR REMARKS:



SIGNED _____
 (DRILLER) Larry E. Busch
 (CO-REP) Larry E. Busch

CONFIDENTIAL

Boeing Creek
 Placer Drill Sampling Report
 Section: Unit 116-B-2

Claims P-14720, P-14721
 P-21171 and P-21172
 All on left limit of creek
 on bench

DATE: Aug 9 1985 TIME: 2:05 pm DRILL HOLE NO. 27


DRILLER: LARRY F. BUSCH
 HELPER: LANE K. BUSCH
LAVINA E. BUSCH
 DEPTH OF OVERBURDEN: 5
 DEPTH TO BEDROCK: 21
 TOTAL FOOTAGE DRILLED: 21

DIAMETER OF HOLE: 2"
 DEPTH OF CASING: NONE
 DRILLING TIME: 1 hr
 DRILL PREPARATION: 20 min
 DOWNTIME: atc back 20
minutes included in above
time + new bit on

FOOTAGE	SAMPLE NUMBER	REMARKS
0-5		muck + yellowish sand.
6-19		Sands are yellow with gravel & lot of black sand
20-21		rock as we couldn't drill any longer as drill would wedge + stick.

GENERAL COMMENTS:
 THE FOLLOWING INFORMATION ON DRILL & BITS USED. DRILL IS HYDRA
 ACC-P WITH TECUMSEH ENGINE. BITS USED HEAVY DUTY PROBE BIT, ROCK
 CORE BIT, SPECIAL PLATED HARD FACED REAMER BIT, AND SOME SPECIAL MAINT
 CARBIDE TIPPED BITS FOR THIS AREA. ALL RECOVERY IS WATER FLUSHED SAMPLES.

CONCENTRATOR REMARKS:



SIGNED (DRILLER) [Signature]
 (CO-REP) [Signature]